





QL
354
S5
sect. 2
pt. 7
KELLRF

INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN

CONFECTUS

SECTIO SECUNDA

A KALENDIS IANUARIIS, MDCCCI

USQUE AD FINEM DECEMBRIS, MDCCCL.

PART VII. INDEX Concolor—Czizeki. pp. 1453-1771.

1801-1850



LOND:

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM,

SOLD AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S.W. 7;

AND BY

B. QUARITCH, LTD.; DULAU & CO., LTD.;

THE OXFORD UNIVERSITY PRESS; AND WHELDON & WESLEY, LTD., LONDON;

ALSO BY

OLIVER & BOYD, EDINBURGH.

June, 1925.

Price—Ten Shillings.

[*All rights reserved.*]

PRINTED IN GREAT BRITAIN.

QL
354
35
sect. 2
pt. 7
Kellef

INDEX ANIMALIUM

ADDITAMENTA ET CORRIGENDA, II.

MAY 1925.

BIBLIOGRAPHY

- Agassiz, J. L. R. Etudes crit. Moll. [Livr. 2 appeared in two parts, pp. 1-48 in 1842, 49-142 in 1845. (See N. Jahrb. f. Min. 1842, 862)].
- Archiv der Naturgeschichte... von Thienemann und Thon. 1 vol. in 6 parts. 4to. *Naumberg*, 1826, 27, 28, 29, 30. [*Bibl. G. M. Mathews.*]
- Belanger *read* Bélanger.
- Benoit, L. Ric. Malac. 8vo. *Messina*, 1843. [*Ex Farfalletta; Bibl. Tomlin.*]
- Borson, S. Cat. rais. Coll. Min. Mus. H.N. (Turin). 8vo. *Turin*, 1830. [nn. nn. Moll.]
- Brehm, C. L. Handb. Stuben... Vögel. 8vo. *Ilmenau*, 1832.
- Bronn, H. G. Lethaea Geognostica. Ed. 3, fo. *Stuttgart*, 1846-48. 47 pls. & 3 Suppl. 1852, 52, 53. [B. M. (N. H.) *ex Bibl. G. B. Greenough.*]
- Brünnich, M. T. Ichthyol. Massil. 1768, contains "Spolia e mari Adriatico."
- Buffon. Nat. Hist. 10 vols. 8vo. *Lond.* (Symonds), 1807-12. [No spp. nn.]
- Calendar of Nature. 8vo. *Lond.* 1839. [Many eds. but no spp. nn.; Tom Iredale.]
- Cetti, F. Stor. Nat. Sardegna, 1774-77. And in German, 8vo. *Leipzig*, 1783-84. [nn. spp.] *Copenhagen-K. Vidensk. Selskab.*
- Bekiebtgjörelse fra... 1803-14. 4to. 1806(7)-15. [1812 not seen.] Contd. as: Oversigt (1813)-36. 4to. 1816-36. [Kindly lent to me by the Selskab through F. A. Bather, Sept. 1923.]
- Cramer, P. Uitland. Kapellen, 1775-82. *Read* pp. 91-192 (not 164).
- Cuvier & Valenciennes. H. N. Poiss. For monthly dates of the volumes *see* Ann. Mag. N. H. [9] XV, May 1925, 600.
- Deutsche Naturf. u. Aerzte. *See Germany*, p. lviii.
- Dict. Sci. Nat. Vol. XII. This vol. is dated 1817 in Manchester Museum copy, but I prefer to use 1818 as there was some confusion about this time.
- Duncan, James. *See* Westwood, J. O.
- Dunker, W. B. R. H. Ueber d. Norddeutsch. sogen. Waelderthon (Progr. höh. Gewerbeschule (Cassel)). 4to. *Kassel*, 1843.
- Ueber Kasseler Muschelkalke bis jetzt gefund. Mollusken (Progr. höh. Gewerbeschule (Cassel)). 4to. *Cassel*, 1848. [Recorded with help of L. R. Cox from "Palaeontologica."]
- Edwards, T. Interrogatory Juvenile Introd. Conchology. 8vo. *Lond.* 1839. [No nn. spp.; *Bibl. Tomlin.*]
- Ersch and Grube *read* Gruber.
- Férussac. H. N. g. et p. Moll. [A. S. Kennard has "Vol. III" containing the "Tabl. Limaçons," etc. on 4to paper. It is the only part of this 4to issue seen by me.]
- Fischer de W., G. P. liv, line 13 for Siberia *read* Sibirica.
- Fischer de Waldheim, G. Lettre à Strogonof... sur le Trogonthérium... 4to. *Moscou*, 1809.
- Forster, J. R. Indische Zool. 1781. [C. W. Richmond thinks Forster responsible for all new names, not Pennant.]
- Fourcroy, A. F. de. Entom. *Paris*, 1785. [J. H. Durrant says E. L. Geoffroy was the author of the new species.]
- Gerini. [Coll. Birds.] *See* Ornith. meth. digesta, in Index Anim. I. 1902, p. xl.
- Germar, E. F. Syst. Gloss. Prodr. was first issued as "Diss. sist. Bomb. spec." as a Thesis in 1810.
- Giornale (Nuovo) d'Italia. Vols. I-IV. 4to. *Venezia*, 1777-80. [No spp. nn.]
- Gistel, J. and Bromme. Handb. Naturges. 4to. *Stuttgart*, 1850. [P 1847-49.]
- Gloger, C. W. L. Obs. quel. dénom. genres Oiseaux, quoted by Agassiz, Nom. Zool. (Aves) *Bibl. vi*, is the paper in Froriep, Notizen, 1827, xvi, 1827, 275-279; Férussac, Bull. Sci. 1829, 282.

- Goldfuss, G. A. Enum. Ins. Eleuth. Cap. Bon. Spei. 8vo. *Erlangen*, 18 Sept. 1804.
- Gory. Mon. genre Sisyphé. 8vo. *Paris*, 1833.
- Gray, J. E. Illustr. Indian Zool. For dates *see* Kinnear, *Ibis* [12] I (2) Ap. 1825, 484-489 (Birds only); *Calcutta Journ. N. H.*, *postea* (for complete account). Entries in this Index (A. B. C.) should be verified.
- Harris, W. Rambles about Dudley Castle. 4to. *Hales-Owen*, 1845. [No n. spp. (T. Iredale).]
- Hermann, J. Tabl. aff. Anim. 1783. Nom. spec. apud Stresemann, *Novit. Zool.* XXVII (1) 1920, 327-332.
- Herrich-Schaefer, G. A. W. Syst. Bearb. Schmett. Europa, 1843. [For dates *see* Woodward, *Cat. Libr. B. M. (N. H.) Suppl.* p. 457.]
- Hist. Nat. Animaux, par un Naturaliste du Muséum. Ed. 2. 8vo. *Tours*, 1842. [Popular; T. Iredale.]
- Hombres-Firmas, L. A. d'. Recueil de Mémoires. 4 vols. 8vo. *Nismes*, 1838- . [A collection of papers by the author which had appeared in other publications.]
- Huebner, J. Index exoticorum Lepidopt. 4to. *Aug. Vind.* 22 Dec. 1821. [*Bibl.* L. B. Prout.]
- Jarocki, F. P. R. Spis ptakow., p. cxxxiv. A copy in the B. M. (N. H.).
- Keferstein, C. Naturges. Erdkörpers. 2 vols. 8vo. *Leipzig*, 1834.
- Koenig, C. The "Icones" was issued in April 1825.
- Krauss for "südafric." read "südafrik."
- Laborde, L. de. Voy. Arab. Pétrée. fo. *Paris*, 1830. Moll. by Deshayes.
- Lancet (The). Vols. 1-9. 8vo. *Lond.* 1823-50.
- Langdon, W. B. Descr. Cat. Chinese Coll. St George's Place, Hyde Park Corner, London. 25th English ed. 8vo. *Lond.* 1843. [No nn. spp. The Nathan Dunn collection.]
- Ledermueller, M. F. Mikros. Gemuths, Nachlese, dates from 1762 not 1792.
- Lemaire, C. L. H. N. Oiseaux exot. 8vo. *Paris*, 1836.
- Lichtenstein, M. H. C. Verz. südafr., mexican, und europ. Naturalien. 8vo. *Berlin*, 1839.
- Lucas, H. H. N. Lépid. exot. 8vo. *Paris*, 1835.
- Manetti, etc. *See* Orn. meth. digesta. Index Anim. I. 1902, p. xl.
- Mantell, G. A. Pictorial Atlas. [Delete "no n. nn." A. S. Kennard has pointed out several.]
- Martyn, Thos. Univ. Conch. [W. H. Dall dates these volumes I 1784, II 1784, III 1786, IV 1787.]
- Mayer, A. F. J. C. Anal. vergl. Anat. 2 parts. 4to. *Bonn*, 1835, 1839.
- Michelin, H. Fig. de quel. Coquilles de la Coll. de.... *See* Férussac, *Bull. Sci.* XI. 1827, 446.
- Middelburg.-Zeeuwsch Genoots. der Weten. te Vlissingen. Verh.* I-XV. 1769-92.
- Mikan, J. C. Delect. Brasil. [C. W. Richmond has wrappers of parts 1, 2 & 4 and the dates are (1) 1820, (2) 1822, (4) 1825, while (3) is 1823.] For dates of the four parts and contents *see* Wetmore, *Auk*, XIII, Ap. 1925, 283.
- Mörch, O. A. L. Fortegnelse over...Min. og Conch. 14 Marts 1848. 8vo. *Kjöb.* 1848, 24 pp. [Sale catalogue with a few names of no interest or value.]
— *See* *NykJöbing.*
- Mueller, Johannes. Vergl. Anat. Myxinoiden. Fo. *Berlin*, 1835, 1838, 1841.
- Muenster, G. v. Braunk. Bair. 1840. *See* Scudder, *Suppl. List*, 1882, 154. [Unknown to me; *cf.* Schafhäutl, *N. Jahrb. f. Min.* 1848, 641.]
- Murchison, etc. Geol. of Russia. The second volume is printed in French.
- Nat. Hist. Quadr. & Cetaceous Animals. 2 vols. 8vo. *Bungay*, 1811 [no sp. nn.].
- Nilsson, S. Hist. Moll. Suec. was not issued until 1823 (B. B. Woodward).
- NykJöbing.-Cathedralskole. Indbydelseskraft off. Examen.* 8vo. *NykJ.* 1849, 86 pp. [Lists only by Mörch; (*Bibl.* Tomlin).]
- Orbigny, A. D. d'. Paléont. Coq. [This work also exists as 8vo. *Paris*, 1855, 392 pp. evidently a remainder with a new T. P.; *Bibl.* Tomlin, 1923.]
- Oriental Sporting Magazine. 5 vols. (20 parts) 8vo. *Bombay*, 1828-33 (reprinted 1873). [No spp. nn.]
- Paris.-Soc. Sci. Nat. de France. Bulletin*, 7 nos. (pp. 1-116). 4to. *Paris*, 1835. [R. S.]
- Phelsum, M. V. Brief aan Nozemann Zee-egelen, 1774. [As regards the generic names *see* also Lütken, *Vid. Med.* 1863 (1864), 116.]
- Phillips, John. P. cii. Figs. & descr. Palaeoz. Foss. Cornwall. [Is^t August 1841 not 1839, a *lapsus calami*; the entry on p. kxiii and the references in the text are correctly dated.]

- Price, Rees. A treatise on the utility of Sangui-suction. 8vo. *London*, 1822. [T. Iredale.]
- Réaumur, R. A. F. de. See Vallot, J. N.
- Reichenbach, A. B. Bildergallerie d. Thierwelt...4 Leipz. 1835 [in parts 1831-35], 80 pls.; Popular]. [*Bibl.* Tomlin.]
- Die Naturges. Wuerner. 4to. *Leipzig*, 1842. [Same work as "Die L. S. u. See-Conch." 1842, with another T. P.; *Bibl.* Tomlin.]
- Schinz, H. R. Nat. der Mensch. u. Saeugeth. 29 parts, 4to. *Zurich*, 1840.
- Schuelte, J. H. Oryct. Jenensis, 1761. Should be Schuette.
- Schweigger, A. F. Prodr. Mon. Chelon. Should be 1814 not 1848.
- Siebold, C. T. etc. Beitr. Fauna Preuss. *Ex* Preuss. Prov. Blätter, *q.v.*
- Solito, Domenico. Descr. Conch. e... Tarantola di Puglia. 8vo. *Roma*, 1845. [Not binom.; chiefly econ., *ex Bibl.* Tomlin.]
- Sowerby, G. B., I. Genera Recent & Foss. Shells. [The following dates have been recovered : (1) 31 Dec. 1821; (2) 28 Feb. 1822; (4) 30 Mar. 1822; (5) 30 Ap. 1822; (6) 31 May 1822; (7) 29 June 1822; (8) 31 Aug. 1822; (9) 30 Sept. 1822 or 31 Oct. 1822; (10) 31 Dec. 1822; add to Ann. Mag. N. H. (6) XIII, Ap. 1894, 370.]
- Steven, C. Mus. Mosq. II. [I think this must be a MS.]
- Studer, Samuel. Syst. Verz. Schweiz. Conch. 8vo. *Bern*, 1820. Is *ex* Nat. Anz. Allg. Schweiz. Gesellsch. III.
- Temminck, C. J. Coup d'œil Faune Iles de la Sonde. 8vo. — (1835). [*Bibl.* C. W. Richmond.]
- Thompson, J. V. Zool. Researches. [The correct dates have been recovered by F. J. Cole from a set of originals in Manchester and are: (1) Sept. 1828, Add. Ap. 1829; (2) Sept. 1828; (3) Ap. 1829; (4) Jan. 1830; (5) Dec. 1830; (6) 1834.]
- Thunberg, C. P. Opatum (*sic*) Ins. Gen. 4to. *Upsal*. 1821, "pp. 27-34."
- Fauna Japonica. 4to. *Upsal*. 1822.
- Fauna Novae Hollandiae. 4to. *Upsal*. 1822. [List only.]
- Fauna Chinensis. 4to. *Upsal*. 1823. [List only.]
- Canis species Scand. inhabit. 4to. *Upsal*. 1824.
- Afh. Djur, som i Bibelen omtalas. 9 parts, 8vo. *Upsal*. 1825-27. [No n. spp.]
- Afh. Foglar, som i Bibelen omtalas. 3 parts, 8vo. *Upsal*. 1827. [No n. spp.]
- Afh. Insekter, som i Bibelen omtalas. 8vo. *Upsal*. 1828. [No n. spp.]
- Times Telescope for 1814 (→) to which are prefixed the Elements of British Ornithology. 8vo. *Lond*. 1821. [No n. spp., *teste* F. J. Griffin.]
- Tuomey, M. Rep. Geol. Surv. S. Carolina, 1844. 8vo. *Columbia*, 1844.
- Vallot, J. N. Concordance syst. à l'ouvrage de Réaumur. 4to. *Paris*, 1802.
- Vroeg, A. Catalogus, 1764. [The new names are by Pallas.]
- Westwood, J. O. was the author of the names of new Gen. and Spec. in Duncan, Lepidopt. (Nat. Libr.)
- Williams, Robert. Hist. Antiq. Aberconwy. 8vo. *Denbigh*, 1835. [T. Iredale.]
- Winter, Raphael. Animalcula varia ad nat. lap. illata. obl.4to. *Karlsruhe*, 1822, 10 pls. (no text) [no sp. nn.]
- Wood, W. Gen. Conch. 1815. [With a new T. P. 1835. (*Bibl.* Tomlin.)]
- Zoological Miscellany (Gray's). For 1821-44 read 1831-44.

- concolor** Mimela, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
[*inerte* 1851], 196.
- concolor** Miscophus, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 236.
- concolor** Morellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 406.
- concolor** Muscina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- concolor** Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 102. [1830, 408.
- concolor** Mystacides, H. Burmeister, Handb. Ent. II (2) ii, 1839, 919.
- concolor** Nebria, Bon. in Dejean, Catal. Coléopt. 1821, 7 [*n. n.*].
- concolor** Nebrius, E. Rueppell, Neue Wirbelth. Abyssin. (11) 1837, 62.
- concolor** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 243.—concolorina, 1802.
- concolor** Notiphila, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 216.
- concolor** Ocalea, Kiesenwetter in H. C. Kuester, Käfer Europas, VIII. 1847, 46.
- concolor** Oedemera, Sturm; Dejean, Catal. Coléopt. 1821, 77 [*n. n.*]. [Byrrhus.
- concolor** Oomorphus (Sturm), J. Curtis, Brit. Entom. VIII (87) Mar. 1831, no. 347.—
- concolor** Paludina, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 109.
- concolor** Pangonia, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 14.
- concolor** Pantodactylus, J. J. v. Tschudi, Arch. f. Naturg. XIII (1) 1847, 49.
- concolor** Passandra, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 205.
- concolor** Passer (Jerd.), G. R. Gray, Genera of Birds, II. June 1849, 373.—Pyrgita.
- concolor** Pempredon, T. Say in Keating, Exp. Peter River, II. 1824, 339; & ed. London,
1825 (App.), 72.
- concolor** Pantheria (Cass.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 448.—Vidua.
- concolor** Peryphus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 54.
- concolor** Phasianella, C. B. Adams, Contr. to conch. (4) Jan. 1850, 68.
- concolor** Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
- concolor** Phoca, J. E. De Kay, N. H. New York (Mamm.) 1842, 53.
- concolor** Physa, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (3) July 1841 [3].
- concolor** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 97.
- concolor** Pleomorpha, W. W. Saunders, Ann. Mag. Nat. Hist. XIX (123) Jan. 1847, 61.
- concolor** Pnoepyga (Tesia), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- concolor** Pogonocerus, E. Newman, Entom. Mag. V (4) Ap. [*z. e.* July] 1838, 375.
- concolor** Polycentropus, H. Burmeister, Handb. Ent. II (2) ii, 1839, 914.
- concolor** Popillia, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 138.
- concolor** Procyon, G. Fischer, Zoogn., ed. 3, III. 1814, 178.
- concolor** Promecoderus, E. F. Germar, Linnaea Entom. III. Apr. 1848, 168.
- concolor** Psen, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 6.
- concolor** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 28.
- concolor** Pterostichus, J. Sturm, Catal. Ins. Samml. 1826, 188 [*n. n.*].
- concolor** Pupa, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 18.
- concolor** Pyrgita, T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 28.
- concolor** Rallus, P. H. Gosse, Birds of Jamaica, 1847, 369. [Stenoderus.
- concolor** Rhagiomorpha (MacL.), E. Newman, Ann. Nat. Hist. V. Mar. 1840, 21.—
- concolor** Rhynchodon (Temm.), C. L. Nitzsch, Syst. Pterylogr. 1840, 78.—Falco.
- concolor** Scaphidium, J. C. Fabricius, Syst. Eleuth. II. 1801, 576. [thaixoides.
- concolor** Schizorhis (A. Smith), G. R. Gray, Genera of Birds, II. June 1845, 395.—Cory-
- concolor** Scolia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 432.
- concolor** Scolopendra, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 394.
- concolor** Sonometopia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 297.—
Sturmia.
- concolor** Simia, R. Harlan, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 231.
- concolor** Simplicaria (Sturm), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 139.
- concolor** Sorex, A. Smith, Rpt. Exp. C. Afr. 1836, 43. [—Byrrhus.
- concolor** Spermophilus, C. J. Temminck, Mon. Mamm. I. 1824, 27.
- concolor** Spermophilus, I. Geoffroy in C. Bélanger, Voy. Indes Orient. (2) Mar. 1831, 151.
- concolor** Spermophilus (Fisch.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 529.—Arctomys.
- concolor** Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 498.
- concolor** Staphylinus, Ziegler; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].

- concolor** Stenoderus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 452.
- concolor** Stereoma, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 444.
- concolor** Stizus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 392.
- concolor** Strongylosoma, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 117. [1830, 172.]
- concolor** Sturmia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- concolor** Sylvia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 20.
- concolor** Syromaster, E. F. Germar, Revue Entom. V (3) 1840, 146.
- concolor** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 179.
- concolor** Tephrodomis, Blyth; G. R. Gray, Genera of Birds, I. Feb. 1847, 290.
- concolor** Tesia (Hodgs.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 62.—Pnoepyga.
- concolor** Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 226. [Caelorrhina.]
- concolor** Tmesorrhina (Burm.), J. O. Westwood, Arcana Entom. (5) Jan. 1842, 72.—
- concolor** Trichas (O. & L.), G. R. Gray, Genera of Birds, I. Dec. 1848, 197.—Sylvia.
- concolor** Turdus, T. Horsfield, Zool. Researches Java (? 8) 1824, Gen. Catal.
- concolor** Urodon, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 142.
- concolor** Uropterygius, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 83.
- concolor** [Velleius] (Marsh.), G. Samouelle, Entom. Compend., June 1819, 172.—Staphy-
- concolor** Vespa, W. Kirby, Tr. Linn. Soc. London, XI (1) 1813, 118. [linus.]
- concolor** Vidua, J. Cassin, Proc. Acad. Nat. Sci. Philad. IV (3) June 1848, 66.
- concolor** Viverra, G. Fischer, Zoogn., ed. 3, III. 1814, 206.
- concolor** Xiphidium, H. Burmeister, Handb. Ent. II (2) i, 1838, 708.
- concolor** Zonitis, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 451 [*n. n.*].
- concoloratus** Carabus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 440.
- concoloratus** Carabus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 472.
- concolorella** Lyonetia, Nylander in Tengström, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 151.
- concolorina** Noctua, [Haworth], Prodr. Lep. Brit. 1802, 19.
- concoloripennis** Lampyris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 110.
- concoloripes** Antichira, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 205.
- concolore** Cicindela, Latreille & Dejean, H. N. Icon. Col. Europe (1) 1822, 42.
- concordalis** Eulepte, J. Huebner, Exot. Schmett. II. Tab. [225] [*n. et f.*].
- concordaria** Catagrapta, J. Huebner, Verz. bekannt. Schmett. 1825, 297.—Geometra, 1796.
- concordaria** Eupisteria (Huebner.), Boisduval, Gen. Index Europ. Lepid. 1840, 192.—Geometra, 1796. [metra, 1796.]
- concordaria** Fidonia (Huebner.), F. Treitschke, Schmett. Europa, V (2) 1825, 435.—Geo-
- concordaria** Phalaena (Huebner.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 75.
- concordia** Papilio, F. Weber, Obs. Ent. 1801, 107. [—Geometra, 1796.]
- concordialis** Succinea, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1848), 38.
- concordis** Sarcinula, G. Michelotti, Spec. Zoophyt. diluv. 1838, 111.
- concors** Clytie, J. Huebner, Verz. bekannt. Schmett. 1825, 267.
- concors** Ophiusa, J. Huebner, Beiträge z. Exot. Schmett. II. 1823, 22.
- concors** Triphoris [Ino], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 17.
- concretus** Caprimulgus, Temminck in C. L. Bonaparte, Cons. gen. Avium, I. 1850, 60.
- concretus** Carabus, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 102.
- concretum** Composoma, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 210.
- concretus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- concretus** Cuculus, S. Müller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land- en Volkenk.) (8 & 9) 1845, 236.
- concreta** Dacelo, C. J. Temminck in T. & Laugier, Pls. color. (58) May 1825.
- concretus** Echinus, J. McClelland, Calcutta Journ. Nat. Hist. I (2) July 1840, 180.
- concreta** Halcyon (Temm.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Dacelo.
- concretus** Hemicircus, W. Swainson, N. H. Classif. Birds, II. June 1837, 306.
- concreta** Hypothymis (Muell.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 320.—Muscicapa.

- concreta** Lamia, Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- concretus** Micropicos (Reinw.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 331.—Picus, Temm.
- concreta** Muscicapa, S. Mueller, Tijdschr. nat. geschied. physiol. II (4) 1835, 351.
- concreta** Myiolestes (Muell.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 358.—Muscicapa.
- concretus** Picus, C. J. Temminck in T. & Laugier, Pls. color. (15) Ap. 1822.
- concreta** Turdiprostris, C. L. Bonaparte (*ex* Mueller MS), Consp. gen. Avium, I. 1850, 218 [*n. n.*]. [*n. et f.*]
- concubina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 69 (Fernaldo judice 1802)
- condalus** Phasgonophora, F. Walker, Entomologist (9) July 1841, 135.
- condanarus** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 107.
- condanarus** Psammophis, F. Boie, Isis (Oken), 1827, 548. [99.]
- condecoratus** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
- condecoratus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833,
- condecoratus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 631. [464.]
- condecoratus** Naupactia, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 38.
- condensata** Chemnitzia (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 352.—Melania.
- condensata** Melania, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 227.
- conditor** Hapalotis, J. Gould, Mamm. of Australia, III (2) Sept. 1849, pl. 6.—Mus, 1834.
- conditor** Mus, J. Gould in Sturt, Exped. Centr. Austral. I. 1834 [120], pl.
- condita** Chlamys, F. Klug, Entom. Mon. 1824, 148.
- condita** Ficula (Brongn.), E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 37.—Pyrula.
- condita** Pyrula, Al. Brongniart, Mém. terr. Vicentin, 1823, 75.
- condomanus** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 423.—Papilio codomanus, 1781.
- Condor** I. Geoff. St H. in Buffon (Roret), Essai Zool. gén. 1841, 367.—A. [*non usu gen.*].
- condor** Sarcoramphus, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 25.
- condor** Spirifer, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 46.
- condor** Vultur, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 2. [Delar.]
- Chondracanthus** L. Agassiz, Nomen. Zool. Index Univ. 1846, 96.—*v.* Chondracanthus,
- conductor** Centronotus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 309.
- conductus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
- conducta** Haltica, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 180. [316.]
- conduplicaria** Heterusia, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 18.
- condyliata** Herbstia (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 302.—Cancer, 1787. [1798.]
- condyliata** Maja (F.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 254.—Inachus,
- chondyliatus** Maja (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 95.—Inachus, 1798.
- condyliatus** Piazurus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 678.
- Condylodera** J. O. Westwood, Tr. Linn. Soc. London, XVIII (3) 1840, 419.—Orth.
- Condylodon** A. W. Lund, Ann. Sci. Nat. XXIII (90) June 1831, 131.—Hym.
- Condylomera** W. F. Erichson, Arch. f. Naturg. 1841 (2), 196 [*err. pro* Condylodera, Westw.].
- Condylopalama** Sundevall, 4 Förh. skand. Naturf. 1844 (1847), 255.—Orth. [*sine typo*].
- Condyllops** L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 47.—Col.
- Condylopyge** Hawle & Corda, Prod. mon. böhm. Trilob. 1847, 50.—Cr.
- Condylostoma** C. G. Ehrenberg, Symb. Phys., Phyt. 1831, sign. e (pls. 1828).—Inf.
- Condylostoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kondyliostoma,
- Condylura** C. Illiger, Prod. 1811, 125.—M. [Bory.]
- Condylura** Berthold in Latreille, Nat. Fam. Thierr. 1827, 269; in G. Cuvier, R. Anim., ed. 2, IV. 1829, 153.—Cr.
- condylurus** Nyctinomus, A. Smith, S. African Quart. Journ. II. no. 1 (2) Dec. 1833, 54.
- Conella** W. Swainson, Treat. Malacol., May 1840, 149 & 312.—G.
- conepatl** Mephitis (Gm.), G. Fischer, Zoogn., ed. 3, III. 1814, 204.—Viverra, 1788.
- Conepatus** J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 581.—M.

- conexella** Lithocolletis, P. C. Zeller, *Linnaea Entom.* I. Feb. 1846, 226.
- confamula** Dysauxes, J. Huebner, *Verz. bekannt.* Schmett. [1822], 171.
- confector** Cryptus, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 518.
- confector** Ichneumon, J. L. C. Gravenhorst, *Ichneum. Europ.* I. 1829, 579.
- confederata** *v.* **confoederatus -a -um.**
- confertifolia** Fungia, J. D. Dana, Wilkes, U. S. Exped., *Zooph., c. Mar.* 1848, 297.
- confertim-annulatus** Inoceramus, C. F. Roemer, *Texas*, 1849, 402.
- confertum** Alcyonium, J. D. Dana, Wilkes, U. S. Exped., *Zooph., c. Mar.* 1848, 621.
- confertus** Alveolites (Keys.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 160.—*Harmodites.*
- conferta** Astrea, Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) XII. Aug. 1849, 102.
- confertus** Baridius, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* III (2) 1836, 728.
- conferta** Caryophyllia, J. D. Dana, Wilkes, U. S. Exped., *Zooph., c. Mar.* 1848, 380.
- conferta** Cladocora, A. E. Reuss, *Naturw. Abhandl. (Haidinger)* II. 1848, 19.
- conferta** Cladocora (Dana), Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) XI. May 1849, 308.—*Caryophyllia.*
- conferta** Eschara, A. E. Reuss, *Naturw. Abhandl. (Haidinger)* II. 1848, 71.
- confertus** Harmodites, E. Eichwald, *Urwelt Russlands* (1) 1840, 91.
- confertus** Harmodites, Keyserling, *Wiss. Beob. Petschora-Land*, 1846, 172.
- conferta** Heterocoenia, Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) X. Dec. 1848, 309.
- conferta** Hydrocera, E. Newman, *Entomologist* (23) Aug. [*i.e.* Sept.] 1842, 365.
- conferta** Hydnochora (Lonsd.), H. G. Bronn, *Index Pal.* 1848, 600.—*Monticularia.*
- conferta** Linyphia, N. M. Hentz, *Boston Journ. N. H.* VI (1) 1850, 30.
- conferta** Meloe, T. Say, *J. Acad. Nat. Sci. Philad.* III. Feb. 1824, 281.
- conferta** Monticularia, W. Lonsdale in R. I. Murchison, *Silurian System*, Jan. 1839, 688.
- conferta** Nodosaria, A. E. Reuss, *Verst. boehm. Kreidef.* I. 1845, 26.
- conferta** Oculina, Edwards & Haime, *Brit. Foss. Corals (Pal. Soc. III.)* Aug. 1850, 27.
- conferta** Phyllangia, Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) XII. Sept. 1849, 182.
- conferta** Sapromyza, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 454.
- confertus** Serranus, E. T. Bennett in S. Raffles, *Mem. T. S. Raffles*, 1830, 686.
- confertus** Sphecodes, T. Say, *Boston Journ. N. H.* I (4) 1837, 392.
- conferta** Synastrea, Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) XII. Sept. 1849, 150.
- conferta** Syringopora (Keys.), H. G. Bronn, *Index Pal.* 1848, 1213.—*Harmodites.*
- confertus** Tanymecus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* II (1) 1834, 88.
- confertus** Unio, I. Lea, *Tr. Amer. Phil. Soc., n. s., V* (1) 1834, 103.
- confervaeformis** Tertularia, E. J. C. Esper, *Pflanzenz., Serit., tab. xxxiii* [n. d., 1810?].
- confervicola** Rotifer, Du Trochel, *Ann. Mus. H. N. (Paris)* XIX (113) *inter* Jan.-July, 1813, 375.
- confervicola** Spongia, R. Templeton, *Mag. Nat. Hist.* IX. Sept. 1836, 470.
- confervicola** Tubicolaria, Lamarck, *An. s. vert.* II. 1816, 53.
- confervigera** Anodonta, Schlueter in Ziegler in Rossmaessler, *Icones Iconogr. Moll.* 1 (4) 1836, 25.
- confidella** Aricia, J. W. Zetterstedt, *Dipt. Scand.* IV. 1845, 1621.
- confinaria** Cabera, C. F. Freyer, *Neuere Beitr. Schmett.* I (10) 1832, 115.
- confiniella** Myeloides, P. C. Zeller, *Isis (Oken)*, 1848, 683. [1840, 395.
- confinis** Acanthophorus, F. L. de Laporte in Brullé, H. N. *Anim. artic. (Coléopt.)* II. 1848, 12.
- confinis** Adimonia, Mannerheim in Gebler, *Bull. Soc. Imp. Nat. Moscou*, XXI. 1848 (3) 1848, 12.
- confinis** Agromyza, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VI. 1830, 176.
- confinis** Aleochara, J. F. Stephens, *Nom. Brit. Ins., Aug. 1829*, 21 [*n. n.*]; & *Ill. Brit. Ent. (Mand. V.)* Ap. 1832, 123.
- confinis** Allorrhina, A. White, *Nomen. Coleopt. Coll. B. M.* (1) 1847, 9 [*n. n.*].
- confinis** Amara, Dejean, *Spec. gén. Coléopt.* III. 1828, 510.
- confine** Amblyomma, C. L. Koch, *Arch. f. Naturg.* X (1) 1844, 229.
- confinis** Anthomyia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* V. 1826, 122.
- confinis** Aprilus, F. Faldermann, *Mém. présentés Ac. Imp. Sci. St Pétersb.* II (4 & 5) Mar. 1835, 360.
- confinis** Batrisus, J. Le Conte, *Boston Journ. N. H.* VI (1) 1850, 96.
- confinis** Bibio, C. F. Fallen, *Dipt. Succ. (Platepez.)* 1815, 12.

- confinis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 643, Feb. 1850.
- confinis** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 125.
- confinis** Cassida, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 48.
- confinis** Cetonia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 25.
- confinis** Charaëas, J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 109.
- confinis** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 253.
- confinis** Chironomus, C. Staeger, Naturhist. Tidsskrift, II (6) 1839, 572.
- confinis** Chironomus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 15.
- confinis** Chrysis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36 [*n. n.*].
- confinis** Chrysomela, F. Klug (*ex Dej. lit.*), Insect. Doublet. Z. M. Berlin, 1829, 10.
- confinis** Chrysomela, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 211.
- confinis** Cicada, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 527.
- confinis** Cixius, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 304.
- confinis** Clinteria (G. & P.), Kirby in H. Burmeister, Handb. Ent. III. 1842, 304.—
- confinis** Conymbetes (Gyll.), Dejean, Catal. Coléopt. 1821, 19.—Dytiscus. [Gymnetis.
- confinis** Conotrachelus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 430.
- confinis** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 106.
- confinis** Cybister, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 5 [*n. n.*].
- confinis** Cyclocephala, Dejean, Ann. Sci. Nat. XX (79) July 1830, 268 [*n. n.*].
- confinis** Dolichopus, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3090.
- confinis** Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 664.
- confinis** Dytiscus, L. Gyllenhal, Ins. Suecica, I. 1808, 511.
- confinis** Entedon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 166.
- confinis** Ephistemus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 169.
- confinis** Exorista (Fall.), J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 403.—Tachina.
- confinis** Eylais, C. L. Koch, Deutsch. Crust., heft 14, 1837, tab. 18.
- confinis** Falagria, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1832, 104.
- confinis** Feronia (Argutor), C. H. Boheman, Ins. Caffr. I (1) 1848, 182.
- confinis** Goerius, J. F. Stephens, Ill. Brit. Ent. (Mand. V.) June 1832, 211.
- confinis** Gymnetis, Gory & Percheron, Mon. Cétoines (14 & 15) Nov. 1836, 378.
- confinis** Halesus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 120 [*n. n.*].
- confinis** Haliplus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 41.
- confinis** Haltica, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 215 [*n. n.*].
- confinis** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- confinis** Harpalus, J. F. Stephens (*ex Kirby MS*), Ill. Brit. Ent. (Mand. I.) June 1828, 156.
- confinis** Hemerobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 115.
- confinis** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 154. [myia, 1826.
- confinis** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—Antho-
- confinis** Lasiapteryx, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*].
- confinis** Marica, C. L. Koch, Deutsch. Crust., heft 12, 1837, tab. 7.
- confinis** Masicera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 121.—
- Tachina, Fall.
- confinis** Nomada, J. Curtis (*ex Kirby MS*), Brit. Entom. IX (105) Sept. 1832, no. 419 [*n. n.*].
- confinis** Ocypus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 276 [*n. n.*].
- confinis** Odontocera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- confinis** Orchestes, Meg.; Dejean, Catal. Coléopt. 1821, 83 [*n. n.*]. [615.—Agromyza.
- confinis** Orchestes, J. F. Stephens (*ex Kirby MS*), Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 65 [decoratus].
- confinis** Orthis, J. W. Salter, Q. J. Geol. Soc. London, V. 1849, 15.
- confinis** Paederus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 69. [Tachina.
- confinis** Phorocera (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 261.—
- confinis** Phytomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 405.
- confinis** Piophilha, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 383.

- confinis** Psilocephala, J. W. Zetterstedt, Dipt. Scand. I. 1842, 213.
- confinis** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 486.
- confinis** Rhaphidia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & III. Brit. Ent. (Mand. VI.) Aug. 1836, 131.
- confine** Rhaphium, J. W. Zetterstedt, Dipt. Scand. II. 1843, 467.
- confinis** Rissoa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533 [*n. n.*].
- confinis** Rissoa, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 104.
- confinis** Salmo, J. E. De Kay, N. H. New York (Fish) 1842, 238.
- confinis** Scaeva, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 602.
- confinis** Selenophorus, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (2) 1845, 512.
- confinis** Spheax, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 437.
- confinis** Tabanus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 516.
- confinis** Tachina, C. F. Fällén, Mon. Muscidum Sveciae (3) 1820, 32.
- confinis** Tachydromia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 307.
- confinis** Tanymecus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 83.
- confinis** Tasgius, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 98.—Goerius, 1832.
- confinis** Telephorus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11 [*n. n.*]; & III. Brit. Ent. (Mand. III.) Dec. 1830, 302.
- confinis** Tenthredo (Selandria), A. G. Dahlbom, Conspect. Tenthred. 1835, 11 [*n. n.*].
- confinis** Tephraea, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 26 [*n. n.*].
- confinis** Thamnotettix, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 293.—Cicada, 1828.
- confinis** Thereva (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 127.—
Biblio. [Haltica, 1829.
- confinis** Thyamis (Kirby), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 310.—
- confinis** Trachyphaeus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Aug. 1831, 121.
- confinis** Trimorphus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 181.
- confinis** Uloma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 149 [*n. n.*].
- confinis** Xylota, J. W. Zetterstedt, Dipt. Scand. II. 1843, 872. [*n. n.*].
- confinium** Raphitoma, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 20
- confiscator** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 100.
- confiscator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 267.—Bassus.
- confixana** Teleia, J. Huebner, Verz. bekannt. Schmett. 1826, 385.—Tortrix. [*n. et f.*].
- confixana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 44 (Fernaldo giudice 1818–22)
- confixaria** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 152.
- conflagrans** Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 28.—conflagratus, Herbst, 1783.
- conflagratus** Aphodius, J. C. Fabricius, Syst. Eleuth. I. 1801, 72.—Scarab. Herbst, 1783.
- conflagratus** Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 102.
- conflagrata** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 95.
- conflagratus** Tillus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 272.
- conflexa** Terebratula, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 21.
- conflua** Noctua, Treitschke in Duponchel in J. B. Godart, H. N. Lépid. France, VII (1) (Noct. 4, pt. 1), 140, 1827.
- confluens** Alysia, J. T. C. Ratzeburg, Die Ichneum. I (*c.* Mar.) 1844, 55.
- confluens** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 338.
- confluens** Apion, W. Kirby, Tr. Linn. Soc. London, IX. 1808, 62.
- confluens** Apion, Gyll.; Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- confluens** Asopus, Herrich-S., Wanzenart. Ins. V (5) Jan. 1840, 77.
- confluens** Asterocycles, L. Vanuxem, Geol. N. York (3rd distr.) 1842, 136.
- confluens** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 65.
- confluens** Atax, C. L. Koch, Deutsch. Crust., heft 7, 1836, tab. 24. [84.
- confluens** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- confluens** Carabus, G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 187.
- confluens** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 346.
- confluens** Chalchophora, A. Chevrolat, Revue Entom. V (1) *c.* Sept. 1838, 57.

- confluens** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- confluens** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 141.
- confluens** Chrysura, A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 6.
- confluens** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 82.
- confluens** Coccinella, J. C. Fabricius, Syst. Eleuth. I. 1801, 373. [(4) 1843, 669.
- confluens** Coeloptychium, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVI. 1843
- confluens** Cremastus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 735.
- confluens** Cyathophyllum, G. v. Muenster, Beitr. zur Petref. (4) 1841, 37. [cilla.
- confluens** Diastopora (Roem.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 65.—Rosa-
- confluens** Dytiscus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 440.
- confluens** *emend.* confluentus Dytiscus, Say, J. L. Leconte in Agassiz, Lake Superior,
- confluens** Elater, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 80. [1850, 212.
- confluens** Escharina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 68.
- confluens** Eunomya (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 207.—
Cyathophyllum.
- confluens** Euplectus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 105.
- confluens** Globigerina, F. v. Hagenow, N. Jahrb. f. Min. 1842, 571.
- confluens** Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 369.
- confluens** Hemicidaris, F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 411.
- confluens** Hydroporus, Fab.; Dejean, Catal. Coléopt. 1821, 20.—Dytiscus, 1787.
- confluens** Hygrotus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 47.—
Dytiscus, 1787.
- confluens** Limnephilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*].
- confluens** Lithocharis (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 615.—Lath-
robium confluentum.
- confluens** Mamestra, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 245.
- confluens** Murex, E. Eichwald, Nat. Lithuaen, 1830, 224.
- confluens** Mylabis, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 227.
- confluens** Nesaea, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 17.
- confluens** Oracanthus, J. L. R. Agassiz, Poiss. Foss. III. 177 (1843) [*n. n.*]. [Astrea.
- confluens** Oulophyllia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 387.—
- confluens** Parastasia, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 304.
- confluens** Poecilus, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 136.
- confluens** Polyastra (Goldf.), H. G. Bronn, Index Pal. 1848, 1025.—Astrea.
- confluens** Polydrusus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 15
[*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Sept. 1831, 142.
- confluens** Porcellio, C. L. Koch, Deutsch. Crust., heft 34, 1841, tab. 14.
- confluens** Prionastrea (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept.
1849, 135.—Astrea.
- confluens** Prometopia, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 281.
- confluens** Psyllobora (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 175.—
Coccinella.
- confluens** Rosacilla, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 19.
- confluens** Spongites, F. T. Kuetzing, Polyp. calcif. 1841, 32.
- confluens** Tetragonolepis, J. L. R. Agassiz, Poiss. Foss. II (1), 199 (1835).
- confluens** Thecosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 31.
- confluens** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 510.
- confluens** Xysticus, C. L. Koch, Die Arachniden, XII (3) 1845, 67.
- confluenta** Acanthia, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- confluenta** Buprestis, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 159.
- confluentus** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831. [II. 1823, 350.
- confluentus** Coluber, T. Say in Long, Exped. Rocky Mts. II. 1823, 48; & London ed.
- confluentus** Coreus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- confluentus** Crabro, T. Say, Boston Journ. N. H. I (4) 1837, 376.
- confluentus** Cryptocephalus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 440.
- confluentus** Cynips, T. W. Harris, Treat. Ins. N. England, 1842, 397.
- confluenta** Donacia, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1826, 293.
- confluenta** Engis, T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 195.

- confluentum** Lathrobium, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 456.
- confluenta** Ornithomyia, T. Say, J. Acad. Nat. Sci. Philad. III. July 1823, 103.
- confluenta** Scolia, T. Say, Western Quart. Reporter, II (1) 1823, 74.
- confederata** Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 8 [*n. n.*].
- confoederata** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814, 438.
- conformatum** Omalium, J. Hardy, Tr. Tyneside Nat. F. C. I (4) 1849, 282 [*n. n.*].
- conformella** Cauchas, P. C. Zeller, Isis (Oken), 1839, 186.
- conformis** Acrosalenia, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 40.
- conformis** Agaricophagus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 86.
- conformis** Agrilus, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 227.
- conformis** Ancyloxycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*invenite* 1851], 135. [Musca.]
- conformis** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 180.—
- conformis** Asopus, Herrich-S., Wanzenart. Ins. VI (4) June 1841, 72.
- conformis** Astaena, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 84.
- conforme** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 105. [1850, 84.]
- conformis** Blacus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 96.
- conformis** Brachinus, Dejean, Spec. gén. Coléopt. V. 1831, 427.
- conformis** Brachysphoenus, T. Lacordaire, Mon. Eroyt., Sept. 1842, 353.
- conformis** Campoplex, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 81.
- conformis** Catopygus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 158.
- conformis** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 196.
- conformis** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 630.
- conformis** Cicindela, Dejean, Spec. gén. Coléopt. V. 1831, 216.
- conformis** Clythra, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 194.
- conformis** Coccinella, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 604.
- conformis** Cratonychus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 163.
- conformis** Diadema, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 347.—Acrosalenia,
- conformis** Dytiscus, G. Kunze, N. Schr. Nat. Ges. Halle, II (4) 1818, 58. [1840.]
- conformis** Echinoneus, Ed. Desor in L. Agassiz, Mon. Ech. III. 1842, 48.
- conformis** Eurycratera (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 46.—Helix.
- conformis** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—Mygale, 1838.
- conformis** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 230.
- conformis** Goniomyia, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 14. [1775.]
- conformis** Graptolitha (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 243.—Noctua,
- conformis** Harpalus, Sturm; Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- conformis** Helix, W. Wood (*ex* Fér.), Suppl. Index Test. 1828, 22 [*n. et f.*].
- conformis** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 32 [*n. n.*].
- conformis** Hemerobius, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 426.
- conformis** Hemiteles (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 803.—Ichneumon, 1790.
- conformis** Hister, W. F. Erichson, Jahrb. Insecten. I. 1834, 153.
- conformis** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 108. [nella.]
- conformis** Leis (Boisd.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 261.—Cocci-
- conformis** Lixus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 163 [*n. n.*].
- conformis** Malachius, W. F. Erichson, Entomographien, 1840, 76.
- conformis** Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 82.
- conformis** Mygale, C. L. Koch, Die Arachniden, V (1) May 1838, 20.
- conformis** Pagurus, W. de Haan in Siebold, F. Japon. (Crust. 1849), 206.
- conformis** Peryphus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 240. [Goniomyia.]
- conformis** Pholadomya (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 360.—
- conformis** Phyllotoma, C. F. Fallen, Mon. Tenthred. Sveciae (3) 1829, 34.
- conformis** Platysma, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 46.
- conformis** Saprinus, J. Le Conte, Boston Journ. N. H. V (1) 1845, 72.

- conformis** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 228.
conformis Staphylinus, Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
conformis Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 150.
conformis Tachinus, J. L. Leconte in Agassiz, Lake Superior, 1850, 219 [*n. n.*].
conformis Taphaeus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 191.
conformis Tenthredo (Selandria) (Fall.), A. G. Dahlbom, Conspect. Tenthred. 1835, 10.
 —Phyllotoma.
conformis Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 225.
conformis Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 49.
conformis Trigonina, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 16. [1775-
conformis Xylena (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 85.—Noctua,
conformis Xylina (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832, 182.
 —Phalaena, D. & S. 1775.
confossus Chiton, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 143.
confraga Mactra, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340.
confragosa Alasmodonta, T. Say, Dissem. Useful Knowledge, Nov. 1829, 339.
confragosa Margaritana (Say), I. Lea, Syn. Naiades, 1836, 43.—Alasmodonta.
confragosa Myrmedonia, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849
 (1) 1849, 28.
confragosus Productus, T. A. Conrad, Trans. Geol. Soc. Pennsylv. I (2) 1835, 268.
confragosus Turbo, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849), 89.
confragosa Unio (Say), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VI.
 Mar. 1835, 553.—Alasmodonta.
confrater Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 120.
confucii Desmidophorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 362.
confucii Lotis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1036. [291.
confucius Adolais, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
confucius Aphanis, A. White, Ann. Mag. N. H. XVIII. July 1846, 24.
confucius Lucanus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 62.
confucius Mimela, F. W. Hope, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 112.
confundatus Orchestes, C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 503.
confusalis Roeselia, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1847, 164.
confusaria Eudalimia, J. Huebner, Verz. bekannt. Schmett. 1825, 237.
confusaria Eusarca, J. Huebner, Exot. Schmett., Tab. Eusarca [*n. et f.*].
Confusastrea A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.—Cor.
confuse-signata Coccinella, J. L. Leconte in Agassiz, Lake Superior, 1850, 238 [*n. n.*].
confusor Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 300.
confusor Monochamus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 168.
confusus Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 [*n. n.*]. [Trypeta.
confusa Acinia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 470.—
confusa Aeschna, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 205.
confusa Agrotis, E. Eversmann (*ex* Treitschke), Lepidopt. Volgo-Ural. 1844, 206.
confusa Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*]. [361.
confusa Amara, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847,
confusa Amphipyra, C. F. Freyer, Neuere Beitr. Schmett. IV (51) 1840, 26.
confusa Anthaxia, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 296.
confusum Anthobium, J. L. Leconte in Agassiz, Lake Superior, 1850, 221 [*n. n.*].
confusus Anthribus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 134.
confusa Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xlvii.
confusus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 256.
confusa Atimia (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (2) Nov.
 1850, 25.—Clytus.
confusa Auchmis, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 25.
confusa Auchmis, J. Huebner, Verz. bekannt. Schmett. [1825], 243.
confusa Barysmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
confusa Blaps, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 201.
confusa Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
confusa Brachyacantha, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 537. [81.

- confusus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 316, Nov. 1848.
- confusa** Buprestis, Villa & Villa, Coleopt. Europ. 1833, 33. [ed. 2, 1842, 6.
- confusa** Buprestis (Sphenoptera), J. O. Westwood in E. Donovan, N. H. Ins. India, Callimome, F. Walker, Entom. Mag. II (2) Ap. 1834, 161.
- confusus** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 740.
- confusa** Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 63; (11) 1836, 266.
- confusus** Chlorops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 597.
- confusa** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 24.
- confusus** Clytus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 276.
- confusa** Coccinella, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 72.
- confusus** Colymbetes, Dejean, Catal. Coléopt., ed. 3, 1836, 62.
- confusus** Cratopus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1846, 408.
- confusus** Cyphononyx, A. G. Dahlbom, Hymenopter. Europaea (3) 1845, 461.
- confusus** Demetrius, O. Heer, Coleopt. Helvet. (1) 1838, 8. [1847, 424.
- confusus** Dicaelus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
- confusa** Diopsis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 563.
- confusus** Dolichopus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 709.
- confusa** Donacia, J. L. Leconte in Agassiz, Lake Superior, 1850, 237 [n. n.].
- confusa** Doryphora, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 80 [n. n.].
- confusus** Elater, Dejean, Catal. Coléopt. 1821, 33 [n. n.].
- confusus** Elmis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 43.
- confusa** Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 753.
- confusa** Feronia (Pseudomaseus), M. de Chaudoir, Enum. Carab. 1846, 140.
- confusus** Figulus, J. O. Westwood, Entom. Mag. V (3) Ap. 1838, 262.
- confusus** Gymnopleurus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 58.
- confusa** Harmodites, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,
- confusus** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [n. n.]. [1828, 21.
- confusus** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 271.
- confusa** Heterorhina, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 139.
- confusa** Homalota, F. Maerker in Germar, Zeitschr. f. d. Entom. V. 1844, 215.
- confusus** Hydroporus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. d.
- confusus** Hydroporus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 96.
- confusus** Hylobius, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 196.
- confusus** Ilybius, C. Aubé, Spec. gén. Hydroc. 1838, 280.—Colymbetes.
- confusa** Lagria, Dejean, Cat. Coléopt., ed. 2 (3) 1834, 215. [374.
- confusa** Lagria, L. Reiche (ex Dej. Cat.) in Ferret & Galinier, Voy. Abyssin. III. 1850,
- confusa** Lema, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 116.
- confusa** Loxocera, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 758.
- confusa** Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 247.
- confusa** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 275.
- confusus** Microsaurus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 61.
- confusus** Monocrepidius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 135.
- confusa** Mutilla, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 604.
- confusus** Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 396.
- confusus** Mytilus, L. W. Dillwyn (ex Chemn.), Catal. Shells, 1817, 312.
- confusus** Notiophilus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 449.
- confusus** Nyctobates, J. O. Westwood, Proc. Zool. Soc. London, X (116) Jan. 1843, 118.
- confusus** Ocybus, E. Truqui in Baudi & Truqui, Studi Ent. I. 1848, 122. [359.
- confusus** Otiorynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
- confusus** Oxymerus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 39.
- confusa** Palpoplevra, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 133.
- confusa** Panorpa, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 299.
- confusus** Phorus (Desh.), H. G. Bronn, Index Pal. 1848, 968.—Trochus. [350.
- confusus** Pythonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- confusa** Plectroscelis, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. VII (3) 1850, 76.
- confusa** Plusia, J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 291.
- confusus** Proetus, Hawle & Corda, Prod. mon. böhm. Trilob. 1847, 73.

- confusa** Protactia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 486.—Cetonia.
- confusus** Pseudocycobius, Ménériés in V. v. Mochulski, Käfer Russl., *post* May 1850, 54
- confusus** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 163. [*n. n.*]
- confusus** Selenophorus, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 237.
- confusa** Spaelotis, Boisduval, Gen. Index Europ. Lepid. 1840, 107.
- confusus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- confusa** Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 36. [944]
- confusus** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1849, 147.
- confusus** Tanymecus, T. Say, Descr. N. Amer. Curcul., July 1831, 9.
- confusa** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 91.
- confusa** Terebratula, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 35.
- confusus** Thanasimus, E. Newman, Entomologist (23) Aug. [*i.e.* Sept.] 1842, 364.
- confusus** Trochus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 243.
- confusa** Trypeta, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826,
- congarareus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 72. [337]
- congelata** Turritella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 47.
- congemalis** Sylectra, J. Huebner, Verz. bekannt. Schmett. 1826, 341.
- congemmalis** Syllectra, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 21.
- congener** Acanthocinus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 182 [*n. n.*].
- congener** Acmaeodera, M. Spinola, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 350.
- congener** Agabus (Payk.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 160.—
Dytiscus, 1798.
- congener** Anax, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 191.
- congener** Aulacus, J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 267.
- congener** Brachysphoenus, T. Lacordaire, Mon. Erytyl., Sept. 1842, 318.
- congener** Caradrina (Huebner.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl.
III (Noct.) 1838, 290.—Noctua.
- congeneer** Ceutorhynchus, Schueppel in E. F. Germar, Ins. Spec. novae, I. 1824, 227.
- congener** Chlaenius, J. L. Le Conte, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 51.
- congener** Chlorodius, A. White, List Crustacea Coll. B. M. 1847, 125 [*n. n.*].
- congener** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me judice* 1836].
- congener** Coccinella, Billberg in C. J. Schoenherr, Syn. Insect. I (2) 1808, 197. [8.
- congener** Coeliodes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 28.
- congener** Coelophora (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon (2) II. 1850, 392.
—Coccinella.
- congener** Colobogaster, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 12.
- congener** Colymbetes, Gyll.; Dejean, Catal. Coléopt. 1821, 19 [*n. n.*].
- congener** Colymbetes (Payk.), J. Sturm, Catal. Ins. Samml. 1826, 124.—Dytiscus, 1798.
- congener** Crabro (Crossocherus), A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 335.
- congener** Cryptocephalus, E. Ménériés, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (23) Jan.
1837, 181. [Noctua.
- congener** Cymatophora (Huebner.), F. Treitschke, Schmett. Europa, V (1) 1825, 106.—
- congener** Daphnia, C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 13.
- congener** Eutroctes, C. Zimmermann, Mon. Carab. (1) 1831, 19. [1847, 407]
- congener** Geobaenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap.
- congener** Harpalus, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 148.
- congener** Hypolithus, Dejean, Spec. gén. Coléopt. IV. 1829, 176.
- congener** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 70.
- congener** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 222.
- congener** Nerocila, A. White, List Crustacea Coll. B. M. 1847, 108 [*n. n.*].
- congener** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 135 (Fernaldo *judice* 1808–
18) [*n. et f.*].
- congener** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 181 (Fernaldo *judice*
1834–41) [*n. et f.*].
- congener** Orthosia (Huebner.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 84.—
- congener** Psilus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 415. [Noctua.
- congener** Tityus, C. L. Koch, Die Arachniden, XI (1) 1844, 19.
- congener** Torymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 33.

- congenerana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 47 (Fernaldo iudice 1828) [*n. et f.*]. [Geometra, 1796.]
- congeneraria** Amphidasis (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 434.—
- congensis** Plotus, W. E. Leach in Tuckey, Exp. Zaire, 1818, 408.
- Conger** M. Houttuyn, Nat. Hist. VII (1) 1764, 103.—P.
- Conger** Oken, Isis, 1817 [1822 a].—P.
- Conger** A. Risso, H. N. Europe, III. 1826, 200.—P.
- conger** Anguilla (L.), G. Shaw, Gen. Zool. (Pisc.) IV (1) 1803, 20.—Muraena.
- congereus** Formica, W. Nylander, Acta Soc. Sci. Fennicae, II (3) 1846, 906.
- Congeria** P. Partsch, Anh. Wiener Mus. I [1] 1835, 97.—L. [*sine nomine in* Tudományos Gyűjtemény, 1820, pp. 37–47 [*teste* F. Nopcsa]].
- congesta** Atrypa, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 265.
- congesta** Delthyris, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 206.
- congesta** Diastopora, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 65.
- congesta** Drosophila, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2558.
- congesta** Feronia (Platysma), E. Ménériés, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (4) July 1843, 59.
- congestus** Hydaticus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) 1833, 136.
- congesta** Mactra, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340.
- congesta** Melania, T. A. Conrad, Amer. J. Sci. XXV (2) Jan. 1834, 343.
- congestus** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 405.
- congestus** Onychocephalus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 334.
- congesta** Phyllocephala, Herrich-S., Wanzenart. Ins. VII (4) Ap. 1844, 68. [284.]
- congesta** Pleurotoma, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847,
- congestus** Spirifer (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 98.—Delthyris.
- congesta** Tubulipora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 49.
- congicus** Sciuus, H. Kuhl, Beitr. Zool. I. 1820, 66.
- Congiopodus** G. Perry, Arcana, 1811, sign. Dd 8.—P.
- conglobatum** Buccinum, G. Brocchi, Conch. Subap. 1814, 334.
- conglobatum** Cnemidium, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 72.
- conglobatus** Cyathocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- conglobatus** Latroductus, C. L. Koch, Die Arachniden, IV (2) Oct. 1837, 41.
- conglobata** Mya, G. Brocchi, Conch. Subap. 1814, 531.
- conglobatum** Nassa (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 215.—
- conglobata** Nesaea, C. L. Koch, Deutsch. Crust., heft 9, 1836, tab. 7. [Buccinum.]
- conglobata** Saxicava (Br.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 599.—Mya.
- conglobata** Stellispongia (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—Cnemidium.
- conglomerata** Altica, Sturm; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- conglomerata** Aulopora, G. A. Goldfuss, Petref. German. I (2) 1829, 83.
- conglomeratus** Botryllus, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 204.
- conglomerata** Cellepora, H. G. Bronn (Goldf. *in litt.*), Ergeb. nat. Reisen, II. 1831, 645.
- conglomerata** Haltica, K. Illiger, Mag. f. Insekten. (Illiger) VI. 1807, 164.
- conglomerata** Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 26.
- conglomerata** Porites (Esp.), Lamarck, An. s. vert. II. 1816, 269.—Madrepora, 1795.
- conglutinata** Flabellaria (S. & E.), Lamarck, An. s. vert. II. 1816, 343.—Corallina, 1786.
- conglutinata** Serpula, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 103. [1786.]
- conglutinata** Udotea (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 312.—Corallina,
- congradalis** Margaronia, J. Huebner, Verz. bekannt. Schmett. 1826, 358.
- congregata** Atrypa, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841,
- congregata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. *d.* [55.]
- congregata** Chama, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 341.
- congregata** Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- congregata** Microgaster, T. Say, Boston Journ. N. H. I (3) 1836, 262.
- congrua** *v.* **congruus** -a -um.

- congruata** Idaea, P. C. Zeller, Isis (Oken), 1847, 508. [(Noct. 8) [1839], 363.]
- congruella** Adela, Fischer v. R. in Duponchel in J. B. Godart, H. N. Lépid. France, XI
- congruens** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 533.
- congruens** Eulophus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 182.
- congruens** Torymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 32.
- Congrus** J. Richardson, Zool. "Sulphur" (Fish) 1845, 105.—P.
- congrua** Gyrophaena, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 368.
- congrua** Leucania, J. Huebner, Verz. bekannt. Schmett. [1825], 241.
- congrua** Limnobia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 42.
- congrua** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 135 (Fernaldo judice 1808-18) [*n. et f.*].
- congruus** Notoxus, E. Newman in A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 55.
- congruus** Opilus, E. Newman, Entomologist (23) Aug. [*z. e.* Sept.] 1842, 365.
- congruus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 217.
- congrua** Photinus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 37.
- congruus** Productus, E. Eichwald, Urwelt Russlands (1) 1840, 95.
- congruus** Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 194.
- Conia** W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 171; Zool. Journ. II (6) July 1825, 210.—Cirr.
- coniacensis** Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 248.
- coniacensis** Stephanocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
- Coniasaurus** R. Owen in F. Dixon, Geol. Sussex, 1850, 386.—R.
- Coniates** *id. ac* Coniatus, Germ.; J. Sturm, Catal. Käfer Samml. 1843, 202.
- Coniatus** E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Col.
- coniceps** Exoprosopa, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 412.
- coniceps** Lichas (Leucht.), H. G. Bronn, Index Pal. 1848, 641.—Metopias.
- coniceps** Metopias, M. v. Leuchtenberg, Beschr. Thier. Tarskoji-selo, 1843, 11.
- Conicera** J. W. Meigen, Syst. Beschr. Zweifl. Insekt. VI. 1830, 226.—Dipt.
- conicicollis** Monotoma, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 190.—conicicollis, 1835. [1844, 458.]
- conicicollis** Tricondyllia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
- conicirostris** Bothynoderes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 236.—Lixus.
- conicirostris** Cleonus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 89.—Lixus.
- conicirostris** Cossonus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1040.
- conicirostris** Lixus, A. G. Olivier, Entom. V. 1807, 264.
- Coniclus** J. C. Albers, Die Heliceen, 1850, 147.—G. [(1-3) Nov. 1844, 273.]
- conicolle** Bembidium, V. v. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V
- conicollis** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 204.
- conicollis** Cleogonus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 693.
- conicollis** Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 179.
- conicollis** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 337.
- conicollis** Dicropidius, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 31.
- conicollis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 90.
- conicollis** Lobotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
- conicollis** Monotoma, A. Chevrolat, Revue Entom. III (5) 1835, 264 [*n. n.*]. [127.]
- conicollis** Pelecotoides, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 263. [trachelus, 1845.]
- conicollis** Rhadinocerus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 132.—Lob-
- conicollis** Scydmaenus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 49. [303.]
- conico-lobata** Hydnophora, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
- conicophthalmus** Trilobites, Sars & Boeck in C. Boeck in Keilhau, Gaea Norvegica (1)
- conicopora** Haliotis, Péron & Lesueur, Voy. Aust. II. 1816, 80. [1838, 139.]
- conicornis** Psilopus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 248.
- Conicus** V. v. Motschulski, Mém. prés. Ac. Imp. Sci. St. Pétersb. V (1-3) Nov. 1844, 197; Kaefer Russl., *post* May 1850, 28.—Col.

- conica* Acrosmilía, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 203.
conica Acteonella (Muenst.), H. G. Bronn, Index Pal. 1848, 12.—Tornatella.
conica Aglaura (Q. & G.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 259.—Dianaea.
conicus Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 251.
conica Amalthea, C. F. Schumacher, Essai Vers. test. 1817, 181.
conicum Amaraucium (Ol.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847, 17.
 —Alcyonium, 1792. [173.—Anthophyllum.]
conicus Amblocyathus (Roem.), A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850,
conica Amobia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 96.
conica Amphidonte (Sow.), G. G. Pusch, Polens Palaeont. (1) 1836, 39.—Exogyra.
conicum Amphistoma (Zed.), C. A. Rudolphi, Entoz. II (1) 1809, 349.—Monostoma.
conica Ampullaria, Lamarck, Ann. Mus. H. N. (Paris) V (25) Sept. 1804, 31.
conica Ampullaria, W. Swainson, Phil. Mag. LXII (308) Dec. 1823, 402.
conica Ampullaria, W. Wood, Suppl. Index Test. 1828, 29.
conica Ananchytes, L. Agassiz, Cat. Ect. Ech. 1840, 2. [1845, 73.
conica Anatolica, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
conica Ancillaria, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 501.
conica Anthomyia, Meigen in C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817,
conica Anthophora (L.), J. C. Fabricius, Syst. Piezat. 1804, 380.—Apis, 1758. [79.
conicum Anthophyllum, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 20.
conicus Apocrytus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 393.
conica Arbacia, L. Agassiz, Cat. Ect. Ech. 1840, 12.
conica Astrea, Defrance, Dict. Sci. Nat. XLII. 1826, 387.
conicus Attus, F. W. Rossi, Naturw. Abhandl. (Haidinger) I. 1847, 12.
conicus Bactrites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 28.
conicus Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 118.
conica Blatta, W. G. Tilesius, Voigt's Mag. Naturk. IX (5) 1805, 444 [n. n.].
conica Boa, J. G. Schneider, Hist. Amph. II. 1801, 268.
conica Boa, H. Schlegel, Essai phys. Serp. 1837, I. 177; II. 399.
conica Brachyopa (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 261.
 —Musca, 1798.
conica Brachys, Laporte & Gory, H. N. Coléopt. II. 1840, 5.
conica Bulla, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 45.
conica Buprestis, J. Sturm, Catal. Ins. Samml. 1826, 104 [n. n.].
conica Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 118.
conica Calleida, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 309.
conica Calyptraea, H. G. Bronn, Ergeb. Reisen, I. 1826, 329 [n. n.].
conica Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 38.
conicus Campoplex, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 95.
conicus Capulus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 296.
conicus Cateretes (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 150.—Stenus.
conicum Cerithium, H. D. de Blainville, Faune Française (20) Malac. 1829, 158.
conicum Cerithium, H. E. Anton, Verz. Conch. 1839, 65.
conicum Cerithium, G. A. Goldfuss, Petref. German. III (8) 1844, 35.
conica Chama, J. Sowerby, Min. Conch. I. 1813, 69. [Melania.
conica Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.—
conica Chrysis, Lepelletier de St F. (Roret's Suite à Buffon), Hyménopt. IV. 1846, 32.
conica Cicada, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 3 (=39).
conica Cingula, C. B. Adams, Contr. to conch. (5) Feb. 1850, 70.
conicus Cladodus, J. L. R. Agassiz, Poiss. Foss. III. 199 (1843).
conicus Clausilia (Strobilus), H. E. Anton, Verz. Conch. 1839, 46.
conica Clavicantha (Lam.), W. Swainson, Treat. Malacol., May 1840, 314.—Pleurotoma.
conica Cleodora, G. v. Muenster, N. Jahrb. f. Min. 1835, 441.
conicum Cnemidium, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 4.
conica Coelioxys (L.), P. A. Latreille, Gen. Crust. Ins. IV. 1809, 167.—Apis, 1758.
conica Coelioxys (Fab.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 468.—Anthophora.
conicus Coelogaster, F. v. P. Schrank, F. Boica, II (2) 1802, 222.

- conicus** Conotelus (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 251.—Stenus.
- conica** Conulina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 24.
- conica** Creseis, F. Eschscholtz, Zool. Atlas, III. 1829, 17.
- conica** Cryptoglena, C. G. Ehrenberg, Infusionthier. 1838, 46.
- conica** Cuneolina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 151 [*n. n.*].
- conicus** Cyathocrinus, J. Phillips, Geol. Yorksh. II. 1836, 206.
- conicum** Cyathophyllum, Castelnau, Ess. Silur. Amér. sept. 1843, 48.
- conicum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 30.
- conicum** Cyrtoceras, D. D. Owen, Rep. geol. expl. Iowa...1839 (U. S. Senate, 28 Congr. Sess. I. no. 407) 1844, 70.
- conica** Delphinula, Lamarck, Ann. Mus. H. N. (Paris) IV (20) Ap. 1804, 110.
- conica** Delphinula, DeFrance, Dict. Sci. Nat. XII. 1818, 545.
- conica** Dianaea, Quoy & Gaimard, Ann. Sci. Nat. X (38) Feb. 1827, 182. [1775.]
- conicus** Diapria (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 309.—Ichneumon.
- conica** Discoidea, E. Desor in L. Agassiz, Mon. Ech. III. 1842, 62.
- conicus** Docophorus, H. Denny, Mon. Anoplur. 1842, 90.
- conicus** Dysaster, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 367.
- conicus** Echinorhynchus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 159.
- conica** Emarginula, Lamarck, Syst. Anim. 1801, 69.
- conica** Emarginula, C. F. Schumacher, Essai Vers test. 1817, 181.
- conica** Emarginula, A. Risso, H. N. Europe, IV. 1826, 259.
- conica** Epeira (Pall.), C. A. Walckenaer, Tab. Aran. 1805, 64.—Aranea, 1772.
- conica** Epistylia, W. Swainson, Treat. Malacol., May 1840, 165. [650.—Milesia.]
- conicus** Eristalis (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- conicus** Eryx (Schn.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844,
- conica** Eschara, F. v. Hagenow, N. Jahrb. f. Min. 1839, 268. [470.—Boa.]
- conicus** Eucalyptocrinus, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- conica** Eulima, C. B. Adams, Contr. to conch. (7) Ap. 1850, 110.
- conica** Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 285.—Vespa, 1775.
- conicus** Euspira (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.), 452, 1842-44 (448, French edit.)—Turbo.
- conica** Exogyra (J. Sow.), J. De C. Sowerby, Min. Conch. VI. 1829, 218.—Chama.
- conica** Fissurella, DeFrance, Dict. Sci. Nat. XVII. 1820, 79.
- conica** Flata, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 238.
- conicus** Fusus, H. E. Anton, Verz. Conch. 1839, 77.
- conica** Galerites, L. Agassiz, Mon. Ech. III. 1842, 16.
- conica** Geomelania, C. B. Adams, Contr. to conch. (6) Mar. 1850, 97.
- conica** Glandulina, J. L. Neugeboren, Verh. siebenb. Ver. Nat. (4) 1850, 51.
- conica** Gongylophis (Schn.), J. Wagler, Nat. Syst. Amph. 1830, 192.—Boa.
- conica** Gregarina, L. Dufour, Ann. Sci. Nat. XIII (52) Ap. 1828, 367.
- conica** Gryphaea (Sow.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII.
- conicus** Gyrodus, F. Dixon, Geol. Sussex, 1850, 370. [Jan. 1836, 210.—Exogyra.]
- conica** Helcion, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 134.
- conica** Helicina, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 355.
- conica** Helicina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 249.
- conica** Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 69.
- conica** Helix, S. A. Renier, Tavole [1804] xi.
- conica** Helix, Schlottheim, Min. Tasch. 1818, 340. [1821, 50.]
- conica** Helix (Helicella), Drap. ; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- conica antiqua** Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [*n. n.*].
- conica** Heterodisca, J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 247.
- conicus** Hippalimus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 325.
- conica** Hydra, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 237.
- conica** Hydrophoria (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 298.—Musca. [thomyia, 1817.]
- conica** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—An-
- conica** Imbricaria, C. F. Schumacher, Essai Vers test. 1817, 236.

- conica** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 286.
- conicus** Lasius, J. C. Fabricius, Syst. Piezat. 1804, 418.—Formica, 1798.
- conicus** Littorina, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—Turbo, 1823.
- conica** Littorina, R. A. Philippi, Proc. Zool. Soc. London, XIII (154) Feb. 1846, 141.
- conicus** Lixus, J. Sturm, Catal. Ins. Samml. 1826, 163 [*n. n.*] [tella.
- conica** Loxonema (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 62.—Turri-
- conica** Lunulites, Defrance, Dict. Sci. Nat. XXVII. 1823, 361. [L. 1758.
- conica** Megachile (Fab.), P. A. Latreille, H. N. Fourmis etc., May 1802, 434.—Apis,
- conica** Megachile (Fab.), C. A. Walckenaer, Faune Paris, II. 1802, 135.—Apis, L. 1758.
- conica** Megachile, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 144.
- conica** Megoeira (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 250.—
Miltogramma.
- conica** Melania, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1821, 176.
- conica** Melania, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 598.
- conica** Melania, G. v. Muenster, Beitr. zur Petref. (4) 1841, 94.
- conica** Melania, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 12.
- conica** Millesia, J. C. Fabricius, Syst. Antliat. 1805, 190.
- conica** Millepora, A. Risso, H. N. Europe, V. 1826, 349.
- conicus** Millericrinus, A. d'Orbigny, H. N. Crinoides (2) Nov. 1840, 52. [—Tachina.
- conica** Miltogramma (Fall.), J. W. Meigen, Syst. Zweifl. Insekt. IV. 1824, 232.
- conica** Mitra, Schumacher in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Volutacea
(16) 1839, 97. [Nov. 1844, 355.—Imbricaria.
- conica** Mitra (Schum.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X,
Monodonta, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*z. Ap.*
1826], 479. [48 [*n. n.*]; *ibid.* 1831 (1832), 146.
- conica** Monolabis, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830],
- conicum** Monostoma, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 188. [thomyia.
- conica** Musca (Wiedem.), C. F. Fallen, Mon. Muscidum Sveciae (9) 1827, 83.—An-
- conica** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- conica** Natica, Lamarck, An. s. vert. VI (2) 1822, 198. [1830, 355-
- conica** Natica (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 413.—Ampullaria.
- conicus** Nematius, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 25.
- conicus** Nucleolites, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 234.
- conica** Oceania (Q. & G.), J. F. Eschscholtz, Syst. Acalephen, 1829, 99.—Dianaea.
- conica** Orbitolites, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 178.
- conica** Orcula (Rossm.), F. Held, Isis (Oken), 1837, 919.—Pupa.
- conica** Orthocera, J. Sowerby, Min. Conch. I. 1814, 131.
- conicum** Orthoceras, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 642.
- conicum** Orthoceras, Castelnau, Ess. Silur. Amér. sept. 1843, 29.
- conicus** Orthoceratites, W. Hisinger, Lethaea Svecica, 1837, 29.
- conica** Ostrea (Sow.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 726.—Chama.
- conica** Oxygonia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 302.
- conicus** Oxyurus (F.), Lamarck, An. s. vert. IV. 1817, 129.—Chneumon, 1775.
- conicus** Pachycoris, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 106.
- conica** Paludestrina (Prév.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 412.—Palu-
- conica** Paludina, C. Prévost, Journ. de Phys. XCII. May 1821, 427. [dina.
- conica** Paludina, F. H. Troschel, Arch. f. Naturg. III (1) 1837, 173.
- conica** Paludina, H. E. Anton, Verz. Conch. 1839, 52.
- conica** Paludina, M. de Serres, Ann. Sci. Soc. Agric. Lyon, III. Mar. 1840, 485.
- conica** Paludomus, W. Swainson, Treat. Malacol., May 1840, 340. [—Melania.
- conica** Paludomus (Gray), L. Reeve, Conch. Icon. IV.—Paludomus, no. 14, July 1847.
- conica** Pandeia (Q. & G.), R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 16; (Roret's
Suite à Buffon), Acalèphes, 1843, 288.—Dianaea.
- conica** Partula, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 196.
- conica** Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 107.
- conica** Patella, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 125.
- conica** Patella, H. E. Anton, Verz. Conch. 1839, 26.
- conica** Patella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 151.

- conicus Patellites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 76.
conica Perispongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 389.
conica Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (52-53) 1804, 637.
conica Philopota, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 17.
conica Philopota, J. O. Westwood, Tr. Entom. Soc. Lond. V (4) June 1848, 94.
conicus Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, III. 1844, 337.—Docophorus.
conicum Phragmoceras, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 100.
conica Pileopsis, P. Calcara, Mem. Conch. Altavilla, 1841, 41.
conica Pileopsis, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [n. n.].
conica Pinna, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 88. [[n. n.].
conica Pleurobema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427
conica Pleurotoma, Lamarck, Ency. Méth. (Vers) 1816, pl. 439, Liste p. 9 [n. et f.].
conica Pleurotoma, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 149 [n. n.].
conica Pleurotomaria, J. Phillips, Geol. Yorksh. II. 1836, 228.
conicus Pollicipes, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 216.
conicus Poteriocrinus, J. Phillips, Geol. Yorksh. II. 1836, 205.
conica Prosenia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 298.
conicus Psilus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 319.—Chalcis, 1798.
conica Pterocera, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 15.
conica Ptilocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 222.
conica Pupa, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 17.
conica Pupilla (Rossm.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 84.—Pupa.
conicus Pygurus, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 73.
conica Radiolites, A. d'Orbigny, Ann. Sci. Nat. [2] (Zool.) XVII. Mar. 1842, 188.
conica Rimula, A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 471.
conica Rotalia, F. A. Roemer, N. Jahrb. f. Min. 1838, 388.
conica Rotella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 49.
conica Salpa, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 369.
conica Scalaria, Lamarck, Syst. Anim. 1801, 88.
conica Scaphander (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 321.—Bulla.
conica Scissurella, A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 470.
conica Serpula, L. W. Dillwyn, Catal. Shells, 1817, 1078.
conica Serpula, W. Wood, Index Test. 1818, 186.
conica Serpula, F. v. Hagenow, N. Jahrb. f. Min. 1840, 666.
conica Singa (Hahn), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 6.—Epeira, Walck.
conica Siphonaria, de Blainville, Dict. Sci. Nat. XLIX. 1827, 294.
conicus Sphaerodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 123 (1839); II (2), 215
conicus Sphenonchus, J. L. R. Agassiz, Poiss. Foss. III. 199 (1843). [(1844).
conica Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 16.
conica Spirorbis (Flem.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 243.—Heterodisca.
conica Stellispongia (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—
conicus Stenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 603. [Chnemiidum.
conicus Stimnus, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 165.
conicus Stizus, E. F. Germar, Reise Dalm. 1817, 262.
conica Stomatopora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850,
conica Stratiomys, J. C. Fabricius, Syst. Antliat. 1805, 81. [236 [n. n.].
conica Synastrea (Defr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849,
conicus Synbathocrinus, J. Phillips, Geol. Yorksh. II. 1836, 206. [149.—Astrea.
conica Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 267.
conica Tectura (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 93.—Patelloida conoidea.
conica Tephritis, J. C. Fabricius, Syst. Antliat. 1805, 318.
conica Tetrataxis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843, 106 [n. n.].
conica Textularia, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 143. [135.
conica Textularia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839].
conica Theba (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 10.—Helix.
conica Thrips, J. C. Fabricius, Syst. Rhyng. 1803, 312.

- conica** Tipula, F. v. P. Schrank, F. Boica, III (1) 1803, 82.
- conica** Tornatella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 48.
- conica** Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 253.—Anthophora.
- conica** Trichotropis, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 85.
- conica** Trichotropis, H. P. C. Möller, Index Moll. Groenl. 1842, 12.
- conica** Trochopora (Mich.), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 499.
—Lunulites, Defr.
- conica** Trochula (Drap.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—Helix.
- conicus** Trochus, E. Donovan, Brit. Shells, 1803, pl. clv.
- conicus** Trochus, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 5 [*n. n.*].
- conicus** Trochus (Gray), R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Trochus (98) 1850, 130.—Monodonta.
- conica** Turbinolia, G. Fischer v. W., Oryct. Moscou, 1830, sign. *d*².
- conicus** Turbo, Vallot, Exer. Hist. Nat. 1801, 6.
- conicus** Turbo, J. De C. Sowerby, Min. Conch. V. 1823, 45.
- conicus** Turbo (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 349.—Delphinula.
- conica** Turritella, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 604.
- conica** Turritella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 173.
- conica** Vermilia, J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 243.
- conica** Xerophila (Drap.), F. Held, Isis (Oken), 1837, 913.—Helix.
- Conidea** W. Swainson, Treat. Malacol., May 1840, 151 & 313.—G.
- conidens** Orognaathus, J. L. R. Agassiz, Poiss. Foss. II (2), 159 & 162 (1844) [*n. n.*].
- conidens** Saurichthys, L. Agassiz in H. Hogard, Descr. géol. Vosges, 1837, 406.
- conixentricus** Galerites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 383.
- conifacies** Anthrax, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 416.
- [**conifer -a -um.**]
- conifer** Acalles, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 206.
- conifera** Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 98, June 1849.
- conifera** Ceriopora (Lamx.), H. Michelin, Icon. Zoophyt. (20–23) 1846, 245.—Millepora.
- conifera** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 733.
- conifera** Cingula (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 306.—Turbo.
- coniferus** Fusus (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 5.—Murex.
- conifera** Heteropora (Lamx.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 318.—Millepora.
- coniferum** Holostomum, Mehlis in Creplin, Arch. f. Naturg. 1846, 138.
- conifera** Millepora, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 87.
- coniferus** Murex, J. Sowerby, Min. Conch. II. 1818, 195.
- coniferum** Oreosoma, Cuvier & Valenc., H. N. Poiss. IV. 1829, pl. 99 [*n. et f.*].
- coniferus** Passalus, F. Eschscholtz, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 16.
- conifera** Pelagia, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 54; (Roret's Suite à Buffon), Acalèphes, 1843, 395.
- conifer** Poropterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- conifer** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 484. [432.]
- conifera** Scalaria, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 16.
- conifera** Stenocara, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 559.
- coniferus** Turbo, G. Montagu, Test. Brit. II. 1803, 314.
- coniferae** Encyrtus, F. Walker, Entom. Mag. IV (5) July 1837, 461.
- coniferae** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 247.
- coniferarum** Hyloicus (Smith), J. Huebner, Verz. bekannt. Schmett. [1820], 139.—Sphinx,
- coniferata** Thera, J. Curtis, Brit. Entom. XI (130) Oct. 1834, no. 519. [1797.]
- coniferus -um** *v.* **conifer -a -um.**
- conifica** Cynips, Kollar in Germar, Zeitschr. f. d. Entom. IV. 1843, 402.
- coniformis** Ancillaria, G. G. Pusch, Geogn. Besch. Polen, II. 1836, 533.
- coniformis** Astrea, de Blainville, Dict. Sci. Nat. LX. 1830, 339 [*n. n.*].
- coniformis** Astrea, H. Michelin, Icon. Zoophyt. (9–12) 1844, 119.
- coniformis** Auricula [Conovulus] (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 109.—Bulimus, 1789.
- coniformis** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 114.

- coniformis Chnemidium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.
coniformis *emend. pro* corniformis, Columbella, G. B. Sowerby, I., Thes. Conch. I (4) ante 11 Apr. 1844, 145. [49.]
coniformis Columbella, G. B. Sowerby, I., Proc. Zool. Soc. London, XII (133) Sept. 1844,
coniformis Conovulus, Lamarck, Ency. Méth. (Vers) 1816, pl. 459, Liste p. 12 [*n. et f.*].
coniformis Globiconcha, C. F. Roemer, Texas, 1849, 411.
coniformis Gresslya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 211.
coniformis Helix (*ex Fér.*), W. Wood, Suppl. Index Test. 1828, 21 [*n. et f.*].
coniformis Helix, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 105.
coniformis Helix (Helicostyla), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 51 [*n. et f.*].
coniformis Ichthyosaurus, R. Harlan, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 339.
coniformis Mangelia, L. Reeve (*ex Gray MS*), Conch. Icon. III.—Mangelia, no. 67, June 1846.
coniformis Marginella, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 45.
coniformis Melampus (Br.), Denys de Montfort, Conch. II. 1810, 319.—Bulimus, 1789.
coniformis Oliva, R. A. Philippi, Abb. Conch. III (3) 1848, 53.
coniformis Pedipes, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 246.
coniformis Pleurotoma, J. E. Gray, Zool. "Blossom," 1839, 119.
coniformis Trochus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 566.
coniformis Trochus, L. G. de Koninck, Descr. Anim. foss. (10) *exeunte* 1843, 447.
coniformis Voluta (Lam.), W. Wood, Suppl. Index Test. 1828, 31.—Auricula, ? Fér.
coniformis Volutites, E. F. Schlotheim, Tasch. Min. 1813, 111.
conifrons Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1569.
conigastra Chalcis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 134.—Hym.
conigastra Conura (Perty), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 256.—Chalcis. [1775.]
conigera Aletia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 239.—Noctua,
conigera Cerceris, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 501.
conigera Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 440.
conigera Mythimna (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 78.—Noctua, 1775.
coniger Oropterus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 14.
Conilera W. E. Leach, Dict. Sci. Nat. XII. 1818, 348.—Cr.
Conilites E. F. v. Schlotheim, Die Petref. 1820, 125.—G. [1813, *non comp.*]
Conilites Lamarck, An. s. vert. VII. 1822, 598.—G.
Conilites L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conolites, Swains.
Conilithes W. Swainson, Treat. Malacol., May 1840, 311.—G.
Conilurus W. Ogilby, Tr. Linn. Soc. London, XVIII (1) 1838, 124.—M.
conimbrica Nerinaea, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108 & 114.
conimbrica Ptygmatis, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108 & 114.—Nerinaea, 1850.
coniocephala Nerine, G. Johnston, Mag. Zool. Bot. II (7) June 1837, 70.
conioides Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 95, Aug. 1850.
Coniontis F. Eschscholtz, Zool. Atlas, III. 1829, 7.—Col.
Coniopholis W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 657.—Col.
Coniopteryx J. Curtis, Brit. Entom. XI (132) Dec. 1834, no. 528.—Neur.
Coniopteryx P. Rambur (Roret's Suite à Buffon), Névropt. 1842, 316.—Neur.
Coniortes J. O. Westwood, Proc. Ent. Soc. Lond., 7 July 1834, p. xxvii.—Neur. [*n. n.*].
Conipora de Blainville, Dict. Sci. Nat. LX. 1830, 403.—Cor.
conirostra Laurida, W. Swainson, N. H. Fishes, etc. II. July 1839, 288.
conirostris Alauda, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 99.
conirostris Arremon, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 488.
conirostris Cleonus (Bothynoderes), F. v. Gebler in Ledebour, Reise Altai, II. 1830, 156.
conirostris Cyprinus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 191.
conirostris Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2), 1840, 788.
conirostris Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 25.
conirostris Pimelodus, G. Cuvier, R. Anim., ed. 2, II. 1829, 294 [*n. n.*].

- conirostris** Pterodactylus, R. Owen in F. Dixon, Geol. Sussex, 1850, 401.
- Conirostrum** A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool.-Conis J. F. Brandt, Prod. anim. Mertens. I. 1835, 19.—Med. [VIII. 1838, 25.—A.
- Conis** W. Lonsdale, Q. J. Geol. Soc. London, V. 1849, 63.—Sp. [—Cyathophyllum.
- coniseptum** Cyathaxonia (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 158.
- coniseptum** Cyathophyllum, A. Keyserling, Wiss. Beob. Petschora, 1846, 164.
- Conispira** C. S. Rafinesque, Analyse, 1815, 144.—G. [*n. n.*].
- Conistra** J. Huebner, Verz. bekannt. Schmett. [1822], 229.—Lep.
- conjuga** Hemigeometra (Huebner), A. H. Haworth, Lepidopt. Brit. (2) 1809, 269.—Noctua.
- conjuga** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 71 (Fernaldo judice 1802) [*n. et f.*].
- conjugata** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 686.—Galleruca.
- conjugatus** Aphodius (Panz.), J. Sturm, Deutschl. Fauna (Insecten) I. 1805, 84.—Scarabaeus, 1795.
- conjugatus** Aphodius (Panz.), K. Duftschmid, Fauna Austriae, I. 1805, 89.—Scarabaeus,
- conjugata** Astartea, Goldfuss, Jahrb. f. Min. 1830, 489 [*n. n.*]. [1795-]
- conjugata** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 797.
- conjugata** Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 425.
- conjugatium** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 34.
- conjugata** Daulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 313.
- conjugata** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 495.
- conjugata** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca.
- conjugatus** Hister, Megerle in K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 42.
- coniugata** Lumbricaria, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 224.
- conjugatus** Nematus, A. G. Dahlbom, Consp. Tenthred. 1835, 8 [*n. n.*].
- conjugatus** Nematus, A. G. Dahlbom, Skand. Insekt. 1837, 302.
- conjugatus** Scarabaeus (Aphodius), Koy & Böhm, Naturforscher, XXIX. 1802, 106.
- conjugella** Argyresthia, P. C. Zeller, Isis (Oken), 1839, 204.
- conjungens** Pentatoma, Herrich-S., Wanzenart. Ins. VII (5) May 1844, 99.
- conjunctella** Elachista, O. G. Costa, Fauna Regno Napoli, Lepidott., Elach. 3 (1832-40). —Oecophora, 1832-40. [40].
- conjunctella** Oecophora, O. G. Costa, Fauna Regno Napoli, Lepidott., Oecoph. 3 (1832-40).
- conjunctella** Oecophora, P. C. Zeller, Isis (Oken), 1847, 825.
- conjunctor** Andrena, F. Smith, The Zoologist, V (6) 1847, 1744.
- coniunctor** Ichneumon, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 188. [1825.
- conjunctus** Acupalpus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 435.—Trechus,
- conjuncta** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 129.
- conjunctus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 238.
- conjuncta** Arbacia, L. Agassiz, Cat. Ect. Ech. 1840, 12. [1788.
- conjuncta** Astiotes (Esp.), J. Huebner, Verz. bekannt. Schmett. 1825, 277.—Noctua,
- conjunctus** Bolbocerus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 351.
- conjuncta** Brachyacantha, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 536.
- conjuncta** Bryaxis, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 85. [1788.
- conjuncta** Catocala (Esp.), F. Ochseneimer, Schmett. Europa, IV. 1816, 95.—Noctua,
- conjunctum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 387.
- conjuncta** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 125.
- conjuncta** Eurydema, F. A. Kolenati, Melet. Entom. (4) May 1846, 30.
- conjunctus** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 527.
- conjuncta** Haltica, E. F. Germar, Ins. Spec. novae, I. 1824, 610.
- conjunctus** Hister, T. Say, J. Acad. Nat. Sci. Philad. V. July 1825, 38.
- conjuncta** Hylemyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 317.—Anthomyia. [1845, 408.
- conjuncta** Lema, T. Lacordaire (*ex Dej. Cat.*), Mém. Soc. R. Sci. Liége, III (2) Nov.
- conjuncta** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 91.
- conjuncta** Lichenopora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 277.
- conjuncta** Mutilla, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. a.
- conjuncta** Noctua *id. ac conjuga*, Huebner, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 288.

- conjuncta** Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 135.
conjunctus Paromalus (Say), J. Le Conte, Boston Journ. N. H. V (1) 1845, 68.—Hister.
conjunctus Piazorus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 64 [*n. n.*].
conjuncta Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 406.
conjuncta Pygora (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 564.—Cetonia.
conjuncta Radiopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 329.
conjuncta Serpula, H. B. Geinitz, Verst. Kieslingswalda, 1843, 7.
conjuncta Spongia, P. Duchassaing, Anim. rad. Antilles [1850], 23.
conjunctus Stenolophus (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 410.—Trechus.
conjuncta Stigmodera, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 52.
conjunctus Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 116.
conjuncta Tephritis (Loew), J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2227.—Trypeta.
conjunctus Trechus, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 90.
conjuncta Trypeta, H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 407.
conjuncta Zemina (Chev.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 197.—
conjungens Alysia, A. H. Haliday, Hymenopt. Brit. (2) 1839, 27. [Stigmodera.
conjungens Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 27.
conjungens Cardium, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 27 [*n. n.*].
conjungens Chaenusa (Nees), A. H. Haliday, Hymenopt. Brit. (2) 1839, 19.—Bracon.
conjungens Chorebus (Nees), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 346.—Perilitus.
conjungens Cimex, E. F. Germar, Revue Entom. V (3) 1840, 168.
conjungens Hister, Payk.; Dejean, Catal. Coléopt. 1821, 48 [*n. n.*]. [1846, 194.
conjungens Lebia, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.
conjungens Leptis, J. F. Ruthe, Isis (Oken), 1831, 1214.
conjungens Nomada, Herrich-S. in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 279.
conjungens Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 140.
conjungens Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 33.—Bracon, 1811.
conjungens Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 190.—Hister,
conjungens Trigonía, J. Phillips, Geol. Yorksh. I. 1829, 150 [*n. et f.*]. [1798.
conjux Pecten, G. B. Sowerby, I., Q. J. Geol. Soc. London, III. 1847, 418.
connata Astraea, Goldfuss, Jahrb. f. Min. 1830, 489 [*n. n.*].
connatus Bolitophagus (Fab.), K. Duftschmid, Fauna Austriae, II. 1812, 297.—Tritoma,
connata Colliuris, Lamarck, An. s. vert. IV. 1817, 498. [Cr. 1796.
connata Curculio, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 244.
connata Eleodes, Chevrolat, Baudi & Truqui, Studi Ent. I. 1848, 245.
connatus Heterochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 123.
connata Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 855.
connatus Lithophilus (Fab.), Dejean, Catal. Coléopt. 1821, 68.—Tritoma, ? Cr. 1796.
connatum Opatrum (Fab.), J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 175.—Tritoma,
 ? Cr. 1796.
connata Salpa, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 88 [*n. n.*].
connatus Synergus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 198.
connectalis Synapus, J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis, 1796.
connectaria Geometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 285. [Geometra.
connectaria Hibernia (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Ap. 1831, 154.—
connectaria Lampetia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Geometra.
connectens Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 71.—
 Melitta.
connectens Coccinella, Thunberg in C. J. Schoenherr, Syn. Insect. I (2) 1808, 157.
connectens Emmesa, E. Newman, Entom. Mag. V (4) Ap. [*z. e.* July] 1838, 376.
connectens Helix, C. B. Adams, Contr. to conch. (7) Ap. 1850, 105.
connectens Hister, G. Paykull, Mon. Hister. 1811, 35. [—Coccinella.
connectens Hyperaspis (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon (2) II. 1850, 662.
connectens Janus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31 [*n. n.*]; & Ill. Brit.
 Ent. (Mand. VII.) Sept. 1835, 108.

- connectens** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 157.
- connectans** Pholadomya, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 140.
- connectens** Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 186.—Hister.
- connectens** Scymnus, Th.; J. Sturm, Catal. Ins. Samml. 1826, 194.
- connecticutensis** Nautilus, J. H. Linsley, Amer. J. Sci. XLVIII (2) Ap. 1845, 286
- connectus** Brachinus, Dejean, Spec. gén. Coléopt. V. 1831, 417. [[*n. et f.*].]
- connexiva** Helix (Helicostyla), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 50 [*n. n.*].
- connexorius** Metopius, C. Wesmael, Bull. Ac. Roy. Brux. XVI (1) 1849, 624.
- connexus** Acrossus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 275.
- connexa** Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 486.
- connexa** Apamea (Borkh.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 76.—Noctua, 1792.
- connexus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 252.
- connexa** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 199.
- connexus** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 497.
- connexus** Belonuchus (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 927.—Staphy-
linus.
- connexus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 116. [linus.]
- connexum** Cerithium, E. Eichwald, Paleont. Rossii, 1850, 88.
- connexa** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 173.
- connexa** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 177.
- connexa** Cicindela, M. de Chaudoir, Enum. Carab. 1846, 54.
- connexa** Clausilia, Ziegler in Rossmassler, Icones Iconogr. Moll. I (3) 1836, 10.
- connexa** Coccinella, E. F. Germar, Ins. Spec. novae, I. 1824, 621.
- connexa** Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*].
- connexa** Cordylura (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 383.—Mosina.
- connexus** Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 836.
- connexa** Dictya, J. C. Fabricius, Syst. Antliat. 1805, 326.—Musca, 1794.
- connexa** Eriopis (Germ.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 7.—
Coccinella. [1824.]
- connexa** Gaedia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 214.—Tachina,
- connexa** Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. I. 1847, 97.
- connexa** Hama (Ochs.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 41.—Apamea.
- connexa** Hippodamia (Germ.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 181.—
Coccinella.
- connexus** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 174.
- connexa** Mosina (Latr.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 672.—Dyctia; ? Dictya, Fab. [[*n. et f.*].]
- connexa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 23 (Fernaldo judice 1802),
- connexa** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 218.—Bombyx, 1803.
- connexa** Nomada (Kirby), K. Illiger, Mag. f. Insectenk. (Illiger) V. 1806, 91.—Apis.
- connexus** Odynerus, J. Curtis, Brit. Entom. III (34) Oct. 1826, no. 137.
- connexa** Ortalis (Fab.); J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 276.—
Musca, 1794.
- connexus** Psilopus, F. Walker, Entom. Mag. II (5) Jan. 1835, 471. [1792.]
- connexa** Raphia (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1822], 212.—Noctua,
- connexa** Scalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844, 28.
- connexus** Staphylinus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 448.
- connexus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 62.
- connexa** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 366.
- connexa** Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 70.
- connexa** Tephritis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 463.
- connexa** Trypeta (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 353.—
Tephritis.
- connexa** Urophora, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 224.
- conniacum** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 28.
- connivens** Athene (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 189.—Falco.

- connivens** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1847, 148.
- connivens** Buteo (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 481.—Falco.
- connivens** Falco, J. Latham, Index Orn., Suppl. I. 1801, p. xii.
- connivens** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.–June 1850, 130.
- connivens** Lixus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 5.
- connivens** Orthis (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 15.—
- connivens** Planorbis, E. Eichwald, Nat. Lithuæ, 1830, 217. [Spirifera.]
- connivens** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 220.
- connivens** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1116.
- Connochaetes** Lichtenstein, Ges. Nat. Freunde Berlin, Mag. VI. 1814, 152.—M.
- connochaetes** Bos, J. R. Forster, Anim. mar. Aust. 1844, 392.
- Connochetes** J. E. Gray, List spec. Mamm. B. M. 1843, p. xxvi.—M. [22] [*n. et f.*].
- connuba** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 148 (Fernaldo judice 1818—
- connubialis** Pedinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 44 [*n. n.*].
- conocardiiformis** Lyrodon, F. Krauss, Nova Acta Acad. Caes. XXII (2) 1850, 454.
- Conocardium** H. G. Bronn, Lethæa Geogn. I (1) 1834, 92.—L.
- conocauda** Onychoteuthis, F. A. Quenstedt, Pref. Deutsch. I (Ceph.) (6) 1849, 529.
- Conocephalites** Adams, 1848, *err.* Scudder *pro* C—lus [Zenk.] *g. v.*
- Conocephalus** C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 218.—Orth.
- Conocephalus** J. C. Zenker, Beitr. Nat. Urwelt, 1833, 48.—Cr.
- Conocephalus** C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 839.—Col.
- conocephala** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 340.
- conocephalum** Phasma, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 124.
- conoceps** Rhytis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 292.
- Conocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conicera, Meig.
- Conoceras** H. G. Bronn, Lethæa Geogn. I (2) 1835, 98.—Ceph.
- Conocercus** Swainson & Shuckard, Hist. Ins. 1840, 180.—Hym.
- Conochilus** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 224.—
- Conoclypas** L. Agassiz, Cat. Rais. Ech. 1847 [= Conoclypeus; *sed non comp.*]. [Inf.
- Conoclypeus** *pro* Conoclypus, Ag.; J. E. Gray, Syn. Brit. Mus., ed. 42, 1840, 64.
- Conoclypus** L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 61.—Ech.
- Conocoenia** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Cor.
- conocollis** *v.* conicollis.
- Conocoryphe** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 23.—Cr.
- Conocrinites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 419; P. Amer. Assoc. 1849 (1850), 60.—Crin.
- Conocrinus** A. d'Orbigny [*non* Troost], Prodr. Paléont. II [Nov.] 1850, 332.—Ech.
- Conocorythus** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 5.—Cor.
- Conoderes** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 26.—Col.
- Conoderus** J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 31.—Col.
- Conodictyum** G. A. Goldfuss, Petref. German. I (2) 1829, 103.—? Polyz.
- Conodon** Cuvier & Valenc., H. N. Poiss. V. 1830, 156.—P. [105 (1844)].—P. [*n. n.*].
- Conodus** J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. II (2),
- Conoehelix** W. Swainson, Treat. Malacol., May 1840, 127 & 321 [Conoeliox].—G.
- Conoelix** W. Swainson, Zool. Illust. (1) I (4) Jan. 1821, pl. 24.—G.
- Conognatha** F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Col.
- conohelicoides** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 25, May 1846.
- Conohelix** G. B. Sowerby, I., Gen. Shells (31) Mitra, 1828.—G.
- Conohelix** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conoelix, Swains.
- conoidaeformis** Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [*n. n.*].
- conoidale** Buccinum, G. P. Deshayes in C. Bélanger, Voy. Indes Orient. (6) Dec. 1832,
- conoidale** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 350. [433.
- conoidalis** Harpa, Lamarck, An. s. vert. VII. 1822, 255.
- conoidalis** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 63.
- conoidalis** Marginella, L. C. Kiener, Spec. Coquilles (Marginella) 1841, 37.
- conoidalis** Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.–Mar. 1811, 325.
- conoidalis** Olivella (Lam.), W. Swainson, Treat. Malacol., May 1840, 322.—Oliva.

- conoidalis** Olivina (Lam.), A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 105.—Oliva.
conoidalis Triforis, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 481.
conoideus Balanus (Don.), G. Montagu, Test. Brit. I. 1803, 12.—Lepas, 1800.
conoideus Gyroidina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 278 [*n. n.*].
conoideus Pholas, J. Fleming, Hist. Brit. Anim. 1828, 457.
conoideus Pileopsis, Castelnau, Ess. Silur. Amér. sept. 1843, 36. [pls. Mar. 1835, 51.
conoideus Pleurotoma, T. A. Conrad, Foss. Shells Tert. N. Amer. (3), republished with
conoideus Pleurotoma (Soland.), J. Morris, Cat. Brit. Foss. 1843, 157.—Murex, 1766.
conoideus Siphonotreta, S. Kutorga, Verh. Russ.-Kais. min. Ges. St P. 1847 (1848), 269.
conoideum Achilleum, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 19.
conoideus Ananchytes, G. A. Goldfuss, Petref. German. I (2) 1829, 145.
conoidea Ancillaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 44.
conoidea Ancillaria, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 15.
conoidea Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 105.
conoidea Auricula (Brocchi), A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules
 [1821], 108.—Turbo. [Sept. 1839, 24 [=conoideus].
convideus (*sic*) Bulimus, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (3 & 4)
conoidea Capulus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—
 Fissurella.
conoideum Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 345.
conoideum Cerithium, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. et f.*].
conoidea Clepsidrina, K. E. Hammerschmidt, Isis (Oken), 1838, 356. [1778.
conoideus Clypeaster (Leske), G. A. Goldfuss, Petref. German. I (2) 1829, 132.—Clypeus,
conoideus Clypeus (Leske), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
 186.—Echinoclypeus, Bl.
conoidea Coelioxix, E. F. Germar, Reise Dalm. 1817, 267. [Glenotremites.
conoidea Comatula (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.—
conoideus Conoclypus (Lam.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 64.
 —Galerites.
conoidea Cyclostoma, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 282.
conoideus Cyclostus (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 10.—Cyclostoma.
conoideus Echinoclypeus (Leske), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 189.—
 Clypeus, 1778. [(1836), 186.—Clypeaster.
conoideus Echinolampas (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835
conoidea Echinolampas (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49)
 1837, 190.—Galerites.
conoidea Emarginula, L. Reeve, Proc. Zool. Soc. London, X (110) Nov. 1842, 50.
conoidea Fissurella, G. A. Goldfuss, Petref. German. III (8) 1844, 8.
conoideus Galerites, Lamarck, An. s. vert. III. 1816, 22.
conoideus Glenotremites, G. A. Goldfuss, Petref. German. II (7) 1840, 286.
conoideus Globulus, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 177.
conoidea Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 69.
conoidea Helix, S. A. Renier, Tavole [1804] xi.
conoidea Helix, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 106.
conoidea Helix, J. Brown, Ann. Mag. N. H. VII. July 1841, 429.
conoidea Helix (Cochlicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl.
 Limaçons, 1821, 56. [—Scyphia.
conoideus Hippalimus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.
conoidea Hydrobia (Reyn.), D. Dupuy, H. N. Moll. France (5) May 1851, 559.—
 Paludina.
conoideus Hydroporus, J. L. Leconte in Agassiz, Lake Superior, 1850, 216.
conoidea Limnaea, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 113 [*n. n.*].
conoidea Lobularia, Lamarck, An. s. vert. II. 1816, 413.
conoidea Lottia (Quoy), Catlow & Reeve, Conch. Nomen. 1845, 99.—Patelloida.
conoidea Mitra, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 253; Rep. trav.
 Soc. stat. Marseille, VI. 325.
conoidea Nerita, Lamarck, Ann. Mus. H. N. (Paris) V (26) Oct. 1804, 93. [Nerita.
conoidea Neritina (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 149.—

- conoidea Odostomia (Fér.), J. G. Jeffreys, Ann. Mag. N. H. (2) II. Nov. 1848, 341.—
Auricula. [Turbo.]
- conoidea Odostomia (Brocchi), Forbes & Hanley, Hist. Brit. Moll. III. 1850, 260.—
- conoideus Orthoceratites, G. v. Muenster, Beitr. zur Petref. (3) 1840, 96.
- conoidea Paludina, P. de Reynies, Lettre à Moq.-Tandon, 1844, 4. [355.]
- conoidea Patelloida, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
- conoideus Pecten, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 91.
- conoidea Pholas, G. P. Deshayes, Mém. Soc. H. N. Paris, I (2) 1824, 252.
- conoidea Pleurotomaria, G. P. Deshayes, Descr. Coq. char. 1831, 181.
- conoideus Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 201.
- conoidea Rotalina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 145.
- conoidea Sarcinula, G. A. Goldfuss, Petref. German. I (1) 1826, 74.
- conoidea Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 5.
- conoidea Serpula (Lam.), W. Hisinger, Lethaea Svecica, 1837, 20.—Spirorbis.
- conoideum Solarium, J. Sowerby, Min. Conch. I. 1813, 36.
- conoideum Solarium, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 135.
- conoideum Solarium, J. De C. Sowerby, Trans. Geol. Soc. Lond. [2] IV (2) 1836, 336.
- conoideus Sphyaenodus, H. v. Meyer, N. Jahrb. f. Min. 1846, 597 [*n. n.*].
- conoideus Spirifer, F. A. Roemer, Verst. Harzgeb. 1843, 12.
- conoidea Spirorbis, Lamarck, An. s. vert. V. 1818, 366.
- conoideus Strombus, Grateloup, Actes Soc. Linn. Bordeaux, VI (35) 1834, 192.
- conoidea Stylina (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2,
II. Aug. 1836, 339.—Sarcinula.
- conoidea Theba (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.—Helix.
- conoideus Trochus (Fitt.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 129.—Solarium,
- conoideus Turbo, G. Brocchi, Conch. Subap. 1814, 660. [Sow.]
- conoideus Turbo, Defrance, Dict. Sci. Nat. XLVI. 1827, 521.
- conoidea Turbulina (Drap.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—Helix.
- conoidea Turritella, J. Sowerby, Min. Conch. I. 1814, 109.
- conoidea Turritella, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 181.
- conoideus Velates, Denys de Montfort, Conch. II. 1810, 355.
- conoidea Voluta (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 67.—
- conoidea Voluta, S. A. Renier, Tavole [1804] viii. [Bulla, 1767.]
- Conolites W. Swainson, Elem. mod. Conch. 1835, 51.—Ceph. [D. & B.]
- Conolophus L. Fitzinger, Syst. Rept. 1843, 16 & 55.—R. [*typus* Amblyrhynchus demarllii,
- Conomus C. S. Rafinesque, Analyse, 1815, 92.—P. [*n. n.*].
- Conomya J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 384.
—Dipt.
- Conomyia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conomya, Rob.
- conon Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 296.
- conon Tetrastichus, Walker, List Hymenopt. Coll. B. M. (2) 1848, 148.—Cirrospilus, 1839.
- conon Turbo, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 77.
- Conopaejus C. Rondani, Magazin de Zool. (2) VII. 1845, text to pl. 153, p. 7.—Dipt.
- Conopalpus L. Gyllenhal, Ins. Suecica, I (2) 1810, 547.—Col.
- Conoparia Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 81.—Cr.
- Conopea T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1822, 323.—Cirr.
- Conopeum J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 108 & 146.—Polyz.
- Conophaga Lafresnaye, Rev. Zool. X. 1847, 69 [*v.* Conopophaga, Vieill.]. [*comp.*]
- Conophoribium Chevrolat; *teste* Gemminger & Harold, Cat. Col. III. p. 1773, *sed non*
- Conophorus J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 268.—Dipt.
- Conophorus C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 719.—Col.
- conophthalmus Acaste (Boeck), Goldfuss, N. Jahrb. f. Min. 1843, 563.—Phacops, Burm.
- conophthalmus Phacops, H. F. Emmrich, De Trilobitis, 1839, 21.
- Conophyllia A. d'Orbigny, Note Polyp. foss., Oct. 1849, 8.—Cor.
- Conopia J. Huebner, Verz. bekannt. Schmett. [1820], 129.—Lep.
- conopiformis Setia, J. W. Meigen, Syst. Besch. Europ. Schmett. II (3) 1829, 118.
- Conopilla C. Rondani, Magazin de Zool. (2) VII. 1845, text to pl. 153, p. 9.—Dipt.
- Conoplea J. E. Gray (*ex* Say MS), Ann. Phil. XXVI. Aug. 1825, 103.—*v.* Conopea.

- Conoplea** T. Say; *err.* Agassizi *pro* Conopea, *q. v.*
- Conoplella** *emend. pro* Conoplea, Say; H. G. L. Reichenbach, Zoologie, I. 1828, 89.
- Conopleura** R. B. Hinds, Zool. "Sulphur" (Moll. I.) 1844, 24.—G.
- Conopoderas** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A. [*typus* Turdus longirostris, Gm.]
- Conopoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Culicoides, Latr.
- Conopoidesus** C. Rondani, Magasin de Zool. (2) VII. 1845, text to pl. 153, p. 9.—Dipt.
- Conopophaga** L. P. Vieillot, Analyse, 1816, 39.—A.
- conopsator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.
- conopseus** Ceria (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 453.—Mulio, 1798.
- conopseus** Doros (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 274.—Syrphus, 1775. [Milesia.]
- conopsea** Doros (Fab.), W. E. Leach, Brewster's Edin. Ency. XII (1) 1817, 159.—
- conopseus** Doros (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 550.—Scaeva.
- conopsea** Milesia (L.), J. C. Fabricius, Syst. Antliat. 1805, 195.—Musca, Gm. 1790.
- conopsea** Scaeva (Fab.), C. F. Fallen, Syrphici Sveciae (4) 1817 [1812 *errore*], 37.—
- Conopsida** J. Macquart, 1850; *teste* Marschall *sed* 1851 *est.* [Milesia.]
- conopsoides** Ceria (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 160.—Musca, 1758.
- conopsoides** Dioctria, J. C. Fabricius, Syst. Antliat. 1805, 151.—Asilus, 1775.
- conopsoides** Mixogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 74.
- conopsoides** Ommatius, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 422.
- conopsoides** Ommatius, D. Thon, Ersch & Gruber, Allg. Ency. (3) III. 1832, 381.
- conopsoides** Zodium, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 348.
- Conorbis** W. Swainson, Treat. Malacol., May 1840, 149 & 312.—G.
- Conorhinus** F. L. de Laporte, Essai class. Hémipt. in Mag. de Zool. XII. 1832, 78.—
- Conorhinus** C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 448.—Col. [Hem.]
- conorynchus** Albula, J. G. Schneider, Bloch, Syst. Ichth. 1801, 433.
- conorhynchus** Coregonus, Cuvier & Valenc., H: N. Poiss. XXI. 1848, 485.
- Conosaurus** R. W. Gibbs, Smithson. Contrib. II (5) 1850 [? 1851], 9.—R.
- Conosoma** Lenz in Joerdens, Entom. u. Helminth. II. 1802, 30; *teste* Stiles & H., *non gen. sed triv.* (Ascaris conosoma).
- conosoma** Ascaris, J. H. Joerdens, Ent. u. Helm. menschl. Körpers, II. 1802, 30.
- conosoma** Ascaris, V. Brera, Mem. fis.-med. Vermi umano, 1811, 193.
- Conostoma** B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 [? Jan. 1842], 856.—A.
- Conosurus** R. W. Gibbs, P. Amer. Assoc. 1849 (1850), 77.—R. [*n. n.*]. ?=Conosaurus.
- Conotelus** W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 249.—Col.
- Conoteuthis** A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 620; C. R. Acad. Sci. (Paris) XIV. 1842, 753.—Ceph.
- Conotrachelus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 392.—Col.
- Conotrochites** Deshayes, Ency. Méth. (Vers) II (2) 1830, 2 [*non usu gen.*].
- Conotubularia** G. Troost, Bull. Soc. géol. France, IV. 1834, 405; Trans. Geol. Soc. Pennsylv. I (2) 1835, 248; Mém. Soc. géol. France, III (1) 1838, 88.—Ceph.
- Conoura** S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842, 191.—Ins.
- Conovula** A. F. Schweigger, Handb. Naturges. 1820, 739.—G. [Conovule, Lamarck, *vernac.*]. [Auricula.]
- conovuliformis** Acteon (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 343.—
- conovuliformis** Auricula, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 67.
- conovuliformis** Auricula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 93.
- Conovulum** G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 119.—G.
- Conovulus** Lamarck, Ency. Méth. (Vers) 1816, pl. 459, Liste p. 12.—G.
- Conovulus** H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 106.—G.
- Conovulus** Lam.; G. B. Sowerby, II., Conch. Man. 1839, 28.—G.
- conovula** Imbricaria (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 74.—Mitra.
- conovula** Mitra, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 655.
- Conoyces** R. P. Lesson, N. Tabl. R. Anim. 1842, 194.—M.

- conquestum** Orthoceras, L. G. de Koninck, Descr. Anim. foss. (11) *ineunte* 1844, 514.
- conquisitalis** Pionea, Guénée in H. Lucas, Explor. Algér. (Artic. III.) 1849, 403.
- conquisitor** Cryptus, T. Say, Boston Journ. N. H. I (3) 1836, 232.
- conquisita** Mitra, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 289.
- conradi** Acantholoma, Castelnau, Ess. Silur. Amér. sept. 1843, 23. [109.]
- conradi** Ammonceratites, S. G. Morton, Proc. Acad. Nat. Sci. Philad. I (7) Oct. 1841,
- conradi** Ammonites, S. G. Morton, Syn. Org. Rem. Cret. 1834, 39.
- conradi** Bourcieria (Bourc.), C. L. Bonaparte, Consp. gen. Avium. I. 1850, 73.—Trochilus.
- conradi** Catopygus, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 39.
- conradi** Cyprina (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 239.—Venilia.
- conradii** Mellisuga (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 112.—Trochilus.
- conradi** Murex, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 364.
- conradi** Orthis, Castelnau, Ess. Silur. Amér. sept. 1843, 37.
- conradii** Ostrea, H. G. Bronn, Ersch & Gruber, Allg. Ency. (3) VII. 1836, 198.
- conradi** Penitella, A. Valenciennes in Du Petit-Thouars, Voy. Vénus (Atlas, 1846), pl. 24.
- conradii** Purpura, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 84 [*n. n.*].
- conradi** Scaphites, v. Buch, Bull. Soc. géol. France (sér. 2) VI. 1849, 566.
- conradi** Scaphites (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 214.—Ammono-
- conradii** Thracia, J. L. Russell, J. Essex Co. N. H. Soc. I (2) 1839, 75. [nites.]
- conradi** Thracia, J. P. Couthouy, Boston Journ. N. H. II (2) 1839, 153.
- conradi** Trochilus, J. Bourcier, Proc. Zool. Soc. London, XV (171) May 17, 1847, 45.
- conradi** Venilia, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 294.
- conradicus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 63.
- consanguinea** Acanthodis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839
[Dec. 1838], 454. [1838], 660.
- consanguineum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- consanguinea** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 346.
- consanguineus** Asilus, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 103.
- consanguinea** Aulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 935.
- consanguineus** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 375.
- consanguinea** Colobogaster, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 10.
- consanguinea** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 322.
- consanguinea** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850,
- consanguinea** Helicina, C. B. Adams, Contr. to conch. (8) Oct. 1850, 134. [387-]
- consanguinea** Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 59.
- consanguinea** Holotrichia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.
I (2) 1850 [*ineunte* 1851], 139.
- consanguineus** Hydaticus, Dupont in C. Aubé, Spec. gén. Hydroc. 1838, 160.
- consanguinea** Lina, J. L. Leconte in Agassiz, Lake Superior, 1850, 237 [*n. n.*].
- consanguinea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 241, Mar. 1844 [*err. pro*
1845].
- consanguinea** Musca, C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 78.
- consanguineus** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 131.
- consanguinea** Tipula, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 57.
- consanguinea** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 210.
- conscriptella** Hypatima, J. Huebner, Verz. bekannt. Schmett. 1826, 415.—Tinea.
- conscriptella** Plutella (Hueb.), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 575.—Tinea.
- conscriptella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 41 (Fernaldo *judice*
1800-05) [*n. et f.*]. [Huebner.]
- conscripta** Cellaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 526.—Tinea *conscriptella*,
- consecta** Cristellaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 290.
- consecta** Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 259.
- consecta** Polymorphina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 265 [*n. n.*].
- consecta** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 262 [*n. n.*].
- consenscens** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 88.
- consentaneus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
(7) 1849, 23 ["Mon. Anth." *poster. edit.*].
- consentaneus** Aphodius, J. L. Leconte in Agassiz, Lake Superior, 1850, 225.

- consentaneus** Bulimus, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 86.
- consentaneus** Cardiophorus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 508.
- consentanea** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 63. [505.]
- consentanea** Combophora, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847,
- consentanea** Crioceris, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 561.
- consentanea** Exoplectra, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 922.
- consentanea** Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
- consentaneus** Gyrohypnus, Dejean in A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 122. [IV. 1829, 302.]
- consentaneus** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*]; Spec. gén. Coléopt.
- consentaneus** Otiorynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 278.
- consentaneus** Unio, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (2) Aug. 1835, 21; & (3) Mar. 1836, 29.
- consentaneus** Xantholinus (Nordm.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 326. —Gyrohypnus.
- consentaria** Acidalia, C. F. Freyer, Neuere Beitr. Schmett. VI (81) 1846, 10.
- consequa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 23 (Fernaldo judice 1802)
- consequa** Tabanus, F. Walker, The Zoologist, VIII. 1850, App. p. cxxi. [[*n. et f.*].
- consequa** Triphaena (Hueb.), F. Ochseneimer, Schmett. Europa, IV. 1816, 69.—Noctua.
- consequana** Grapholitha, P. C. Zeller, Isis (Oken), 1847, 733.
- conserta** Harmodia, J. Huebner, Verz. bekannt. Schmett. [1822], 207.
- conserta** Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 175. [19.]
- consignaria** Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849).
- consignatorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 278.
- consignata** Arcyonia, J. Huebner, Verz. bekannt. Schmett. 1826, 325.—Geometra, 1796.
- consignata** Cidaria (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 443.—Geometra, 1796. [? Huebn. 1796.]
- consignata** Eupithecia (Bork.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Geometra,
- consignata** Larentia (Hueb.), F. Treitschke, Schmett. Europa, VI (2) 1828, 117.—Geom. [1796.]
- consignata** Phalaena (Hueb.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 357.—Geometra,
- consiliarius** Conus, D. Solander, Catal. Portland Mus. 1786, 153 [*n. n.*].
- consimilana** Peronaea, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47 [*n. n.*]; & Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 150.
- consimilana** Sparganothis, J. Huebner, Verz. bekannt. Schmett. 1826, 386.—Tortrix.
- consimilana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 38 (Fernaldo judice 1811—18) [*n. et f.*]. [(2) (Noct. 4, pt. 2), 386, 1829.]
- consimilaria** Boarmia, Boisduval in Duponchel in J. B. Godart, H. N. Lépid. France, VII
- consimilella** Chimatache, J. Huebner, Verz. bekannt. Schmett. 1826, 402.
- consimilis** Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 104, June 1849.
- consimilis** Acupalpus, Dejean, Spec. gén. Coléopt. IV. 1829, 465. [Harpalus.]
- consimile** Agonus (Gyll.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Feb. 1828, 90.—
- consimilis** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 116.
- consimilis** Andrena, F. Smith, The Zoologist, V (6) 1847, 1736.
- consimilis** Andrena, F. Smith, The Zoologist, VI (9) 1848, 2214. [Omalium.]
- consimile** Anthobium (Gyll.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 107.—
- consimilis** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 201. —Musca.
- consimilis** Aulopora, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 675.
- consimilis** Brachiacantha, J. L. Leconte in Agassiz, Lake Superior, 1850, 238 [*n. n.*].
- consimilis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 346, Nov. 1848.
- consimilis** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 104.
- consimilis** Chlaenius, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 437.
- consimilis** Chrysops, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 57 [*n. n.*].

- consimilis** Clausilia, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 79.
- consimilis** Colobogaster, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 152.
- consimilis** Dacnusa, J. Curtis, Guide Brit. Ins. (4) 1829-30, 107 [*n. n.*].
- consimilis** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 75.
- consimilis** Diadema, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850).
- consimilis** Dolichopus, Wahlberg, Ofvers. K. Vet. Ac. Förh. VII (8) 1850, 217. [281.]
- consimilis** Elater, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 40.
- consimilis** Encyrtus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 113 [*n. n.*].
- consimilis** Harpalus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 161.
- consimilis** Hipparionyx, L. Vanuxem, N. H. New York (Geol. 3 dist.) 1842, 124.
- consimilis** Hydroporus, J. L. Leconte in Agassiz, Lake Superior, 1850, 214.
- consimilis** Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 22.
- consimilis** Lachnosterna, J. L. Leconte in Agassiz, Lake Superior, 1850, 226.
- consimile** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 627.
- consimilius** Lathridius, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 99.
- consimilis** Limenitis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 133.
- consimilis** Limnobia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 837.
- consimilis** Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 85.
- consimilis** Neptis (Boisd.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 272.—Limenitis.
- consimile** Olophrum (Gyll.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 867.—Omalium.
- consimile** Omalium, L. Gyllenhal, Ins. Suecica, I (2) 1810, 199.
- consimilis** Pecten, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 91.
- consimilis** Pentatoma, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 389.
- consimilis** Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 42.
- consimilis** Phalacrus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 165.
- consimilis** Pleurotoma, A. Risso, H. N. Europe, IV. 1826, 218. [—Dermestes.]
- consimilis** Stereoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 440.
- consimilis** Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 56.
- consimilis** Syphona, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 205.
- consimilis** Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 454.
- consitus** Carabus, G. W. F. Panzer, Ins. Germ., heft 108, 1809, tab. 3.
- consitus** Carabus, Panzer in Dejean, Catal. Coléopt. 1821, 6 [*n. n.*].
- consitus** Carabus, Hoffm.; J. Sturm, Catal. Ins. Samml. 1826, 110.
- consobrinana** Anchylopera, J. Curtis, Guide Brit. Ins. (6) 1831, 169 [*n. n.*].
- consobrinana** Anchylopera, J. Curtis, Brit. Entom. VIII (94) Oct. 1831, no. 376.
- consobrinaria** Boarmia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—
Geometra, 1796. [—Geometra, 1796.]
- consobrinaria** Phalaena (Hueb.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 87.
- consobrinus** Abroeus, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 323.
- consobrina** Achatina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 170.
- consobrina** Agallia, J. Curtis, Entom. Mag. I (2) Jan. 1833, 193.
- consobrina** Agapanthia, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 17.
- consobrina** Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 122.
- consobrina** Altica, J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 630.
- consobrina** Altica, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 74 [*n. n.*].
- consobrinus** Alydus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 20.
- consobrinus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 147.
- consobrina** Amphionycha, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201
- consobrina** Anisotoma, C. R. Sahlberg, Ins. Fenn. I. 1834, 464. [[*n. n.*].]
- consobrina** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 665.
- consobrina** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 209.
- consobrina** Arca, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 52.
- consobrina** Arctia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1401.—Anthomyza, 1838.
- consobrinus** Arpactus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
- consobrinus** Bombus, G. Dahlbom, Bomb. Scand. 1832, 49.

- consobrinus** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 70.
consobrinus Capulus, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 130.
consobrinus Capulus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 292.
consobrina Catagramma, F. E. Guérin-M., Iconographie, 1844, Ins. 482.
consobrina Cetonia, Villa & Villa, Coleopt. Europ. 1833, 35.
consobrinus Chelonus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 105 [*n. n.*].
consobrina Cloeon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*].
consobrinus Colymbetes, J. Curtis, Brit. Entom. V (52) Ap. 1828, no. 207.
consobrinus Conus, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 45.
consobrinus Crabro, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
consobrinus Cryptorhynchus, Munk in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
consobrinus Ctenistes, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 79. [95-
consobrina Ctenophora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*].
consobrina Cucullaea (Orb.), H. G. Bronn, Index Pal. 1848, 357.—Arca.
consobrinum Culex, J. B. Robineau-D., Mém. Soc. H. N. Paris, III (3) Oct. 1827, 408.
consobrina Cupulospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 188.
consobrina Cynips, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 410.
consobrina Cyprina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 107.
consobrina Cyrena, Olivier; F. Cailliaud, Voy. Méroé, IV. 1827, 263.
consobrina Dentalina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 46.
consobrina Dicerca, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
consobrinus Dolichopus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 257 [*n. n.*]. [145-
consobrina Formica, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 258.
consobrina Geomyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2529.—Opomyza, 1838.
consobrina Gervilia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 284.
consobrina Haltica, K. Duftschmid, Fauna Austriae, III. 1825, 252.
consobrinus Hamites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 216.
consobrina Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
 1821, 36 [*n. et f.*].
consobrinus Hyphydrus, G. Kunze, N. Schr. Nat. Ges. Halle, II (4) 1818, 61.
consobrinus Hypolithus, Dejean, Spec. gén. Coléopt. IV. 1829, 180.
consobrina Leia, J. Curtis, Brit. Entom. XIV (161) May 1837, no. 645.
consobrina Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 218. [477-
consobrina Lima, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
consobrinus Limnephilus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [*n. n.*]. [1834, 124-
consobrinus Limnephilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb.
consobrina Locusta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*].
consobrina Lucilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 217.
consobrina Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 484.
consobrina Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 258.
consobrinus Metapodius, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 15.
consobrinus Micropalpus, J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 133.
consobrinus Mitylus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 370.
consobrinus Musca, J. Curtis, Brit. Entom. XII (137) May 1835, no. 549.
consobrina Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
 II. 1830, 344.
consobrinus Nematus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & III.
 Brit. Ent. (Mand. VII.) Aug. 1835, 38 [vicinus].
consobrina Nerita (Fér.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 301.—Neritina.
consobrina Neritina, Férussac in Deshayes, Descr. Coq. foss. Paris, II. 153 (1832).
consobrina Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 176.
consobrinus Odynerus, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XI. Feb. 1839, 91.
consobrina Opomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 762.
consobrina Otala (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 36.—Helix.
consobrinus Oxytelus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & III.
 Brit. Ent. (Mand. V.) Dec. 1833, 320.
consobrinus Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 181.
consobrina Phasianella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 301.

- consobrina** Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 160.
- consobrina** Phyllodes, J. O. Westwood, Cab. Orient. Entom. 1847, 57.
- consobrinus** Platygaster, J. Curtis, Guide Brit. Ins. (4) 1829-30, 112 [*n. n.*].
- consobrina** Platypeza, J. W. Zetterstedt, Dipt. Scand. III. 1844, 904.
- consobrinus** Pompilus, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 79.
- consobrinus** Porphyrops, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 56 [*n. n.*].
- consobrinus** Psilopus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 56 [*n. n.*].
- consobrina** Rhamphomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 571.
- consobrinum** Rhaphium, J. W. Zetterstedt, Dipt. Scand. II. 1843, 471.
- consobrina** Rosalina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 46.
- consobrina** Rotalia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 337.
- consobrina** Sapromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2340.
- consobrinum** Saphidium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 19.
- consobrinus** Spirifer, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 98.
- consobrinus** Stenelmis, L. Dufour, Ann. Sci. Nat. [2] (Zool.) III. Mar. 1835, 161.
- consobrina** Synastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 293.
- consobrina** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 248.
- consobrinus** Tanypus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3599. [79.]
- consobrina** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816,
- consobrina** Tetanocera, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 321 [*n. n.*].
- consobrinus** Thynnus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 26.
- consobrina** Triloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 277.
- consobrina** Zygaena, Keferstein in E. F. Germar, Fauna Ins. Europ. (16) [1831-35], 23.
- consocialis** Nephopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 370.—*Tinea consociella*.
- consociale** Pentatoma, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 630.
- consociale** Trophon, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 49.
- consociatus** Longitarsus, A. Foerster, Verh. nat. Ver. pr. Rheinh. VI. 1849, 38.
- consociata** Nassa, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 31.
- consociatus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 222.
- consociella** Phycis (Hueb.), Zincken, Mag. Entom. (Germar) III. 1818, 138.—*Tinea*.
- consociella** Phycita (Hueb.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—*Tinea*.
- consociella** Rhodophaea (Hueb.), A. Guénée, Ann. Soc. Ent. France [2] III₃ (3) Dec. 1845, 313.—*Tinea*. [1811-17] [*n. et f.*].
- consociella** *Tinea*, J. Huebner, Samml. europ. Schmett., *Tinea*, 48 (Fernaldo judice
- consocia** Bradybaena (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—*Helix*.
- consocius** Cyclostomus, W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 43 [*n. n.*].
- consocia** Fruticicola (Ziegl.), F. Held, Isis (Oken), 1837, 914.—*Helix*.
- consocia** *Helix*, Ziegler in Rossmassler, Icon. Moll. I (1) 1835, 63.
- consocius** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 56.
- consolidata** *Helix* (Brug.), L. W. Dillwyn, Catal. Shells, 1817, 946.—*Bulimus*, 1789.
- consolidata** *Natica*, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 89.
- consonans** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 106.
- consonaria** Boarmia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—*Geometra*, 1796.
- consonaria** Ectropis, J. Huebner, Verz. bekannt. Schmett. 1826, 316.—*Geometra*, 1796.
- consonaria** Tephrosia (Hueb.), Boisduval, Gen. Index Europ. Lepid. 1840, 198.—*Geometra*, 1796.
- consona** Abrostola (Hueb.), F. Ochseneimer, Schmett. Europa, IV. 1816, 88.—*Geometra consonaria*?, 1796.
- consona** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxvi.
- consona** Bradybaena (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—*Helix*.
- consona** Euchalcia (Fab.), J. Huebner, Verz. bekannt. Schmett. [1825], 250.—*Noctua*, 1787.
- consona** Fruticicola (Ziegl.), F. Held, Isis (Oken), 1837, 914.—*Helix*.
- consona** *Helix*, Ziegler in Rossmassler, Icon. Moll. I (1) 1835, 63.
- consona** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 319.

- consona** Plusia (Huebner), F. Treitschke, Schmett. Europa, V (3) 1826, 150.—Noctua, Fab. 1787.
- consors** Anthomyia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 429 [*n. n.*].
- consors** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1674.
- consors** Cardium, G. B. Sowerby, I., Proc. Zool. Soc. London, I (7) Sept. 1833, 85.
- consors** Clausilia, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 78.
- consors** Cryptocephalus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 588.
- consors** Cucullia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (3) 1846, 88.
- consors** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 51. [1797.
- consors** Noctua (Abbot), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 290.—Phalaena,
- consors** Ochthephila (Lowe), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—Helix.
- consors** Philonthus, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
- consors** Pleurotoma, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 50.
- consors** Pyrala, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 49.
- consors** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 150.
- consortaria** Boarmia (Fab.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Phalaena, 1787. [1787.
- consortaria** Dryocoetis (Fab.), J. Huebner, Verz. bekannt. Schmett. 1826, 316.—Phalaena,
- consortus** Oiketicus (Cryptothela), R. Templeton, Tr. Entom. Soc. Lond. V (2) Sept. 1847, 40. [Huebner. 1796.
- consorta** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 483.—Tinea consortella,
- consorta** Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- consorta** Selandria, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 126 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII), Aug. 1835, 53 [*n. n.*].
- consorta** Tachydromia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 56 [*n. n.*].
- consparsata** Miselia, Fuchs in C. F. Freyer, Neuere Beitr. Schmett. V (72) 1844, 82.
- conspersus** Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 268.
- conspersgatus** Homalonotus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 31. [[1836], 524.
- conspersgatus** Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837
- conspersana** Cnephasia, J. W. Douglas, The Zoologist, IV (3) 1846, 1267.
- conspersana** Nephodesme (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 390.—Tortrix, 1775.
- conspersana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 353.
- conspersaria** Dyscia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 314.—Geometra, 1775. [Geometra, 1775.
- conspersaria** Fidonia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 436.—
- conspersaria** Scodionia (D. & S.), Boisduval, Gen. Index Europ. Lepid. 1840, 185.—Geometra, 1775. [1848, 112.
- conspersella** Tinea, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. I.
- conspersula** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 124.
- conspersus** Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 [*n. n.*]. [Elater.
- conspersa** Adelocera (Gyll.), E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 257.—
- conspersus** Adioristus, G. R. Waterhouse, Proc. Zool. Soc. London, IX (107) May 1842, 125. [1829, 32.—Elater.
- conspersus** Agrypnus (Gyll.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan.
- conspersus** Ancistrotus (Perty), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 14.—Goniosoma. [—Goniosoma.
- conspersus** Ancistrotus (Perty), C. L. Koch, Die Arachniden, VII (2) *post* July 1839, 50.
- conspersa** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xlv.
- conspersa** Apogonia, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 199.
- conspersum** Armadillidium, E. G. Zaddach, Syn. Crust. Pruss. 1844, 19.
- conspersa** Blatta, Percheron, Gen. Ins. (2) 1835, no. 3. [Erotylus.
- conspersus** Brachysphoenus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 342.—
- conspersum** Buccinum, R. A. Philippi, Zeitschr. f. Malakozool. (Sept.) 1848 [Mar. 1849], 138. [Bulinus.
- conspersus** Bulimulus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 68.—
- conspersus** Bulinus, G. B. Sowerby, I., Conch. Illustr. (35) 1833, f. 49 [*n. et f.*].

- conspersus Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (6) Sept. 1833, 73.
 conspersa Buprestis, Gyllenhal, Ins. Suec. I. 1808, 441.
 conspersa Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 44.
 conspersa Cassida, E. F. Germar, Ins. Spec. novae, I. 1824, 534.
 conspersa Cassida, D. H. Schneider, Verz. Insectensamml. 1828, 83 [*n. n.*].
 conspersa Cetonia, Gory & Percheron, Mon. Cétoines (2) 1834, 65; (11) 1836, 287.
 conspersa Chlamys, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
 conspersus Chthonobius, H. Burmeister, Handb. Ent. V. 1847, 567. [311.
 conspersa Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 127.
 conspersus Cimex E. F. Germar, Revue Entom. V (4) 1840, 173.
 conspersa Clausilia, Parreys in L. Pfeiffer, Mon. Helic. II. 1848, 456.
 conspersa Colobothea, Dejean, Catal. Coléopt. 1821, 108 [*n. n.*].
 conspersus Coluber, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 406.
 conspersus Colymbetes (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Sept. 1828,
 72.—Dytiscus.
 conspersus Conus, L. Reeve, Conch. Icon.—Conus, no. 262, Feb. 1844.
 conspersus Corizus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 350.
 conspersus Cosmetus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 203.
 conspersus Cryptocephalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 24 [*n. n.*].
 conspersus Curculio, Olivier, Ency. Méth. (Ins.) V. 1790, 506.
 conspersus Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 30 [*n. n.*].
 conspersum Cyclostoma, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 22 [*n. n.*].
 conspersa Cynorta (Perty), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 21.—Cos-
 metus. [Cosmetus.
 conspersa Cynorta (Perty), C. L. Koch, Die Arachniden, VII (5) *post* July 1839, 100.—
 conspersa Dianthecia (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850,
 108.—Noctua, 1775.
 conspersa Dianthoecia (Huebner), Boisduval, Revue Entom. II (6) 1834, 249.—Noctua,
 conspersus Dytiscus, T. Marsham, Coleopt. Brit., Sept. 1802, 427. [D. & S. 1775.
 conspersum Elaphidion, E. Newman, Entomologist (7) May 1841, 110.
 conspersus Elater, L. Gyllenhal, Ins. Suecica, I. 1808, 377.
 conspersus Elater, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 41.
 conspersa Epicauta, J. Curtis (*ex* Germ. MS), Proc. Linn. Soc. London (21) June 1844,
 conspersa Epilampra, Klug in H. Burmeister, Handb. Ent. II (2) i, 1838, 505. [202.
 conspersus Erotylus, E. F. Germar, Ins. spec. novae, I. 1824, 614.
 conspersus Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825,
 conspersa Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 89. [57.
 conspersa Glycyphana (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 353.—Cetonia.
 conspersum Goniosoma, M. Perty, Del. anim. artic. Brasil. (3) 1833, 202.
 conspersus Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
 conspersa Harmodia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 207.—
 Noctua, 1775. [Rhynchaenus.
 conspersus Heilipus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 238.—
 conspersus Hemerobius, H. Burmeister, Handb. Ent. II (2) ii, 1839, 974.
 conspersus Jassus, Herrich-S. in Panzer, Ins. Germ., heft 124, 1834, tab. 12.
 conspersa Lamia, E. F. Germar, Ins. spec. novae, I. 1824, 474.
 conspersus Larinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 12.
 conspersa Latipalpis (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 289.—
 Buprestis, Gyll.
 conspersa Limnobia, J. Curtis, Guide Brit. Ins. (7) 1831, 206 [*n. n.*].
 conspersus Liolaemus, J. L. C. Gravenhorst, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838,
 conspersa Litorina, R. A. Philippi, Abb. Conch. II (7) 1847, 200. [737.
 conspersa Locusta (Chloëaltis), T. W. Harris, Rep. Insects Massach. 1841, 149.
 conspersa Lystra, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 55.
 conspersa Mantis, H. Burmeister, Handb. Ent. II (2) i, 1838, 534.
 conspersa Marpissa, C. L. Koch, Die Arachniden, XIII (2) Jan. 1846, 61.
 conspersus Medeterus, A. H. Haliday, Zool. Journ. V (19) July 1832, 356.
 conspersa Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 247.

- conspersa** Miselia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 72.—
Noctua, 1775. [219.]
- conspersa** Mygale, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- conspersus** Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 387.
- conspersa** Mystacida, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 514.
- conspersa** Nacerdes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 124.
- conspersus** Otiiorhynchus (Herbst), E. F. Germar, Ins. spec. novae, I. 1824, 346.—
Curculio, 1795.
- conspersus** Pachygaster, Ziegl.; Dejean, Catal. Coléopt. 1821, 91 [n. n.].
- conspersus** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 264.
- conspersus** Philopotamus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [n. n.].
- conspersus** Philopotamus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (21) Mar.
- conspersa** Phoraspis, A. Brullé, H. N. Ins. IX (Orth.) 1835, 60. [1834, 213.]
- conspersa** Phoraspis, H. Burmeister, Handb. Ent. II (2) i, 1838, 493.
- conspersus** Pissocles, Ol.; Dejean, Catal. Coléopt. 1821, 87 [n. n.].
- conspersa** Planulina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 372.
- conspersus** Plectrocnemias, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 169 [n. n.].
- conspersa** Poecilionota (Th.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis.
- conspersa** Polidea (Meig.), J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848,
93.—Tachina.
- conspersus** Polydesmus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 210.
- conspersus** Porcellio, C. L. Koch, Deutsch. Crust., heft 34, 1841, tab. 17.
- conspersa** Psacasta, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 71.
- conspersus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 486.
- conspersa** Pupa, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 160.
- conspersus** Rhacophorus (Perty), C. L. Koch, Krit. Revision Insect. Deutschl. 1847,
137.—Polydesmus.
- conspersus** Rhynchaenus, A. G. Olivier, Entom. V. 1807, 170.—Curculio, 1790.
- conspersa** Saperda, D. H. Schneider, Verz. Insectensamml. 1828, 82 [n. n.].
- conspersa** Tachina, J. W. Meigen, Syst. Besch. Zweif. Insekt. IV. 1824, 263.
- conspersa** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 153.
- conspersus** Trochus, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 142 [n. n.].
- conspersa** Turritella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 47.
- conspersa** Venus, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 150.
- conspersa** Zetobora (Perch.), H. Burmeister, Handb. Ent. II (2) i, 1838, 510.—Blatta.
- conspiciabilis** Otiiorhynchus, Schoenherr in F. Faldermann, N. Mém. Soc. Imp. Nat.
Moscou, VI. 1839, 22.
- conspiciabilis** Teinodactyla, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837,
- conspicillaris** Cicada, F. v. P. Schrank, F. Boica, II (1) 1801, 48. [345.]
- conspicillaris** Egira (L.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 162.—
Phalaena, 1758. [II. 1832, 79.—Cimex, 1782.]
- conspicillaris** Hammacerus (Dru.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool.
- conspicillaris** Hammatocerus (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837,
64.—Cimex, 1782.
- conspicillaris** Liopus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 146.
- conspicillaris** Lithophane (L.), J. Huebner, Verz. bekannt. Schmett. [1825], 242.—
Phalaena, 1758. [1802] [n. et f.].
- conspicillaris** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 49 (Fernaldo judice
- conspicillaris** Xylina (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 86.—
Phalaena, D. & S., 1775. [189.—Phal., L. 1758.]
- conspicillaris** Xylina (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832,
- conspicillatrix** Ischyja (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 265.—Phalaena,
1777.
- conspicillator** Phylloides, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832,
- conspicillatus** Coluber, Boie, Isis (Oken), 1826, 211. [246.]
- conspicillatus** Coluber, H. Schlegel, Essai phys. Serp. 1837, I. 150; II. 171.
- conspicillata** Copris, F. Weber, Obs. Ent. 1801, 36.
- conspicillatus** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 32.

- conspicillatus** Copris, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 360. [1826, 210.—Sylvia.
- conspicillata** Curruca (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
- conspicillata** Daulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 333.
- conspicillatum** Dicaeum, F. H. v. Kittlitz, Kupfertaf. Nat. Vögel (2) 1832-3, 15.
- conspicellata** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 58.
- conspicillatus** Euprepiophis (Boie), L. Fitzinger, Syst. Rept. 1843, 26.—Coluber.
- conspicillatus** Galago, I. Geoffroy, C. R. Ac. Sci. (Paris) XXXI. 1850, 876.
- conspicillatus** Halmaturus (Gould), H. R. Schinz, Syst. Verz. Säug. I. 1844, 563.—Lagorchestes.
- conspicillatus** Lagorchestes, J. Gould, Proc. Zool. Soc. London, IX (105) Mar. 1842, 82.
- conspicillatus** Macropus (Lagorchestes), J. Gould; G. R. Waterhouse, Nat. Hist. Mamm. I. 1846, 85.—Lagorchestes, 1842.
- conspicillata** Malloccera, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 141.
- conspicillatus** Pelecanus, C. J. Temminck in T. & Laugier, Pls. color. (47) June 1824.
- conspicillatus** [Phanaeus], MacLeay, Horae Ent. I. 1819, 124.
- conspicillata** Psittacula, De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. June 1848, 172.
- conspicillatus** Pteropus, J. Gould, Proc. Zool. Soc. London, XVII (196) Jan.-June 1850, 109.
- conspicillatus** Sternaspis (MacL.), F. W. Hope, Coleopt. Manual, I. 1837, 51.—Phanaeus.
- conspicillata** Sterparola, C. L. Bonaparte, N. Ann. Sci. Nat. VIII. 1842 [Oct.], 165.
- conspicillata** Stigmodera, A. White, Ann. Mag. N. H. XII. Nov. 1843, 344.
- conspicillata** Sylvia, C. J. Temminck (*ex* Marm.), Man. Orn. I. 1820, 210.
- conspicillatus** Syngnathus, L. Jenyns, Zool. "Beagle" (Fish, 1842), 147.
- conspicillata** Zosterops (Kittl.), G. R. Gray, Gen. Birds, I. Dec. 1848, 198.—Dicaeum.
- conspicillum** Attus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 375.
- conspicillum** Balistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 474.
- conspicillum** Batrachus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 253.
- conspicillum** Rhinecanthus, W. Swainson, N. H. Fishes etc. II. July 1839, 325.
- conspicuaria** Fidonia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 435.—Geometra, 1796. [metra conspicuata, 1775.
- conspicuaria** Isturgia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 297.—Geo-
- conspicuellata** Apista, Mann in Zeller, Linnæa Entom. IV. Dec. 1849, 236.
- conspicuellata** Coleophora, T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6) 1850, 56.
- conspicua** Aelia, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 33.
- conspicuous** Allantus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- conspicua** Aranea, G. Perry, Conchology, Apr. 1811, pl. 46.
- conspicuous** Bellerophon, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 112.
- conspicuous** Carabus, Sturm in Dejean, Catal. Coléopt. 1821, 7 [*n. n.*].
- conspicuous** Clytus, Sch.; Dejean, Catal. Coléopt. 1821, 111 [*n. n.*].
- conspicua** Coccinella, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 448. [361.
- conspicuous** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- conspicuous** Conus, D. Solander, Catal. Portland Mus. 1786, 167 [*n. n.*]. [1817, 20.
- conspicua** Lampyris, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 62; & App.
- conspicua** Leis (Fald.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1030.—Coc-
- conspicua** cinnella.
- conspicua** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 445.
- conspicua** Leptinotarsa, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 19
- conspicuous** Microdus, C. Wesmael, N. Mém. Ac. Roy. Brux. X. 1837, 17. [*n. n.*].
- conspicua** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 154 (Fernaldo giudice 1826-33) [*n. et f.*].
- conspicua** Odostomia, J. Alder, Tr. Tyneside Nat. F. C. I (5) 1850, 359.
- conspicuous** Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 660.
- conspicua** Patella, R. A. Philippi, Abb. Conch. III (6) 1849, 71.
- conspicua** Phthiria, H. Loew, Linnæa Entom. I. Feb. 1846, 397.

- conspicuum** Pleurotoma, E. Eichwald, Nat. Lithuaen, 1830, 225.
conspicuus Rhagio, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 299.
conspicuus Stenochorus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 91. [1846, 293.
conspicua Tellina, S. Hanley in G. B. Sowerby, II., Thes. Conch. I (6) *ante* 21 Jan.
conspicua Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817,
conspicua Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 223. [180.
conspicua Tornatella, E. Eichwald, Paleont. Rossii, 1850, 126.
conspicuus Tryphon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Nov. 1835, 244.
conspicua Voluta, D. Solander, Catal. Portland Mus. 1786, 140 [*n. n.*].
conspurcator Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 236.
conspurcata Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 264.
conspurcatus Aphodius, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 279.
conspurcatus Aphodius (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9.—Scarabaeus,
conspurcata Aristenia, J. C. Savigny, Egypte, I (3) (Ann.) 1822, 64. [1758.
conspurcatum Cercyon (Sturm), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829,
 145.—Sphaeridium.
conspurcata Clausilia, Cristofori & Jan in E. A. Rossmassler, Icones L. u. S. Moll.
 Europ. I (4) Sept. 1836, 18.
conspurcatum Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 52. [Oct. 1850, 81.
conspurcata Emphania, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
conspurcata Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 93.
conspurcata Helix (Helicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl.
 Limaçons, 1821, 48.
conspurcatus Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 409.
conspurcatus Issus, Frivaldsky, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 363.
conspurcata Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 463.
conspurcatum Liotheum, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 300.
conspurcata Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc.
 VI. 1802), 29. [1838], 190.
conspurcata Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
conspurcata Melolontha, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833],
conspurcata Myrmecoleon, H. Burmeister, Handb. Ent. II (2) ii, 1839, 997. [168.
conspurcata Nytelia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 90 [*n. n.*].
conspurcatum Platetrum (L.), E. Newman, Entom. Mag. I (5) Oct. 1833, 511.—Libellula,
 1798.
conspurcatus Psocus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 323.
conspurcatus Rhigus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 91 [*n. n.*].
conspurcatus Sciocoris, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *d.*
conspurcatum Sphaeridium, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 15.
conspurcata Theba, A. Risso, H. N. Europe, IV. 1826, 74.
conspurcata Theba (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.—Helix.
conspurcatum Trinotum, H. Burmeister, Handb. Ent. II (2) i, 1838, 440.
conspurcata Truxalis, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. *d.*
conspurcata Zetobora, H. Burmeister, Handb. Ent. II (2) i, 1838, 516.
consputus Acupalpus (Dufts.), Dejean, Spec. gén. Coléopt. IV. 1829, 443.—Carabus.
consputus Anthracus (Dufts.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 21.—
 Carabus.
consputus Blemus (Dufts.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 173.—
consputus Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 148. [Carabus.
consputus Ceutorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 232.
consputus Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 206.
consputus Colymbetes, J. Sturm, Deutschl. Fauna (Insecten) VIII. 1834, 83.
consputa Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 763.
consputus Philonthus, F. Baudi, Baudi & Truqui, Studi Ent. I. 1848, 127.
consputus Stenolophus (Dufts.), J. Sturm, Catal. Ins. Samml. 1826, 199.—Carabus.
consputus Trechus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 71.—Carabus.
constans Aphodius, Megerle in K. Duftschmid, Fauna Austriae, I. 1805, 94.
constans Hypera, Ziegl.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].

- constans** Merodon, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 354.
- constans** Odynerus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 173, 1839, 25.
- constans** Pangonia, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 15.
- constans** Pythonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 394.
- constans** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 468.
- constans** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 186.
- constans** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 705.
- [**constantii**].
- constantii** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1848, 502.
- constantii** Cardita, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 89.—Venericardia
- constantii** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 25. [on pl.
- constantii** Ceriopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 143.
- constantii** Lyriodon (Orb.), H. G. Bronn, Index Pal. 1848, 685.—Trigonia. [Panopaea.
- constantii** Myopsis (Orb.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—
- constantii** Ornismya, A. Delattre, Echo Monde Savant, X. 15 June 1843, 1069.
- constantii** Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 339.
- constantii** Tanagra (Euphone), Boissonneau, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 3.
- constantii** Trigonia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 144.
- constantii** Venericardia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844.—v. Cardita.
- constantia** Cylo (Cr.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 141.
—Papilio, 1777.
- constantia** Hipio (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 56.—Papilio, 1777.
- constantia** Satyrus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 477.—Papilio, 1777.
- constantiae** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 107.
- constantiensis** Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 25.
- constantina** Acavus (Fér.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 113.—Helix, ?Forbes.
- constantina** Anthomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 327.
- constantina** Helix, Forbes; Anon., Manchester N. H. Soc. Catal. Shells, 1837, 41 [*n. n.*].
- constatus** Aphodius, J. Sturm, Catal. Ins. Samml. 1826, 95 [*n. n.*].
- Constellaria** J. D. Dana, Struct. & Classif. Zooph., Feb. 1846, 116 [*n. n.*]; & Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 537.—Cor.
- constellata** Asterias, Thorent, Mém. Soc. géol. France, III (2) 1839, 259.
- constellata** Caelaster (Thor.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 154.—
- constellata** Cassida, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 7. [Asterias.
- constellata** Ceriopora, W. Vanclève, P. Amer. Assoc. 1848 (1849), 22 [*n. n.*].
- constellata** Constellaria (Vanclève), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 537.—Ceriopora.
- constellata** Egleis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 155.
- constellata** Helicina, A. Morelet, Rev. Zool. (Soc. Cuv.) X. Ap. 1847, 144.
- constellatum** Polyclinum, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 9.
- constellata** Trochataella (Mor.), L. Pfeiffer in Martini & Chemnitz, Syst. Conch. Carb., ed. 2, Helicinaea (94) 1850, 8.—Helicina.
- Constrictor** J. Wagler, Nat. Syst. Amph. 1830, 168.—R.
- constrictrix** Boa, J. G. Schneider, Hist. Amph. II. 1801, 247.
- constrictor** Coluber (Natrix), L.; B. Merrem, Tent. Syst. Amph. 1820, 108.
- constrictor** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 84.
- constrictor** Draco (L.), L. Oken, Lehrb. Nat. III (2) 1816, 274.—Boa, 1758.
- constrictor** Echinorhynchus, Olfers, De veget. et anim. 1816, 51 [teste Stiles & H.].
- constrictor** Ichneumon (Fab.), J. J. Trentepohl, Isis (Oken), 1829, 871.—Cryptus.
- constrictor** Terebella, G. Montagu, Tr. Linn. Soc. London, XII (2) 1819, 343.
- constrictor** Throsus, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 190.
- constrictor** Tropidonotus (Merr.), F. Boie, Isis (Oken), 1827, 526.—Coluber (Natrix).
- constrictotriatum** Cyrtoceras, J. Hall, N. H. New York (Pal. I.) 1847, 195.
- constrictus** Actinocrinus, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 181.
- constricta** Aeshna, T. Say, J. Acad. Nat. Sci. Philad. VIII. post Jan. 1840, 11.
- constricta** Allorisma, W. King, Ann. Mag. N. H. XIV. Nov. 1844, 316.
- constrictus** Ammonites, J. Sowerby, Min. Conch. II. 1817, 189.

- constricta** Amphidesma, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 347.
- constricta** Anatolica (Stev.), F. Eschscholtz, Zool. Atlas, IV. 1831, 7.—Tentyria?.
- constrictus** Andrena, F. Smith, The Zoologist, VII. 1849, App. p. lix.
- constrictus** Anthicus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 244.
- constrictus** Anthicus, J. Curtis (*ex* Rudd MS), Brit. Entom. XV (179) Nov. 1838, no. 714.
- constrictus** Anthocomus, W. F. Erichson, Entomographien, 1840, 104.
- constrictus** Aphidius (Nees), A. H. Haliday, Entom. Mag. II (1) Jan. 1834, 95.—Bracon.
- constricta** Arcella, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 410.
- constricta** Ardistomis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 643.
- constricta** Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 134.
- constricta** Beroe, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 361.
- constrictus** Brachyderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 563.
- constrictus** Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 28.
- constrictus** Bulimus, L. Pfeiffer, Symb. Helic. I. 1841, 43.
- constricta** Bulla, J. De C. Sowerby, Min. Conch. V. 1824, 96.
- constricta** Bulla, A. Adams, G. B. Sowerby, II., Thes. Conch. II (11) 1850, 581.
- constrictus** Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 292.
- constricta** Ceriopora, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 23.
- constrictum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 373.
- constrictus** Ceuthorhynchus (Marsh.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 141.—Curculio. [77.]
- constricta** Chaetomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832),
- constricta** Chemnitzia (Mart.), L. G. de Koninck, Descr. Anim. foss. (10) *exeunte* 1843, 465.—Turbinites.
- constricta** Chrysomela, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 230.
- constricta** Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 72.
- constricta** Colletes, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 41 [*n. n.*].
- constrictus** Conchylolithus Turbinites, W. Martin, Petref. Derb. 1809, pl. 38.
- constrictus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 258.
- constricta** Dispotaea, T. A. Conrad, Bull. Proc. Nat. Inst. Washington, II. 1842, 194.
- constrictum** Distomum, Mehlis, Arch. f. Naturg. XII (1) 1846, 142 [*n. n.*].
- constrictus** Eirrhinus (Say), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 286.—
Rhynchaenus.
- constricta** Feronia, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 147.
- constricta** Furcularia (Müll.), Lamarck, An. s. vert. II. 1816, 38.—Vorticella, 1786.
- constrictus** Fusus, F. C. L. Koch in R. A. Philippi, Abb. Conch. II (1) 1845, 21.
- constrictus** Globites (Sow.), W. de Haan, Mon. Ammon. 1825, 144.—Ammonites.
- constrictus** Goniatites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 27.
- constricta** Goniomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 9.
- constricta** Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 120.
- constricta** Helix [N. Boubée], Echo Monde Savant, III. 17 Dec. 1836, 220.
- constricta** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 39.
- constrictus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- constricta** Hydraspis, J. E. Gray, Syn. Rept. 1831, 43. [790.]
- constricta** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 210.
- constrictus** Latridius, L. Gyllenhal, Ins. Suecica, I (4) 1827, 138.
- constricta** Leptura, E. F. Germar, Ins. spec. novae, I. 1824, 520.
- constrictus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 78.
- constricta** Loxonema (Sow.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 20.—Melanea. [pls. Mar. 1835, 46.]
- constricta** Marginella, T. A. Conrad, Foss. Shells Tert. N. Amer. (3), republished with
- constricta** Marginella, R. B. Hinds, Proc. Zool. Soc. London, XII (134) Sept. 1844, 74.
- constricta** Medea (Cham.), J. F. Eschscholtz, Isis (Oken), 1825, 741.—Beroe.
- constrictus** Melanea (Mart.), J. Sowerby, Min. Conch. III. 1818, 33.—Conchylolithus.
- constricta** Monas, F. Dujardin (Roret's Suite à Buffon), Infusiores, June 1841, 285.
- constricta** Monas (Mastichemonas), Duj.; C. M. Diesing, Syst. Helminth. I. 1850, 31.
- constricta** Monodonta, Lamarck, An. s. vert. VII. 1822, 36.
- constrictum** Monostomum, C. M. Diesing, Syst. Helminth. I. 1850, 322.

- constrictus** Nedyus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
constricta Nerinaea, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 143.
constricta Nerinella (Roem.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 107.—
 Nerinaea.
- constricta** Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 26. [Solen.
constricta Novaculina (Lam.), W. H. Benson, Ann. Mag. Nat. Hist. IX. 1842, 490.—
constricta Nuculites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 249.
constrictus Ochthedromus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11)
 July 1847, 462.
- constrictus** Odontaspis, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 388.
constricta Odontis (Lam.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.—
constricta Oliva, I. Lea, Contrib. to Geol. 1833, 182. [Monodonta.
constrictum Oncoceras, J. Hall, N. H. New York (Pal. I.) 1847, 197.
constrictum Orthoceras, T. A. Conrad, 2 Ann. Rep. geol. Surv. N. York (Assem. 200)
 1838, 117.
- constrictus** Oxyrhin (Herm.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 120.—Sorex.
constricta Pamera, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
constricta Patella, F. v. Hagenow, N. Jahrb. f. Min. 1842, 563. [—Goniomya.
constricta Pholadomya (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 359.
constricta Pholas, J. Phillips, Geol. Yorksh. I. 1829, 121 [*n. et f.*].
constricta Pholas, G. B. Sowerby, II., Thes. Conch. II (10) 1849, 489.
constricta Pholas, F. A. Roemer, Palaeontographica, I (6) July 1851, 330.
constrictus Plesiosaurus, R. Owen in F. Dixon, Geol. Sussex, 1850, 398.
constricta Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 42.
constricta Pleurotrocha, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832).
constrictus Rhynchaenus, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 313. [129.
constrictus Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 335.
constricta Rotalia, F. v. Hagenow, N. Jahrb. f. Min. 1842, 571.
constrictus Saphites (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 1.—
 Ammonites.
- constrictum** Schizostoma, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 167.
constrictus Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 971.
constricta Scyphia, G. Sandberger, N. Jahrb. f. Min. 1842, 395 [*n. n.*].
constrictus Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 257.
constrictus Sitones, Germar in L. Redtenbacher, F. Austr., Käfer, 1849, 807.
constrictus Solecurtus (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 5.—Solen.
constrictus Solen, Lamarck, An. s. vert. V. 1818, 455.
constrictus Solen, F. S. Voigt in Cuvier, Thierreich, III. 1834, 564.
constrictus Sorex, J. Hermann, Obs. Zool. 1804, 47.
constricta Tachyusa, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 307.
constricta Tellina (Brug.), R. A. Philippi, Abb. Conch., I (3) 1843, 73.—Solen, 1792.
constricta Tentyria, C. Steven, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 86.
constricta Terebra (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 5.—
constricta Terebra, H. C. Lea, Amer. J. Sci. XL (1) Jan. 1841, 100. [Melanea.
constrictus Tomoderus (Say), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon.
 Anim. artic. (7) 1849, 8 [“Mon. Anth.” *poster. edit.*].—Anthicus.
- constrictus** Triton, W. J. Broderip, Proc. Zool. Soc. London, I (1-3) May 1833, 5.
constrictus Trochus, Quoy & Gaimard in d'Urville, Voy. “Astrolabe,” Zool. III (1834),
 251.
- constrictus** Trochus (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 215.—Monodonta.
constrictus Turbinites, W. Martin, Petr. Derb. 1809, pl. 38.
constricta Turritella (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 305.—Melanea.
constricta Turritella, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 151.
constricta Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 16, June 1849.
constringens Ligula, C. A. Rudolphi, Entoz. II (2) 1810, 22.
constructor Conilurus, W. Ogilby, Tr. Linn. Soc. London, XVIII (1) 1838, 126.
constructor Gobius, A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 427.
consuetor Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 30.

- consuetus** Gymnaetron, Schoenherr in Ménétréi's, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI.) (4) Nov. 1849, 264.
- Consul** J. Huebner, Tentamen (me giudice 1806), 1.—Lep. [*n. n.*].
- Consul** J. Huebner, Exot. Schmett., Tab. Consul.—Lep. [*n. et f.*].
- consul** Buccinum (Purpura), F. S. Voigt in Cuvier, Thierreich, III. 1834, 333.
- consul** Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 23 [“Mon. Anth.” *poster. edit.*].
- consul** Murex (Lam.), W. Wood, Suppl. Index Test. 1828, 50.—Purpura.
- consul** Purpura, Lamarck, An. s. vert. VII. 1822, 237.
- consul** Purpura, L. C. Kiener (*ex* Chemn.), Spec. Coquilles (Purpura) 1835–6, 113.
- consularis** Amara (Dufts.), Dejean, Catal. Coléopt. 1821, 9.—Carabus.
- consularis** Brachinus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 75.
- consularis** Bradytus (Dufts.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 136.—
- consularis** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 120. [Carabus.]
- consularis** Callistethus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 198.
- consularis** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 112.
- consularis** Charactes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 81.
- consularis** Chrysomela, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 190.
- consularis** Cratosomus, F. E. Guérin-M., Magasin de Zool. (2) VI. 1844, pl. 142.
- consularis** Cyphus, Chevrolat, Rev. Zool. (Soc. Cuv.) Ap. 1836, 56.
- consularis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [*n. n.*].
- consularis** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 712.
- consularis** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 241.
- consumpta** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. liv.
- consumtor** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 515.
- consuta** Haltica (Balanomorpha), E. F. Germar, Linnaea Entom. III. Ap. 1848, 244.
- consutus** Pachymerus, E. F. Germar, Revue Entom. V (3) 1840, 139.
- conta** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 191.
- contabulata** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 28; Catal.
- contabulatus** Fusus, H. E. Anton, Verz. Conch. 1839, 77. [(200) 1841, 4.
- contabulatus** Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 223.
- contabulatum** Tritonium, H. E. Anton, Verz. Conch. 1839, 82.
- contactus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 63. [taminata.
- contamina** Cixius (Germ.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66.—Flata con-
- contaminialis** Pediasia, J. Huebner, Verz. bekannt. Schmett. 1826, 365.—Tinea contami-
nella, 1796.
- contaminana** Aleimma, J. Huebner, Verz. bekannt. Schmett. 1826, 392.—Tortrix.
- contaminana** Teras (Huebn.), F. Treitschke, Schmett. Europa, VII. 1829, 233.—Tortrix.
- contaminana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 22 (Fernaldo giudice 1797)
[*n. et f.*].
- contaminaria** Adactylothis, J. Huebner, Verz. bekannt. Schmett. 1825, 304.—Geometra.
- contaminaria** Cabera (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII
(1) (Noct. 5, pt. 1) 1830, 16.—Geometra. [1808–18] [*n. et f.*].
- contaminaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 68 (Fernaldo giudice
- contaminaria** Phalaena (Huebn.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 78.
- contaminatella** Elachista, P. C. Zeller, Isis (Oken), 1847, 892. [—Geometra.
- contaminatus** Anthonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2)
- contaminatus** Aphodius, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 279. [1843, 219.
- contaminata** Atomaria, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 385.
- contaminata** Canistra, C. H. Boheman, Mon. Cassid. I. 1850, 170.
- contaminatus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*].
- contaminatum** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 149.
- contaminata** Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 72.
- contaminata** Cixia (Germ.), H. Burmeister, Handb. Ent. II (1) 1835, 157.—Flata.
- contaminata** Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I
(2) Aug. 1835, 11. [(2=Sci. Nat. VI.) (4) Nov. 1849, 272.
- contaminata** Coecinea (*sic*), E. Ménétréi's, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII

- contaminata** Colobotea, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 337.
- contaminatus** Coluber, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 406.
- contaminata** Cypraea, J. E. Gray in G. B. Sowerby, L., Conch. Illustr. (4) 1832, f. 21; Catal. (131) 1837, 11. [Tortrix contaminana.]
- contaminata** Dictyopteryx (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—
- contaminatus** Elater, E. F. Germar, Ins. spec. novae, I. 1824, 52.
- contaminatum** Enoplium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 368.
- contaminata** Ephydra, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 185.
- contaminata** Flata, E. F. Germar, Mag. Entom. (Germar) III. 1818, 196. [90.]
- contaminatus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- contaminatus** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 840.
- contaminata** Hypera (Herbst), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 342.—
Curculio, 1795.
- contaminatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 391.
- contaminata** Lebia, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 36.
- contaminata** Lobiopa, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 296.
- contaminatus** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 76. [Lygaeus.]
- contaminatus** Lygus (Fall.), C. W. Hahn, Wanzenart. Ins. I (4) Feb. 1833, 151.—
- contaminata** Marginella, J. S. Gaskoin, Proc. Zool. Soc. London, XVII (191) Dec. 14, 1849, 20. [1842, 291.—Scarabaeus, 1785.]
- contaminatus** Melinopterus (Herbst), E. Mulsant, H. N. Coléopt. France (Lam.) Aug.
- contaminatus** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 245.
- contaminata** Phytocoris (Fall.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 487.—
Lygaeus. [—Hypera.]
- contaminatus** Phytonomus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 374.
- contaminata** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 128.
- contaminatus** Pselaphacus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 180.
- contaminatus** Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 120.
- contaminata** Ptychoptera (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Tipula, L. 1758. [Tipula, 1758.]
- contaminata** Ptychopteryx (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54.—
- contaminatus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 174.
- contaminata** Tychoptera (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 188.—Tinea c—ella, 1796. [metra contaminaria, Huebn.]
- contaminata** Xerene (Hufn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geo-
- contaminei** Noctua, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 77.
- contaminei** Zygaena, J. A. Boisduval, Ic. hist. Lépidopt. Europe, II (—) 1834, 48.
- contaminellus** Chilo (Huebn.), Zincken, Mag. Entom. (Germar) II. 1817, 107.—Tinea, 1796. [(Noct. 7) 1837, 273.—Tinea, 1796.]
- contaminellus** Crambus (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, X
- contarinii** Pleurobranchus, G. B. Verany in Descr. Genova, I. 1846, 96 & 99.
- contectum** Cyclostoma, P. A. Millet, Moll. Maine et Loire, 1813, 5.
- contecta** Gyroidina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 278 [*n. n.*].
- contecta** Rotalia (Orb.), H. G. Bronn, Index Pal. 1848, 1102.—Gyroidina.
- contecta** Rotalina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 131.—
Gyroidina, 1825.
- contecta** Truncatulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 279 [*n. n.*].
- contei** Eucratea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 242.
- contemplator** Attus, C. A. Walckenaer, Tab. Aran. 1805, 23 [*n. n.*]; (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 457.
- contempta** Acrodon, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 367. [(8) 1837, 84.]
- contempta** Anthaxia, Mannerheim (*ex* Dej. Cat.), Bull. Soc. Imp. Nat. Moscou, 1837
- contempta** Coccinella, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 592.
- contemptus** Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].

- contempta** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 851.
- contempta** Evagora (Mann.), Laporte & Gory, H. N. Coléopt. II. 1839, 3.—Anthaxia.
- contemptus** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*]; Spec. gen. Coléopt. IV. 1829, 277. [II. 1830, 343.]
- contempta** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- contemptus** Phyllobius, Schoenherr in E. Ménériés, Cat. Rais. Zool. Caucase, 1832, 219.
- contemptus** Polydrusus, Dejean, Catal. Coléopt. 1821, 93 [*n. n.*].
- contemptus** Trigonoderus, F. Walker, Entom. Mag. IV (1) July 1836, 22.
- contemta** Homalota, O. Heer, Coleopt. Helvet. (3) 1841, 593.
- conterminana** Catoptria, A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 189.
- conterminata** Larentia, P. C. Zeller, Isis (Oken), 1846, 197.
- contermina** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxi.
- conterminus** Caprimulgus, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 169.
- conterminus** Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 664.
- contermina** Helix, Shuttleworth in L. Pfeiffer, Mon. Helic. I (1) 1847, 160.
- contermina** Pedicia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 38.
- conterminus** Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 32.
- conterminus** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 494.
- conterminus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 24.
- contextus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 423.
- contexta** Echinopsis, L. Agassiz, Cat. Ect. Ech. 1840, 9.
- contexta** Eschara (Goldf.), G. Michelotti, Spec. Zoophyt. diluv. 1838, 211.—Flustra.
- contexta** Flustra, G. A. Goldfuss, Petref. German. I (1) 1826, 32.
- contexta** Harmonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 87.
- contextus** Microgaster, Labram & Imhoff, Insekt. d. Schweiz, I (—) 1835-6.
- contexta** Mylabris, A. Chevrolat, Revue Entom. V (5) 1840, 278.
- contexta** Pyripora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 396.—Flustra.
- contexta** Retepora, J. W. Vanleve, P. Amer. Assoc. 1848 (1849), 24 [*n. n.*].
- contexta** Sarcinula, G. Michelotti, Spec. Zoophyt. diluv. 1838, 112.
- contigualis** Caloptychia, J. Huebner, Verz. bekannt. Schmett. 1826, 359.
- contiguaria** Arrhostia, J. Huebner, Verz. bekannt. Schmett. 1826, 311.—Geometra, 1796.
- contiguaria** Dosithea (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 59.—Geometra, 1796. [1796.]
- contiguaria** Idaeia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 447.—Geometra,
- contiguaria** Phalaena Geometra, E. J. C. Esper, Die Schmett. V (10) 1806, 267.
- contiguaria** Ptychopoda (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—
Geometra, 1796. [contiguaria, 1796.]
- contiguata** Idaeia (Huebner), F. Treitschke, Schmett. Europa, X (2) 1835, 224.—Geometra
- contiguata** Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 350.—Geom. contiguaria,
Huebner, 1796. [Goniatites.]
- contiguus** Aganodes (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- contigua** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21
[*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 116.
- contigua** Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit.
Ent. (Mand. V.) Ap. 1832, 130. [—Goniatites.]
- contiguus** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.
- contiguus** Ammonites, H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 148.
- contigua** Anacampsis (Haw.), J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189.—
Recurvaria.
- contigua** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 69.—Melitta.
- contigua** Astrapetis (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 219.—
Noctua, 1775.
- contiguus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 582, Sept. 1849.
- contiguum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 304.
- contiguus** Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 663.
- contiguus** Dolopius, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 178.
- contiguus** Goniatites, G. v. Muenster, Die Planuliten, 1832, 26. [1775.]
- contigua** Hadenia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 72.—Noctua,

- contiguus** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Miscogaster, 1833.
- contigua** Lunulites, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 533.
- contigua** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 140.
- contigua** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 464.
- contiguus** Murex, G. Brocchi, Conch. Subap. 1814, 433.
- contigua** Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 96.
- contigua** Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 138.
- contigua** Pavonia (Esp.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 330.—Madrepora, 1795.
- contigua** Pleurotoma (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 323.—Murex. [—Madrepora, 1795.]
- contigua** Porites (Esp.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 560.
- contigua** Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 552.
- contigua** Sapromyza (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 450.—Musca, 1794.
- contigua** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 206.—Musca, 1794.
- contigua** Spheroophoria, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 78.
- contigua** Tituboea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 149.
- contingens** Holostoma, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 294.
- continuata** Eremobia, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- continuella** Gelechia, P. C. Zeller, Isis (Oken), 1839, 198. [707.]
- [**continuus** -a -um.]
- continua** Amphiroa, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 51.
- continua** Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 117 [*n. n.*].
- continua** Bembex, J. C. Fabricius, Syst. Piezat. 1804, 225. [Stiles & H.]
- continuus** Bothriocephalus, Lidth de Jeude, Recueil de fig. des vers, 1829, pl. 4 [*teste*]
- continua** Clytia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 288.—Musca, ? Panz. 1798.
- continua** Colpa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 553.
- continuus** Crabro, J. C. Fabricius, Syst. Piezat. 1804, 312.
- continuus** Ephialtes, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 100.
- continua** Eucera, J. Baer, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 535.
- continua** Jania, P. Duchassaing, Anim. rad. Antilles, 1850, 31.
- continua** Larra, F. Klug in J. Walth, Reise Tyrol etc. (2) 1835, 97.
- continua** Mutilla, J. C. Fabricius, Syst. Piezat. 1804, 430.
- continuus** Nematus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 19.
- continua** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- continuus** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 471. [92.]
- continua** Stictia (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 195.—Bembex.
- continua** Tachina (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 276.—Musca, 1798.
- continua** Trypeta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 312.
- contorquatus** Serpulites, E. F. v. Schlotheim, Die Petref. 1820, 96.
- Contorta** Megerle in Villa, Disp. Syst. Conch. 1841, 19.—G. [*in syn.*].
- contorticornis** Platygaster, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 215.
- contortidens** Lamna, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*].
- contortidens** Lamna (Odontaspis), J. L. R. Agassiz, Poiss. Foss. III. 294 (1843).
- contortidens** Odontaspis, Ag.; H. G. Bronn, Index Pal. 1848, 835.—Lamna (O.), 1843.
- contortilis** Crisisina (Lonsd.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 265.—Idmonea.
- contortilis** Idmonea, W. Lonsdale, Proc. Geol. Soc. London, IV. 1844, 314.
- contortium** Buccinum, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 298.
- contortolobata** Plocoscyphia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.—Spongia.
- contorto-lobata** Spongia, H. Michelin, Icon. Zoophyt. (9-12) 1844, 144.
- contortrix** Cenchrus (L.), J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 50.—Boa, 1766.
- contortrix** Ligula, C. A. Rudolphi, Entoz. II (2) 1810, 18.

- contortrix** Pseudoboa (L.), J. G. Schneider, Hist. Amph. II. 1801, 286.—Boa, 1766.
- contortrix** Scytale (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 159.—Boa, 1766.
- contortrix** Trigonocephalus (L.), J. E. Holbrook, N. Amer. Herpet. II. 1837, 69.—Boa,
- contortula** Helix, A. E. Férussac, H. N. g. et p. Moll. I. 1850, 89. [1766.]
- contortuplicatus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 658, Feb. 1850.
- contortuplicata** Bunode (L.), A. F. Schweigger, Handb. Naturges. 1820, 601.—Serpula, 1758.
- contortuplicata** Clymene (L.), L. Oken, Lehrb. Nat. III (1) 1815, 378.—Serpula, 1758.
- contortuplicata** Conis, W. Lonsdale, Q. J. Geol. Soc. London, V. 1849, 63.
- contortuplicata** Oliva, L. Reeve, Conch. Icon. VI.—Oliva, no. 51, Oct. 1850.
- contortuplicata** Polygyra, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 23 [*n. n.*].
- contorta** Acroculia, F. A. Roemer, Verst. Harzgeb. 1843, 26.
- contorta** Ascaris, Mehlis, Arch. f. Naturg. XII (1) 1846, 148 [*n. n.*].
- contorta** Astasia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 356.
- contorta** Astraea, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 358.
- contorta** Avicula, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 126.
- contortus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 326. [Physa.]
- contortus** Bulinus (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 117.—
- contorta** Cancellaria, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 47.
- contorta** Capulus (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—Acroculia. [ceramus.]
- contortus** Catillus (Portl.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 167.—Ino-
- contortum** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 194.
- contorta** Cicindela, Steven in G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 31.
- contorta** Clausilia, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 278. [1838.]
- contortus** Cochliodus, J. L. R. Agassiz, Poiss. Foss. III. 115 (1838).—Psammodus on pl.,
- contorta** Colombellina (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 231.—Strombus. [Poir., Helix, L. 1758.]
- contortus** Coretus (Sturm), J. E. Gray, Figs. Moll. Anim. IV. 1850, 119.—Planorbis,
- contorta** Crepidula, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 418. [May 1840, 16.—Physa.]
- contorta** Diastrophia (Mich.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2,
- contortum** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 118.
- contortus** Echinorhynchus, Bremser in A. H. L. Westrumb, De Helminth. 1821, 25.
- contorta** Enallastrea (Leym.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Astrea.
- contorta** Eunomia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
- contorta** Exogyra, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 185.
- contorta** Fistulana, G. P. Deshayes, Mém. Soc. H. N. Paris, I (2) 1824, 251.
- contortus** Galeocерdo, R. W. Gibbes, Journ. Acad. Nat. Sci. Philad. I (4) July 1849, 193.
- contorta** Gastrochaena (Desh.), J. De C. Sowerby, Min. Conch. VI. 1826, 50.—Fistulana.
- contorta** Helix, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 10.
- contorta** Helix, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 168.
- contorta** Helix, F. Held, Isis (Oken), 1837, 304.
- contortus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 764.
- contortus** Hippurites, T. A. Catullo, N. Saggi, R. Acc. Sci. Padova, IV. 1838, 16.
- contortus** Inoceramus, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 422.
- contorta** Isis, Sismonda in G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 56.
- contorta** Laminopora, H. Michelin, Magasin de Zool. (2) IV. 1842, pl. 3.
- contortus** Lithodomus (Duj.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 247.—
- contorta** Lobophyllia, H. Michelin, Icon. Zoophyt. (5) 1842, 53. [Modiola.]
- contorta** Modiola, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 225.
- contorta** Montlivaltia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 30.
- contortum** Paramaecium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 45.
- contorta** Peranema (Euperanema) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 78.—Astasia.

- contorta** Physa, Michaud, Bull. H. N. Soc. Linn. Bordeaux, III (18) 1829 [? 1830], 268.
- contorta** Pileopsis, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 29.
- contortus** Planorbis (L.), J. L. M. Poiret, Coq. Aisne, 1801, 89.—Helix, 1758.
- contorta** Pleurotoma, G. Perry, Conchology, Apr. 1811, pl. 32.
- contorta** Polita, F. Held, Isis (Oken), 1837, 916.—Helix, 1837.
- contortus** Pristus, F. Dixon, Geol. Sussex, 1850, 202. [(1838) [*n. et f.*].
- contortus** Psammodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 101 (1837); III. 103
- contorta** Pupa, P. Calcara, Atti Acc. Sci. Palermo, n. s., I. 1845, 28; Cenno Moll. Sicil., Dec. 1845, 48.
- contorta** Quinqueloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 298.
- contorta** Rhynchonella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 34.
- contortus** Sanguinolites, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 48.
- contortus** Serpula, T. Brown, Ill. Conch. G. B. I. 1827, II. 4 [*n. et f.*].
- contorta** Serpula, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 43.
- contorta** Serpula, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 340.
- contorta** Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 25.
- contorta** Stephanomia, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XVI. Oct. 1841, 218.
- contortus** Strombus, E. Forbes (*ex* Sow. MS), Tr. Geol. Soc. London [2] VII. 1846, 129.
- contortus** Strongylus, K. A. Rudolphi, Archiv Zool. (Wiedemann), III (2) 1803, 15.
- contorta** Succinea, C. B. Adams, Proc. Boston Soc. N. H. H. 1848 (1845), 12.
- contortus** Trichocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 637.
- contortum** Trichosomum, Creplin in Ersch & Gruber, Allg. Ency. XXXII. 1839, 278.
- contorta** Valvata (Müll.), K. T. Menke, Zeitschr. f. Malakozool., Aug. 1845, 115.—
Nerita, 1774.
- contra** Pastor (Gm.), J. Wagler, Syst. Avium, I. 1827, sign. 6₁₂.—Sturnus, 1758.
- contra** Sternopastor (L.), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84.—
- contractana** Cochylis, P. C. Zeller, Isis (Oken), 1847, 744. [Sturnus, 1758.
- contractifrons** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 683.
- contractifrons** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1463.—Anthomyza, 1838.
- contractilis** Phthiracarus, J. Gistel, Nat. Thierr. 1848, p. xii [*n. n.*].
- contractor** Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 124.
- contractula** Amara, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 29.
- contracta** Allecula, Illiger in Germar, Ins. spec. nov. 1824, 163.
- contracta** Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 218.
- contractus** Ammonites, J. De C. Sowerby, Min. Conch. V. 1825, 162. [47.
- contractum** Anthidium, P. A. Latreille, Ann. Mus. H. N. (Paris) XIII (73) Mar. 1809,
- contractus** Aphodius, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. δ^1 .
- contracta** Apis, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 203.
- contracta** Arca (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 369.—Cucul-
- contractus** Aspigonus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 69. [laea.
- contractus** Bellerophon, J. De C. Sowerby, Q. J. Geol. Soc. London, III. 1847, 242
- contractum** Bembidium, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 85. [[*n. n.*].
- contracta** Bitoma (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 379.—Lyctus, 1792.
- contractus** Bombus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 172 [*n. n.*].
- contractus** Bothrideres (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 289.—Lyctus, 1792.
- contractus** Brissopsis, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 15.
- contractum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 53, Dec. 1846.
- contractus** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 339.
- contractus** Cerylon, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 232.
- contractus** Ceuthorhynchus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 488.—Rhynchaenus. [1816.
- contractus** Chelonus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 298.—Sigalphus,
- contractus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 78, Mar. 1847.
- contractus** Chrysolampus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 130.
- contractus** Cis, Dejean, Catal. Coléopt. 1821, 102 [*n. n.*].
- contracta** Corbula, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 312.

- contracta** Corticaria (Ol.), T. Marsham, Coleopt. Brit., Sept. 1802, 110.—Ips, 1790.
- contractus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 617.
- contracta** Cucullaea, J. Phillips, Geol. Yorksh. I. 1829, 128 [*n. et f.*].
- contractus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 250.
- contractum** Cyclostoma, O. G. Costa, Corrisp. Zool. I. 1839, 70 [*n. n.*]. [[*n. n.*].
- contracta** Cyclostoma, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 192
- contracta** Cymothoa, A. White, List Crustacea Coll. B. M. 1847, 110 [*n. n.*].
- contracta** Cypriocardia, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 292.
- contracta** Cytherea (Arthemis), R. A. Philippi, Abb. Conch. I (7) 1844, 172.
- contractus** Falciger, Gyll.; Dejean, Catal. Coléopt. 1821, 84 [*n. n.*].
- contracta** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 195.
- contractus** Fusus, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [?] 1822], 314.
- contracta** Haltica, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 275.
- contractus** Helaeus, F. W. Hope, Tr. Entom. Soc. Lond. V (3) Jan. 1848, 53.
- contractus** Helops, Palisot de B., Ins. Afr. Amér. (—) 1813, 121.
- contractus** Hylaeus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 58 [*n. n.*].
- contractum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 607.
- contractus** Leptolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 14 (1834); II (2) 294 (1844).
- contracta** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 60.
- contracta** Lobopoda (Ill.), A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 234.—Allecula.
- contracta** Lucina, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 145.
- contracta** Lyonsia (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 74.—
- contractus** Mesochorus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 109. [Cypriocardia.
- contractus** Metrius, F. Eschscholtz, Zool. Atlas, I. 1829, 8.
- contracta** Mitra, W. Swainson, Zool. Illust. (1) I (3) Dec. 1820, pl. 18.
- contracta** Mitra, W. Wood, Suppl. Index Test. 1828, 43.—Voluta, 1828.
- contractus** Monocheles, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 171.
- contracta** Mutilla, T. Say, Boston Journ. N. H. I (3) 1836, 295.
- contractus** Myliobates, F. Dixon, Geol. Sussex, 1850, 200.
- contractus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 25.
- contracta** Nebularia, W. Swainson, Treat. Malacol., May 1840, 319.
- contractus** Nedyus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- contractus** Nematus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 20. [(10 & 11) July 1847, 462.—Bembidium.
- contractus** Ochthodromus (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, IV
- contracta** Orthonota, J. Hall, N. H. New York (Pal. I.) 1847, 300.
- contracta** Oxypleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 31.
- contractus** Pachymerus, Herrich-S., Wanzenart. Ins. IV (6) May 1839, 97.
- contracta** Pamera, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- contracta** Parthenope, O. G. Costa, Fauna Regno Napoli, Crost., Parthenope 6 (*ante* Dec. 1838).
- contractus** Passalus, A. Percheron, Magasin de Zool. (2) III. 1841, pl. 79.
- contractus** Platycrinus, Gilbertson in J. Phillips, Geol. Yorksh. II. 1836, 204.
- contracta** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 116, June 1843.
- contracta** Ponera, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 257.—Formica,
- contractus** Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 188. [1802.
- contractus** Pterostichus, Lasserre in O. Heer, Coleopt. Helvet. (3) 1841, 561.
- contracta** Pupa, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1822, 374.
- contracta** Pupa, A. A. Gould, Boston Journ. N. H. III (3) 1840, 399.
- contractus** Rhynchaenus (Marsh.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 143.—Curculio.
- contracta** Rhynchonella (Hombres), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1848, 24.—Terebratula. [Pachymerus.
- contractum** Rhyparachromus (H.-S.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 74.—
- contracta** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 32, Sept. 1846.
- contracta** Scleroderma, J. O. Westwood, Tr. Entom. Soc. Lond. II (3) July 1839, 169.
- contracta** Serpula, S. Woodward, Geol. Norf. 1833, 47.

- contractus** Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 274.
- contractus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- contractus** Stenus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 573. [953.]
- contractus** Tenebrio (Ol.), W. Turton, Linnaeus, Syst. Nat. II. 1802, 484.—Ips, 1790.
- contracta** Terebratula, Hombres-Firmas, Bull. Soc. géol. France, XII. 1841, 262; & *var.* triplicata, 262.
- contractus** Thyldodrias, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 76.
- contractus** Torymus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 180.
- contractus** Trachodes, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 199.
- contracta** Turritella, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 181.
- contracta** Voluta, W. Wood, Suppl. Index Test. 1828, 10 [*n. et f.*].
- contractus** Xylographus, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 227.
- contradens** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 75.
- contraplecta** Rhynchonella (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 203.—Terebratula.
- contraplecta** Terebratula, Braun in G. v. Muenster, Beitr. zur Petref. (4) 1841, 59.
- contrarius** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1846, 418.
- contraria** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 55, Feb. 1844. [Murex.]
- contrarius** Atractus (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1839, 44.—
- contraria** Biloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 266. [Murex.]
- contrarium** Buccinum (Sow.), Defrance, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 113.—
- contrarius** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (4) 1804, 8.
- contraria** Crassatella (Gm.), Lamarck, An. s. vert. V. 1818, 482.—Venus, 1790.
- contrarius** Euomphalus, Braun in G. v. Muenster, Beitr. zur Petref. (4) 1841, 105.
- contrarius** Fulgur, T. A. Conrad, Amer. J. Sci. XXXIX (2) Oct. 1840, 387. [1771.]
- contrarius** Fusus (L.), Lamarck, Ency. Méth. (Vers), 1816, pl. 437, Liste 8.—Murex,
- contrarius** Fusus (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 5.— [1834, 354.—Cancer.]
- contrarius** Lambrus (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I.
- contraria** Lucina, W. Dunker, Zeitschr. f. Malakozool., Feb. 1846, 27.
- contraria** Marginulina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 140.
- contrarius** Merodon, F. Walker, List Dipt. Coll. B. M. (3) 1849, 599.
- contraria** Murchisonia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 70.
- contrarius** Murex, W. Turton, Brit. Fauna, 1807, 176. [—Schizostoma.]
- contrarius** Murex, J. Sowerby, Min. Conch. I (5) June 1813, 63.
- contrarius** Notidamus, G. v. Muenster, Beitr. zur Petref. (6) 1843, 54.
- contrarius** Orthostylus (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 50.— Helix, 1774.
- contraria** Parthenope, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 85.
- contraria** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 90.
- contraria** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (9) Sept. 1843, 401.
- contraria** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 70.
- contraria** Schizostoma, G. v. Muenster, Beitr. zur Petref. (3) 1840, 87.
- contraria** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 716. [Euomphalus.]
- contrarius** Turbo (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—
- contrarius** Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 153.
- contraria** Venus (Lam.), W. Wood, Suppl. Index Test. 1828, 35.—Crassatella.
- contrastriata** Cypraea, G. Perry, Conchology, Apr. 1811, pl. 20.
- contribulis** Luperina, Boisduval, Europ. Lepid. Index, 1829 [1828], 77.
- contribulis** Noctua, Boisduval in Duponchel in J. B. Godart, H. N. Lépid. France, VII (1) (Noct. 4, pt. 1) 357, 1828. [[*n. n.*].]
- contribulis** Raphitoma, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 21
- contristans** Dolichopus, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 72.
- contristans** Leptopus (Wied.), C. F. Fallen, Mon. Dolichop. Sveciae (3) 1823, 24.— Dolichopus. [Dolichopus.]
- contristans** Psilopus (Wied.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 37.—
- contristans** Sciapus (Wied.), P. C. Zeller, Isis (Oken), 1842, 832.—Dolichopus.
- contristatus** Carabus, Andersch in K. Duftschmid, Fauna Austriae, II. 1812, 102.

- contristatus** Exochomus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 492.
- contristata** Phalaena, E. Donovan, Brit. Ins. XV. 1811, 12.
- contristella** Euota, J. Huebner, Verz. bekannt. Schmett. 1826, 408.
- contristis** Epicoma, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 9.
- controversa** Anomala, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 64.
- controversus** Brachycerus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 54 [*n. n.*].
- controversa** Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 61; (10) 1836, 246.
- controversa** Cypraea, J. E. Gray, Zool. Journ. I (2) June 1824, 144.
- controversus** Elater, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 20 [*n. n.*].
- controversa** Gryphaea, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 63.
- controversa** Pleurotoma, Jan in L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 591.
- controvittana** Peronaea, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.
- contrusa** Amara, J. C. Schiödde, Gen. Sp. Danmarks Eleuth. I. 1841 [1840], 186.
- contubernalis** Torymus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 362.
- contubernea** Phycis (Huebner.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 493.—Tinea c—ella, 1796. [Tinea c—ella, 1796.]
- contubernea** Phycita (Huebner.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—
- contumax** Epitela, E. Newman, Entomologist (25) Oct. [*i. e.* Nov.] 1842, 403. [671.]
- contumeliosus** Piazus, Boheman in C. J. Schoenher, Gen. et Sp. Curc. IV (2) 1838,
- contundata** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 34.
- conturbatella** Lita (Huebner.), F. Treitschke, Schmett. Europa, IX (2) 1833, 86.—Tinea.
- conturbatella** Mompha, J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Tinea.
- conturbatella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 67 (Fernaldo iudice 1818-22) [*n. et f.*].
- contusulus** Artemon (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 48.—Helix.
- contusula** Helix, Férussac, Bull. Sci. X. 1827, 302.
- contusa** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 38, Mar. 1850.
- contusus** Artemon (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 48.—Helix.
- contusus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 220, Sept. 1848.
- contusus** Conus, L. Reeve, Conch. Icon.—Conus, no. 276, Ap. 1848.
- contusa** Cosmia, C. F. Freyer, Neuere Beitr. Schmett. VI (89) 1849, 85.
- contusa** Helix, W. Wood (*ex Fér.*), Suppl. Index Test. 1828, 22 [*n. et f.*]. [71.]
- contusa** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- contusa** Laphria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 587.
- contusa** Streptaxis (Fér.), J. E. Gray, Mag. Nat. Hist., n. s., I. Sept. 1837, 486.—Helix.
- Conularia** Miller in J. Sowerby, Min. Conch. III. 1820, 107.—Pter.
- Conularia** *err. pro* Cornularia, Lam.; R. Q. Couch, 9 Ann. Rep. R. Cornwall Polyt. Soc. 1841 [*post* Feb. 1842], 65.
- conularis** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 219.
- conularis** Venus, Lamarck, An. s. vert. V. 1818, 605.
- Conulina** H. G. Bronn (*ex* Muenst.), Leth. Geogn. I. 1835, 244 (in syn.).—Polyz.
- Conulina** A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 24.—Rh.
- Conulites** G. Fischer de W., Prodr. Petrom. (2) 1832, 223.—? *pro* Conulus, Park.
- Conulites** I. Cozzens, Ann. Lyceum N. H. New York, IV (5) *post* Feb. 1846, 158.—Br.
- conuloides** Calliostoma (Lam.), W. Swainson, Treat. Malacol., May 1840, 351.—Trochus.
- conuloides** Ditremaria (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 301.—Trochotoma.
- conuloides** Trochotoma, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 109.
- conuloides** Trochus, Lamarck, An. s. vert. VII. 1822, 24.
- conuloides** Trochus, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
- Conulus** *emend. pro* Conus, L.; C. S. Rafinesque, Analyse, 1815, 145.—G. [69.]
- Conulus** L. J. Fitzinger, Syst. Verz. 1833, 94.—G.
- Conulus** L. Nardo, Atti 2 Riun. Sci. Ital. 1841, 244.—G.
- conulus** Aplocyathus (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 143.—Turbinolia.
- conulus** Bulimus, Lamarck, Ann. Mus. H. N. (Paris) IV (22) June 1804, 293.
- conulus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 577, Sept. 1849.
- conulus** Bulla, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 41.

- conula** Calliostoma (Mart.), W. Swainson, Treat. Malacol., May 1840, 351.—Trochus,
conulus Caryophyllia, J. Phillips, Geol. Yorksh. I. 1829, 121 [*n. et f.*]. [L. 1758.
conulus Cerithium (Olivi), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 58.—Murex, 1792.
conulus Cerithium, H. E. Anton, Verz. Conch. 1839, 64. [Murex, 1792.
conulus Columbella (Ol.), H. D. de Blainville, Faune Française (23) Malac. 1829, 208.—
conulus Conoelix (Lam.), W. Swainson, Treat. Malacol., May 1840, 321.—Mitra.
conulus Cylichna (Desh.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 517.—Bulla.
conulus Eulima, E. Eichwald, Paleont. Rossii, 1850, 128.
conulus Fusus, A. Risso, H. N. Europe, IV. 1826, 207.—? Murex, Ol. 1792.
conulus Galerites, F. A. Roemer, Verst. Norddeutsch. Kreidgeb. (1) 1840, 32.
conulus Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 213.
conulus Paludestrina (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 412.—Bulimus.
conulus Paludina, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836, 164.
conulus Paludina, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 114 [*n. n.*].
conulus Pleurotoma, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46
 [vero propius 1847] Pleurotomes, pl. ii.
conulus Ptychotrochus, C. Giebel, Jahresber. nat. Ver. Halle, III. 1851, 54.
conulus Spirorbis, H. G. Bronn, Index Pal. 1848, 1186.
conulus Textularia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 215.
conulus Trochocyathus (Ph.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848,
conulus Trochus, E. Eichwald, Nat. Lithuæn, 1830, 221. [306.—Caryophyllia.
conulus Trochus, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 175.
conulus Turbinolia (Ph.), H. Michelin, Icon. Zoophyt. (1) 1841, 1.—Caryophyllia.
Conura M. Spinola in Magasin de Zool. VII. 1837, pl. 180.—Hym.
conuroides Centroglossa, A. Matthews, Entom. Mag. V (2) Jan. 1838, 195.
Conurus H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 4.—A.
Conurus J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Col.
conura Ascaris, Mehlis, Arch. f. Naturg. XII (1) 1846, 132 [*n. n.*].
conura Diglena, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 206.
conurus Phaetornis (Steph.), G. R. Gray, Genera of Birds, I. Dec. 1848, 104.—Trochilus.
conura Tephritis (Loew), J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2234.—Trypeta.
conurus Trochilus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 240.
conura Trypeta, H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 378.
conus Ancillaria, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 559 [*n. n.*].
conus Buccinum, H. G. Bronn, Zschr. Min. 1827, II (1828), 531.
conus Distoma, F. C. H. Creplin, Obs. de Entozois (1) 1825, 50.
conus Gleba, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 369.
conus Halichondria (Mont.), G. Johnston, Hist. Brit. Sponges, 1842, 132.—Spongia.
conus Helix, Philippi in L. Pfeiffer, Symb. Helic. I. 1841, 39.
conus Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 83, Sept. 1844.
conus Orthoceratites, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 7.
conus Pupa, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 82 [*n. n.*].
conus Rissoa, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 155.
conus Spongia, G. Montagu, Mem. Werner. N. H. Soc. II (1) May 1814, 85.
conus Trochus, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil.
 Soc., n. s., IX (3) Dec. 1846, 265.
convalescens Ateuchus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 21.
Convallarina Bory de St V., Dict. Class. H. N. IV. 1823, 412.—Inf.
convallaria Convallarina (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1824, 208.—Vortic-
 cella, L. 1767.
convallaria Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 21.
convecta Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxvii.
conveniens Limnobia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 57.
convergens Chrysops, F. Walker, List Dipt. Coll. B. M. (1) 1848, 198.
convergens Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 114.
convergens Coccinella (Hippodamia), F. E. Guérin-M., Iconographie, 1844, Ins. 321.
convergens Dichonia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 217.—
 Noctua, 1775.

- convergens** Dryomyza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 983.
- convergens** Hadenia (D. & S.), F. Ochseneimer, Schmett. Europa, IV. 1816, 72.—
Noctua, 1775. [nella, Guér.]
- convergens** Hippodamia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 22.—Cocci-
- convergens** Melia (Hauer), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 180.—
Orthoceras.
- convergens** Monanthia, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 261.
- convergens** Orthoceras, F. v. Hauer, Naturw. Abhandl. (Haidinger) I. 1847, 259.
- convergens** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 328.
- convergens** Phthiria, H. Loew, Linnaea Entom. I. Feb. 1846, 388.
- convergens** Tachina, C. R. W. Wiedemann, Anal. Entom. 1824, 43.
- conversalis** Pirausta, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5,
pt. 2) 1834, 353. [metra.]
- conversaria** Boarmia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Geo-
- conversaria** Deileptenia, J. Huebner, Verz. bekannt. Schmett. 1826, 317.—Geometra.
- conversaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 62 (Fernaldo giudice
1800-8) [n. et f.]. [1808-18] [n. et f.].
- conversaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 76 (Fernaldo giudice
- conversi** Gouldia (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 86.—Trochilus.
- conversii** Mellisuga (B. & M.), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Trochilus.
- conversii** Trochilus, Bourcier & Mulsant, Ann. Soc. Agric. Lyon, IX (3) 1846, 313.
- conversa** Catocala (Esp.), F. Ochseneimer, Schmett. Europa, IV. 1816, 95.—Phalaena.
- conversus** Leptochirus, F. L. de Laporte, Etudes Ent. (2) 1835, 132.
- conversa** Noctua (Esper), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 291.—Pha-
- conversa** Phalaena, Esper, Europ. Schmett. IV. 368 (1793). [laena, Lang, 1789.]
- conversus** Solen, S. A. Renier, Tavole [1804] v [n. n.].
- conversus** Turbo, J. W. v. Alten, Conch. Augsburg, 1812, 18.
- convertini[i]** Callidium, L. Petagna, Atti R. Accad. Sci. [Napoli] I. 1819, 38.
- Convexastrea** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Cor.
- convexicollis** Agrilus, L. Redtenbacher, F. Austr., Käfer, 1849, 285. [338.]
- convexicollis** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
- convexicollis** Bagous, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 84.
- convexicollis** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 690.
- convexicollis** Blaps, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
1845, 68.
- convexicollis** Ceuthorrhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
- convexicollis** Cistela, H. C. Kuester, Käfer Europas, XX. 1850, 81. [1837, 495.]
- convexicollis** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1017.
- convexicollis** Ctenomerus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 256.
—Anthonomus.
- convexicollis** Feronia, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 50.
- convexicollis** Harpalus (Ophonus), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 130.
- convexicollis** Helops, Chevrolat in H. C. Kuester, Käfer Europas, XXI. 1850, 34.
- convexicolle** Lathrium, J. L. Leconte in Agassiz, Lake Superior, 1850, 221 [n. n.].
- convexicollis** Ophonus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV.
1835, 85.—Harpalus.
- convexicollis** Semiotus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 128.
- convexicollis** Stenolophus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9)
Ap. 1847, 409.
- convexifacies** Eristalis, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 438.
- convexiformis** Tanymecus, Schoenherr in Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6]
VIII (2=Sci. Nat. VI.) (4) Nov. 1849, 250.
- convexifrons** Anobium, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec.
1845, 309.
- convexifrons** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1074.
- convexilabris** Amara, J. Schiöde, Naturhist. Tidsskrift, I. 1837, 144.
- convexinervis** Metopia, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851,
- convexior** Amara, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 131. [441.]

- convexior** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 146.
- convexipennis** Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 230.
- convexium** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 145.
- convexiuscula** Acrotricha, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table [*n. n.*].
- convexiusculum** Agonum, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 765.
- convexiuscula** Aleochara, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 10.
- convexiuscula** Amara, Marsh. ; J. Sturm, Catal. Ins. Samml. 1826, 90.
- convexiuscula** Amara (Marsham), Dejean, Spec. gén. Coléopt. III. 1828, 517.—Carabus.
- convexiuscula** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 73.—Melitta.
- convexiusculum** Bembidium, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 171.
- convexiusculus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 462.
- convexiusculum** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 146.
- convexiusculus** Clypeaster, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 90. [1007.]
- convexiusculus** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- convexiuscula** Crassina, T. Brown, Ill. Conch. G. B. I. 1827, XVIII. 7 [*n. et f.*].
- convexiusculus** Curtonotus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 138.—Carabus. [1849 (3) 1849, 101.]
- convexiusculus** Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII.
- convexiuscula** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 166.
- convexiuscula** Nitidula, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 255.
- convexiuscula** Phila, V. v. Mochulski, Kaefer Russl., *post* May 1850, 14.
- convexiuscula** Phyla, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 260. [657.]
- convexiusculus** Planorbis, T. Hutton, J. Asiat. Soc. Bengal, XVIII. 1849 (*post* Sept.),
- convexiusculus** Pristonichus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 43.
- convexiusculus** Tenebrio, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
- convexiuscula** Valdivia, A. White, List Crustacea Coll. B. M. 1847, 31 [*n. n.*].
- convexo-plana** Avicula, C. F. Roemer, Texas, 1849, 400.
- convexoplana** Nummulites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 57.
- convexula** Lepas, T. Pennant, Brit. Zool., ed. 5, IV. 1812, 150.
- convexula** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 638.
- convexus** Aetobates, F. Dixon, Geol. Sussex, 1850, 200.
- convexa** Agaricia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 323.
- convexum** Agonum, Esch. ; J. Sturm, Catal. Ins. Samml. 1826, 89.
- convexum** Agonum, F. v. Gebler (Esch. *in lit.*) in Ledebour, Reise Altai, II. 1830, 46.
- convexa** Amara, J. L. Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 363.
- convexum** Amphidesma (Turt.), J. Fleming, Hist. Brit. Anim. 1828, 431.—Anatina.
- convexa** Anatifa, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 103.
- convexa** Anatina (Wood), W. Turton, Conch. Insul. Brit. 1822, 44.—Mya.
- convexum** Anisotoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 367.
- convexa** Anomia, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 338.
- convexus** Aphodius, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (6) 1848, 810.
- convexus** Armadillo, C. L. Koch, Deutsch. Crust., heft 28, 1839, tab. 12.
- convexus** Ateuchus, Hausmann, Mag. f. Insektenk. (Illiger) VI. 1807, 249.
- convexa** Avicula (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 86.—Pecten.
- convexus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 312.
- convexa** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- convexa** Blatta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 279. [92.]
- convexus** Brachinus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 7.
- convexus** Buceros, C. J. Temminck in T. & Laugier, Pls. color. (89) Feb. 1832.

- convexa** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 58.
- convexus** Cancer, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 5.
- convexus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 445. [Unio.]
- convexa** Cardinia (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 217.—
- convexus** Cardiophorus (Say), W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 289.—Elater. [Cancer, 1775.]
- convexus** Carpilius (Forsk.), E. Rueppell, Besch. Krabben rothen Meeres, 1830, 13.—
- convexa** Caryophyllia, J. Phillips, Geol. Yorksh. I. 1829, 155 [*n. et f.*].
- convexa** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 277.
- convexus** Chasmagnathus (De H.), Adams & White, Zool. "Samarang" (Crust. 1848), 52.—Ocylope (C.).
- convexa** Chelone, R. Owen, Proc. Geol. Soc. London, III. 1841, 575.
- convexus** Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 544.
- convexa** Chlorota (Ol.), H. Burmeister, Handb. Ent. IV (1) 1844, 361.—Cetonia; 1789.
- convexus** Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 359.
- convexus** Clivina, J. L. Le Conte, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 50.
- convexum** Coelostoma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- convexa** Colaspis, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 443. [58.]
- convexus** Colymbetes, D. H. Schneider, Verz. Insectensamm. 1828, 74 [*n. n.*].
- convexa** Conoparia, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 83.
- convexa** Conularia, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 130.
- convexa** Corticaria, J. L. Leconte in Agassiz, Lake Superior, 1850, 223 [*n. n.*].
- convexa** Crepidula, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 227.
- convexa** Cythere, W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 174.
- convexa** Cytherea, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 397.
- convexa** Cytherea, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 149.
- convexa** Defrancia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 20.
- convexus** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 73.
- convexus** Egaenus, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 25.—Opilio, 1834—35.
- convexa** Elater, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 170.
- convexa** Entalophora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 140.
- convexus** Epicaerus, Boheman in C. J. Schoenher, Gen. et Sp. Curc. VI (2) 1842, 281.
- convexus** Epitragus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 118.
- convexa** Eurytelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—Mygale, 1842.
- convexa** Fungia, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 162.
- convexa** Gryphaea (Say), S. G. Morton, J. Acad. Nat. Sci. Philad. VI. Feb. 1828, 79. —Ostrea.
- convexus** Harpalus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 95.
- convexus** Harpes, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 165.
- convexa** Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 120.
- convexus** Heliophilus, J. Sturm, Catal. Ins. Samml. 1826, 149 [*n. n.*].
- convexa** Helix, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 16.
- convexa** Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [*n. n.*].
- convexa** Helix, Raf.; G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 253 (II*).
- convexa** Helix, Aradas & Maggiore, Atti Acc. Goenia, XVI. 1841, 74.
- convexa** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 44 [*n. n.*].
- convexus** Helops, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [*n. n.*].
- convexus** Helops, Lasserre in H. C. Kuester, Käfer Europas, XXI. 1850, 74.
- convexus** Hydrophilus, Ill.; Dejean, Catal. Coléopt. 1821, 50 [*n. n.*].
- convexus** Hydrophilus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- convexus** Hydroporus, Dejean, Cat. Coléopt., ed. 3, 1837, 65. [1840, 50.]
- convexus** Hydroporus, C. Aubé (*ex Dej. Cat.*), Spec. gén. Hydroc. 1838, 479.
- convexus** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Misco-gaster, 1833. [Aug. 1845, 232.—Plectambonites.]
- convexa** Leptaena (Pand.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II.
- convexum** Lepton, J. Alder, Tr. Tyneside Nat. F. C. I (2) 1848, 187.

- convexa Lutraria, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [*n. et f.*].
- convexa Mactra (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 49.—Tellina.
- convexa Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 449.
- convexa Michelinia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 107.
- convexa Microdera (Tausch.), F. Eschscholtz, Zool. Atlas, IV. 1831, 6.—Tentyria.
- convexus Millericrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 383.
- convexa Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 463.
- convexa Montlivaltia (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 292.—
- convexa Mya, W. Wood, General Conch. 1815, 92. [Caryophyllia.
- convexa Mygale, C. L. Koch, Die Arachniden, IX (6) 1842, 91.
- convexa Neritina, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 66 [*n. n.*].
- convexa Nesaea, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 14.
- convexa Nitidula, Schüpp.; J. Sturm, Catal. Ins. Samml. 1826, 174.
- convexus Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 1.
- convexus Nucleolites, T. A. Catullo, Giorn. di Fisica, etc. (2) V. 1822, 423.
- convexa Nucula, G. B. Sowerby, L., Conch. Illustr. (16) 1833, f. 22; Catal. (200) 1841, 5.
- convexus Ocylope, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 525.
- convexa Ocylope (Chasmagnathus), W. de Haan in Siebold, F. Japon. (Crust. 1835), 56.
- convexus Optrinus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Aug. 1849, 417.
- convexus Opilio, C. L. Koch in Panzer, Ins. Germ., heft 128, 1834-35, tab. 19.
- convexa Orthambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 82.
- convexa Orthocera, J. Fleming, Ann. Phil. V. Mar. 1815, 202.
- convexa Ostrea, T. Say, Amer. J. Sci. II (1) Ap. 1820, 42.
- convexa Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 159.
- convexus Oxycarenus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 345.
- convexus Parmophorus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 322. [1817, 142.
- convexus Passalus, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 333; & App.
- convexus Pecten, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 443.
- convexus Pecten, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 265.
- convexum Phanerotoma, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 303.
- convexa Phasia, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1256.
- convexa Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- convexus Phygas, V. v. Mochulski, Kaefer Russl., *post* May 1850, 23 [*n. n.*].
- convexa Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 489.
- convexa Platysma, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 337.
- convexa Plectambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 91.
- convexa Polyphillastrea, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 179.
- convexus Portunus (Pontus), W. de Haan in Siebold, F. Japon. (Crust. 1833), 9.
- convexus Pristonychus, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 40.
- convexus Productus, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 88.
- convexus Proetus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 77.
- convexa Pronites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 72.
- convexus Rhynchaenus, A. G. Olivier, Entom. V. 1807, 176.—Curculio, 1790.
- convexa Rutela (Ol.), Lamarck, An. s. vert. IV. 1817, 590.—Cetonia, 1789.
- convexum Scaphidium, F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [*n. n.*].
- convexa Scaphisoma (Melsh.), T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 183.—
- convexum Seladerma, F. Walker, Entom. Mag. II (3) July 1834, 290. [Scaphidium.
- convexus Sigaretus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 259.
- convexum Sphaerotherium, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 100.
- convexus Sponsor, Laporte & Gory, H. N. Coléopt. II. 1839, 2.
- convexa Stenostoma, Rafinesque, Enum. obj. Cab., Nov. 1831, 3.
- convexa Stenotrema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 425.
- convexus Steropus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 770.
- convexa Strangalia, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 332.
- convexa Strophomena, D. D. Owen, Rep. geol. expl. Iowa, 1839 (U. S. Senate, 28 Congr. Sess. 1, no. 407) 1844, 70.

- convexus** Tachinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 248.
- convexa** Tellina, W. Wood, Suppl. Index Test. 1828, 33 [*n. et f.*].
- convexa** Tellina, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 121.
- convexa** Tentyria, A. M. Tauscher, Mém. Soc. Imp. Nat. Moscou, III. 1812, 39.
- convexa** Terebratula, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 338.
- convexa** Thaumantias, E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 47.
- convexa** Thracia (Wood), J. P. Couthouy, Boston Journ. N. H. II (2) 1839, 140.—Mya.
- convexa** Thyamis, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 73 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 423.
- convexus** Trechus, W. S. Macleay, Annulosa Javanica, 1825, 20.
- convexa** Tridopsis (Raf.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 22.—Steno-
- convexus** Trochus, J. Parkinson, Org. Rem. III. 1811, 74. [trema.
- convexa** Ungula, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 59.
- convexus** Unio, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 95.
- convexus** Zabrus, C. Zimmermann, Mon. Carab. (1) 1831, 50.
- convideus** Bulimus, Rossm., *v. conoideus*.
- conviridaria** Leptographa, J. Huebner, Verz. bekannt. Schmett. 1825, 284.
- conviva** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxvi.
- conviva** Oxyopoda, F. G. Macklin, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (1) 1846, 167.
- Convoluta** A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 567.—Verm.
- convolutalis** Exoria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 367.—Tinea c—tella, 1775. [[*n. n.*].
- convoluta** Acteon, A. A. Gould, Rep. Comm. Zool. Surv. State [Massach.] 1838, 107
- convoluta** Amathia, J. V. F. Lamouroux, Hist. Polyp. 1816, 160.
- convolutus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 69.
- convolutus** Ankistrodesmus, J. A. C. Corda, Almanach de Carlsbad, 1838, 197 [? Plantae].
- convoluta** Assula, C. F. Schumacher, Essai Vers test. 1817, 258.
- convolutus** Bellerophon, A. Eaton, Geol. Text Book, ed. 2, 1832, 28.
- convolutus** Brachiolites, J. T. Smith, Ann. Mag. N. H. (2) I. May 1848, 355.
- convoluta** Bulla, G. Brocchi, Conch. Subap. 1814, 277.
- convoluta** Bulla, G. Brocchi, Conch. Subap. 1814, 635.
- convoluta** Bulla, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 86.
- convoluta** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. a.
- convoluta** Chonetes (Phill.), L. G. de Koninck, Rech. Anim. foss. (1) *post* June 1847, 217.—Leptaena. [1781.
- convoluta** Darnis (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 141.—Membracis,
- convoluta** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 106.
- convolutus** Graptolithus (His.), J. Morris, Cat. Brit. Foss. 1843, 39.—Prionotus.
- convoluta** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 212.
- convoluta** Leptaena, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 57.
- convoluta** Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 216.
- convoluta** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 293.
- convoluta** Planaria, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 26.
- convolutus** Prionotus, W. Hisinger, Lethaea Sveica, 1837, 114.
- convolutus** Seraphs (Lam.), Denys de Montfort, Conch. II. 1810, 375.—Terebellum.
- convoluta** Serialaria, Lamarck, An. s. vert. II. 1816, 131.
- convoluta** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 228.
- convoluta** Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 232.
- convoluta** Serpula (Vermilia), Goldf.; H. G. Bronn, Lethaea Geogn. I (5) 1836, 471.
- convoluta** Serpula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 162 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 233.
- convoluta** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 217.
- convoluta** Spirorbis (Goldf.), J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.—Serpula.
- convoluta** Spongia, J. Phillips, Geol. Yorksh. I. 1829, 118 [*n. et f.*].
- convolutus** Strongylus, Kuhn, Mém. Mus. H. N. (Paris) XVIII [5] 1830, 365.
- convolutum** Terebellum, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 390.
- convolutus** Triton, W. J. Broderip, Proc. Zool. Soc. London, I (1-3) May 1833, 7.
- convolutus** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 92, June 1844.

- convoluta** Vermicularia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 6 [n. n.]
- convoluta** Verrucospongia (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—
[convolvens.] [Spongia.]
- convolvens** Cyrtoceras (Montf.), H. G. Bronn, Index Pal. 1848, 393.—Hortolus.
- convolvens** Gyroceras (Stein.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 52.—
convolvans Hortolus, Denys de Montfort, Conch. I. 1808, 283. [Hortolus.]
- convolvans** Hortolus, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 44.
- convolvans** Lituites (Montf.), E. F. Schlotheim, Tasch. Min. 1813, 35.—Hortolus.
- convolvans** Lituites, W. Hisinger, Anteckn. Physik Geogn. V. 1831, pl. v, f. 2; Lethaea Svecica, 1837, 27.
- convolvans** Spirula, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 190.
- convolvularis** Phalaena, J. Sepp, Surinaam Vlinders (5) 1832, 43. [1847, 103.]
- convolvulata** Serpula, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto,
- convolvuli** Agrius (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 140.—Sphinx, 1758.
- convolvuli** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 40.
- convolvuli** Bruchus, C. P. Thunberg, K. Vet. Ac. Handl. 1816 (1) 1816, 46.
- convolvuli** Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 78.
- convolvuli** Buprestis, J. Walth, Reise Tyrol etc. (2) 1835, 59.
- convolvuli** Dermanyssus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 17 [n. n.];
ibid. II. July 1834, 24.
- convolvuli** Herse (L.), L. Oken, Lehrb. Nat. III (1) 1815, 762.—Sphinx, 1758.
- convolvuli** Spermophagus (Thunb.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 113.
—Bruchus.
- convolvuli** Sphinx, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 187.
- convolvulus** Lucernaria, G. Johnston, Mag. Nat. Hist. VIII. Jan. 1835, 59.
- convolvus** Lithuites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 352.
- conwaii** *v.* **conwayi**. [1794.]
- conwayana** Argyrotoza (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Pyralis,
- conwayana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 357.
- conwayana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 405.—Pyralis, 1794.
- conwaii** Oplegnathus, J. Richardson, Proc. Zool. Soc. London, VIII (87) Aug. 1840, 27
[conybeari.] [[*rectius* conwayi].]
- conybeari** Ammonites, J. Sowerby, Min. Conch. II. 1816, 70.
- conybeari** Clionites, J. Morris in Mantell, Pict. Atlas, 1850, 100.
- conybeari** Entobia, H. G. Bronn, Index Pal. 1848, 462.
- conybearii** Fusus, I. Lea, Contrib. to Geol. 1833, 149.
- conybeari** Megalosaurus, Ritgen, N. A. Ac. Caes. Leop. Car. XIII (1) 1826, 354.
- conybeari** Pelorosaurus, G. A. Mantell, Phil. Trans. R. Soc. 1850 (1850), 386.
- conybeari** Planites (Sow.), W. de Haan, Mon. Ammon. 1825, 90.—Ammonites.
- [cooki.]
- cookii** Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 244.
- cookii** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 478.
- cookii** Calyptrorhynchus (Temm.), Vigers & Horsfield, Tr. Linn. Soc. London, XV (1)
1826, 272.—Psittacus.
- cookii** Calyptrorhynchus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
1826, 109.—Psittacus.
- cookii** Corallus, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 42.
- cooki** Cyanopica, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 382.—Cyanopolius, 1850.
- cooki** Cyanopolius, C. L. Bonaparte, Proc. Zool. Soc. London (201) 1850, 86 [in syn.].
- cookii** Hepoona (Geoffr.), J. E. Gray, Ann. Nat. Hist. I (3) May 1838, 218.—Phalangista.
- cookii** Imperator (Gm.), J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 236.—Trochus,
- cook[i]** Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 268. [1790.]
- cookii** Navicella, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 197.
- cookii** Petaurus, F. Cuvier, Dict. Sci. Nat. XXXIX. 1826, 417.
- cookii** Phalangista, Geoffroy, N. Dict. H. N., ed. 2, XXV. 1817, 476.
- cooki** Pica, C. L. Bonaparte, Rep. Brit. Assoc. (Birm. 1849) 1850, 75 [n. n.].
- cookii** Procellaria, G. R. Gray in Dieffenbach, Trav. N. Z. II. 1843, 199.

- cookii** Pseudocheirus (Geoffr.), W. Ogilby, Proc. Zool. Soc. London, V (59) June 1838, 131.—Phalangista.
- cookii** Psittacus, C. J. Temminck, Tr. Linn. Soc. London, XIII (1) 1821, 111.
- cookii** Trichechus, N. C. de Fremerij, Bijdr. Nat. Wetensch. VI (1) 1831, 385.
- cookii** Trichosurus, R. P. Lesson, Ann. Sci. Nat. XVI (63) Mar. 1829, 285.
- cookii** Trochus, C. F. Schumacher, Essai Vers test. 1817, 194.
- cookii** Tubicanthus, W. Swainson, Treat. Malacol., May 1840, 349. [Gm.]
- Cookia** R. P. Lesson, Illustr. de Zool. (5) Nov. 1832, pl. 15.—G. [*typhus* Trochus cookii,
- cooksonii** Neritina, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 133.]
- coombii** Cypraea, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 188. [474.
- coombii** Goniaster (Astrogonium), E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848,
- cooperi** Accipiter (Bon.), G. R. Gray, Genera of Birds, I. June 1849, 29.—Falco.
- cooperi** Astur, C. L. Bonaparte, List Birds Eur. Amer. 1838, 5.
- cooperi** Decatoma, J. Curtis, Brit. Entom. VIII (86) Feb. 1831, no. 345.
- cooperi** Dendrophilus, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 159.
- cooperii** Falco, C. L. Bonaparte, Amer. Orn. II. 1828, 1.
- cooperi** Fusus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 148.
- cooperi** Muscicapa, T. Nuttall, Man. Ornith., Land Birds, 1832, 282.
- cooperi** Myiobius (Nutt.), G. R. Gray, Genera of Birds, I. May 1847, 248.—Muscicapa.
- cooperi** Phloiophilus, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) June 1830, 82.
- cooperi** Sorex, J. Bachman, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 388. [capa.
- cooperi** Tyrannula (Nutt.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 189.—Muscicapa.
- cooperi** Tyrannus (Nutt.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 24.—Muscicapa.
- cooperi** Voluta, I. Lea, Contrib. to Geol. 1833, 175.
- cooperianus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 61.
- coor** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 9.
- coordinata** Pimelia, G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1837 (4) 1837, 17.
- coordinatus** Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 14.
- coosaensis** Paludina, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83.
- copalina** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 720.—Crioceris.
- copalina** Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 466.
- copalina** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 311.—Crioceris.
- copanense** Cyclostoma, G. B. Sowerby, I., Thes. Conch. II (11) 1850, 165*.
- Coparus** L. Agassiz, Nom. Zool. (Aves, 1842), 20 & [97].—*err. pro* Copurus, Strickl.
- Copelatus** W. F. Erichson, Gen. Dytic., Dec. 1832, 38.—Col.
- Copeoglossum** J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 162.—R.
- copeoides** Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10.
- Copestylum** J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 252.—Dipt.
- copeus** Notommata, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
- cophas** Rhamphomyia, F. Walker, List Dipt. Coll. B. M. (3) 1849, 499. [213.
- Cophias** B. Merrem, Tent. Syst. Amph. 1820, 14 & 154.—R.
- Cophias** J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 204.—R.
- Cophias** L. Fitzinger, Syst. Rept. 1843, 22.—R.
- cophias** Chalcides (Schn.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 459.—Chamaesaurus.
- cophias** Chalcis (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 75.—Chamaesaurus.
- cophias** Chamaesaurus, J. G. Schneider, Hist. Amph. II. 1801, 209. [109.
- cophinaria** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- Cophinus** C. Koenig in R. I. Murchison, Silurian System, Jan. 1839, 697.—? Phytoz.
- cophina** Mitra, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 171.
- Cophosaurus** F. H. Troschel, Arch. f. Naturg. XVI (1) 1850, 388.—R.
- cophosioides** Feronia (Dahl), Dejean, Spec. gén. Coléopt. III. 1828, 269.—Nomalus.
- cophosioides** Neomida, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 64.
- cophosioides** Nomalus, Dahl, Col. u. Lep. 1823, 9.
- Cophosus** Ziegler in Dejean, Cat. Coléopt. 1821, 13.—Col. [*mihî non visum*].
- Cophozoma** Costa, Ann. Acc. Aspir. Nat. Napoli [2] II. 1849, 36.—Hem. [*teste* Marschall,
- Cophus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cophosus, Ziegl.
- Cophus** J. Gistel, Nat. Thierr. 1848, 144.—Hym.

- Copicerus** O. Svartz, K. Vet. Ac. Nya Handl. XXIII (3) 1802, 177.—Hem.
- Copida** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 95.—Lep. [*sine typo*].
- Copidocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Copiocera, Burm.
- Copidophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Copiphora, Serv.
- Copidosoma** J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, Table facing pp. 40 & 157.—Hym.
- Copidura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Copisura, Schiöd.
- Copilia** Dana, 1847; *teste* Marschall, *sed non comp.*
- copillus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 389.
- Copiocera** H. Burmeister, Handb. Ent. II (2) i, 1838, 611.—Orth.
- Copiophora** H. Burmeister, Handb. Ent. II (2) i, 1838, 703.—Orth. [—Lep.]
- Copiopteryx** Westwood in J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 125.
- copiosus** Chrysotus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 41.
- Copiphora** J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 147.—Orth.
- Copisura** J. Schiöde, Naturhist. Tidsskrift, I. 1837, 603.—Hym.
- Copium** C. P. Thunberg, Hemip. Capen. II. 1822, 8.—Hem.
- Copius** H. Burmeister, Handb. Ent. II (1) 1835, 330.—Hem.
- Copodus** L. Agassiz in Portlock, Rept. Geol. Londonderry, Jan. 1843, 466.—P.
- Copopteroma** A. J. C.orda, Beitr. ges. Nat. Heilwiss. I (3) 1837, 390.—Verm.
- Coporhamphus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 338.—A.
- Coppinia** A. H. Grassall, The Zoologist, VI (9) 1848, 2223.—Coel.
- Coppinia** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 144.—Coel.
- Copraecus** L. Reiche, Ann. Soc. Ent. France, XI (1) May 1842, 70.—Col.
- coprates** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 409.
- coprates** Clitellaria, F. Walker, List Dipt. Coll. B. M. (3) 1849, 523. [Muls.]
- Copreomorphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coprimorphus,
- copreus** Dasyopogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 326.
- Coprias** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 6.—Col. [n. d., 26 nom. triv. append.]
- Coprimorphus** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 168.—Col.
- Coprina** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 810.—
- Coprina** J. W. Zetterstedt, Ins. Lapp. descr. 1840, 584.—Dipt. [Dipt.]
- coprina** Lordatia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- coprinus** Scarabaeus, T. Marsham, Coleopt. Brit., Sept. 1802, 12. [1830, 809.]
- coprivor**a Sphaerocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- Coprob**as Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 137.—Col. [II. 1830, 807.]
- Coprob**ius P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 535.—Col.
- Coproecus** Reiche, Rev. Zool. (Soc. Cuv.) IV. July 1841, 211.—Col.
- Coprologus** O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 60.—Col.
- Copromyza** C. F. Fallen, Sp. Ent. nov. Dipt. 1810, 19.—Dipt.
- copronymus** Aphodius (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II. (6) Dec. 1844, 136.—Scarabaeus. [rubicundus, F. V. M.]
- copronymus** Scarabaeus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 3 [n. n.] & var.
- Coprophilus** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 439.—Col.
- coprophilus** Hister, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 302.
- coprotheres** Vultur, J. R. Forster in Levaillant, Nat. Afrik. Vögel, 1798, 35.
- Copsichus** J. J. Kaup, Skizz. Europ. Thierw. 1829, 157.—A. [*typus* Turdus torquatus].
- Copsicus** C. S. Rafinesque, Analyse, 1815, 67.—A. [n. n.] [*non* Cabanis, *apud* Scudder].
- Copsicus** Morris in N. Wood, Naturalist, II (9) June 1837, 125.—A. [*teste* C. W. R.].
- Copsychus** Wagler, Syst. Avium, 1827 (p. 306, Gracula).—A.
- Coptera** T. Say, Boston Journ. N. H. I (3) 1836, 281.—Hym.
- Coptia** A. Brullé, H. N. Ins. IV (2) (Col.) *exeunte* 1834, 433.—Col.
- copticum** Phalangium, J. C. Savigny, Mém. Anim. s. Vert. I. 1816, 113.
- Coptocaster** *err. pro* Coptogaster, Ill.; K. Duftschmid, Fauna Austriae, III. 1825, 106.
- Coptocephala** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 419.—Col.
- Coptocephala** G. Fischer de W., Cat. Col. Sibir. [1842], 20.—Col. [[*sine typo*].]
- Coptocephala** T. Lacordaire (*ex* Dej. Cat., Mém. Soc. R. Sci. Liège, V. May 1848, 345.—Col.)

- coptocephaloides** Gynandrophtalma, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 310.
- Coptocephalus** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 113.—Col.
- Coptocercus** F. W. Hope, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 50.—Col.
- Coptochilus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 47.—Hem.
- Coptocycla** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 372.—Col. [*sine*]
- Coptodactyla** H. Burmeister, Gen. Ins. (10) 1846, no. II. A. 5.—Col. [*typo*].
- Coptodera** Dejean, Spec. gén. Coléopt. I. 1825, 273.—Col.
- coptoderus** Stenolophus, Dejean, Spec. gén. Coléopt. IV. 1829, 433.
- Coptogaster** *id. ac* Eccoptogaster, Herbst; K. Illiger, Mag. f. Insektenk. (Illiger) VI.
- Coptognathus** H. Burmeister, Handb. Ent. V. 1847, 184.—Col. [1807, 321].
- Coptolabrus** A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 58.—Col.
- Coptomia** H. Burmeister, Handb. Ent. III. 1842, 549.—Col.
- Coptomma** E. Newman, Ann. Nat. Hist. V. Mar. 1840, 18.—Col.
- coptophylla** Atta, F. E. Guérin-M., Iconographie, 1844, Ins. 422.
- Coptops** Serville in Dejean, Cat. Coléopt., ed. 2 (4) Aug. 1835, 344.—Col.
- Coptops** F. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 467.—Col.
- Coptoptera** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 5.—Col.
- Coptopterus** F. W. Hope, Trans. Zool. Soc. (London) I (2) July 1834, 107.—Col.
- Coptopygus** C. J. Schoenherr, Curc. disp. meth. 1826, 302.—Col. [in syn.].
- Coptorhina** F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 62.—Col.
- Coptorhinus** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 152.—Col.
- Coptorhinus** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 72.—Col.
- Coptorhynchus** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. June 1841, 191.—Col.
- Coptorus** *v.* **Copturus**; C. J. Schoenherr, Curc. disp. meth. 1826, 302.
- Coptosoma** F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 73.—Hem.
- Coptosus** J. Gistel in Thon, Entom. Archiv, II (2) May 1830, 80.—Col.
- Coptotomus** T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 443.—Col.
- Copturus** C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 302 [Coptorus].—Col.
- copula** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 151.
- copulatus** Asilus, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 48.
- copulata** Cicindela, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 9.
- copulata** Haltica, E. F. Germar, Ins. spec. novae, I. 1824, 610.
- copulata** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 295.
- Copurus** H. E. Strickland, Proc. Zool. Soc. London, IX (99) Oct. 1841, 28.—A.
- coquandi** Chaetetes, H. Michelin, Icon. Zoophyt. (24-27) 1847, 306.
- coquandii** Cyclostoma, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 211; Rep. trav. Soc. stat. Marseille, VI. 283.
- coquandi** Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 587.
- coquandianum** Cerithium, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 245; Rep. trav. Soc. stat. Marseille, VI. 317.
- coquandiana** Cyclas, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 147; Rep. trav. Soc. stat. Marseille, VI. 219.
- coquandiana** Helix, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 197; Rep. trav. Soc. stat. Marseille, VI. 269.
- coquandianus** Inoceramus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 505.
- coquandiana** Lucina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 121.
- coquandianus** Lyriodon (Orb.), H. G. Bronn, Index Pal. 1848, 685.—Trigonia.
- coquandiana** Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 151.
- coquandiana** Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 75.
- coquandiana** Opis, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 54.
- coquandianus** Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 591.
- coquandianus** Rhyncholites (Orb.), J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 156.—Rhynchoteuthis.
- coquandianus** Rhynchoteuthis, A. D. d'Orbigny, Moll. viv. et foss. [1847], 597.
- coquandianus** Spondylus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 663.
- coquandiana** Trigonia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 149.

- coquandiana** Turritella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 44.
- coquandus** Belemnites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 130.
- coqueberti** Astemma (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 128.—Lygaeus.
- coquebertii** [Hemityphlus], Hoffmannsegg, Zoologisches Magazin, I (1) 1817, 23.
- coqueberti** Ichneumon, C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 144.
- coquebertii** Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 222. [10.]
- coquebertii** Nematoptera, J. O. Westwood, Proc. Zool. Soc. London, IX (97) Sept. 1841,
- coquebertii** Otiocerus, W. Kirby, Tr. Linn. Soc. London, XIII (1) 1821, 18.
- coqueberti** Pyrrhocoris (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 284.—Lygaeus.
- coquebertii** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 202.
- coquereli** Elytrurus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Jan. 1849, 36.
- coqui** Perdix, A. Smith, Rpt. Exp. C. Afr. 1836, 55.
- coquimbana** Antarctica, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 245.
- coquimbensis** Balanus, G. B. Sowerby, II., in J. C. Chenu, Illustr. conch. I (16) 1843, pl. 6 [*n. et f.*]; in Darwin, Geol. S. Amer. 1846, 264. [1832, 30.]
- coquimbensis** Bulinus, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap.
- coquimbensis** Chiton, J. Fremby, Zool. Journ. III (10) July [*i. e.* Sept.] 1827, 197.
- coquimbensis** Panopaea, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 126.
- coquimbensis** Plectostylus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 58.—
- coquus** Labrus, J. Fleming, Hist. Brit. Anim. 1828, 209. [Bulinus.]
- coquus** Trigidion (L.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 10.—Cerambyx, 1758.
- cor** Arca (Math.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 80.—Cucullaea.
- cor** Cucullaea, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 160; Rep. trav. Soc. stat. Marseille, VI. 232.
- cor** Cyrena, Lamarck, H. N. Anim. s. vert. V. 1818, 552 (sign. 36).
- cor** Cytherea, S. Hanley, Proc. Zool. Soc. London, XII (137) Dec. 1844, 110.
- cor** Hemiaster, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 17.
- cor** Inoceramus, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 111.
- cor** Isocardia (L.), Lamarck, An. s. vert. VI (1) 1819, 31.—Chama, 1767.
- cor** Pectunculus, Lamarck, Ann. Mus. H. N. (Paris) VI (33) June 1805, 217.
- cor** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 95.
- cor** Spatangus, A. Risso, H. N. Europe, V. 1826, 280.
- cor** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 250.
- cor** Unio, T. A. Conrad, New F. W. Shells U. S. 1834, 28.
- cor-anguinum** Micraster (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 184.—Spatangus, Leske, 1778.
- cor-anguinum** Miliolites, Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 351.
- cor-anguinum** Spatangus (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 24.—Echinus, 1790.
- cor-avium** Ananchytes, Lamarck, An. s. vert. III. 1816, 27. [cardia.]
- cor-avium** Cardita (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 423.—Veneri-
- cor-avium** Holaster (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 28.—Ananchytes.
- cor-avium** Nucleolites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 422.
- cor-avium** Nucleopygus (Defr.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 152.—Nucleolites, Cat. [258.—Ananchytes.]
- cor-avium** Spatangus (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
- cor avium** Venericardia, Lamarck, Ann. Mus. H. N. (Paris) VII (37) Dec. 1805, 58.
- cor bovis** Bucardites, E. F. v. Schlotheim, Die Petref. 1820, 210. [p. 10.]
- cor-bovis** Micraster, E. Forbes, Mem. Geol. Surv. U. K., Figures, Decade 3, 1850, pl. x,
- cor-testudinarium** Micraster (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 184.—Spatangus.
- cor testudinarium** Spatangus, G. A. Goldfuss, Petref. German. I (2) 1829, 156.
- cora** Anarta, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1842 (1) 1842, 156.—Heliolithis, 1837. [Syn. 1827, 333.]
- cora** Antilope, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 216 (1827);

- cora** Buliminus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 69.—Helix.
- cora** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 307.—Helix, 1835.
- cora** Calothorax (L. & G.), G. R. Gray, Genera of Birds, I. Dec. 1848, 110.—Ortho-
- cora** Cerma, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 14. [rhynchus.]
- cora** Chemnitzia, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 398.
- cora** Cyprinus, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 95). [1793.]
- cora** Danais (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 178.—Papilio corus,
- cora** Gazella (H. Smith), J. E. Gray, List Mamm. Coll. B. M. 1843, 161.—Antilope.
- cora** Heliactin (Less.), F. Boie, Isis (Oken), 1831, 546.—Ornismya.
- cora** Heliothis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 47.
- cora** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magazin de Zool. V. 1835, 15.
- cora** Hepialus, F. v. P. Schrank, F. Boica, II (1) 1801, 304.
- cora** Hypanis, Feisthamel, Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 249.
- cora** Limnas, J. Huebner, Exot. Schmett., Tab. Limnas [*n. et f.*].
- cora** Mantispia, E. Newman, Entom. Mag. V (4) Ap. [*i. e.* July] 1838, 401.
- cora** Natica, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 401.
- cora** Ornismya, R. P. Lesson, Man. Orn. II. June 1828, 82.
- cora** Orthis, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 48.
- cora** Orthorhynchus, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 682.
- cora** Productus, A. d'Orbigny, Amér. Mérid. (Pal.), 1842, 55.
- cora** Quinqueloculina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 76.
- cora** Rosalina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 45.
- cora** Thaumastura (L. & G.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 85.—Trochilus.
- cora** Trochilus (L. & G.), W. Jardine, Humming Birds, I (Nat. Libr. I.) 1833, 173.—
- Coracia** L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 2.—A. [Orthorhynchus.]
- Coracia** J. Huebner, Verz. bekannt. Schmett. [1822], 168.—Lep.
- coraciae** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 77 [*n. n.*].
- coraciae** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 119.
- coraciae** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 172 [*n. n.*].
- coraciaria** Phaesyale (B.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 255.—
Geometra coraciata, Huebn. 1796. [1796.]
- coraciata** Acidalia (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 48.—Geometra,
- coraciata** Larentia (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geometra,
1796. [—Geometra, 1796.]
- coraciata** Phalaena (Huebn.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 80.
- Coracina** L. P. Vieillot, Analyse, 1816, 37.—A.
- Coracinus** P. S. Pallas, Zoographia, III. 1814, 255.—P.
- coracinus** Abax (Melsh.), T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 59.—Carabus.
- coracinus** Acanthylis, C. L. Bonaparte (*ex* Mueller MS), Consp. gen. Avium, I. 1850, 64.
- coracina** Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (23) 1831, 350; & Ins.
Fenn. I. 1834, 350. [Aug. 1846, 220.]
- coracinus** Anchomenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7)
- coracinum** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 299.
- coracinus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 680.
- coracina** Buprestis, C. Steven, Bull. Soc. Imp. Nat. Moscou, I (9) 1829, 286.
- coracinus** Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 49 [*n. n.*].
- coracinus** Catops, A. Kellner, Entom. Zeitung, Stettin, VII (6) June 1846, 177.
- coracinus** Ceratopogon, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3646.
- coracina** Cetonia, Burch.; Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
- coracinus** Ceutorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].
- coracinus** Chironomus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3508.
- coracinus** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 133.
- coracinus** Dasyopogon, H. Loew, Linnaea Entom. II. July 1847, 454.
- coracinus** Dolerus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- coracina** Eristalis, J. W. Zetterstedt, Dipt. Scand. II. 1843, 805.
- coracina** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—Mygale, 1841.
- coracina** Fallenia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 265.—
Tachina, 1824.

- coracina** Feronia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 386.
- coracinus** Harpalus, J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 45.
- coracina** Heliomorpha, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 37.
- coracinus** Heterocrates (White), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 63.—Plataspis.
- coracinus** Hister, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 152.
- coracinus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 145.
- coracinus** Hydrophilus, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 4.
- coracinus** Ludius, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 47.
- coracinus** Meligethes, J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 17.
- coracina** Mygale, C. L. Koch, Die Arachniden, IX (2) *post* May 1841, 37.
- coracina** Omaloplia, J. Sturm, Catal. Ins. Samml. 1826, 176 [*n. n.*].
- coracinus** Oribates, C. L. Koch, Deutsch. Crust., heft 31, 1841, tab. 1.
- coracina** Plataspis, A. White, Mag. Nat. Hist., n. s., III. Nov. 1839, 540.
- coracinus** Pterostichus (Newm.), J. L. Leconte in Agassiz, Lake Superior, 1850, 206.—Feronia.
- coracinus** Pterostichus (Poecilus), W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 128.
- coracina** Rhamphomyia, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3037.
- coracinus** Selenophorus, Dejean, Spec. gén. Coléopt. V. 1831, 825.
- coracinus** Sparus, I. de Asso, An. Cien. Nat. IV. 1801, 36.
- coracina** Sphenoptera (Stev.), Laporte & Gory, H. N. Coléopt. II. 1839, 5.—Buprestis.
- coracina** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 418.
- coracina** Tauroma, C. H. Boheman, Mon. Cassid. I. 1850, 129.
- coracinus** Tenebrio, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 172.
- coracina** Tenthredo (Dolerus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 302.
- coracina** Therates, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 219.
- coracinum** Theridium, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 8.
- coracipennella** Astryages (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 280.—Tinea, 1796. [Tinea, 1796.]
- coracipennella** Coleophora (Huebner), P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 379.—
- coracipennella** Gracillaria (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ante* Nov. 1840], 584.—Tinea, 1796.
- coracipennella** Haploptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 428.—Tinea, 1796.
- coracipennella** Ornix (Huebner), F. Treitschke, Schmett. Europa, IX (2) 1833, 213.—Tinea, 1796. [pennella, Huebn. 1796.]
- coracipennis** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 536.—Tinea coraci-
- coracoideus** Productus, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 89.
- Coracopsis** J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 501.—A.
- Corades** W. C. Hewitson (*ex* Boisd. MS), Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 115.—Lep.
- Coraebus** Laporte & Gory, H. N. Coléopt. II. 1839, Coraebus, p. 1.—Col.
- Coraeus** *id. ac* Coreus, Fab.; Lamarck, An. s. vert. III. 1816, 494.
- corais** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 23.
- corais** Drymarchon (Daud.), L. Fitzinger, Syst. Rept. 1843, 26.—Coluber.
- coralensis** Ptilinopus, T. R. Peale in Wilkes, U.S. Expl. Exped. VIII. 1848, 190.
- [**corallensis** ? *melior calloviensis.*]
- corallense** Cerithium, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 246.
- corallensis** Fusus, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 247.
- corallensis** Gastrochoena, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 227.
- corallicola** Philonthus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. June 1849, 289.
- corallicola** Serranus, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. II. 1828, 336.
- corallifer** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2)
- corallifer** Eumorphus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*]. [1845, 34]
- corallifer** Megaderus, E. Newman, Mag. Nat. Hist., n. s., IV. Ap. 1840, 195.
- corallifera** Meloe, E. F. Germar, Mag. Entom. (Germar) III. 1818, 259.
- corallifera** Meloe, Ill.; Dejean, Catal. Coléopt. 1821, 75 [*n. n.*].
- coralliferum** Orthoceras, J. Hall, N. H. New York (Pal. I.) 1847, 312.
- corallifer** Prionus, J. Sturm, Catal. Ins. Samml. 1826, 79.

- corallifer** Prionus, J. Sturm, Catal. Ins. Samml. 1826, 187 [*n. n.*].
- corallifera** Scutellera, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 466.
- coralliformis** Orthoceras, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 8.
- corallii** Murchisonia (Sow.), d'Archiac & Verneuil, Bull. Soc. géol. France, XII. 1841, 160.—Pleurotoma.
- corallii** Pleurotoma, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 612.
- corallii** Turbo, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 612.
- corallinarum** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 275.
- corallinoides** Cliona, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 337.
- corallinoides** Pecten, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 102.
- Corallinolithus** J. F. Blumenbach, Arch. II. 1816, 20 [7. Bronn, Index Pal. 1848, 332].
- corallina** Acrosmilina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 30.
- corallina** Acteon, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 6.
- corallina** Actinia, A. Risso, H. N. Europe, V. 1826, 285.
- corallina** Adelocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
- corallinus** Agrio, E. De Selys-Longchamps in van der Maelen, Dict. géogr. Liège, 1831,
- corallina** Alecto, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 25. [App. p. 58.]
- corallinus** Alurnus, N. A. Vigors, Zool. Journ. II (6) July 1825, 240.
- corallina** Amorpospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 42.
- corallinus** Amphacanthus, Cuvier & Valenc., H. N. Poiss. X. 1835, 139.
- corallinus** Anilius (Laur.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 75.—Anguis, 1768.
- corallinus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 317.
- corallinus** Atylus, A. Risso, H. N. Europe, V. 1826, 99.
- corallina** Avicula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.
- corallinus** Baridium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 64 [*n. n.*].
- corallina** Calamophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 31.
- corallina** Campecopea, A. Risso, H. N. Europe, V. 1826, 126.
- corallinum** Cardium, Leymerie, Stat. Aube, 1846, pl. x. f. 11.
- corallinus** Carpiilus (Fab.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 381.—Cancer, Hbst. 1783.
- corallina** Cephaloleia, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 151.
- corallinus** Chelifer, H. Loew, Dipterologische Beiträge, I. 1845, 29.
- corallina** Chlamys, F. Klug, Entom. Mon. 1824, 140.
- corallina** Chnoodes, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 909.
- corallinus** Coluber, G. Raddi, Mem. Soc. Ital. Sci. XVIII. 1820, 336.
- coralina** Comatula, A. Risso, H. N. Europe, V. 1826, 275.
- corallinus** Conus, D. Solander, Catal. Portland Mus. 1786, 149 [*n. n.*].
- corallinus** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849, 246.
- corallina** Cyprina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
- corallina** Dendrocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 34.
- corallinum** Dentalium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- corallina** Dysdera, A. Risso, H. N. Europe, V. 1826, 161.
- corallinus** Elaps, B. Merrem, Tent. Syst. Amph. 1820, 144.
- corallinus** Elaps, Max Wied, N. A. Ac. Caes. Leop. Car. X (1) 1820, 108.
- corallinus** Elaps (Raddi), L. J. Fitzinger, Neue Classif. Rept. 1826, 61.—Coluber.
- corallina** Enallhelia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32. [406.]
- corallinus** Eumorphus, J. Gistel, Nat. Thierr. 1848, 124; Handb. Naturges. 1850 [1847],
- corallina** Fissurella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- corallinus** Fusus (Scac.), A. Aradas, Atti Acc. Gioenia (2) IV. 1847, 82.—Murex.
- corallina** Helcion, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- corallinus** Hinnites, G. B. Sowerby, L., Zool. Journ. III (9) Jan. 1827, 71.
- corallinus** Hippalimus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 41.
- corallinum** Hippopodium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
- corallinus** Holoctypus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 26.
- corallinum** Imatidium, Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].
- corallinus** Inachus, A. Risso, H. N. Europe, V. 1826, 26.

- corallina** Isis, C. F. A. Morren, Ann. Ac. Groning. 1828, 22.
corallinus Iulus, P. Gervais in Vaillant, Voy. "Bonite," Zool. I. 1842, 275.
corallina Leda, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
corallinus Lepidopleurus, A. Risso, H. N. Europe, IV. 1826, 268.
corallina Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.
corallinus Lissonotus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 11.
corallinus Lithodomus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 20.
corallina Lobocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 40.
corallina Locusta, T. W. Harris, Rep. Insects Massach. 1841, 142.
corallinus Lybas, Reiche in Lacordaire, Mon. Erotyl., Sept. 1842, 239.
corallina Mactra, de Blainville, Dict. Sci. Nat. XXVII. 1823, 547.
corallina Maia, A. Risso, H. N. Crust. 1816, 45.
corallina Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 330, Mar. 1845.
corallina Monodonta (Risso), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 53.—Otavia.
corallinus Murex, A. Scacchi, Cat. Conch. Neap. 1836, 11.
corallina Nerita, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 7.
corallina Nerophis, A. Cocco, Atti 7 Riun. Sci. Ital. 1846, 750 [n. n.].
corallina Orthostoma, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 48.
corallina Otavia, A. Risso, H. N. Europe, IV. 1826, 133.
corallina Oulophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 39.
corallinus Pachylocerus, F. W. Hope, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 19.
corallinus Pagurus, H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 63.
corallinus Pecten (Sow.), Catlow & Reeve, Conch. Nomen. 1845, 80.—Hinnites.
corallinus Pecten, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 22.
corallina Periploma, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 14.
corallina Perna, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.
corallina Pisa (Risso), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 306.
corallina Polytrema, A. Risso, H. N. Europe, V. 1826, 340. [—Maia.
corallina Polytrema, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 41.
corallina Prionastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 35.
corallinus Reduvius, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 279.
corallina Sitta, B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 779.
corallina Spongia, A. Risso, H. N. Europe, V. 1826, 379.
corallina Sporophila, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 498.
corallina Stylifer, Petit de la S., Rev. Zool. (Soc. Cuv.) IV. June 1841, 183.
corallina Terebratula, Leymerie, Stat. Aube, 1846, pl. x. f. 16.
corallina Thecidea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 25.
corallina Thracia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 14.
corallinus Tortrix (Laur.), Moppel, Ann. Mus. H. N. (Paris) XVI (95) *inter* Jan.—Mar. 1811, 382.—Anguis, 1768.
corallinus Trichodes, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 166.
corallina Trigonia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
corallinus Turbo, L. Reeve, Conch. Icon. IV.—Turbo, no. 56, Ap. 1848.
corallina Venerupis, P. Merian, Ber. nat. Ges. Basel, IV. 1838-40 (1840), 76.
corallina Venus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
corallina Vipera (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 3.—
Coralliodendron F. T. Kuetzing, Polyp. Calcif. 1841, 11.—Coel. [Coluber, 1758.
Corallioides L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coralloides, Guett.
Coralliolithes E. F. Schlotheim, Taschenb. f. Min. VII. 1813, 36.—Cor. [1770.
Coralliolithes H. G. Bronn, Index Pal. 1848, 322.—Cor.
Coralliophaga H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 343.—L.
coralliophaga Cypricardia (Gm.), Lamarck, An. s. vert. VI (1) 1819, 28.—Chama, 1790.
coralliophagus Hinnites (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 22.—
 Spondylus.
coralliophagus Mytilus, P. Merian, Ber. nat. Ges. Basel, IV. 1838-40 (1840), 77.
coralliophaga Petricola, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 68.
coralliophagus Spondylus, G. A. Goldfuss, Petref. German. II (5) 1836, 95. [? Desh.
coralliophaga Venerupis (Broc.), Sismonda, Syn. meth. An., ed. 2, 1847, 20.—Petricola,

- Coralliophis** L. Fitzinger, Syst. Rept. 1843, 25.—R.
corallipes Edessa, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 611.
corallipes Scotaeus, F. W. Hope, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 15.
coralliphagus *v.* **coralliophagus**.
corallirhynchus Melias, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 1.
corallirhynchus Phoenicophaus, Less., G. R. Gray, Genera of Birds, II. May 1845, 459.
 —Melias. [Trochilus.]
corallirostris Amazilius (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 77.—
corallirostris Polytmus (B. & M.), G. R. Gray, Gen. Birds, I. Dec. 1848, 109.—Trochilus.
corallirostris Trochilus, Bourcier & Mulsant, Ann. Soc. Agric. Lyon, IX (3) 1846, 328.
Corallium Marsigli in P. L. S. Mueller, Del. Nat. I. 1766, 128.—Cor.
Corallium Lamarck, Syst. Anim. 1801, 378.—Cor.
corallium Gastrochaena, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 164.
Coraliodus *emend. pro* Corallium, Lam.; C. S. Rafinesque, Analyse, 1815, 156.—Coel.
coralloides Alcyonium (Pall.), A. Bertoloni, Rar. ital. plant. (3) 1810, 99.—Gorgonia, 1766.
coralloides Amplexus, J. Sowerby, Min. Conch. I. 1814, 165.
coralloides Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 18, Dec. 1846.
coralloides Conus, G. Perry, Conchology, Ap. 1811, pl. 25. [plexus.]
coralloides Hippurites (Sow.), Potiez & Michaud, Gal. Moll. Douai, II. 1844, 36.—Am-
coralloides Isis, Lamarck, Mém. Mus. H. N. (Paris) I [5] *ante* Mar. 1816, 416.
coralloides Placomus, L. Oken, Lehrb. Nat. III (1) 1815, 96.
coralloides Sympodium (Pall.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
 (1834), 285.—Gorgonia, 1766.
Corallum C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 354.—Cor.
Corallus F. M. Daudin, Mag. Encyclop., Ann. 8, V (20) Mar. 1803, 434.—R.
cora-mota Ophicephalus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 414.
Coramya T. Brown (*ex* Leach MS), Ill. Conch. G. B. I. 1844, 103 (in syn.).—L.
Coranus J. Curtis, Brit. Entom. X (113) June 1833, no. 453.—Hem.
Coraphites J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 328.—A.
Coraphos Leuchtenberg in Wagler, Isis, 1832, 53.—A. [*n. n.*].
Corapica R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 353.—A.
coras Acharia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 124.—Sphinx, 1780.
coras Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 445.
coras Cyclopides (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 112.—Papilio, 1775.
coras Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 766.—Papilio, 1775.
coras Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 785.
Corasia J. C. Albers, Die Heliceen, 1850, 111.—G.
Corax A. P. Ledru, Voy. Ténériffe, II. 1810, 204.—A. [*teste* C. W. R.].
Corax J. L. R. Agassiz, Poiss. Foss. III. 224 (1843).—P.
Corax J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 406.—Col.
corax Corvus, L., *v.* littoralis, C. Holboll, Naturhist. Tidsskrift, IV (4) 1843, 390.
corax Marmessus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 81.—Papilio, 1782.
corax Molops, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 347.
corax Trigla, C. L. Bonaparte, Icon. Faune Ital. (10) 1834.
coraya Anabates, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 20 [*n. n.*].
coraya Myiothera (Gm.), C. Illiger, Prod. 1811, 218.—Turdus, 1788.
coraya Myrmecophaga, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
 1799 [1802], 237. [1788.]
coraya Pheugopedius (Gm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 79.—Turdus.
coraya Sphenura, M. H. C. Lichtenstein, Verz. Vögeln Conch. Ins. Doubl. Zool. Mus.
 Berlin, 1820, 8 [*n. n.*].
coraya Thamnophilus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 311.—
 Turdus, Gm. 1788.
coraya Thryothorus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 627.
coraya Troglodytes (Gm.), G. R. Gray, Gen. Birds, I. Mar. 1847, 158.—Turdus, 1788.
corbarica Arca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 244.
corbarica Astarte, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 253.
corbarica Barysmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 204.

- corbarica** Lucina, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 361.—*varr.* regularis, elongata, quadrata.
- corbarica** Phyllocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206.
- corbarica** Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206.
- corbarica** Turritella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 310.
- corbanium** Buccinum, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III. 1845, 464, pl. iii, f. 24.
- Corbicalao** C. L. Bonaparte, Giorn. Arcad. XLIX. 1831, 49.—A.
- Corbicula** J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 56.—L.
- corbicula** Acarus, Jas. Sowerby, Brit. Miscell. II (77) June 1806, 14.
- corbicula** Cytherea (Gm.), Lamarck, An. s. vert. V. 1818, 563.—Venus.
- corbicula** Fissurella, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 564 [*n. n.*].
- corbicula** Trigona (Lam.), J. E. Gray, The Analyst, VIII (24) July 1838, 304.—Venus.
- corbieri** Chama, J. H. Jonas, Zeitschr. f. Malakozool., Aug. 1846, 126. [Gm. 1790.]
- corbieriaca** Cyclolites, H. Michelin, Icon. Zoophyt. (24-27) 1847, 284.
- corbinoides** Tellina, Caillat, Mém. Soc. Sci. Nat. Seine et Oise, I. 1835, 239.
- Corbis** G. Cuvier, R. Anim. II. 1817, 480.—L.
- corbis** Cardita, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 55.
- corbis** Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 435.
- corbis** Pleurotoma, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 444.
- corbis** Productus, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 26.
- corbis** Tellina (Corbis), H. G. Bronn, Ergebn. nat. Reisen, II. 1831, 602.
- corbis** Venericardia (Ph.), S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 251.—*Car-*
- corbis** Venus, Lamarck, An. s. vert. V. 1818, 585. [dita.]
- corbisoides** Arcopagia (Caill.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 376.—
Tellina corbinoides. [459.]
- corbisoides** Lucina, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- corbisoidium** Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- Corbivus** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
- corbo-asprensis** Sciaena, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto,
- corbula** Arca, L. W. Dillwyn, Catal. Shells, 1817, 235. [1847, 123.]
- corbularis** Cardita, Lamarck, An. s. vert. VI (1) 1819, 26.
- corbularius** Arcacites, E. F. v. Schlotheim, Die Petref. 1820, 205.
- corbularius** Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 188.
- corbulatum** Cythoceras, Kolenati, K.-B. zool.-min. Ver. Regensburg, III. 1849, 123.
- corbulina** Cytherea, Lamarck, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 136 [*err. typ.* 139].
- corbulina** Venus (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 379.—Cytherea.
- corbulo** Caelenorrhinus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 106.—Papilio.
- corbulo** Xylota, F. Walker, List Dipt. Coll. B. M. (3) 1849, 556. [1781.]
- corbuloides** Amphidesma, Lamarck, An. s. vert. V. 1818, 492.
- corbuloides** Astarte, de la Jonkaire, Mém. Soc. H. N. Paris, I (1) 1823, 129.
- corbuloides** Bornia, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 14.
- corbuloides** Cardium, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 54.
- corbuloides** Corimya (Roem.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 264.—
Tellina.
- corbuloides** Crassatella, L. Reeve, Proc. Zool. Soc. London, X (109) Nov. 1842, 45.
- corbuloides** Cypricardia, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 44 (F*).
- corbuloides** Donax, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 99 (N*).
- corbuloides** Osteodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VI. Mar. 1835, 85.—Amphidesma.
- corbuloides** Pectunculus, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 40.
- corbuloides** Tellina, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 120.
- corbuloides** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 70.
- corbuloides** Thracia, Deshayes, Dict. Class. H. N. XVI. 1830, 236.
- corbuloides** Thracia, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 347.
- Corbulomya** P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 59.—L.
- corbulu** (*sic*) Cancellaria, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 308.

- Corburella** J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 422.—L.
corbyi Cratosomus, F. E. Guérin-M., Iconographie, 1844, Ins. 163.
corbyi Doryphora, F. E. Guérin-M., Iconographie, 1844, Ins. 299.
corchori Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 313.
Corcorax R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 324.—A.
Corculus J. Gistl, Nat. Thierr. 1848, 160.—Cr.
Corculus J. Gistl, Handb. Naturges. 1850 [1847], 525.—Cr.
corculum Ananchytes, G. A. Goldfuss, Petref. German. I (2) 1829, 147.
corculus Anisoſcelis, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
corculum Anthrax (Newm.), F. Walker, List Dipt. Coll. B. M. (2) 1849, 269.—Neuria.
corculum Conus, J. De C. Sowerby, Min. Conch. VII. 1841, 27.
corculum Echinites, E. F. v. Schlothheim, Die Petref. 1820, 311.
corculum Edessa, Hoffmannsegg in W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 610.
corculum Helix, A. Braun, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1842 (1843), 148
corculum Isocardia, F. v. Hagenow, N. Jahrb. f. Min. 1842, 562. [n. n.]
corculum Isocardium, E. Eichwald, Zool. Spec. I. 1829, 284.
corculum Neuria, E. Newman, Entomologist (14) Dec. 1841, 221.
corculum Psilopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 645.
corculum Spirifer, S. Kutorga, Verh. Russ.-Kais. min. Ges. St P. 1842 (1842) [1843], 25.
corcyra Heterochroa, W. C. Hewitson, Ann. Mag. N. H. XX. Oct. 1847, 262.
corcyrella Myeloides, Herrich-S., Syst. Bearb. Schmett. Europ. IV (44) 1851, 98.
corcyrensis Anisoplia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 39 [n. n.]
corcyrensis Carocollina (Partsch), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28.—Helix. [June 1838, 40.]
corcyrensis Helix, Partsch in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (1 & 2)
corcyrensis Helix, A. E. Féruſſac, H. N. g. et p. Moll. I. 1839, 21.
corcyrensis Pupilla, Parreys in H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 84.
cordace Tisiphone, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 42.
cordae Cheirurus, J. Barrande, Not. préł. Silur. 1846, 76.
cordai Barrandia, F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 409.
cordai Frondicularia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 302.
cordairii Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 205.
cordalis Margarita, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 288.
cordalis Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 36.
cordaticollis Latridius, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 332.
cordatus Abacetus, Dejean, Spec. gén. Coléopt. V. 1831, 742.
cordatum Adelostoma, A. J. J. Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 169.
cordata Ammonita, J. Fleming, Hist. Brit. Anim. 1828, 241.
cordatus Ammonites, J. Sowerby, Min. Conch. I. 1813, 51.
cordatus Amphidotus (Penn.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 11.—Echinus, 1777.
cordatus Amphidotus (Penn.), E. Forbes, Hist. Brit. Starfish (4) Jan. 1841, 190.—Echinus,
cordata Ananchytes, Lamarck, An. s. vert. III. 1816, 26. [1777.]
cordatus Aradus, J. C. Fabricius, Syst. Rhyng. 1803, 117.
cordata Arca, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 2 [n. n.]
cordatus Arescus, A. Sallé, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 433.
cordata Artemis, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 177.
cordata Athalia, Le Peletier, Mon. Tenthred. 1823, 22.
cordata Berenicea, E. Eichwald, Nat. Lithuaen, 1830, 191.
cordatus Bledius (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 780.—Oxytelus.
cordata Bombyx, S. I. Ljungh, K. Vet. Ac. Handl. 1825 (2) 1826, 347.
cordata Bremus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 262.—Euglossa.
cordatus Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 169.
cordatum Cardisoma (L.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 50.—Cancer, 1763.
cordata Castalia, W. Swainson, Treat. Malacol., May 1840, 379. [baeus, 1773.]
cordata Cetonia (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 63.—Scara-

- cordata** Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 604.
cordata Cymindis, P. Rambur, F. Ent. Andal. I (1) 1837, 16.
cordata Cyprina, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 182.
cordatus Cysticercus, A. Tschudi, Blasenwürm. 1837, 59.
cordatum Diploctenium, G. A. Goldfuss, Petref. German. I (1) 1826, 51.
cordatus Ditomus, Dejean, Catal. Coléopt. 1821, 5 [n. n.]; Spec. gén. Coléopt. I. 1825,
cordata Eleodes, F. Eschscholtz, Zool. Atlas, III. 1829, 12. [441.
cordata Euglossa (Fab.), P. A. Latreille, H. N. Fourmis etc., May 1802, 436.—Apis,
 L. 1758. [L. 1758.
cordata Euglossa (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 385.—Apis,
cordata Eurydesma, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 276.
cordata Flabellina, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 213.
cordata Formica, F. Holl, Handb. Petref. II. 1829, 140.
cordata Frondicularia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 96.
cordata Gecarcinus (Latr.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 430.—
 Ocypode.
cordatus Gnorimus (Fab.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 530.
 —Cetonia, 1787.
cordatum Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 368.
cordatus Harpalus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 106.—Cara-
cordatus Helops, Germar in H. C. Kuester, Käfer Europas, XXI. 1850, 53. [bus.
cordatus Hemicircus, T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 211.
cordatum Hemistomum, C. M. Diesing, Syst. Helminth. I. 1850, 308.
cordatus Holaster, Dubois de M., Voy. Caucase, Atlas V. 1843, Foss. pl. 1 [n. et f.].
cordata Hyria, C. T. Menke, Syn. meth. Moll. 1828, 63.
cordata Isocardia, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 98.
cordata Lithodomus (Lam.), H. G. Bronn, Index Pal. 1848, 660.—Modiola.
cordatus Lythodomus (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 391.—
 Modiola.
cordatus Micraster (Lam.), L. Agassiz, Cat. Ect. Ech. 1840, 2.—Ananchytes.
cordatus Micrus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848,
 568, Table [n. n.].
cordata Modiola, Lamarck, Ann. Mus. H. N. (Paris) IX (50-51) Ap. 1807, 237 [n. et f.].
cordatus Morio, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 13.
cordata Myrmecia, J. C. Fabricius, Syst. Piezat. 1804, 425. [Modiola.
cordatus Mytilus (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 571 (Cecce*).—
cordatus Nucleolites, G. A. Goldfuss, Petref. German. I (2) 1829, 142.
cordata Nucula, G. A. Goldfuss, Petref. German. II (6) 1837, 155. [—& var. rosea.
cordata Obovaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 312.
cordatus Ochthedromus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11)
 July 1847, 457. [1763.
cordata Ocypode (L.), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 37.—Cancer,
cordatus Ophonus, Dufts.; Dejean, Catal. Coléopt. 1821, 13 [n. n.].
cordatus Oxytelus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 461.
cordatus Pterostichus, Letzner, Uebers. Arb. schles. Ges. 1841 (1842), 101.
cordata Rataria, J. F. Eschscholtz, Syst. Acalephen, 1829, 167.
cordatus Reduvius, J. F. Wolff, Icon. Cimicum (4) 1804, 163.
cordatus Spatangus (Lam.), Bory de St V., Ency. Méth. (Vers) 1824, 143.—Ananchytes.
cordatus Stenus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 198.
cordatus Tachyporus, Dahl; Dejean, Catal. Coléopt. 1821, 27 [n. n.].
cordata Terebratula, A. Risso, H. N. Europe, IV. 1826, 389.
cordatum Trombidium, C. L. Koch, Deutsch. Crust., heft 6, 1837, tab. 7.
cordata Tubulipora, E. Eichwald, Paleont. Rossii, 1850, 27.—Berenicea, 1830.
cordata Uca (L.), A. White, List Crustacea Coll. B. M. 1847, 31.—Cancer, 1763.
cordata Udora, G. v. Muenster, Beitr. zur Petref. (2) 1839, 70.
cordata Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 312.
corday Colias, J. Huebner, Verz. bekannt. Schmett. [1820], 99.
cordiarii Eilicrinia, J. Huebner, Verz. bekannt. Schmett. 1825, 287.—Geometra, 1796.

- cordiaria** Ennomos (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 427.—Geometra, 1796. [Noct. 4, pt. 2), 199, 1829.—Geometra, 1796.
- cordiaria** Philobia (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2)
- cordicalis** Attus, C. W. Hahn, Mon. Spinnen (4) 1832.
- cordicalis** Buccardites, E. F. Schlottheim, Tasch. Min. 1818, 103.
- cordicaria** Geometra, [Denis & Schiffermüller], Syst. Verz. Schmett. Wien, ed. 2, 1801, 380.—corticaria, 1776.
- cordicilla** Caprimulgus, B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 147.
- cordicollis** Acupalpus, M. de Chaudoir, Enum. Carab. 1846, 232.
- cordicolle** Agonum, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 206.
- cordicollis** Amara, E. Ménétrié, Cat. Rais. Zool. Caucase, 1832, 127.
- cordicollis** Anisodactyla, C. Wesmael, Bull. Ac. Roy. Brux. II. 1835, 47. [705.
- cordicollis** Aptinus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- cordicollis** Ardistomis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 646.
- cordicollis** Blaps, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 346.
- cordicollis** Brachinus, Dejean, Spec. gén. Coléopt. II. 1826, 466. [1844, 447.
- cordicollis** Bradylus (*sic*), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
- cordicollis** Calleida, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 373.
- cordicollis** Calleida, C. H. Boheman, Ins. Caffr. I (1) 1848, 36. [826.
- cordicollis** Cephalotes, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842,
- cordicollis** Chlaenius, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 22.
- cordicollis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835—1836, 24.
- cordicollis** Crossonychus (Le C.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 97.—Dromius.
- cordicollis** Cychrus, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835, 442.
- cordicollis** Dromius, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.
- cordicollis** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 306. [1846, 190.
- cordicollis** Galerita, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 699. [1847, 406.
- cordicollis** Geobaenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap.
- cordicollis** Gonopus, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 234.
- cordicollis** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 209.—Ophonus, 1821.
- cordicollis** Latridius, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 300.
- cordicollis** Leiocnemis (Ménét.), C. Zimmermann, Faunus, I (1) 1832, 38.—Amara.
- cordicollis** Lithophilus, F. E. Guérin-M., Iconographie, 1844, Ins. 318.
- cordicollis** Nebria, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 17.
- cordicollis** Ophonus, Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
- cordicollis** Pogonus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 6.
- cordieri** Actinoceras, Castelnaud, Ess. Silur. Amér. sept. 1843, 31.
- cordierii** Ammonites, Rivière, C. R. Acad. Sci. (Paris) IV. 1837, 67.
- cordierii** Anodonta, C. d'Orbigny, C. R. Acad. Sci. (Paris) III. 1836, 231 [*n. n.*].
- cordierii** Anodonta, C. d'Orbigny, Mém. div. couches de Terrain Paris [1837], 16.
- cordierii** Anodontes, C. d'Orbigny in Magasin de Zool. VII. 1837, pl. 78.
- cordierii** Antilope, J. de Christol, Ann. Sci. Ind. Midi France, II (5) May 1832, 15.
- cordieri** Antilope, M. de Serres in P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 213 [*n. n.*].
- cordieri** Asaphus, Castelnaud, Ess. Silur. Amér. sept. 1843, 18.
- cordieri** Barysmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 273.
- cordieri** Brissus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 14.
- cordieri** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 338.
- cordieri** Dytiscus, C. Aubé, Spec. gén. Hydroc. 1838, 108.
- cordieri** Emys, P. F. Bourdet, 9 Verh. Allg. Schweiz. Gesellsch. 1823, 50 [*n. n.*].
- cordieri** Eucratea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 243.
- cordieri** Fraena, M. Rouault, Bull. Soc. géol. France (sér. 2) VII. 1850, 733.
- cordieri** Halianassa (Christ.), H. G. Bronn, Index Pal. 1848, 562.—Metaxytherium, Bl.
- cordieri** Metaxytherium, H. D. de Blainville, Ostéogr., Manatus, 1843, 130.
- cordierii** Mitra, Maravigna, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 325.
- cordieri** Monocrepidius, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 221.
- cordieri** Nephthea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 230.

- cordieri** Osmerus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 125 (1839); V (2), 101
- cordieri** Petricola, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 358. [(1844).
- cordieri** Pholas, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 322.
- cordieri** Pleurotoma, B. C. Payraudeau, Cat. Moll. Corse, 1826, 144.
- cordieri** Trochus, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 335.
- Cordieria** M. Rouault, Bull. Soc. géol. France (2) V. 1848, 207.—G.
- cordieria** Turritella, A. Risso, H. N. Europe, IV. 1826, 110.
- cordierianum** Cardium, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 159; Rep. trav. Soc. stat. Marseille, VI. 231.
- cordieriana** Rotalia (Orb.), H. G. Bronn, Index Pal. 1848, 1102.—Rotalina.
- cordieriana** Rotalina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 33.
- cordierianus** Trochus, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
- cordifera** Asterias, Bosc in Deterville's Buffon (Vers) II. 1802, 113. [1845, 448.
- cordifer** Chiton, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 324. [Chiton,
- cordifer** Chitonellus (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 127.—
- cordifera** Chnoodes, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 909.
- cordifer** Clerus, J. L. Le Conte, Ann. Lyceum N. H. New York, V (1) May 1849, 21.
- cordifer** Clytus, F. Klug (*ex Dej. lit.*), Insect. Doublet. Z. M. Berlin, 1829, 13. [310.
- cordifer** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- cordifera** Ophiura (Bosc), G. Fischer, Mus. Démid. III. 1807, 288.—Asterias.
- cordifera** Parra, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. May 1842, 135.
- cordifera** Parra, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842, 210.
- cordifera** Strangalia (Ol.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 332.—Leptura, 1795.
- cordifera** Taenia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 306.
- cordifer** Tetraopes, Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- cordiforme** Amphidesma, J. E. Gray, Ann. Phil. XXV. 1825, 135.
- cordiforme** Amphidesma, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 7.
- cordiformis** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1616.
- cordiformis** Arkys, H. Nicolet in Gay, Chili, III (Arach.) 1849, 385.
- cordiformis** Astarte, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 80. [1825.
- cordiformis** Atrypa, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 9.—Terebratula,
- cordiformis** Atrypa (Sow.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 17.—Terebratula.
- cordiformis** Bursaria, C. G. Ehrenberg, Infusionthier. 1838, 328. [—Spatangus.
- cordiformis** Cardiaster (S. Woodw.), E. Forbes, Ann. Mag. N. H. (2) VI. Dec. 1850, 443.
- cordiformis** Catillus (Sow.), G. G. Pusch, Geogn. Besch. Polen, II. 1836, 379.—Inoceramus. [Venus.
- cordiformis** Corbis (Desh.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 111.—
- cordiformis** Cucubalus, Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 119.
- cordiformis** Cypriocardia, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 44 (F*).
- cordiformis** Cyprina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 101.
- cordiformis** Cyrena, Deshayes, Dict. Class. H. N. V. 1824, 290.
- cordiformis** Cytherea, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 185.
- cordiformis** Echinites, E. F. Schlotheim, Taschen. Min. 1813, 109.
- cordiformis** Echinospatagus, Mantell, Foss. S. Downs, 1822, 108.
- cordiformis** Eschara, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 606.
- cordiformis** Gelasimus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 53.
- cordiforme** Gomphoceras (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 112.—Orthocera.
- cordiformis** Gresslya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 216.
- cordiformis** Holaster (Mant.), J. Morris, Cat. Brit. Foss. 1843, 54.—Echinospatagus.
- cordiformis** Inoceramus, J. De C. Sowerby, Min. Conch. V. 1823, 61.
- cordiformis** Isocardia, Schuebler in C. H. v. Zieten, Pétrif. Wurt. (11) 1833, 82.
- cordiformis** Lima, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 348 (Xx*).
- cordiformis** Lyonsia (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 274.—Gresslya.

- cordiformis** Nucleolites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 423.
cordiformis Nucula, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 21.
cordiformis Octopus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 87.
cordiformis Orthocera, J. Sowerby, Min. Conch. III. 1819, 85.
cordiformis Orthoceratites, DeFrance, Dict. Sci. Nat. XXXVI. 1825, 484.
cordiformis Pholadomya, G. P. Deshayes in Leymerie, Mém. Soc. géol. Fr. V. 1842, 3.
cordiformis Pinnocypus (Q. & G.), A. D. d'Orbigny, Moll. viv. et foss. [1845], 193.—
cordiformis Salpa, Quoy & Gaimard, Ann. Sci. Nat. X (39) Mar. 1827, 226. [Octopus.
cordiformis Salpa, D. F. Eschricht, Afhandl. K. Danske Vid. Selsk. VIII. 1841, 300.
cordiformis Spatangus, S. Woodward, Geol. Norf. 1833, 50.
cordiformis Tellina, W. Wood, General Conch. 1815, 191.
cordiformis Terebratula, J. De C. Sowerby, Min. Conch. V. 1825, 154.
cordiformis Terebratula, A. Risso, H. N. Europe, IV. 1826, 390.
cordiformis Thecidea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 344.
cordiformis Thomas, A. Risso, H. N. Europe, V. 1826, 171.
cordiforme Trombidium, C. L. Koch, Deutsch. Crust., heft 15, 1837, tab. 4.
cordiformis Unio, J. De C. Sowerby, Min. Conch. VI. 1828, 191.
cordiformis Venus, G. P. Deshayes in Leymerie, Mém. Soc. géol. France, V. 1842, 5.
cordigera Anarta (Thunb.), F. Ochsenheimer, Schmett. Europä, IV. 1816, 90.—Phalaena;
? Noctua, 1788.
cordiger Anthribus, C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 241.
cordiger Chlorops, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 431 [*n. n.*].
cordigera Cicindela, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 1 [*n. n.*].
cordiger Clytus, Gené in A. Aragona, Coleopt. Ital. [1830], 26. [Chrysomela, 1758.
cordiger Cryptocephalus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI, (1804), 364.—
cordiger Curculio, E. F. Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 135.
cordigera Edessa, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 611.
cordigera Graphipterus, Klug in Dejean, Spec. gén. Coléopt. V. 1831, 461. [—Anarta.
cordigera Heliolitha (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (5) 1832, 224.
cordiger Metopius, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
1846, 120.
cordigera Neis, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 103.
cordiger Paramesus, L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829, 32 [*auct. typ.*].
cordigera Phalaena Noctua (Th.), E. J. C. Esper, Die Schmett. IV. Abschn. 2, 1796, 32.
—Noctua, 1788.
cordiger Phytocoris, C. W. Hahn, Wanzenart. Ins. II (4) July 1834, 85.
cordigera Poecilosoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [*n. n.*].
cordigera Scutellera, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 234.
cordiger Tabanus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 47.
cordigera Tenthredo, Palisot de B., Ins. Afr. Amér. (—) 1809, 97.
cordilla Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 291.
cordillerae Meloe, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 133.
cordillerae Potamophilus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 19.
cordillerarum Mastodon, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 385.
Cordilura C. F. Fallen, Sp. Ent. nov. Dipt. 1810, 15.—Dipt.
cordimana Ocyropa, Latreille, N. Dict. H. N., ed. 2, XXIII. 1818, 198.
cordineri Serpula, J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 244.
Cardiola *err. pro* Cardiola, B. & S.; H. G. Bronn, Index Pal. 1848, 223.
Cordissa J. Gistel, Nat. Thierr. 1848, p. xiv.—Cr. [181.—Col.
Cordistes Latreille in Dejean, Cat. Coléopt. 1821, 2; Dejean, Spec. gén. Coléopt. I. 1825,
Cordium J. Gistel, Nat. Thierr. 1848, p. xiv.—Cr.
cordofanus *melior kordofanus, q. v.*
Cordorinus *emend. pro* Corydorax, Lac.; C. S. Rafinesque, Analyse, 1815, 89.—P. [*n. n.*].
cordovensis Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 55.
Cordulecerus P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 359.—Neur.
Cordulegaster W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 136.—Neur.
Cordulia W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 136.—Neur.
cordula Hipparchia (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 20.—Papilio.

- cordula** Maniola (Fab.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (3) 1828, 117.—Papilio.
- cordula** Papilio, Fabricius, Ent. Syst. III (1) 1793, 226 [cordala *err.* in Ind. Anim. I. 244].
- cordula** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 121 (Fernaldo judice 1805) [*n. et f.*]. [[*n. et f.*].
- cordula** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 196 (Fernaldo judice 1834)
- cordula** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 521.—Papilio.
- Corduligaster** J. Macquart, Dipt. exot. 1843; *teste* Agassiz, *sed non comp.*, v. Cordylig.—
- Cordus** F. E. Germar, Linnaea Entom. III. 1848, 209.—Col.
- Cordus** C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 60.—Col.
- Cordyla** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Dipt.
- Cordyla** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 96.—Neur. [n. d., 2 nom. triv. append.].
- Cordyla** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordulia, Leach.
- Cordylaspis** A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct.
- cordylea** Calotes (Agama), B. Merrem, Tent. Syst. Amph. 1820, 55. [1837, 17.—Col.
- Cordylegaster** Billberg, Enum. Ins. 1820, 96.—Neur.
- Cordyligaster** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 247.—Dipt.
- Cordylinus** C. S. Rafinesque, Analyse, 1815, 76.—R. [*n. n.*].
- cordylinum** Placosoma, L. J. Fitzinger, Arch. f. Naturg. XIII (1) 1847, 51. [1768.
- cordylina** Stello (Laur.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 255.—Iguana,
- Cordylis** C. L. Bonaparte, Rep. Brit. Assoc. (Birm. 1849) 1850, 75.—A.
- Cordylocera** Guérin-M. in Duperry, Voy. “Coquille,” Zool. II (2) 1, 1838, 77.—Col. [non C—us, *apud* Agass.]. [Ramb.
- Cordylocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordulecerus,
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordyligaster, Macq. [Leach.
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordulegaster,
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corduligaster, Macq. [Billb.
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordylegaster,
- Cordylomera** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 23.—Col.
- Cordylophora** G. J. Allman, Proc. R. Irish Acad. II (40) 1843 [1843], 395.—Coel.
- Cordylura** C. F. Fallen, Scatomyz. Sveciae, 1819, 6.—Dipt.
- “**Cordylus** C. L. Bonaparte, 1849”; *teste* Waterhouse, Ind. Avium, *non comp.* Cordylis
- cordylus** [Crossurus], J. Wagler, Nat. Syst. Amph. 1830, 141. [*est.*
- cordylus** Stello (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 24.—*Lacerta*, 1758.
- cordylus** Zonurus (L.), B. Merrem, Tent. Syst. Amph. 1820, 57.—*Lacerta*, 1758.
- core** Crastia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1816, 16.—Papilio, 1780.
- core** Euploea (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 88.
- core** Lutianus, G. D. Nardo, Isis, XX (6) June 1827, 479. [—Papilio, 1780.
- corea** Agrion, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*].
- coreanica** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 601.
- coreanicus** Chiton, L. Reeve, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 24.
- coreanica** Helix, Adams & Reeve, Zool. “Samarang” (7) Moll., Aug. 1850, 61.
- coreanica** Pleurotoma, Adams & Reeve, Zool. “Samarang” (6) Moll., May 1850, 40.
- coreanica** Terebratula, Adams & Reeve, Zool. “Samarang” (7) Moll., Aug. 1850, 71.
- Corecoris** C. W. Hahn, Wizenart. Ins. II (1) Nov. 1833, 14.—Hem.
- coreensis** Cyrenoida, Adams & Reeve, Zool. “Samarang” (7) Moll., Aug. 1850, 80.
- coreensis** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 355.
- coreensis** Protactia, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 36 [*n. n.*].
- coreensis** Siphonaria, Adams & Reeve, Zool. “Samarang” (7) Moll., Aug. 1850, 69.
- coreensis** Venus, Adams & Reeve, Zool. “Samarang” (7) Moll., Aug. 1850, 80.
- coregnensis** Ammonites, J. De C. Sowerby in Delabèche, Geol. Man. 1831, 319.
- “**Coregonoides** Soland. Pisc. Austr.” Agassiz, Nom. Zool., Pisc. 18.—? MS.
- coregonoides** Paralepis, A. Risso, Journ. de Physique, XCI. Oct. 1820, 253.
- coregonoides** Salmo, P. S. Pallas, Zoographia, III. 1814, 362.

- Coregonus** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 239.—P.
- Coregonus** C. A. Le Sueur (*ex* Artedi), J. Acad. Nat. Sci. Philad. I (9) May 1818, 231.—P.
- Coregonus** F. P. Jarocki, Zoologia, IV. 1822, 35.—P. [*typus* Salmo thymallus].
- Corehtra** *err. pro* Corehtra, Meig.; B. Angelin, Bibl. Ital. XVII. 1820, 386.
- coreiformis** Trugulus, C. L. Koch, Die Arachniden, V (5) *ante* Ap. 1839, 133.
- corelia** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 953.
- Coremia** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 22.—Col.
- Coreocoris** E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 120.—Hem.
- Coreocoris** L. Agassiz, Nom. Zool. (Hem.) 1845, 6.—*emend. pro* Coreocoris, Hahn, *q. v.*
- Coreodoras** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryodoras, Lacep.
- Coreodoras** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coridoras, Spix.
- Coreomelas** C. J. B. Amyot & Serville (Roret's Suite à Buffon), Hém. 1843, 68.—Hem.
- Coreomelas** A. White, 1839; *teste* Agassiz, Nom. Zool. (Hem.) 1845, 44, *sed?* *err. pro* Corimelaena. [Anim. I. 244.]
- “**Corephium** Browne, Conch. ill. 1827”; *sic* Marschall, Nom. Zool. (Moll.) *sed vide* Ind.
- Corephium** J. E. Gray, Proc. Zool. Soc. London, XV (173) June 22, 1847, 65.—Moll.
- Corephorus** E. Grube, Arch. f. Naturg. XII (1) 1846, 161.—Verm. [Hypolimnas.]
- coresia** Adolias (Huebner), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 105.—
- coresia** Hypolimnas, J. Huebner, Exot. Schmett. II. Tab. [46] [*n. et f.*].
- coresia** Megalura (God.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 447.—Nymphalis.
- coresia** Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 359.
- coresia** Timetes (God.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 263.—Nymphalis.
- coresia** Zonites, J. E. Gray, Proc. Zool. Soc. London, XVII (200) Jan.–June 1850, 166.
- coresilaus** Papilio, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 810.
- coretas** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 173.
- coretas** Polyommatus, J. W. Meigen, Handb. Schmett. 1827, 73 & 130; Syst. Besch. Europ. Schmett. II (1) 1829, 14.
- Corethra** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 260.—Dipt.
- corethriarius** Bittacus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 327.
- Corethrogaster** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 328.—Col. [*n. n.*].
- Corethrura** F. W. Hope, Tr. Linn. Soc. London, XIX (2) 1843, 135.—Hem.
- Corethrura** G. R. Gray, Genera of Birds, III. Nov. 1846, 595.—A. [314.]
- corethrurus** Papilio, Lacordaire in Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836,
- Corethura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corethrura, Hope.
- coretta** Scomber, G. Cuvier, Règne Anim., ed. 2, II. 1829, 198.
- coretta** Thynnus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 102.
- Coretus** L. Oken (*ex* Adanson), Allg. Naturges. V (2) 1835, 577.—G.
- coreta** Danais, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 178.
- coretus** Planorbis, de Blainville, Dict. Sci. Nat. XLI. 1826, 230.
- Coriacea** *err. pro* Coriociella, Bl.; Oken, Isis, 1829, 1111.
- coriaceum** Alcyonium, E. J. C. Esper, Pflanzenth. III (14–15) [*inter* 1805–1810], 50.
- coriaceus** Amitrus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 128. [1845, 73.]
- coriacea** Anatolica, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- coriaceus** Antliarhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 584.
- coriacea** Asterias, A. E. Grube, Actin. Adriat. 1840, 22.
- coriacea** Blaps, G. Fischer de W., Cat. Col. Sibir. [1842], 15.
- coriacea** Blaps, G. Fischer de W., Cat. Col. Sibir. [1842], 28.
- coriacea** Bulla (Meck.), Nitzsch, Ersch & Gruber, Allg. Ency. XIV. 1825, 8.—Doridium.
- coriaceus** Carabodes, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 15.
- coriacea** Cerpocipis, C. F. Fallen, Hemipt. Svec. (1) 1826, 14.
- coriacea** Cetonia, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 38.
- coriacea** Chelonia (L.), H. Cloquet, Dict. Sci. Nat. VIII. 1817, 382.—Testudo, 1766.
- coriacea** Chelonia (Sphargis) (L.), J. E. Gray in Griffith's Buffon, Anim. Kingd., Rept. 1830, Syn. 20.—Testudo, 1766.
- coriacea** Chrysomela, Dejean, Catal. Coléopt. 1821, 122 [*n. n.*]. [1791.]
- coriacea** Cineras (Poli), R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 213.—Lepas,

- coriaceus** Coeloscelis, Reiche, Rev. Zool. (Soc. Cuv.) IV. July 1841, 213.
coriacea Coriudo (L.), J. Fleming, Phil. Zool. II. 1822, 271.—Testudo, 1766.
coriacea Cribrina (Cuv.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 264.—Actinia senilis, L. [(1) 1845, 89.]
coriaceum Criocephalum, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
coriacea Culcita, Joh. Mueller & Troschel, Syst. Asterid. 1842, 38.
coriacea Cynthia, Alder & Hancock, Tr. Tyneside Nat. F. C. I (2) 1848, 196.
coriaceus Cyprinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 489.
coriaceus Dasypogon, C. R. W. Wiedemann, Dipt. exot. 1821, 230.
coriaceus Dermanyssus, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvii.
coriacea Dermatochelys (L.), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 128.—Testudo, 1766.
coriacea Discopora (Esp.), Lamarck, An. s. vert. II. 1816, 168.—Flustra.
coriaceum Doridium, J. F. Meckel, Beytr. Vergl. Anat. I (2) 1809, 33.
coriaceus Dytiscus, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 134.
coriacea Flustra, E. J. C. Esper, Pflanzenz., Flustra, tab. vii [n. d., 1810?].
coriacea Fontaria, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 141.
coriacea Grantia (Mont.), G. Johnston, Hist. Brit. Sponges, 1842, 183.—Spongia.
coriaceus Gryllus (Scleropterus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 232.
coriaceus Hedybius, W. F. Erichson, Entomographien, 1840, 95.
coriaceus Helops, Hoff.; Dejean, Catal. Coléopt. 1821, 70 [n. n.].
coriaceus Homalonotus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836,
coriaceus Issus, J. C. Fabricius, Syst. Rhyng. 1803, 100. [588.]
coriacea Ligia, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 211. [184.]
coriacea Linnadia, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842,
coriacea Lobaria (Meck.), L. Oken, Lehrb. Nat. III (1) 1815, 292.—Doridium.
coriacea Lobularia (Esp.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 281.—Alcyonium.
coriacea Lygaeus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 220.—Salda.
coriacea Meladema, Hoffmannsegg in F. L. de Laporte, Etudes Entom. (2) 1835, 98.
coriacea Melolontha, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
coriacea Micropora (Esp.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 115.—
coriacea Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 231, Jan. 1845. [Flustra.
coriacea Myrmedonia, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 43.
coriaceus Ochlerus, Germar in Herrich-S., Wanzenart. Ins. VII (4) Ap. 1844, 64.
coriaceus Omalus, A. G. Dahlbom, Ofvers. K. Vet. Ac. Förh. VII (6) 1850, 135.
coriaceus Onconotus, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 207.
coriaceus Ornithodoros, C. L. Koch, Arch. f. Naturg. X (1) 1844, 219.
coriacea Phlaeothrips, A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 442.
coriacea Piezocera, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
coriacea Pimelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. a. [573.
coriacea Piodes, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 318.
coriaceum Platyphyllum (L.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 446.—Gryllus, 1758.
coriaceus Pricnemis, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 103.
coriaceus Procrustes (Fab.), F. A. Bonelli, Mém. Ac. Sci. Turin, 1809–10 (1811), Mém. prés. 43.—Carabus, L. 1758.
coriacea Rana, J. B. v. Spix, Ranar. Brasil. 1824, 5.
coriacea Ranella, L. Reeve, Conch. Icon. II.—Ranella, no. 26, July 1844.
coriacea Sabella, G. D. Nardo (ex Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
coriacea Salda, J. C. Fabricius, Syst. Rhyng. 1803, 115.—Acanthia, 1777. [107.
coriaceus Sigaretus, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 371.
coriacea Sphargis (L.), J. E. Gray, Syn. Rept. 1831, 51.—Testudo, 1766.
coriacea Spongia, G. Montagu, Mem. Werner. N. H. Soc. II (1) May 1814, 116.
coriaceus Tachypus (L.), F. Weber, Obs. Ent. 1801, 19.—Carabus, 1758.
coriaceus Trachelyopterus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 221.

- coriacea** Trachyderma, J. Phillips, Mem. Geol. Surv. Gt Britain, II (1) 1848, 331.
coriacea Tricondyla, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 221.
coriacea Truxalis, H. Burmeister, Handb. Ent. II (2) 1, 1838, 608.
coriaceus Unio, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 181.
coriarius Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 644.
coriaria Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 833.
coriaria Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 424.
coriaria Craspedia (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 199.—
coriaria Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1847, 145. [Asilus.
coriaria Meloe, Hoffm. in Dejean, Catal. Coléopt. 1821, 76 [*n. n.*].
coriarius Meloe, Hoffmannsegg in N. A. Ac. Caes. Leop. Car. XVI (1) 1832, 131.
coriarius Sandalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 60 [*n. n.*].
coriarius Serropalpus, F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [*n. n.*].
coriaria Timarcha (Fab.), Dejean, Catal. Coléopt. 1821, 122.—Chrysomela, ?Laich. 1781.
coriarius Trichius, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 5 [*n. n.*] & *var. olens*.
coriarius Trox, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 205.
Corica F. Hamilton, Fish. Ganges, 1822, 253 & 383.—P.
Corica [*? id. ac Coricus, Cuv.*], J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 91).—P.
Coricella de Blainville, Dict. Sci. Nat. XXXII. 1824, 259.—G.
Coricus G. Cuvier, R. Anim. II. 1817, 263.—P.
corica Cobitis, F. Hamilton, Fish. Ganges, 1822, 359.
Coridala C. T. Wood, Orn. Guide, 1835, 68.—A.
Coridalla S. D. W., The Analyst, III (14) Jan. 1836, 203.—A.
Coridoras J. B. v. Spix, Pisc. Brasil. 1829; *teste* Agassiz, *sed* Corydoras, Lac.
Coridus *emend. pro* Coreus, Fab.; C. S. Rafinesque, Analyse, 1815, 119.—Hem. [*n. n.*].
coriiceps Notothenia, J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 5.
Corimelaena A. White, Mag. Nat. Hist. III (35) Nov. 1839, 539.—Hem.
Corimorpha Sars; van Beneden, L'Institut, 1845, 154 [*v. Corymorpha*].
Corimya J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1845, p. xix; (4) 1845, 262.—L.
Corinna C. L. Koch, Die Arachniden, IX (1) *post* May 1841, 17.—Ar.
corinna Alophora (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 290.—
Hyalomyia.
corynna Coenonympa, J. Huebner, Verz. bekannt. Schmett. 1818, 65.
corinna Danais, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap.
1826], 462. [(1847), 88.—Danais.
corinna Euploea (MacL.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
corinna Gazella, P. Boitard, Jardin d. Plantes, 1842 [*i. e.* 1841], 445.
corinna Hipparchia (Hueb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 24.—Papilio.
corinna Hyalomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 301.
corinna Macquartia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 230.
corinna Maniola (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 159.—
Papilio, Huebn. [1813.
corinna Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 360.—Vanessa, Latr.
corinna Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 105 (Fernaldo judice 1804)
corinna Papilio, J. Huebner, Europ. Schmett. (Ziefer), 1805, 40. [[*n. et f.*].
corinna Planorbis, J. E. Gray, Proc. Zool. Soc. London, XVII (200) Jan.—June 1850, 167.
corinna Timetes (Latr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
(1850), 263.—Vanessa. [84.
corinna Vanessa, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813),
corinna Venus, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 29.
corinnaria Phrygonis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 307.—Phalaena
corinna, 1775.
corinnete Epicalia, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
Corinocera Zetterstedt, 1840; *err.* Agassiz *pro* Corynocera, *g. v.* [258 [*n. n.*].
corinthius Athyreus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 32.
corinthia Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 112.
corinthius Ceutorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 223.

- corinthia** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 705.
- corinthium** Cyathophyllum, D. D. Owen, Rep. geol. expl. Iowa...1839 (U. S. Senate, 28 Congr. Sess. I. no. 407) 1844, 69.
- corinthia** Feronia (Germ.), Dejean, Spec. gén. Coléopt. III. 1828, 304.—Molops.
- corinthia** Feronia (Platysma) (Germ.), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 29.—Molops.
- corinthius** Molops, E. F. Germar, Ins. spec. novae, I. 1824, 21.
- corinthus** Centrinus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 788.—*Ceutorhynchus corinthus*.
- corinthus** Colaspis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 582.
- corinus** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 546.
- Coriocella** H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 259.—G.
- corioginosa** Cleonis, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 335.
- coriolanus** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 134.
- Coriolus** *err. pro* Oriolus, E. Forster, Cat. Avium Brit. 1817, 69.
- Coriomeris** J. O. Westwood in Hope, Cat. Hemipt. Coll. Hope, II. 1842, 6.—Hem.
- corion** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 186.
- coriphea** *v.* *coryphaea*.
- Coriphella** Gray, 1850; *teste* Marschall, *v.* *Coryphella*.
- Coriphilus** J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 494.—A.
- Coriplatus** A. White, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 90.—Hem.
- Coris** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 96.—P.
- coris** Julis, R. P. Lesson, Mém. Soc. H. N. Paris, IV. Sept. 1828, 404.
- coris** Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 491.
- Corisa** Amyot & Serville in Roret's Suite à Buffon (Hém.) 1843, 445. = *Corixa*, Geoff.
- corisandra** Erebus (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 607.—*Phalaena*, 1782.
- Corisce** J. Huebner, Verz. bekannt. Schmett. 1825, 279.—Lep.
- Coriscium** P. C. Zeller, Isis (Oken), 1839, 210.—Lep.
- corisopitensis** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 210 (Dd*) [*form.*]
- corissus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 464. [*lat. quimperiana*].
- coristheus** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 323.
- Corisus** P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 141.—Hem.
- coritus** Damis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 68.
- corita** Timetes, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 181. [*263 [n. n.]*].
- Coriuo** J. Fleming, Phil. Zool. II. 1822, 271.—A.
- Corixa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Corisa*, Am. & Serv.
- corixoides** Jassus, P. Rambur, F. Ent. Andal. II (5) Mar. 1840, 210.
- coriziformis** Trogolus (*sic*), C. L. Koch, Die Arachniden, V (6) *ante* Ap. 1839, 128.
- corizoides** Capsus, Herrich-S., Wanzenart. Ins. IV (3) Ap. 1838, 35.
- Corizus** C. F. Fallen, Spec. nov. Hemipt. (1) 1814, 8.—Hem.
- Cormadromia** Zetterstedt, 1840; *teste* Scudder, *err. pro* *Cormadromia, q. v.*
- Cormansis** Walker, 1850; *teste* Marschall, 1851 *est*.
- cormasa** Clitellaria, F. Walker, List Dipt. Coll. B. M. (3) 1849, 524.
- cormatus** Strombus, Defrance, Dict. Sci. Nat. LI. 1827, 124.
- Cormias** H. G. L. Reichenbach, Avium Syst. Nat., pl. liv (Mar. 1850).—A. [*n. et f.*].
- Cormocephalus** G. Newport, Proc. Linn. Soc. London (20) May 1844, 193.—Myr.
- Cormodromia** Zetterstedt, Ins. Lapp. descr. (1838), 545.—Dipt.
- Cormophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cormyphora*, Lap.
- Cormoranus** Baillon, Mém. Soc. R. Emul. Abbeville [sér. 2, vol. 1] 1833 [1834], 76.—A.
- Cormoranus** C. T. Wood, Orn. Guide, 1835, 70.—A. [*576*].
- cormoranus** Carbo, B. Meyer in B. Meyer & J. Wolf, Taschen. Deutsch. Vögelk. II. 1810.
- cormoranus** Halieus (W. & M.), J. F. Naumann, Naturg. Vögel Deutschl. XI. 1842, 52.—*Carbo*.
- cormus** Empis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 496.
- Cormyphora** F. L. de Laporte, H. N. Ins. (Col.) II. 1840, 12.—Col.
- cornatus** Attus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 371.
- corndensis** Asaphus, R. I. Murchison, Silurian System, Jan. 1839, 663.

- corndensis** Euomphalus, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 64t. [Euomphalus.]
- corndensis** Straparollus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 6.—
- Cornea** J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 56.—L.
- cornea** *v.* **corneus**.
- corneaeformis** Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 189.
- Corneicyclas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corneicyclas, Bl.
- cornelie** Heliconia, F. E. Guérin-M., Iconographie, 1844, Ins. 472.
- Cornelium** S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 24.—G.
- cornelia** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2.
- cornelia** Eclectus, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 135.
- cornelius** Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 764.
- cornelia** Panopaea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 273.
- cornella** Argyrosetia (Fab.), P. C. Zeller, Linnaea Entom. II. July 1847, 273.—Tinea, 1775.
- cornella** Oecophora, F. Treitschke, Schmett. Europa, IX (2) 1833, 162.
- cornella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 363.
- Corneocyclas** de Blainville (*ex* Fér. MS), Dict. Sci. Nat. XII. 1818, 278.—L.
- Corneola** F. Held, Isis (Oken), 1837, 912.—G.
- corneola** Achatinella, L. Pfeiffer, Proc. Zool. Soc. London, XIII (150) Jan. 1846, 90.
- corneolus** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 234.
- corneola** Tellina, Lamarck, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 234.
- cornea** Achatina, L. Brumati, Cat. Conch. Monfalcone, 1838, 35; Poligrafo, XV. 1839,
- cornea** Agronomae, J. Huebner, Verz. bekannt. Schmett. [1822], 227. [174.]
- cornea** Amphidesma, Lamarck, An. s. vert. V. 1818, 491.
- cornea** Anodonta, R. A. Philippi, Zeitschr. f. Malakozool. (Sept.) 1848 [Mar. 1849], 130.
- cornea** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 16, Jan. 1844.
- corneus** Atractus (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1840, 63.—Murex, L. 1758.
- cornea** Auricula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 90.
- corneum** Buccinum (Sow.), Defrance, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 114.—Murex.
- corneus** Buliminus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 71.—Bulinus.
- corneus** Bulimus, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 25.
- corneus** Bulimus, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 164.
- corneus** Bulimus, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 66.
- corneus** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 37.
- cornea** Bulla, Lamarck, An. s. vert. VI (2) 1822, 36.
- cornea** Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 35.
- cornea** Campylaea (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 26.—Helix.
- corneum** Cerithium, L. C. Kiener, Spec. Coquilles (Cerithium) 1841-42, 91.
- corneum** Chilostoma (Drap.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 98.—Helix.
- cornea** Columbella, L. C. Kiener, Spec. Coquilles (Columbella) 1841, 13.
- cornea** Coretus (Drap.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 180.
- cornea** Corneola (Drap.), F. Held, Isis (Oken), 1837, 912.—Helix. [—Helix.]
- corneus** Cycladites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 469. [1758.]
- cornea** Cyclas (L.), J. P. R. Draparnaud, Tab. Moll. France, July 1801, 105.—Tellina,
- cornea** Cyclas (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 37.—Tellina, 1758.
- cornea** Cytherea, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 39 [*n. n.*].
- corneus** Fusus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvii, f. 7.—Murex, L. 1758.
- corneus** Fusus (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (13, 14) 1839, 60.—Murex.
- corneus** Fusus, *v.* subangularis; F. v. Hauer, N. Jahrb. f. Min. 1837, 418 [*n. n.*].
- cornea** Helicina, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 13.
- corneus** Helicites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 72.
- cornea** Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 89.
- cornea** Helix, Drap., *var.* cyclostoma, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 33. [1821, 42.]
- cornea** Helix (Helicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,

- cornea** Hyalea, Lamarck, Syst. Anim. 1801, 140.—L.
- cornea** Lacuna, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 9 (Phasianella) & *errata*.—
- cornea** Leachia, A. Risso, H. N. Europe, IV. 1826, 102. [Phasianella, 1827.
- corneus** Limneus, Al. Brongniart, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 373.
- cornea** Lingula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 603.
- cornea** Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 25 (pl. ix) June 1850.
- cornea** Lymnaea, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1827),
- cornea** Marginella, Lamarck, An. s. vert. VII. 1822, 360. [251.
- corneus** Melampus (Desh.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 107.—Auricula.
- cornea** Melanopsis, Megerle in C. Pfeiffer, Naturg. deutsch. land-Moll. (3) 1828, 50.
- cornea** Mesodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
- VI. Mar. 1835, 133.—Amphidesma. [1795.
- cornea** Mesodesma (Poli), Forbes & Hanley, Hist. Brit. Moll. I. 1848, 348.—Mactra,
- cornea** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 211.
- corneus** Murex, J. Sowerby (? L.), Min. Conch. I (7) Oct. 1813, 79.
- corneus** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 126.
- cornea** Natica, H. P. C. Möller, Index Moll. Groenl. 1842, 7.
- cornea** Natica, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 80.
- cornea** Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 117.
- cornea** Nerita, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (10) 1828, 149.
- cornea** Paludina, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1827),
- cornea** Paludina, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 13 [*n. n.*] [255.
- cornea** Patella, J. L. M. Poiret, Coq. Aisne, 1801, 101.
- cornea** Patella, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 525.
- cornea** Pecten, J. Sowerby, Min. Conch. III. 1818, 1.
- corneus** Pecten, G. B. Sowerby, II., Thes. Conch. I (2) *ante* 2 Nov. 1842, 71.
- corneus** Pecten, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 86.
- corneus** Phasianella, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvii, f. 47 [*n. et f.*].
- cornea** Pholas, G. B. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov. 1834, 72.
- cornea** Physa, P. Massot, Soc. Agric. Sci. Pyrén.-orient. VI (2) 1845, 236.
- corneus** Planorbis (L.), J. P. R. Draparnaud, Tab. Moll. France, 1801, 44.—Helix.
- corneus** Planorbis, Studer [*non* Linné], Nat. Anz. Allg. Schweiz. Gesellsch. III (12)
- 1820, 91.
- corneus** Platycloster, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (41) Oct. 1823, 232.
- cornea** Pleurotoma, H. D. de Blainville, Faune Française (20) Malac. 1829, 111.
- cornea** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 73.
- cornea** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 341, Jan. 1846.
- cornea** Rissoa, S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 157.
- corneus** Solen, Lamarck, An. s. vert. V. 1818, 451.
- corneus** Solen, W. Wood, Suppl. Index Test. 1828, 3 [*n. et f.*] [1800.
- cornea** Spirorbis (L.), C. Thorne, Brit. Mar. conch., Ap. 1844, 12.—Serpula, ? Adams,
- corneus** Turbo, L. C. Kiener, Spec. Coquilles (Turbo) pl. xix (1847-8) [text is 1873].
- cornea** Turritella, Lamarck, An. s. vert. VII. 1822, 57.
- cornea** Turritella, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 138 [*n. n.*].
- cornea** Vallonia (Sturm), J. E. Gray, Figs. Moll. Anim. IV. 1850, 114.—Helix, Drap.
- corneus** Vermetus, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 189.
- cornea** Vitrina, L. Pfeiffer, Symb. Helic. III. 1846, 81.
- corni** Aleurodes, S. S. Haldeman, Amer. J. Sci. (2) IX (25) Jan. 1850, 109.
- corni** Aspidiotes, P. F. Bouché, Entom. Zeitung, Stettin, V (8) Aug. 1844, 298.
- corni** Eretmocerus, S. S. Haldeman, Amer. J. Sci. (2) IX (25) Jan. 1850, 111.
- corni** Heliomanes, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 21.
- corni** Melorchus, Hentz, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 45.
- corni** Schizoneura, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 367.
- corniani** Isocardia, T. A. Catullo, Sagg. Zool. foss. 1827, 251.
- cornica** *v.* **cornicus** -a -um.
- corniceps** Pasma, G. R. Gray, Syn. Phasmidae, 1835, 25.
- cornicina** Lucilia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- II. 1830, 456.—Musca, 1781.

- cornicina** Nephrotoma (L.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 195.—Tipula, 1758. [Tipula, 1758.]
- cornicina** Pachyrhina (L.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 90.—
- cornicina** Volucella (Fabr.), F. v. P. Schrank, F. Boica, III (1) 1803, 132.—Musca, 1781.
- cornicis** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 76 [n. n.]
- cornicis** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 118. [1790.]
- cornicis** Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 373.—Taenia,
- cornicis** Nirmus (Latr.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 78.—Ricinus, Retz. 1783.
- cornicis nigrae** Pediculus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 399.
- cornicularis** Mitra, *id. ac* cornicula, 1811; Lamarck, An. s. vert. VII. 1822, 312.
- cornicularium** Anobium, [L. v. Beck], Beitr. baier. Insektenf. 1817, 14.
- corniculata** Acinia (Fall.), F. Walker, Entom. Mag. III (1) Ap. 1835, 75.—Tephritis,
- corniculatum** Apion, E. F. Germar, Mag. Entom. (German) II. 1817, 129. [? Zett.]
- corniculatus** Astropecten, J. E. Gray (*ex* Linck), Ann. Nat. Hist. VI. Nov. 1840, 180.
- corniculatus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 306.
- corniculatus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833,
- corniculatum** Buccinum, Lamarck, An. s. vert. VII. 1822, 274. [429.]
- corniculatus** Bucceros (Lath.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 38.—Merops, 1790. [1844, 127.—Buccinum.]
- corniculata** Columbella (Lam.), G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap.
- corniculatus** Copris, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 73.
- corniculatus** Creadion (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 391.—Merops, 1790.
- corniculatus** Cyphonistes, H. Burmeister, Handb. Ent. V. 1847, 214.
- corniculata** Dichotomaria, Lamarck, An. s. vert. II. 1816, 147. [Nereis, 1784.]
- corniculata** Diploceraea (Müll.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 312.—
- corniculata** Entylia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 300.
- corniculata** Fratercula (Naum.), G. R. Gray, Genera of Birds, III. Dec. 1847, 637.—Mormon. [Sci. St Petersb. II (22) Aug. 1837, 348.—Mormon.]
- corniculata** Fratercula (Ceratoblepharum) (Naum.), J. F. Brandt, Bull. Sci. Ac. Imp.
- corniculatus** Gymnops (Lath.), G. Cuvier, R. Anim., ed. 2, I. 1829, 381.—Merops, 1790.
- corniculatus** Hypocolobus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- corniculatus** Illopos, W. F. Erichson, Entomographien, 1840, 88. [445.]
- corniculata** Jania (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 274.—Corallina, L. 1758. [p. lxxxvii.—Merops, 1790.]
- corniculatus** Meliphaga (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820,
- corniculata** Mormon, J. F. Naumann, Isis (Oken), 1821, 782.
- corniculatus** Onthophagus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 325.
- corniculatus** Oryctes, Villa & Villa, Coleopt. Europ. 1833, 34.
- corniculatum** Paramaecium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 44.
- corniculatus** Philedon (Lath.), Cuvier, Règne Anim. I. 1817, 359.—Merops, 1790.
- corniculatus** Platyrus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pls. 55, 56.
- corniculata** Podenereis (Müll.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 83.—Nereis, 1784.
- corniculatus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 198.
- corniculata** Purpura, A. Risso, H. N. Europe, IV. 1826, 168.
- corniculata** Tephritis, J. W. Zetterstedt, K. Vet. Ac. Handl. 1819 (1) 1819, 84.
- corniculatus** Trepidiorhynchus (Lath.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 324.—Merops, 1790. [—Tephritis, ? Zett.]
- corniculata** Trypeta (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 335.
- corniculata** Turbinolia, J. Steinger, Verst. Uebergangsgeb. Eifel, 1831, 18.
- corniculatus** Tychius, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 309.
- Corniculina** G. v. Muenster, Beitr. zur Petref. (1) 1839, 110.—Ceph.
- corniculum** Buccinum, Brocchi [*non* Olivii], Conch. foss. Subap. 1814, 342.
- corniculum** Buccinum, A. Risso, H. N. Europe, IV. 1826, 159.
- corniculum** Buccinum, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 51.

- cornicula** Caryophyllia, C. A. Lesueur, Mém. Mus. H. N. (Paris) VI [4-6] Ap. 1821,
corniculum Cyathophyllum, A. Keyserling, Wiss. Beob. Petschora, 1846, 166. [297.
corniculum Cyclostoma, A. Mousson, Miith. nat. Ges. Zürich, I (3) no. 30, 1848 [1849],
 267. [III. 1845, 327.—Pompilus.
corniculus Dolichurus (Spin.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.
cornicula Fistulana, Lamarck, Syst. Anim. 1801, 129.
cornicula Fistulana, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 209.
corniculum Lasmophyllia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 333.—
 Turbinolia.
cornicula Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 210.
cornicula Mitra, A. Risso, H. N. Europe, IV. 1826, 242. [Voluta, 1758.
cornicula Mitra (L.), H. D. de Blainville, Faune Française (23) Malac. 1829, 217.—
corniculum Nassa (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 217.—
 Buccinum.
cornicula Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 255.
corniculum Pileopsis, Schnur in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 29.
cornicula Planorbis, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 149.
corniculum Planorbis, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 154.
corniculus Pompilus, M. Spinola, Ins. Liguria, II. 1808, 52.
corniculum Scyphia, F. v. Hagenow, N. Jahrb. f. Min. 1840, 641.
corniculum Serpula, G. A. Goldfuss, Petref. German. I (4) 1833, 242.
corniculum Serpula, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 38.
corniculum Streptoplasma, J. Hall, N. H. New York (Pal. I.) 1847, 69.
corniculum Trochosmilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct.
 1848, 240.—Turbinolia.
corniculum Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 267.
cornicum Falco, C. L. Brehm, Ornith. (3) 1827, 6.
cornicus Pompilus (Miscus), T. Say, Boston Journ. N. H. I (3) 1836, 305.
cornica Testacella (*err. pro cornina*), Férussac, Essai méth. Conch. 1807, 41.
Cornifer L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Cornufer*, Tsch.
cornifer Blennius, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
 Fische (—) 1830 *vel* 1831, 112.
cornifera Cidaris, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 329.
corniferum Ennearthron, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 371.
cornifera Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1011.
cornifex Scarabaeus, *err. pro carnifex*; F. de Tigny, s. à Deterville ed. Buffon, Ins. V.
 1801, 250.
Corniformis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Cornuoides*, Brown.
corniformis Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Apr. 1844, 122.
corniformis Creseis, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 87.—Hyalaea, 1836.
corniformis Fistulana, Lamarck, An. s. vert. V. 1818, 435.
corniformis Hyalaea, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 120.
corniformis Styliola (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 123.—Hyalaea.
corniformis Turbinolia, A. Risso, H. N. Europe, V. 1826, 357.
cornifrons Aegialia, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
cornifrons Aegialia, Griffith (*ex* Guér.), Cuvier, Anim. Kingd., Ins. II. 1832, 781.
cornifrons Ateuchus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
cornifrons Geobius, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 173. [64.
cornifrons Phaleria (Rossi), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 304.—Tene-
Corniger L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 121.—P. [bribo, 1792.
cornigera Actineda (Herm.), C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 4.—Trom-
 bidium.
cornigera Agaoccephala, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 59.
cornigerum Anystis (Herm.), C. v. Heyden, Isis (Oken), 1826, 609.—Trombidium.
cornigera Apis, W. Kirby, Mon. Apum Angl. II. 1802, 190.
corniger Arrhenodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 484.
cornigerus Asaphus (Schl.), Al. Brongniart in B. & Desmarest, H. N. Crust. foss. 1822,
 18.—Trilobites.

- cornigerus** Bolbocerus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
cornigera Caryophyllia, Lamarck, An. s. vert. II. 1816, 228. [138.]
cornigera Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*].
cornigerum Cerastoma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 103.—Opilio, 1836.
cornigerum Ceratosoma, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 68.
cornigera Cerocephala, J. O. Westwood (*ex* Steph. MS), Magasin de Zool. II. 1832, pl. 4.
cornigera Cerocephala, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 104.—? Dirhinus, 1834.
cornigera Chalcis, L. Jurine, N. Méth. class. Hyménopt. 1807, 315 [*n. et f.*].
cornigera Chalcis, Jurine in M. Spinola, Ins. Liguriae, II. 1808, 164.
cornigera Chelobasis, Gory in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.
cornigera Cladocora (Lam.), H. G. Bronn, Index Pal. 1848, 303.—Caryophyllia.
cornigera Conoparia, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 81.
cornigera Copris, C. R. Sahlberg, Peric. Entom. 1823, 6.
corniger Creoxylus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 265. [Lam.]
cornigera Cynodonta (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 68.—Turbinella,
cornigera Dendrophyllia (Lam.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 320.—Caryophyllia.
cornigera Diaperis, F. V. Melsheimer, Ins. Pennsylv. 1806, 16 [*n. n.*].
cornigerus Dirhinus (Jur.), F. Walker, Entom. Mag. II (1) Jan. 1834, 38.—Chalcis.
corniger Encyrtus, F. Walker (*ex* Hal. MS.), Entom. Mag. V (2) Jan. 1838, 114.
cornigera Epeira, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 20. [& 44.
cornigerus Erythraeus (Herm.), A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 16
cornigerum Holocentrum, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 481.
cornigera Hydrius, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. d.
cornigera Hyperia, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 387.
cornigera Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 211.
corniger Lycus, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 71; & App. 1817, 25. [? Rossi, 1790.]
cornigera Megachile (Panz.), C. A. Walckenaer, Faune Paris. II. 1802, 142.—Apis,
cornigerus Milleporites, E. F. v. Schlotheim, Die Petref. 1820, 363.
cornigerus Murex (Turbinella), F. S. Voigt in Cuvier, Thierreich, III. 1834, 395.
cornigera Nomada, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 90. [Phalangium.
corniger Opilio (Herm.), C. L. Koch, Die Arachniden, III (5) Dec. 1836, 87.—
cornigera Oplocephala (L.), Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 342.—Hispa, Fab. 1781.
corniger Passalocus, W. E. Shuckard, Foss. Hymenopt. 1837, 191.
cornigera Pericera (Latr.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834,
cornigerum Phalangium, J. F. Hermann, Mém. Aptér. 1804, 102. [335.—Pisa.
cornigera Pisa, P. A. Latreille, Ency. Méth. X (Ins.) 1825, 141. [1832, 213.
cornigera Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May
cornigera Scalaria, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 259.
cornigerus Scolymus, W. Swainson, Treat. Malacol., May 1840, 304.
cornigera Stenophylla, J. O. Westwood, Arcana Entom. II (16) Nov. 1843, 52.
cornigera Thetis, S. Macri, Atti R. Accad. Sci. [Napoli] II (2) 1825, 164.
cornigera Trachusa (Rossi), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164.— [1820, 38.
cornigerus Trilobites, E. F. Schlotheim, Tasch. Min. 1813, 105 [*n. n.*]; Die Petref. 1820, 38.
cornigerum Trombidium, J. F. Hermann, Mém. Aptér. 1804, 38.
cornigera Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1010.
cornigera Tubulipora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 322.
cornigera Turbinella, Lamarck, An. s. vert. VII. 1822, 105.
cornigera Turbinella, L. C. Kiener (*ex* Bonanni), Spec. Coquilles (Turbinella) 1841, 12.
cornigera Tyro, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 80.— Hyperia, 1830. [270.]
corniger Xylocopa, J. O. Westwood in Jardine, Bees (Nat. Libr. XXVI.) Feb. 1840,

- cornigeri** A. [? *Asaphus* or *Paradoxides*], H. G. Bronn, *Ersch & Gruber, Allg. Ency.* (3) XI. 1838, 321. [Testacella.]
- corninus** *Plectrophorus* (Bosc), A. E. Férussac, H. N. g. et p. Moll. II (1) 1819, 86.—
- cornina** *Testacella*, L. A. G. Bosc, s. à Deterville ed. Buffon, *Moll.* III. 1801, 240.
- cornirostris** *Porpacus*, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VII (1) 1843, 108.
- Cornix** Koelreuter, N. Comm. Ac. Sci. Imp. Petrop. XI. 1767, 435.—A. [*Incertae sedis*].
- Cornix** T. I. M. Forster, *Syn. Cat. Brit. Birds*, 1817, 5.—A.
- cornix** Calandra, J. Sturm, *Catal. Ins. Samml.* 1826, 106 [n. n.].
- cornix** Liparus, A. G. Olivier, *Entom.* V. 1807, 286.
- cornix** *Molytes* (Ol.), C. J. Schoenherr, *Gen. et Sp. Curc.* II (2) 1834, 360.—Liparus.
- Cornonula** *err. pro Coronula*; J. Parkinson, *Org. Rem.* III. 1811, 240.
- Cornu** C. F. Schumacher, *Ess. Vers test.* 1817, 77 & 255.—G.
- cornu** *Amphistoma* (Goeze), C. A. Rudolphi, *Entoz.* II (1) 1809, 346.—*Distoma*, *Zed.* 1800.
- cornu** *Argonauta*, W. Wood (*ex F. & M.*), *Index Test.* 1818, 62.
- cornu** *Cyathaxonia*, H. Michelin, *Icon. Zoophyt.* (24-27) 1847, 258.
- cornu** *Helix*, L. W. Dillwyn, *Catal. Shells*, 1817, 888.
- cornu** *Helix*, J. E. Gray in Dieffenbach, *Trav. N. Z.* II. 1843, 247.
- cornu** Lippistes, *Dens de Montfort, Conch.* II. 1810, 127. [1800.]
- cornu** *Monostoma* (Goeze), C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 85.—*Distoma*, *Zed.*
- cornu** *Planorbis*, Al. Brongniart, *Ann. Mus. H. N. (Paris)* XV (89-90) Oct. 1810, 371.
- cornu** *Planorbis*, C. G. Ehrenberg, *Sym. Phys., Moll.* 1831 (pls. 1828), sign. e.
- cornu** *Valvulina*, C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1838 (1840) [1839], 135.
- cornu-ammonis** *Gyrorbis*, L. J. Fitzinger, *Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien)* III. 1833, 117.
- cornu-arietis** *Amphidonte* (Nilss.), G. G. Pusch, *Polens Paleont.* (1) 1836, 38.—*Chama*.
- cornu-arietis** *Ampullaria* (Lam.), G. B. Sowerby, II., *Gen. Shells* (4) 1821.—*Planorbis*.
- cornu arietes** *Ampullaria* (L.), A. d'Orbigny, *Syn. Moll. Am. mérid. in Magasin de Zool.* V. 1835, 30.—*Helix*, 1758.
- cornu arietis** *Bellerophon*, J. De C. Sowerby, *Min. Conch.* V. 1824, 108. [Iaria.]
- cornu arietis** *Ceratodes* (Sow.), L. Guilding, *Zool. Journ.* III (12) Ap. 1826, 537.—*Ampul-*
- cornu arietis** *Ceratodes* (Nilson), A. d'Orbigny, *Amér. Mérid. (Moll.)* 1837, 366.—*Helix*,
- cornu arietis** *Chama*, S. Nilsson, *Petrif. Suec.* 1827, 28. [L. 1758.]
- cornu-arietes** *Crepidula*, I. Lea, *Contrib. to Geol.* 1833, 97.
- cornu-arietius** *Euomphalus* (Wahl.), W. Hisinger, *Lethaea Svecica*, 1837, 36.—*Turbinites*.
- cornu arietis** *Exogyra* (Nilss.), G. A. Goldfuss, *Petref. German.* II (4) 1833, 36.—*Chama*.
- cornuarietis** *Goniatis*, G. Sandberger, *N. Jahrb. f. Min.* 1842, 401 [n. n.].
- cornu-arietis** *Gryphaea* (Nilss.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836, 210.—*Chama*. [643.]
- cornu-arietis** *Lituites*, J. De C. Sowerby in R. I. Murchison, *Silurian System*, Jan. 1839,
- cornu-arietis** *Planorbis*, Lamarck, *Ency. Méth. (Vers)* 1816, pl. 460, *Liste p. 12* [n. et f.].
- cornu arietis** *Serpula* (Phil.), A. E. Grube, *Arch. f. Naturg.* XVI (1) 1850, 340.—*Spirorbis*.
- cornu arietis** *Spirorbis*, R. A. Philippi, *Arch. f. Naturg.* X (1) 1844, 195. [68.]
- cornu arietis** *Turbinites*, G. Wahlenberg, *N. Acta Soc. Sci. Upsal.* VIII. 1821 [sep. 1819],
- cornu arietis** *Turbo* (His.), A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 30.—*Euomphalus*.
- cornu bovis** *Caninia*, H. Michelin, *Icon. Zoophyt.* (20-23) 1846, 185.
- cornu-bovis** *Cyathopsis* (Mich.), A. d'Orbigny, *Note Polyp. foss.*, Oct. 1849, 12.—*Caninia*.
- cornu-cervi** *Blennius*, A. Risso, H. N. Europe, III. 1826, 231.
- cornu cervis** *Ergyne*, *err. pro cervicornis*, 1816; A. Risso, H. N. Europe, V. 1826, 140.
- cornu-cervi** *Triplex*, G. Perry, *Conchology*, Ap. 1811, pl. 7.
- cornu giganteum** *Helix* (*Helicophanta*), A. E. Férussac (*ex Chemn.*), H. N. g. et p. Moll., *Tabl. Limaçons*, 1821, 29.
- cornu-ibex** *Orthoceras*, T. Brown, *Ill. Foss. Conch. G. B. I.* (10) 1838, 41.
- cornu militare** *Helix* (*Helicogena*), Linn.; A. E. Férussac, H. N. g. et p. Moll., *Tabl. Limaçons*, 1821, 32.
- cornu-pastoris** *Biradiolites* (Desm.), A. d'Orbigny, *Pal. Franç., Crét.* IV (Brach.) 1850, 231.—*Hippurites*.
- cornu pastoris** *Cyclostoma*, Lamarck, *Ann. Mus. H. N. (Paris)* IV (20) Ap. 1804, 114.

- cornu pastoris** Hippurites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 288; ed. 2, 1830, 141. [Cyclostoma.]
- cornu-pastoris** Turbo (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 349.—
- cornu-vaccinum** Hippurites, H. G. Bronn, Ersch & Gruber, Allg. Ency. (2) VIII. 1831, 374. [ed. 2, VIII. June 1838, 353.—Helix, 1790.]
- cornu venatorium** Cyclostoma (Gm.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert.,
- cornu-venatorium** Helix, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 910.
- cornubicus** Carcharhinus (Gm.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus, 1789. [bius, Gm. 1789.]
- cornubicus** Crenilabrus (L.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 385.—Labrus cornu-
- cornubicus** Cyclopterus, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 397.
- cornubicus** Cynaedus, W. Swainson, N. H. Fishes &c. II. July 1839, 229.
- cornubicus** Lamia, A. Risso, H. N. Europe, III. 1826, 124.
- cornubicus** Lamna (Schn.), G. Cuvier, R. Anim. II. 1817, 127.—Squalus, 1789.
- cornubicus** Lophius, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 371.
- cornubiensis** Balanus (Penn.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 361.—Lepas, 1777. [1789.]
- cornubiensis** Labrus, W. Turton, Linnaeus, Syst. Nat. I. 1802, 802.—? = cornubicus, Gm.,
- cornubiensis** Lepadogaster (Shaw), J. Fleming, Hist. Brit. Anim. 1828, 189.—Cyclopterus cornubicus.
- cornucola** Notothenia, J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 8.
- Cornucopia** [*non ae, apud* Agassiz], Thomson, Journ. de Physique, LIV. 1802, 245 (*ex* Nouv. de Littér. Sci. Arts, II (23) 1801).—L.
- cornucopia** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 252.
- cornucopia** Anthobothrium, P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849, 278.
- cornucopia** Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 22, Dec. 1846.
- cornucopia** Hipponyx, Defrance, Bull. Sci. Soc. Philom. Paris, 1819 (Jan.), 9.
- cornucopia** Hipponyx (Lam.), Defrance, Journ. de Physique, LXXXVIII. Mar. 1819, 217.—Patella cornucopiae.
- cornucopia** Hippurites, Defrance, Dict. Sci. Nat. XXI. 1821, 196.
- cornucopia** Lepas, D. Solander, Catal. Portland Mus. 1786, 30 & 52 [*n. n.*].
- cornucopia** Lepas (Leach), W. Wood, Suppl. Index Test. 1828, 49.—Pollicipes.
- cornucopia** Montlivaltia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 258.
- cornucopia** Neritina, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 748.
- cornucopia** Pollicipes, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 170.
- cornucopia** Serpula, A. Risso, H. N. Europe, IV. 1826, 405.
- cornucopia** Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
- cornucopia** Trochocyathus (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 312.—Turbinolia.
- cornucopia** Turbinolia, G. Michelotti, Spec. Zoophyt. diluv. 1838, 67.
- cornucopiae** Acrosmilina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 384.
- cornucopiae** Buccardites, E. F. Schlotheim, Tasch. Min. 1813, 72.
- cornucopiae** Caninia, Michelin, Dict. Sci. Nat., Suppl. I. Oct. 1840, 485.
- cornucopiae** Capulus (Lam.), H. G. Bronn, Syst. urw. Konch. 1824, 49.—Patella.
- cornucopiae** Cardium, G. A. Goldfuss, Petref. German. II (6) 1837, 216.
- cornucopiae** Caryophyllia, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 643.
- cornucopiae** Cerianthus, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. *pro* V. & VI. 1830, pl. 82 & 103.
- cornucopiae** Cerithium, J. Sowerby, Min. Conch. II. 1818, 197.
- cornucopiae** Chama, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 689.
- cornucopiae** Crepidula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 250.
- cornucopiae** Creseis, F. Eschscholtz, Zool. Atlas, III. 1829, 17.
- cornucopiae** Cyathina, H. G. Bronn, Index Pal. 1848, 365.—Caryophyllia, 1831.
- cornu-copiae** Ellipsosmilina (E. & H.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 5.—Montlivaltia cornucopiae.
- cornucopiae** Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 44.
- cornucopiae** Galerita (Lam.), G. Fischer, Mus. Démid. III. 1807, 126.—Patella.

- cornucopiae** Hipponyx (Lam.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 144.—
- cornu copiae** Lepas, D. Solander, Catal. Portland Mus. 1786, 101. [Pileopsis.]
- cornucopiae** Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 259 [*n. n.*].
- cornu-copiae** Ostrea, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1802, 162.
- cornucopiae** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 210.
- cornucopiae** Patella, Lamarck, Ann. Mus. H. N. (Paris) I (4) Feb. 1803, 311.
- cornucopiae** Pileopsis, Lamarck, An. s. vert. VI (2) 1822, 19.—Patella.
- cornucopiae** Rimula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- cornucopiae** Terebra (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 347.—Cerithium.
- cornucopiae** Tubularia, G. A. Goldfuss, Handb. Zool. I. 1820, 90.
- cornucopiae** Turbinolia, A. J. Michelotti, N. Jahrb. f. Min. 1846, 52 [*n. n.*].
- cornucopiaeformis** Patellites, E. F. v. Schlotheim, Die Petref. 1820, 115.
- cornudo** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (4) 1804, 6.
- cornudo** Maja, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 85.
- cornudo** Pericera (Herbst), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 59.—
- cornueliana** Acroura, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 110. [Cancer.]
- cornueliana** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 364.
- cornueliana** Anatina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 372.
- cornuelianus** Ancyloceras, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 114.—Toxoceras, 1842.
- cornueliana** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 208.
- cornueliana** Astrocoenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 176.
- cornueliana** Avicula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 471.
- cornuelianum** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 23.
- cornuelianum** Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 361.
- cornueliana** Crassatella, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 74.
- cornuelianus** Croceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 465.
- cornueliana** Cucullaea (Orb.), H. G. Bronn, Index Pal. 1848, 357.—Arca.
- cornueliana** Lucina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 116.
- cornueliana** Modiola (Orb.), H. G. Bronn, Index Pal. 1848, 735.—Mytilus.
- cornuelianus** Mytilus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 268.
- cornueliana** Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 150.
- cornueliana** Nucula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 79.
- cornueliana** Pholadomya, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 105 & 117.—Cardium, 1844.
- cornueliana** Pholas, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 305.
- cornueliana** Placopsilina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 111.
- cornuelianus** Toxoceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 484.
- cornueliana** Unio, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 106.
- cornueliana** Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 436.
- Cornufer** J. J. Tschudi, Classif. Batrach. 1838 (*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 (1840)), 28.—R.
- cornuformis** Pinna, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
- Cornularia** Lamarck, An. s. vert. II. 1816, 111.—Coel. [37.]
- Cornulites** E. F. v. Schlotheim, Die Petref. 1820, 378.—Verm.
- cornulus** Marginella, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 165 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 273.
- Cornuoides** T. Brown, Ill. Conch. G. B. I. (1) 1827, pl. i. f. 49.—? Pt.
- cornuoides** Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. (2) 1837, 7.
- cornus-stricta** Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 16.
- Cornutella** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 128.—Polycyst. [Sess. 1, no. 407] 1844, 69.
- cornutes** Gyroceras, D. D. Owen, Rep. Geol. Expl. Iowa, 1839 (U. S. Senate, 28 Congr.,
- cornutor** Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 313.
- cornutus** Acanthoderus, H. Burmeister, Handb. Ent. II (2) 1, 1838, 569.
- cornutum** Acanthosoma (Sastragala), W. S. Dallas, Tr. Entom. Soc. Lond. V (8) Nov. 1849, 193. [1843, 275.—Astemma.]
- cornutus** Acinocoris (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,

- cornutum** Acridium (Tetrix), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 167.
- cornutus** Actinocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 60 [*n. n.*].
- cornutus** Aetalion (Fabr.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 220.—Centrotus.
- cornuta** Agama, R. Harlan, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 299.
- cornuta** Agapanthia (Ol.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 37.—Saperda, 1795.
- cornuta** Alauda, A. Wilson, Amer. Orn. I. 1808, 87.
- cornuta** Alauda, W. Swainson, Zool. Journ. I. 1827, 434; in Richardson, F. Bor.-Amer. (Birds) 1831 [*z. e.* Feb. 1832], 245.
- cornuta** Amathia, J. V. F. Lamouroux, Hist. Polyp. 1816, 160.
- cornutus** Ammonites, M. Simpson, Mon. Amm. 1843, 31.
- cornutus** Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 349.
- cornutum** Amorphosoma (Thunb.), Laporte & Gory, H. N. Coléopt. II. 1839, 8.—Buprestis, 1787.
- cornutum** Amphistoma, C. A. Rudolphi, Entoz. II (1) 1809, 343.
- cornuta** Anasa, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 209.
- cornutus** Anchonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 388.
- cornuta** Andrena, G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 11.
- cornutus** Anticus, J. C. Fabricius, Syst. Eleuth. I. 1801, 289.—Notoxus, 1792.
- cornutus** Anthribus, T. Say, Descr. N. Amer. Curcul., July 1831, 4.
- cornutus** Antimachus, Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 782.
- cornutus** Apate, F. V. Melsheimer, Ins. Pennsylv. 1806, 7 [*n. n.*].
- cornutus** Aphodius, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 26.
- cornuta** Archiacia, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 159.
- cornuta** Ardea, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 326.
- cornutus** Argonauta, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 262.
- cornutus** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 367.—Theridion.
- cornuta** Astemma, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 323.
- cornutus** Batillus, C. F. Schumacher, Essai Vers test. 1817, 197.
- cornutus** Batrachostomus (Temm.), G. R. Gray, Gen. Birds, I. Oct. 1846, 45.—Podargus.
- cornuta** Bifrontia, E. Eichwald, Paleont. Rossii, 1850, 120.
- cornutus** Boletophagus, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- cornutus** Bolitophagus (Panz.), J. C. Fabricius, Syst. Eleuth. I. 1801, 113.—Trox, Fab. 1792. [Monoculus.]
- cornuta** Bosmina (Jur.), W. Baird, Hist. Berwickshire Nat. Club, II (13) [1846], 149.—
- cornuta** Bufo (Daud.), D. H. Barnes, Amer. J. Sci. XI (2) Oct. 1826, 271.—Rana, L.
- cornuta** Callidina, M. Perty, Mitth. Nat. Ges. Bern, 1850, 21. [1758.]
- cornutus** Caprimulgus, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 245.
- cornuta** Caryophyllia, H. Michelin, Icon. Zoophyt. (7) 1843, 87.
- cornuta** Cassia (L.), Lamarck, Syst. Anim. 1801, 80.—Buccinum, 1758.
- cornutus** Cassidites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 419. [1758.]
- cornuta** Cassis (L.), F. de Roissy, Sonnini's Buffon, Moll. VI (1805), 100.—Buccinum,
- cornuta** Cecidomyia, J. J. Bremi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 48.
- cornuta** Cellaria (L.), Lamarck, An. s. vert. II. 1816, 139.—Sertularia, 1758.
- cornuta** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 271.
- cornuta** Centris, J. C. Fabricius, Syst. Piezat. 1804, 357.—Andrena, 1787.
- cornutus** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 19.—Membracis, 1775.
- cornuta** Cerandria (Fab.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 345.—Trogosita.
- cornutus** Ceraphron, L. Jurine, N. Méth. class. Hyménopt. 1807, 303.
- cornuta** Cerastes (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 178.—Vipera. [1767.]
- cornutum** Cerastoma (L.), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 30.—Phalangium,
- cornutus** Ceratistes, Steven in G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 36. [289.—Dasyopogon.]
- cornutus** Ceraturgus (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834,

- cornuta** Cercaria, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, III. 1801, 224.
- cornuta** Cerceris, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 406.
- cornutus** Chalybaeus, G. Cuvier, R. Anim., ed. 2, I. 1829, 354; Règne Anim., disciples' ed., Aves, 72 (1839).
- cornuta** Chama, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 222.
- cornuta** Chimerina, F. Eschscholtz, Zool. Atlas, III. 1829, 2. [Oscinis.
- cornuta** Chlorops (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 158.—
- cornutus** Chondracanthus (Müll.), A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (2) 1832, 111.—Lernaea, 1776.
- cornuta** Chonetes (Hall), L. G. de Koninck, Rech. Anim. foss. (1) *post* June 1847, 200.
- cornutus** Cis, L. Gyllenhal, Ins. Suecica, I (4) 1827, 626. [—Strophomena.
- cornuta** Clotho (Daud.), J. E. Gray, Cat. Snakes Coll. B. M. 1849, 27.—Vipera.
- cornutus** Coccyzus (Gm.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1345.—Cuculus, L.
- cornutus** Colymbus, P. S. Pallas [*non* Gm.], Zoographia, II. 1811, 353. [1766.
- cornutus** Conocephalus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 277.
- cornutus** Conocephalus (De G.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 149.—Locusta, 1773. [1773.
- cornuta** Copiophora (De G.), H. Burmeister, Handb. Ent. II (2) i, 1838, 703.—Locusta,
- cornuta** Copiphora (De G.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 514.—Locusta, 1773.
- cornutum** Copium, C. P. Thunberg, Ins. Hemelytr. 1825, 9.
- cornutus** Copodus, L. Agassiz in J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 466.
- cornutus** Coreus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 169.
- cornutum** Corydalius, L. Oken, Lehrb. Nat. III (1) 1815, 658. [robius, L. 1758.
- cornutus** Corydalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 290.—Heme-
- cornutus** Cratosomus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 18.—Rhynchaenus.
- cornuta** Cricocaris (Fab.), A. G. Olivier, Entom. VI. 1808, 741.—Lema.
- cornuta** Crisia (L.), G. Johnston, Hist. Brit. Zooph. 1838, 260.—Sertularia, 1758.
- cornuta** Crisidia (Lamx.), H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 235.—Eucratea.
- cornuta** Crisidia (L.), G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 287.—Sertularia, 1758.
- cornutus** Cyathocrinus, D. D. Owen & B. F. Shumard, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 63.
- cornuta** Cyphocrana, Le Pelletier & Audinet-S., Ency. Méth. (Ins.) X (2) 1828, 445.
- cornuta** Cyprina (Klöd.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 50.—Isocardia.
- cornutus** Cyprinus, S. L. Mitchill, Amer. Monthly Mag. II (5) Mar. 1818, 324.
- cornuta** Cythere, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 22 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 165.
- cornuta** Cythereis (Roem.), T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 21.—
- cornuta** Cytherina, F. A. Roemer, N. Jahrb. f. Min. 1838, 518. [Cytherina.
- cornutus** Daemonocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 62 [*n. n.*].
- cornuta** Daphnia (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 403.—Monoculus.
- cornutus** Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 382.
- cornuta** Diaperis, F. V. Melsheimer, Ins. Pennsylv. 1806, 16 [*n. n.*].
- cornuta** Diapria (Jur.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 231.—Psilus.
- cornutus** Ditomus, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*]; Spec. gén. Coléopt. I. 1825,
- cornuta** Doris, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 29. [440.
- cornutus** Dytes (Lath.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 41.—Podiceps, 1790.
- cornuta** Ecclissa (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 103.—Vorticella, 1773.
- cornuta** Edessa, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 356.
- cornuta** Elaphoptera, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
- cornutus** Elater, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 383. [243.
- cornuta** Eledona (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 312.—Trox, 1792.
- cornutus** Ellimenistes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 177.
- cornutum** Ennearthron (Gyll.), J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 362.—Cis.
- cornuta** Entomoda (Müll.), Lamarck, An. s. vert. III. 1816, 233.—Lernaea, 1776.

- cornuta** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 57 [*n. n.*]; H. N. Aran. (4) 180-, 7.
- cornutus** Epiphanis, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 35.
- cornuta** Escharina, A. d'Orbigny, Amér. Mérid. (Zooth.) 1839, 13.
- cornuta** Eucratea (Ell.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 184.—Cellaria, 1786.
- cornuta** Eudora, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 175.
- cornuta** Faula, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
- cornuta** Floscularia, W. M. Dobbie, Ann. Mag. N. H. (2) IV. Oct. 1849, 233. [124.
- cornutus** Galesus (Panz.), J. Curtis, Brit. Entom. VIII (85) Jan. 1831, no. 341.—Psilus.
- cornutus** Geniates, H. Burmeister, Handb. Ent. IV (1) 1844, 513.
- cornutus** Geotrupes, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 398.
- cornutus** Gerastos, Goldfuss, N. Jahrb. f. Min. 1843, 558.
- cornutus** Gnathocerus (Fab.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 119.—
Trogosita, 1798.
- cornuta** Gymnetis, Gory & P., Mon. Cétoines (12-13) May 1836, 329.
- cornutus** Harpax (Ol.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 49.—
- cornuta** Helea, Lamarck, An. s. vert. IV. 1817, 396. [Mantis, ? Man. 1792.
- cornutus** Heliactin (Wied.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 85.—Trochilus.
- cornutus** Heniochus (Bl.), G. Cuvier, R. Anim. II. 1817, 335.—Chaetodon, L. 1758.
- cornutus** Hippalimus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.
- cornuta** Hippasteria, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 279.
- cornuta** Hippolite, R. Owen, Zool. "Blossom," 1839, 89.
- cornuta** Hispa, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 511.
- cornutum** Holostomum (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
[Nov. 1844], 372.—Amphistoma.
- cornutus** Hoplostethus, D. Thon in Ersch & Gruber, Allg. Ency. [2] X. 1833, 434.
- cornutus** Hoplostethus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 470.
- cornutus** Hylaesus, J. Curtis (*ex* Kirby MS), Brit. Entom. VIII (93) Sept. 1831, no. 373.
- cornutus** Hysilophus (Lacep.), L. Fitzinger, Syst. Rept. 1843, 54.—Lacerta, Bonn. 1789.
- cornutus** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 261.
- cornuta** Iguana, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 267.
- cornutum** Imatidium, Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].
- cornuta** Ischnostoma (Fab.), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838,
43.—Cetonia, 1781.
- cornuta** Isocardia, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 211.
- cornutum** Isosoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 19.
- cornutus** Jassus, Herrich-S. in Panzer, Ins. Germ., heft 164, 1838, tab. 5.
- cornutus** Kurtus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 426.
- cornutus** Lactophrys, W. Swainson, N. H. Fishes etc. II. July 1839, 324.
- cornuta** Lafoea, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 8.
- cornuta** Lamprosoma, Dejean, Catal. Coléopt. 1821, 125 [*n. n.*].
- cornuta** Lasius (Fab.), G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 11.—Andrena,
- cornuta** Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 475. [1787.
- cornuta** Lema, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 323.
- cornuta** Lepas, G. Montagu, Tr. Linn. Soc. London, XI (2) 1815, 179.
- cornutus** Leprosomus, F. E. Guérin-M., Iconographie, 1844, Ins. 169.
- cornutus** Leptus (Herm.), Lamarck, An. s. vert. V. 1818, 50.—Trombidium.
- cornuta** Lerenntoma (Müll.), H. D. de Blainville, Journ. de Phys. XCV (12) Dec. 1822,
441.—Lernaea, 1776.
- cornutus** Leuciscus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 207.—Cyprinus.
- cornuta** Lissa, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 1047.
- cornutus** Lithurgus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 350.
—Centris. [220.—Andraena, Fab. 1787.
- cornutus** Lithurgus (Ol.), Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,
- cornuta** Lucina, I. Lea, Contrib. to Geol. 1833, 56.
- cornutus** Lychnophaes, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 567.
- cornuta** Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 57. [136.—Silurus, 1775.
- cornutus** Macroramphosus (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803,

- cornuta** Maja (F.), L. A. G. Bosc, *Crust. I* (Castel's Buffon) 1801, 257.—Inachus, 1795.
- cornutus** Malachius, F. Gebler in A. D. Hummel, *Essais Entom. I* (4) 1824, 47.
- cornuta** Megachile, P. A. Latreille, *Sonnini's Buffon, Ins. XIV* (1805), 59.
- cornuta** Mellisuga (Wied), G. R. Gray, *Genera of Birds, I. Dec.* 1848, 113.—Trochilus.
- cornuta** Membracis (Fab.), Latreille, *N. Dict. H. N., ed. 2, XX.* 1818, 123.—Centrotus.
- cornuta** [Metopoceros] (Cuv.), J. Wagler, *Nat. Syst. Amph.* 1830, 148.—Iguana, Latr.
- cornutus** Monoculus, L. Jurine, *Hist. Monocles*, 1820, 142.
- cornutus** Monoplex, G. Perry, *Conchology, Ap.* 1811, pl. 3.
- cornuta** Monostyla (Müll.), C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1830 (1832) [1830], 46.—Trichoda, 1786. [phyllia.]
- cornuta** Montlivaltia (Mich.), A. d'Orbigny, *Prodr. Paléont. II* [Nov.] 1850, 30.—Caryo-
- cornuta** Musca, J. C. Fabricius, *Syst. Antliat.* 1805, 298.
- cornuta** Mutilla, A. G. Olivier, *Ency. Méth. VIII* (1) (Ins.) 1811, 64.
- cornuta** Nemozoma, J. Sturm, *Catah. Ins. Samml.* 1826, 77 & 173 [*n. n.*].
- cornuta** Neriene, J. Blackwall, *Lond. & Edinb. Phil. Mag., 3rd ser., III* (15) Sept.
- cornutus** Nigidius, W. S. Macleay, *Horae Entom. I* (1) 1819, 109. [1833, 190.]
- cornuta** Nitidula, J. C. Fabricius, *Syst. Eleuth. I.* 1801, 349.
- cornutus** Notoxus (F.), P. A. Latreille, *Sonnini's Buffon, Ins. X* (1804), 354.—Anthicus.
- cornutus** Nyctibius (Vieill.), G. R. Gray, *Genera of Birds, I. Oct.* 1846, 46.—Capri-
- cornuta** Odontopleura, H. E. Beyrich, *Untersuchung Trilobiten*, 1846, 22. [mulgus.]
- cornuta** Oppia, C. L. Koch, *Deutsch. Crust., heft 38*, 1844, tab. 8. [1798.]
- cornutus** Orsilochus (Thunb.), H. Burmeister, *Handb. Ent. V.* 1847, 113.—Scarabaeus,
- cornuta** Oscinis, C. F. Fallen, *Oscinides Sveciae*, 1820, 6. [1840, 407.—Megachile.]
- cornuta** Osmia (Latr.), E. Blanchard in Brullé, *H. N. Anim. artic. (Orth. etc.) III.*
- cornutus** Osorius, Laporte, *Ann. Soc. Ent. France, I* (4) c. Jan. 1833, 395.
- cornuta** Otocoris (Sw.), C. L. Bonaparte, *Consp. gen. Avium, I.* 1850, 246.—Alauda.
- cornutus** Oxytelus, J. L. C. Gravenhorst, *Coleopt. micr.* 1802, 109.
- cornutus** Oxyurus (Panz.), Lamarck, *An. s. vert. IV.* 1817, 129.—Psilus.
- cornuta** Pachypus (Ol.), Dejean, *Catal. Coléopt.* 1821, 57.—Melolontha.
- cornuta** Pangonia, F. Walker, *Tr. Linn. Soc. London, XVII* (3) 1836, 337.
- cornutus** Passalus, J. C. Fabricius, *Syst. Eleuth. II.* 1801, 256. [242.—Nigidius.]
- cornutus** Passalus (MacL.), J. A. Boisduval in d'Urville, *Voy. "Astrolabe," Ent. (2)* 1835,
- cornutus** Paussus, Chevrolat, *Magasin de Zool. II.* 1832, pl. 49.
- cornuta** Pericera (Herbst), H. M. Edwards (Roret's Suite à Buffon), *Crustacés, I.* 1834, 335.—Cancer, L. 1758.
- cornutum** Peridinium, C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1831 (1832), 75.
- cornuta** Phaleria (Fab.), P. A. Latreille, *Gen. Crust. Ins. II.* 1807, 175.—Trogosita, 1798.
- cornutus** Philereinos, C. L. Bonaparte, *Proc. Zool. Soc. London, V* (59) June 1838, 111 ; List Birds Eur. Amer. 1838, 37 ; N. Ann. Sci. Nat. II. 1838, 407.
- cornuta** Phrynosoma (Harl.), J. E. Gray in Griffith's Cuvier, *Anim. Kingd., Rept.* 1830, Syn. 45.—Agama. [472.]
- cornuta** Phyllophora, H. M. Edwards (Roret's Suite à Buffon), *Crustacés, III.* 1840,
- cornuta** Piaya (L.), G. R. Gray, *Genera of Birds, II. Sept.* 1846, 457.—Cuculus, 1766.
- cornuta** Pileopsis, W. Hisinger, *Lethaea Svecica*, 1837, 41.
- cornuta** Pipra, J. B. v. Spix, *Avium Brasil. II.* 1825, 5.
- cornuta** Planaria, J. R. Johnson, *Phil. Trans. R. Soc.* 1822 (2) 1822, 437.
- cornuta** Platessa, Temminck & Schlegel in Siebold, *F. Japon. (Pisc.* 1846), 179.
- cornutus** Platycercus (Gm.), N. A. Vigors, *Zool. Journ. I* (4) Jan. 1825, 528.—Psittacus, 1788. [(5) Feb. 1831, 460.—Oxytelus, Grav.]
- cornutus** Platystethus (Kn.), Mannerheim, *Mém. présentés Ac. Imp. Sci. St Pétersb. I*
- cornutus** Plecotus (Faber), I. Geoffroy, *Magasin de Zool. II.* 1832, no. 3 ; *Etudes Zool.* (1) 1832.—Vespertilio. [(1832), 298.]
- cornutus** Pleurobranchus, Quoy & Gaimard in d'Urville, *Voy. "Astrolabe," Zool. II*
- cornuta** Pleurotoma, G. B. Sowerby, I., *Proc. Zool. Soc. London, I* (12) Ap. 1834, 136.
- cornutus** Podargus, C. J. Temminck, *Pls. color.* 159 (1823). [Colymbus, 1788.]
- cornutus** Podiceps (L.), L. P. Vieillot, *Faune Française (17) Oiseaux*, 1828, 352.—
- cornuta** Polycera (Müll.), G. Cuvier, *R. Anim. II.* 1817, 390.—Doris.

- cornuta** Polydora, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 151.
- cornutus** Polytrophus, J. Gistel, Nat. Thierr. 1848, 120.
- cornutus** Polytrophus, J. Gistel, Handb. Naturges. 1850 [1847], 394.
- cornutus** Prisopus, G. R. Gray, Syn. Phasmidae, 1835, 43.
- cornutus** Psammodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 496 [n. n.]; Poiss. Foss. III. 174 (1843) [n. n.].
- cornutus** Psilus, Jurine in G. W. F. Panzer, Ins. Germ., heft 83, 1801, tab. 11.
- cornutus** Pterichthys, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 496 [n. n.].
- cornuta** Pterocera, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 302.
- cornuta** Pyrula, L. Agassiz, N. Jahrb. f. Min. 1843, 89.
- cornuta** Rhinocoeta (Fab.), H. Burmeister, Handb. Ent. III. 1842, 612.—Cetonia, 1781.
- cornutus** Rhinolophus, C. J. Temminck, Tijdschr. nat. geschied. physiol. I (1) 1834, 30.
- cornutus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 457.—Curculio, L. 1758.
- cornuta** Salpa, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 364.
- cornutus** Sapajou, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cornuta** Saperda, Olivier, Entom. IV. 1795, 26. [1802], 147.
- cornuta** Satyra, G. R. Gray, List Gen. Birds, ed. 2, 1841, 78.
- cornutus** Satyrus (Temm.), H. R. Schinz, Nat. Abb. Vögel, 1831-3 [1832], 252.—Phasianus, ? Muell. 1776.
- cornuta** Scaphigenia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 551.
- cornuta** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 209.—Musca, 1794.
- cornutus** Scydmaenus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 818. [Elater.
- cornutus** Semiotus (Kirby), E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 210.—
- cornuta** Sepsis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 288.
- cornuta** Serialaria, Lamarck, An. s. vert. II. 1816, 131.
- cornutus** Silurus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 376.
- cornutum** Sinodendron, J. C. Fabricius, Syst. Eleuth. II. 1801, 377.
- cornuta** Siphonaria, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 153.
- cornuta** Stombus (L.), Gravenhorst, Isis (Oken), 1825, 920.—Rana, 1758.
- cornuta** Strix, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
- cornutus** Strombus, G. Perry, Conchology, Ap. 1811, pl. 12.
- cornutus** Strombus, DeFrance, Dict. Sci. Nat. LI. 1827, 124.
- cornutus** Strongylus, Fab.; Dejean, Catal. Coléopt. 1821, 43 [n. n.].
- cornuta** Strophomena, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 73.
- cornuta** Syllis, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 164. [L. 1758.
- cornuta** Synagris (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 360.—Vespa,
- cornutus** Syndesus (Fab.), W. S. Macleay, Horae Entom. I (1) 1819, 104.—Sinodendron.
- cornuta** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1121. [1775.
- cornutus** Tauroceras (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 130.—Tenebrio,
- cornuta** Tauroma, C. H. Boheman, Mon. Cassid. I. 1850, 130.
- cornuta** Tephritis (Fab.), C. F. Fallen, K. Vet. Ac. Handl. 1814 (2) 1815, 161.—Musca,
- cornuta** Terebratula, J. De C. Sowerby, Min. Conch. V. 1824, 66. [1794.
- cornutum** Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 229.
- cornuta** Thynnus (Guér.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 33.—Elaphroptera.
- cornuta** Tiarocera (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 250.—Gymnetis.
- cornutus** Trachinus, A. Valenciennes in A. Guichenot in Gay, Chili (Peces) 1849, 163.
- cornuta** Triarthra, J. F. Weisse, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VI (7) Ap. 1847, 110. [III. 1844, 315.
- cornutus** Trichodectes, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
- cornuta** Trigonaspidis (Goldf.), G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 31.—Gerastus.
- cornuta** Triplex, G. Perry, Conchology, Ap. 1811, pl. 7.
- cornutus** Trochilus, Max Wied, Reise Brasil. II. 1821, 190.
- cornutus** Trochocyathus, J. Haime, Bull. Soc. géol. France (sér. 2) VII. 1850, 679.
- cornutum** Trombidium, J. F. Hermann, Mém. Aptér. 1804, 47. [Musca, 1794.
- cornuta** Trypeta (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 318.—

- cornutus** Turbo, D. Solander, Catal. Portland Mus. 1786, 147.
- cornuta** Uloma (Fab.), Dejean, Catal. Coléopt. 1821, 68.—Trogosita, 1798.
- cornuta** Uloma (Latr.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 19.—Phaleria.
- cornuta** Unicellaria (L.), de Blainville, Dict. Sci. Nat. IX. 1830, 246.—Sertularia, 1758.
- cornutus** Unio, D. W. Barnes, Amer. J. Sci. VI (1) Jan. 1823, 122.
- cornutus** Vespertilio, F. Faber, Tidsskr. for Naturvid. (12) 1826, 282.
- cornuta** Vipera, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 188.
- cornuta** Vipera, H. Schlegel, Essai phys. Serp. 1837, I. 193; II. 582.
- cornutus** Xorides, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 108. [176.]
- cornuta** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- cornutus** Zanclus (L.), Cuvier & Valenc., H. N. Poiss. VII. 1831, 102.—Chaetodon, 1758.
- coro** Pristipoma (Bl.), G. Cuvier, R. Anim., ed. 2, II. 1829, 176.—Sciaena, 1792.
- coro** Sandat (Bl.), H. Cloquet, Dict. Sci. Nat. XLVII. 1827, 175.—Sciaena, 1792.
- coro** Sandrus (Cuv.?), J. Hart, Elem. Nat. Hist. I. 1828, 465.—Sciaena, Bl. 1792.
- Corocolla** W. Sheppard, Trans. Lit. Hist. Soc. Quebec, I. 1829, 194.—?
- Coroëbus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coraëbus, Lap. & G.
- coroides** Umbrina, Cuvier & Valenc., H. N. Poiss. V. 1830, 187.
- corolla** Astraea, P. Duchassaing, Anim. rad. Antilles [1850], 16.
- corolla** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 223.
- corollae** Dictya, J. C. Fabricius, Syst. Antliat. 1805, 331.
- corollae** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 650. [452.—Dictya.
- corollae** Sapromyza (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- corollae** Scaeva, J. C. Fabricius, Syst. Antliat. 1805, 250.—Syrphus, 1794.
- corollana** Laspeyresia, J. Huebner, Verz. bekannt. Schmett. 1826, 381.—Tortrix.
- corollana** Stigmonota (Huebner.), A. Guénee, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 183.—Tortrix. [*n. et f.*]
- corollana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 45 (Fernaldo judice 1818–22)
- corollana** Zeiraphera (Huebner.), F. Treitschke, Schmett. Europa, VII. 1829, 231.—Tortrix.
- corollare** Cyphosoma (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 351.—Echinus.
- corollaris** Echinus, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 24.
- corollaris** Echinus, C. Des Moulins [*non auct.*], Actes Soc. Linn. Bordeaux, IX (49) 1837,
- corollaria** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 152. [144.
- corollarum** Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 122 [*n. n.*].
- corollatus** Bothriocephalus (Ab.), C. A. Rudolphi, Entoz. II (2) 1810, 63.—Taenia, 1790.
- corollatus** Echinites, E. F. v. Schlotheim, Die Petref. 1820, 317.
- corollatus** Echinococcus, Mayer, Arch. Anat. Physiol. 1842, 216.
- corollata** Eucharia (L.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 8.—Aranea, 1758.
- corollatus** Floriceps (Rud.), H. R. Schinz in Cuvier, Thierreich, IV. 1825, 87.—Bothriocephalus. [1790.]
- corollata** Halysis (Ab.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 330.—Taenia,
- corollatus** Phrurolithus (L.), C. L. Koch, Die Arachniden, VI (4) *ante* July 1839, 100.—Aranea, 1758. [Taenia, 1790.]
- corollatum** Rhynchobothrium (Ab.), de Blainville, Dict. Sci. Nat. LVII. 1828, 595.—
- corollatus** Rhynchobothrius (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 545.—Bothriocephalus.
- coroller** Hesperia, J. A. Boisduval, F. Ent. Madagas. 1833 (5), 66. [214.]
- coroller** Hesperia, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833,
- corolliferus** Cyathocrinites, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 6.
- corolliflora** Loligo, Tilesius, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 286.
- corolligera** Floscularia, E. Eichwald, Zool. Spec. I. 1829, 188.
- corolloides** Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 460.
- corololo** Felis, *err. pro* colocola, Mol.; G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 369.
- coromandelensis** Ardea, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 577.
- coromandelensis** Hyperops, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 279. [1835, 313.]
- coromandelensis** Microdera, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June
- coromandelensis** Syrphus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 149.

- coromandeliae Dacelo (Lath.), P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 155.—
Alcedo coromanda, 1790.
- coromandelianus Anastomus (Gm.), C. Illiger, Prod. 1811, 259.—Ardea, 1788.
- coromandeliana Bernicla (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2)
1824, 56.—Anas, 1788.
- coromandelianum Buccinum, Lamarck, An. s. vert. VII. 1822, 271.
- coromandelianus Chenelopex (Gm.), R. P. Lesson in C. Bélanger, Voy. Indes Orient.
(4) Aug. 1832, 283.—Anas, 1788.
- coromandelianus Cheniscus (Gm.), T. C. Eyton, Mon. Anatidae, 1838, 89.—Anas, 1788.
- coromandeliana Halcyon (Scop.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—
Alcedo, 1786.
- coromandeliana Holotrichia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.
I (2) 1850 [*incurte* 1851], 139. [1788.]
- coromandeliana Microcygna (Gm.), G. R. Gray, List Gen. Birds, 1840, 73.—Anas,
Neritina, G. B. Sowerby, I., Conch. Illustr. (100) 1836, f. 52 [*n. et f.*].
- coromandelianus Nettapus (Gm.), J. Gould, Birds of Australia, VII (6) 1842, pl. 5.—
Anas, 1788. [1788.]
- coromandeliana Rhyndochasme (Gm.), J. Hermann, Obs. Zool. 1804, 156.—Ardea,
- coromandelici Tachydromus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 72.
- coromandelica Ardea, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 78.
- coromandelicus Chamaeleon, L. Fitzinger, Syst. Rept. 1843, 41.
- coromandelica Coturnix (Gm.), G. Cuvier, R. Anim. I. 1817, 452.—Tetrao, 1788.
- coromandelicus Cursorius (Gm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 60.—
Charadrius, 1788. [Charadrius,
- coromandelicus Cursorius (Gm.), G. R. Gray, Genera of Birds, III. July 1844, 537.—
- coromandelicus Halcyon (Lath.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles,
1830, 654.—Alcedo coromanda, 1790.
- coromandelicus Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 244.
- coromandelica Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 475.—Leptura coroman-
deliana, 1798.
- coromandelicus Nettapus (Gm.), G. R. Gray, Genera of Birds, III. Nov. 1844, 608.—
Anas coromandeliana, 1788.
- coromandelicus Pelopaeus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
1845, 306. [1839, 440.]
- coromandelica Poeciloptera, M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov.
- coromandelicus Rhinobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- coromandelica Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 492.
- coromandelicus Tachydromus (Gm.), C. Illiger, Prod. 1811, 250.—Charadrius, 1788.
- coromandelicus Trionyx, E. Geoffroy St H., N. Bull. Sci. Soc. Philom. Paris, I (22)
July 1809, 364.
- coromandelicus Vespertilio, J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 514.
- coromandelina Anas, W. Turton, Linnaeus, Syst. Nat. I. 1802, 324.
- coromander Bubo (Lath.), G. R. Gray, Genera of Birds, I. Sept. 1845, 37.—Strix corom-
anda, 1788.
- coromandra Halcyon (Lath.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 56.—Alcedo
coromanda, 1788.
- coromandra Mesomorpha, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- coromandra Scotophilus (F. Cuv.), J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 498.—
[Cuvier *vernac.*] [manda, 1788.]
- coromandra Urrua (Lath.), G. R. Gray, List Birds Coll. B. M., I. 1844, 49.—Strix corom-
coromanda Dacelo (Lath.), R. P. Lesson, Traité Ornith. (4) Sept. 1830, 247.—Alcedo,
1790. [1826, 100.—Alcedo, Lath. 1790.]
- coromandus Halcyon (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
- coromandus Otus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
58.—Strix, Lath. 1790. [Cuculus, ? L. 1766.]
- coromandus Oxylophus (Lath.), T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 222.—
- coromanda-major Alcedo (Halcyon), Temminck & Schlegel in Siebold, F. Japon. (Aves,
1848), 75.

- coromanda-minor** Alcedo (Halcyon), Temminck & Schlegel in Siebold, F. Japon. (Aves, 1848), 76.
- Coromya** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corimya, Ag.
- Corona** J. C. Albers, Die Heliceen, 1850, 193.—G.
- coronna** Aegina, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 25; (corona) R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 303.
- corona** Ammonites, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (2) 1846, 178.
- corona** Astrea, C. F. A. Morren, Ann. Ac. Groning. 1828, 64.
- corona** Cephea (Forsk.), Lamarck, An. s. vert. II. 1816, 517.—Medusa, 1775.
- corona** Clithon (Roissy), Denys de Montfort, Conch. II. 1810, 327.—Nerita, L. 1758.
- corona** Conus, A. Risso, H. N. Europe, IV. 1826, 229.
- corona** Diadema, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 317.
- corona** Echinus, A. Risso, H. N. Europe, V. 1826, 278.
- corona** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 430, Liste p. 7 [*n. et f.*].
- corona** Hologoclonia (Esch.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 191.—Rhizostoma. [1786.
- corona** Kerona (Müll.), Bory de St V., Ency. Méth. (Zooth.) 1827, 473.—Himantopus,
- corona** Nerita, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 239.
- corona** Neritina (L.), Lamarck, An. s. vert. VI (2) 1822, 185.—Nerita, 1758.
- corona** Pentadia, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 713.
- corona** Pyrula (Lam.), C. T. Menke, Conch.-Samml. Malsburg, 1829, 50.—Fusus.
- corona** Pyrula (Gm.), L. Reeve, Conch. Icon. IV.—Pyrula, no. 7, May 1847.—Murex, 1790.
- corona** Rhizostoma (Forsk.), J. F. Eschscholtz, Syst. Acalephen, 1829, 52.—Medusa,
- corona** Serpula, d'Archiac, Mém. Soc. géol. France (2) II (1) 1846, 207. [1775.
- corona** Thomisus, J. G. Children in Back, Narr. Arctic Exped. 1836, 535.
- corona** Turbinellus, G. Fischer, Mus. Démid. III. 1807, 205.
- corona** Turritella, P. M. T. de Serres, Geogn. Terr. tert. 1829, 108.
- corona** Voluta (*ex* Chemn.); L. W. Dillwyn, Catal. Shells, 1817, 576.
- corona australis** Neritina, A. Mousson (*ex* Chemn.), Land-Mollusk. Java, 1849, 83 & 118.
- coronalis** [Tragos], J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 18.
- coronana** Peronaea (Th.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix, 1784.
- Coronaria** O. Fabricius, Fortegnelse, 1823, 104.—L. undefined but = a serpuloid. The following *n. n.* is included:—penis.
- coronarum** Buccinum, D. Solander, Catal. Portland Mus. 1786, 52 & 160. [donta.
- coronaria** Echinella (Lam.), W. Swainson, Treat. Malacol., May 1840, 352.—? Mono-
- coronaria** Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849),
- coronaria** Linyphia, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 10. [19.
- coronaria** Litorina (Lam.), R. A. Philippi, Abb. Conch. II (5) 1846, 141.—Monodonta.
- coronaria** Monodonta, Lamarck, Ency. Méth. (Vers) 1816, pl. 447, Liste p. 10 [*n. et f.*].
- coronaria** Odontis (Lam.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.—Monodonta.
- coronarum** Oplarius, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 19.
- coronarius** Trochus (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 216.—Monodonta.
- Coronata** Menke, 1830 [*non* 1828]; *teste* Agassiz, *sed fam. non gen.*
- coronatella** Phycis, A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 314.
- coronator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 273.—Pimpla.
- coronator** Megischus (Fab.), A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 538.—Pimpla.
- coronator** Pimpla, J. C. Fabricius, Syst. Piezat. 1804, 118. [1835, 656.—Pimpla.
- coronator** Stephanus (Fab.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
- coronatum** Acanthobothrium (Rud.), E. Blanchard, Ann. Sci. Nat. [3] (Zool.) XI. Feb. 1849, 122.—Botriocephalus. [—Locusta, ? De G. 1773.
- coronata** Acanthodis (Fab.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 151.
- coronata** Achatina, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1846, 158.
- coronata** Agama (Phrynosoma), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) IV [3] Oct. 1835, 284.

- coronatus** Agelaius, L. P. Vieillot, N. Dict. H. N. XXXIV. 1819, 535.
- coronatus** Ammonites, E. F. Schlottheim, Tasch. Min. 1813, 70. [Arrhenodes, 1833.
- coronatus** Amorphocephalus, C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 487.—
- coronatus** Ampeliceps, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (post Feb.), 194.
- coronata** Anomia, W. Bean, Mag. Nat. Hist. VIII. Oct. 1835, 564.
- coronata** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1658.
- coronata** Anthreuida, A. White, Ann. Mag. N. H. VII. June 1841, 321.
- coronatus** Anthribus, Dejean, Cat. Coléopt., ed. 2 (3) (1834), 235; C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 246.—Euparius, 1834.
- coronata** Aquila, A. Smith, S. African Quart. Journ. II., no. 3 (3) June 1834, 273.
- coronata** Aquila (L.), G. R. Gray, List Birds Coll. B. M., I. 1844, 5.—Falco, 1766.
- coronata** Arcularia, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 126.
- coronata** Ardea, G. Perry, Arcana, 1811. [Brentus.
- coronatus** Arrhenodes (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 330.—
- coronata** Astraea (Orbicella), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848,
- coronatus** Attus, C. A. Walckenaer, Tab. Aran. 1805, 24. [211.
- coronatus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 361. [Myiodectes.
- coronatus** Basileuterus (Tsch.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 314.—
- coronatus** Bassus (Grav.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 379.—Exochus.
- coronata** Boa (Schn.), F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 220.—Pseudoboa.
- coronatus** Bolbocerax, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 42.
- coronatus** Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 141.
- coronatus** Brenthus, E. F. Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 128.
- coronatus** Brentus, E. F. Germar, Reise Dalm. 1817, 247.
- coronatus** Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 83.
- coronata** Bulla, Lamarck, Ann. Mus. H. N. (Paris) IV (21) May 1804, 222.
- coronatus** Byrrhus, Ill.; Dejean, Catal. Coléopt. 1821, 49 [n. n.]. [Gm. 1788.
- coronatus** Cacatua (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1414.—Psittacus,
- coronata** Calamaria, H. Schlegel, Essai phys. Serp. 1837, I. 133; II. 46.
- coronata** Cancellaria, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 145 [n. n.].
- coronata** Cancellaria, A. Scacchi, Ann. Civ. Reg. Duc. Sicilie, VII. 1835, 5.
- coronata** Cantharis, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 62.
- coronatus** Canthon, J. Sturm, Catal. Ins. Samml. 1826, 109 [n. n.].
- coronatus** Canthon, M. Perty, Del. anim. artic. Brasil. (1) 1830, 37.
- coronatus** Cassiculus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 436.
- coronata** Cassidaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 209.
- coronata** Cellaria, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 62.
- coronata** Cellepora, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 37.
- coronata** Cephalophora, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 266.
- coronatus** Cephalophus, J. E. Gray, Ann. Mag. N. H. XVIII. Sept. 1846, 164.—Cephalophora, 1842.
- coronatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 350.
- coronatus** Cervulus, M. de Serres, Ann. Sci. Ind. Midi France, III (9 & 10) Sept.-Oct. 1832, 34.
- coronatus** (*sic*) Cervulus, P. M. T. de Serres, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem, XXII. 1835, 136 [n. n.].—coronatus on p. 187.
- coronatus** Cervus, H. D. de Blainville, Journ. de Physique, XCIV. May 1822, 259.
- coronatus** Cervus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 439.
- coronatus** Cervus, Serres, Dubreuil & Jeanjean, Rech. Oss. Lunel-Viel, 1839, 177.
- coronata** Chettusia (Gm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 64.—Chara-
- coronata** Chlamys, F. Klug, Entom. Mon. 1824, 118. [drius, Bodd. 1783.
- coronata** Chlorocystis, J. Huebner, Verz. bekannt. Schmett. 1826, 323.—Geometra.
- coronata** Chrysis, M. Spinola, Ins. Liguriae, II. 1808, 30.
- coronatus** Chrysolampus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 35.
- coronatus** Cidaris, W. Swainson, Treat. Malacol., May 1840, 349.
- coronata** Cidaris (Goldf.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 59.—
- Cidarites. [elliptica.
- coronatus** Cidarites, G. A. Goldfuss, Petref. German. I (2) 1829, 119.—*varr.* orbicularis,

- coronatus** Circaetus (Temm.), R. P. Lesson, *Traité Ornith.* (1) Feb. 1830, 48.—Falco.
- coronata** Clavagella, G. P. Deshayes, *Descr. Coq. foss. Paris*, I. 1824, 8.
- coronata** Clavagella, J. De C. Sowerby in F. Dixon, *Geol. Sussex*, 1850, 164.
- coronata** Clavatula, Lamarck, *Syst. Anim.* 1801, 84.
- coronata** Clithon, W. E. Leach, *Zool. Miscell.* II. 1815, 122.
- coronata** Coelophora, E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 411.
- coronata** Colombella, G. B. Sowerby, I., *Proc. Comm. Sci. Zool. Soc. London* (19) Aug. 1832, 114.
- coronata** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 8 [*n. et f.*].
- coronatus** Conocephalus, J. Barrande, *Not. prélim. Silur.* 1846, 12.
- coronatus** Conus, L. Reeve, *Conch. Icon.*—Conus, no. 263 (Suppl. pl. vii) June 1849.
- coronata** Copromyza, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 770.
- coronatus** Corvus (Sw.), A. v. Nordmann in Erman, *Reise Erde, Atlas*, 1835, 10.—Garrulus.
- coronatus** Cothonaspis, T. Hartig in Germar, *Zeitschr. f. d. Entom.* III. 1841, 355.
- coronatus** Cryptocephalus, Kunze in Suffrian, *Linnaea Entom.* II. July 1847, 53.
- coronatus** Cryptonix, C. J. Temminck, *Pig. et Gallin.* III. 1815, 526.
- coronatus** Cucullanus, J. G. H. Zeder, *Anleit. Eingeweidewürm.* 1805, 78.
- coronata** Cyanocitta (Sw.), H. E. Strickland, *Ann. Mag. N. H.* XV. Apr. 1845, 261.—Garrulus. [1838, 109 & 115.—Garrulus.
- coronatus** Cyanocorax (Sw.), C. L. Bonaparte, *Proc. Zool. Soc. London*, V (59) June
- coronatus** Cyanogarrulus (Sw.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 377.—Garrulus. [Feb. 1832], 495.
- coronatus** Cyanurus, W. Swainson in J. Richardson, *F. Bor.-Amer.* (2) Feb. 1831 [*i.e.*
- coronatus** Cyclomus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* II (2) 1834, 550.
- coronatus** Cyclopterus, J. Couch, *Cornish Fauna*, I. 1838, 47.
- coronata** Cylindra, C. F. Schumacher, *Essai Vers test.* 1817, 236.
- coronatus** Cymindis (Temm.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIII (2) 1826, 23.—Falco.
- coronata** Cytherina, F. A. Roemer, *N. Jahrb. f. Min.* 1838, 518.
- coronata** Dacelo, T. R. Peale in Wilkes, *Expl. Exped.* VIII. 1848, 160.
- coronatus** Delphinorhynchus (Frém.), R. P. Lesson, *Man. Mamm.*, May 1827, 405.—Delphinus.
- coronata** Delphinula, F. A. Roemer, *Verst. Norddeutsch. Kreidegeb.* (2) 1841, 81.
- coronata** Delphinula, A. Adams, *Proc. Zool. Soc. London*, XVIII (204) Nov. 12, 1850, 51.
- coronatus** [Delphinus], Fréminville, *N. Bull. Sci. Soc. Philom. Paris*, III (56) May 1812, 71.
- coronata** Dendroica (L.), G. R. Gray, *List Gen. Birds*, ed. 2, Appendix, 1842, 8.—Sylvia, *Lath.* 1790.
- coronatus** Dichodontus, H. Burmeister, *Handb. Ent.* V. 1847, 218.
- coronatum** Distoma, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 686.
- coronata** Doris, L. Agassiz, *Proc. Boston Soc. N. H.* III. 1851 (1850), 191 [*n. n.*].
- coronata** Doto (Gm.), Alder & Hancock, *Mon. Brit. Nud. Moll. (Ray Soc.)* (2) 1846, fam. 3, pl. vi.—Doris, 1790.
- coronatus** Echinites, E. F. Schlotheim, *Tasch. Min.* 1813, 68.
- coronatus** Elaps, H. Schlegel, *Essai phys. Serp.* 1837, I. 182; II. 454.
- coronata** Emberiza, P. S. Pallas, *Zoographia*, II. 1811, 44.
- coronatus** Emphytus (Klug), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 30.—Tenthredo.
- coronatus** Encrinetes, E. F. Schlotheim, *Tasch. Min.* 1813, 68.
- coronatus** Enicurus, C. J. Temminck in T. & Laugier, *Pls. color.* (19) Ap. 1822.
- coronata** Eolida, Forbes & Goodsir, *Athenaeum*, 1839, 647.
- coronata** Eolis (F. & G.), Alder & Hancock, *Mon. Brit. Nud. Moll. (Ray Soc.)* (2) 1846, fam. 3, pl. xii.—Eolida, 1839.
- coronatus** Erotylus, P. A. J. Duponchel, *Mém. Mus. H. N. (Paris)* XII [1] June 1825,
- coronatus** Euomphalus, J. De C. Sowerby, *Min. Conch.* V. 1824, 71. [50.
- coronatus** Euparius, Dejean, *Catal. Coléopt.*, ed. 2 (3) 1834, 235.
- coronata** Eupithecia (Huebn.), Duponchel in J. B. Godart, *H. N. Lépid. France*, Suppl. IV (Noct.) [1842], 103.—Geometra.
- coronatus** Exochus, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 342.

- coronatus** Falco, C. J. Temminck (*ex* Azara) in T. & Laugier, Pls. color. (40) Nov. 1823.
coronata Fasciolaria, Lamarck, An. s. vert. VII. 1822, 120.
coronata Ficedula, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1847), 48.
coronata Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 65.
coronata Flabellina (A. & H.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolis.
coronata Flustra, Bory de St V. in V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyps) 1826, 239. [1841, wrapper p. 4.
coronatus Fulgur, T. A. Conrad, Foss. Med. Tert. U. S. (2) May 1840, later issue, Sept.
coronatus Fusus, Lamarck, Ann. Mus. H. N. (Paris) II (10) Aug. 1803, 321.
coronatus Garrulus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 437.
coronata Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 72 (Fernaldo giudice 1808-18) [*n. et f.*].
coronatus Gordius, L. Oken, Lehrb. Nat. III (1) 1815, 190. [—Columba, 1766.
coronata Goura (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819, 120.
coronata Gracula (Blyth), G. R. Gray, Gen. Birds, II. Dec. 1845, 330.—Ampeliceps.
coronatum Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 369.
coronatus Halcyon, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (6 & 7) 1843, 175. [173.—Harpyia.
coronatus Harpyhaliaetus (Vicill.), de Lafresnaye, Rev. Zool. (Soc. Cuv.) V. June 1842,
coronata Harpyia, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 237.
coronatus Heilipus, Boheman (*ex* Dej. Cat.) in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 187.
coronata Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 71.
coronatus Hemifusus (? Lam.), W. Swainson, Treat. Malacol., May 1840, 91.—Fusus.
coronatus Hippocampus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 274.
coronata Hirundo, S. R. Tickell, J. Asiat. Soc. Bengal, II. 1833, 580.
coronata Hirundo, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 25 [*n. n.*].
coronata Hirundo, J. Lembeye, Aves Isla Cuba, 1850, 45.
coronata Hispa, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. May 1840, 140.
coronatus Holocanthus, Desmarest, Dict. Class. H. N. VIII. 1825, 258.
coronatus Hoplopterus (Bodd.), G. R. Gray, Genera of Birds, III. Mar. 1847, 542.—Charadrius, 1783.
coronata Hydra, J. Fleming, Hist. Brit. Anim. 1828, 554.
coronatus Hymenopus, J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 46.
coronatus Ichneumon (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 321.—Stephanus, Jur.
coronatus Lanius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 140.
coronatus Lanius, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 306.
coronata Larentia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geo-Lemur, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 257. [metra.
coronata Lepas, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 17.
coronatus Lophyrus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 330.—Columba, 1766.
coronatus Macropteryx (Tick.), E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 21.—Hirundo.
coronata Mangelia, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 45.
coronata Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI. 1802, 24).
coronatus Melampus, C. B. Adams, Contr. to conch. (3) Oct. 1849, 41.
coronata Melania, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 2.
coronata Melanopsis, Hoeninghaus, Verz. Hoen. Mus. Bonn Petref.-Samml. 1829, 8 [*n. n.*].
coronata Melibeia (Turt.), G. Johnston, Ann. Nat. Hist. I (2) Ap. 1838, 117.—Doris, Gm. 1790.
coronata Melolontha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 415.
coronata Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 14. [1785.
coronatus Mithraculus (Herbst), A. White, List Crustacea Coll. B. M. 1847, 7.—Cancer,
coronata Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 214.
coronata Mitra, C. F. Schumacher, Essai Vers test. 1817, 239.
coronata Mnioilta (L.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Motacilla, 1766.

- coronatus** Molytes (Latr.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 350.—Curculio, Fourc. 1785.
- coronatus** Morio (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 420.—Cassidaria.
- coronatus** Morphnus (Sh.), Cuvier, Règne Anim. I. 1817, 319.—Falco, L. 1766.
- coronata** Murchisonia, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842,
- coronatus** Murex, J. Sowerby, Min. Conch. III. 1819, 52. [355.]
- coronatus** Murex, A. Risso, H. N. Europe, IV. 1826, 190.
- coronatus** Murex (Brod.), L. Reeve, Conch. Syst. II. 1842, 194.—Typhis.
- coronata** Muscipeta (Gm.), Cuvier, Règne Anim. I. 1817, 345.—Muscicapa, 1788.
- coronatus** Mycotretus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 141.—Erotylus.
- coronatus** Myiarchus (L.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 273.—Muscicapa,
- coronatus** Myiodiotes, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 283. [1766.]
- coronata** Myristica, W. Swainson, Treat. Malacol., May 1840, 86.
- coronata** Nassa (Brug.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 180.—Buccinum, 1789. [1844, 20.]
- coronatus** Nautilus (Temnocheilus), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland,
- coronata** Nemertes (Quatr.), C. M. Diesing, Syst. Helminth. I. 1850, 271.—Polia.
- coronata** Numida, G. R. Gray, List Birds Coll. B. M. III. 1844, 29 [n. n.].
- coronatum** Onchobothrium (Rud.), de Blainville, Dict. Sci. Nat. LVII. 1828, 597.—Bothriocephalus.
- coronatus** Onitis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 34 [n. n.].
- coronatus** Oreaster, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 467.
- coronatus** Oriolus, W. Swainson, Anim. in Menag., Dec. 1837, 342.
- coronata** Otaria, H. M. D. de Blainville in A. G. Desmarest, Ency. Méth. (Mamm.) (1)
- coronata** Paludina, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 253. [1820, 251.]
- coronata** Pelta, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) I. Mar. 1844, 151.
- coronata** Pepoaza (Viell.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 350.—Tyrannus.
- coronata** Perdix, J. Latham, Index Orn., Suppl. 1801, p. lxii.
- coronatus** P[etalcephalus] (Rud.), T. G. v. Lidth de J., Rec. fig. Vers intest. 1829, descr. to pl. iv.—Bothriocephalus.
- coronatus** P[etalostoma] (Rud.), T. G. v. Lidth de J., Rec. fig. Vers intest. 1829, descr. to pl. iv.—Bothriocephalus.
- coronata** Pasma, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 299.
- coronatum** Pasma (Pachymorpha), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 137.
- coronata** Phyllopneuste (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 290.—
- coronata** Pica (Sw.), J. G. Wagler, Isis (Oken), 1829, 750.—Garrulus. [Ficedula.]
- coronatus** Picolaptes, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 314.
- coronatus** Picus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 9.
- coronata** Pipra, J. B. v. Spix, Avium Brasil. II. 1825, 5.
- coronatus** Pissocles, Dejean, Catal. Coléopt. 1821, 87 [n. n.].
- coronata** Pitta, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 89.
- coronatus** Planites (Brug.), W. de Haan, Mon. Ammon. 1825, 83.—Ammonites, 1789.
- coronatus** Platycrinites, Goldfuss, N. A. Ac. Caes. Leop. Car. XIX (1) 1839, 344.
- coronatus** Platyrrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 17.—Muscicapa, Gm. 1788.
- coronata** Pleurotoma, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 21.
- coronata** Pleurotoma, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 23.
- coronata** Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 239.—Mangelia.
- coronata** Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 575.
- coronata** Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 109.
- coronata** Pleurotomaria, J. G. Cumming, I. of Man, 1848, 357 [n. n.]. [105.]
- coronata** Pleurotomaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849,
- coronata** Polia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 213.
- coronata** Prionotheca (Ol.), A. J. J. Solier, Ann. Soc. Ent. France, V (1) post Mar. 1836, 41.—Pimelia, 1795.
- coronatus** Psepholax, A. White, Zool. "Ereb. Terr." (Ins. 1846), 15.
- coronata** Pseudoboa, J. G. Schneider, Hist. Amph. II. 1801, 286.

- coronatus** Pterocles, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 65.
- coronatus** Ptilophyrus, W. Swainson, N. H. Classif. Birds, II. June 1837, 350.
- coronata** Purpura, Lamarck, Ency. Méth. (Vers) 1816, pl. 397, Liste p. 2 [*n. et f.*].
- coronatum** Purpura (L.), de Blainville, Dict. Sci. Nat. XLIII. 1826, 240.—Buccinum, ? Br. 1789.
- coronata** Purpura, J. E. Gray (*ex* Adans.), Figs. Moll. Anim. IV. 1850, 3.
- coronatus** Pygirhynchus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 261. [Muscicapa, 1788.]
- coronata** Pyrocephalus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 188.—
- coronata** Pyrrhula, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 248. [? Gm. 1788.]
- coronata** Pyrrhula (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1024.—Loxia,
- coronata** Pyrula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 78.
- coronatus** Rhimanphus (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 19.—Motacilla, 1766.
- coronatus** Rhopalophorus (Rud.), C. M. Diesing, Syst. Helminth. I. 1850, 400.—Distoma.
- coronatus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 459.—Curculio, Fourc. 1785.
- coronata** Rissoa, Scacchi in R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 127.
- coronatus** Saurus, v. Hasselt, Alg. Konst. Letterbode, May 1823; Bull. des Sci. Nat. II. 1824, 92.
- coronata** Sava, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 379.
- coronata** Scalaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 451, Liste p. 11 [*n. et f.*].
- coronata** Scytale, B. Merrem, Tent. Syst. Amph. 1820, 91.
- coronatus** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 371.
- coronatus** Simblephilus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 188.—Philanthus, 1790.
- coronatum** Solarium (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.—
- coronatus** Sorex, P. A. Millet, Faune Maine et Loire, I. 1828, 18. [Euomphalus.]
- coronata** Spiroptera, Mehlis, Arch. f. Naturg. XII (1) 1846, 136 [*n. n.*].
- coronatus** Spizaetus (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 63.—Falco, 1766. [439.]
- coronata** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
- coronatus** Stephanus, L. Jurine, N. Méth. class. Hyménopt. 1807, 93. [Gm. 1788.]
- coronata** Suiriri (Lath.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 336.—Muscicapa,
- coronata** Sylvia (T. & S.), G. R. Gray, Genera of Birds, I. Aug. 1848, 174.—Ficedula.
- coronata** Sylvicola (Lath.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 216.—Sylvia, 1790. [Agelaius.]
- coronatus** Tachyphonus (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 22.—
- coronata** Taenia, F. C. H. Creplin, N. Obs. de Entozois, 1829, 100.
- coronata** Taenioptera (Vieill.), G. R. Gray, Genera of Birds, I. Sept. 1847, 241.—Tyrannus.
- coronata** Tapeina, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 546.
- coronatus** Tectarius, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
- coronata** Teleia, F. X. Fieber, Entom. Monogr. 1844, 56. [1832], 271.
- coronatus** Temnorhynchus (Fab.), H. Burmeister, Handb. Ent. V. 1847, 181.—Geotrupes, 1798. [276.]
- coronata** Tentredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818,
- coronata** Terebra, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [*n. et f.*].
- coronata** Tergipes (L.), A. d'Orbigny in Magasin de Zool. VII. 1837, pl. 103.—Doris, Gm. 1790.
- coronata** Tetrix, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 390.
- coronata** Thiarella (—), W. Swainson, Treat. Malacol., May 1840, 319.—Mitra, Lam.
- coronata** Thrasaetus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 29.—Halcyon. [Halcyon.]
- coronata** Todiramphus (Muell.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 157.—
- coronata** [Tritonia], Bommé in G. Cuvier, Ann. Mus. H. N. (Paris) VI (36) Dec. 1805, 435.—? Doris, Gm. 1790.

- coronatus** Tritonalia (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 356 & corrig.—Murex.
- coronata** Tritonia (L.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 147.—Doris,
- coronata** Tubularia, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 25. [Gm. 1790.
- coronatus** Turbo, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 226. [ula.
- coronatus** Turbo (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 223.—Delphin-
- coronatus** Turdus, L. P. Vieillot, Ois. Amér. sept. II. 1807, 8. [178.
- coronatus** Typhis, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833,
- coronata** Tyrannula (Gm.), W. Swainson, Phil. Mag., n. s., I (5) May 1827, 367.—
Muscicapa, 1788.
- coronatus** Tyrannus, L. P. Vieillot, N. Dict. H. N. XXXV. 1819, 92.
- coronata** Vanga (Raffl.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 658.
- coronata** Vermilia, J. Couch, Cornish Fauna (2) 1841, 71. [—Lanius.
- coronatus** Vipio, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- coronata** Voluta, G. Brocchi, Conch. Subap. 1814, 306. [448.
- coronata** Voluta (Lam.), L. W. Dillwyn, Catal. Shells, 1817, 561.—Mitra.
- coronata** Voluta, W. Wood (*ex* Chemn.), Index Test. 1818, 99. [culus.
- coronatus** Xanthornus (Sw.), Jardine & Selby, Ill. Orn., sign. E 2, pl. 45, 1828.—Cassi-
- coronata** Xolmis (Vieill.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1839), 54.—
Tyrannus.
- coronatus** Xorides (Jur.), Lamarck, An. s. vert. IV. 1817, 135.—Stephanus.
- coronatus** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 289.—Reduvius, 1798.
- Coronaxis** W. Swainson, Treat. Malacol., May 1840, 147 & 311.—G.
- Corone** J. J. Kaup, Skizz. Europ. Thierw. 1829, 99.—A.
- Corone** Morris in N. Wood, Naturalist, II (9) June 1837, 123.—A.
- coroneda** Atherina, C. S. Rafinesque-S., Car. n. gen. 1810, 57.
- Coronella** G. A. Goldfuss, Handb. Zool. (1) 1820, 77.—Rot.
- Coronella** Laur., *emend.* C. L. Bonaparte, Giorn. Arcad. LII. 1831, 147.—R.
- coronella** Ammonites, Lamarck, An. s. vert. VII. 1822, 640.
- coronella** Calamaria, H. Schlegel, Essai phys. Serp. 1837, I. 134; II. 48.
- coronella** Pediophis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 25.—Calamaria.
- coroneoides** Corvus, J. Wagler, Syst. Avium, I. 1827, sign. 251.
- corones** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 220.
- coronea** Anaphaeis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 93.—Papilio, 1775.
- coronea** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 151.—Papilio, ? Cr.
- Coronica** J. Gould, Syn. Birds Austral. (1) Jan. 1837.—A. [1775.
- coronigera** Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 221.
- coronigera** Frigga, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 66.—Euophrys, 1846.
- coronilla** Belemnites, F. Biguet, Cons. Bélemnites, 1819, 42.
- coronillae** Apista, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 265.
- coronillae** Heterogaster, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 88.
- coronillae** Zygaena, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 139.
- coronillaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 93 (Fernaldo giudice
1808-18) [*n. et f.*] [metra.
- coronillaria** Gnophos (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 432.—Geo-
- coronillaria** Hemitheia (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VII
(2) (Noct. 4, pt. 2) 1829, 255.—Geometra.
- coronillaria** Pseudoterpna, J. Huebner, Verz. bekannt. Schmett. 1825, 285.—Geometra.
- coronillella** Accompsia (Tisch.), T. Braund, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3
(5 & 6) 1850, 42.—Lita, Tr.
- coronillella** Lita, F. Treitschke, Schmett. Europa, IX (2) 1833, 87.
- coronina** Noctua, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 17 [*n. n.*].
- coroninii** Chirocentrus, J. J. Heckel, Sitz. k. Ak. Wiss. (Wien) II (1) Jan. 1849, 17.
- coronirostris** Brachycerites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- Coronis** P. A. Latreille, Dict. Sci. Nat. XXVIII. 1823, 345.—Cr. [627.
- Coronis** J. Huebner, Verz. bekannt. Schmett. 1825, 265.—Lep.
- Coronis** C. Gloger, Notizen (Froriep) XVI. 1827, 277.—A.
- Coronis** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 389.—Lep.
- coronis** Cirrospilus, F. Walker, Ann. Nat. Hist. I (6) Aug. 1838, 450.

- coronis** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 133.—Papilio, Cr. 1775.
- coronis** Pontia (Fab.), T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C. (2) 1829, 144.—Papilio, Cr. 1775. [corona, 1758.]
- corono** Clithon (L.), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 380.—Nerita
- coronoides** Clithon, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 381.
- coronoides** Corvus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 261.
- Coronophis** L. Fitzinger, Syst. Rept. 1843, 26.—R.
- Coronopora** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 140 & 149.—Polyz.
- coronopus** Cellepora, J. Morris, Cat. Brit. Foss. 1843, 32 [*n. n.*].
- coronopus** Cellepora, S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 18.
- coronopus** Crisisina (Defr.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 397.—Idmonea.
- coronopus** Idmonea, Defrance, Dict. Sci. Nat. XXII. 1821, 565.
- Coronula** Bruguière, Ency. Méth. (Tabl. Vers), 144, pl. 165, 1792.—Cirr.
- Coronula** Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 464.—Cirr.
- coronula** Cyclolithes (Goldf.), H. G. Bronn, Index Pal. 1848, 374.—Fungia.
- coronula** Defrancia, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 38.
- coronula** Fungia, G. A. Goldfuss, Petref. German. I (1) 1826, 50.
- coronula** Micrabacia (Goldf.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 71.—Fungia.
- coronula** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 179.—Noctua coronulina, 1802.
- coronula** Taenia, F. Dujardin (Roret's Suite à Buffon), Hist. Helminth. 1845 [Nov. 1844],
- coronularia** Otion, H. Nicolet in Gay, Chili (Crust.) 1849, 313. [574.]
- coronulata** Cassis, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xx.
- coronulina** Noctua, A. H. Haworth, Prod. Lepidopt. Brit. 1802, 17 [*n. n.*].
- Coronulites** J. Parkinson, Org. Rem. III. 1811, 240.—Cirr.
- Coronus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 192.—Col. [*n. n.*].
- Corophia** H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 385.—Cr.
- Corophium** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 127.—Cr.
- Corospiza** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 511.—A.
- corosus** Cryptorhynchus, Dejean in J. A. Boisduval in d'Urville, Voy. "Astorlabé," Ent.
- Corphyra** T. Say, Boston Journ. N. H. I (2) 1835, 189.—Col. [(2) 1835, 430.]
- corporalis** Cyprinus, S. L. Mitchill, Amer. Monthly Mag. II (5) Mar. 1818, 324.
- corporalis** Leuciscus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 213.—Cyprinus.
- corporis** Pediculus, Lamarck, An. s. vert. V. 1818, 40.
- corporosus** Diacanthus, Knoch in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 72.
- corporosa** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 223.
- corpulenta** Anatolica, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (23) Jan. 1837, 181.
- corpulenta** Anodonta, W. Cooper in Schoolcraft, Narr. Exped. Mississippi, 1834, 154.
- corpulenta** Astartilla, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 691.
- corpulentus** Bythinus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- corpulenta** Clausilia, Frivaldsky, Zeitschr. f. Malakozool., Jan. 1848, 7. [1845, 45.]
- corpulenta** Cytherea, J. E. Gray, The Analyst, VIII (24) July 1838, 303.
- corpulenta** Dejeania (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 192.—Tachina. [226.]
- corpulentum** Dorcadion, Mannerheim in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832,
- corpulenta** Echinomyia (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 77.—Tachina. [1849, 728.]
- corpulentus** Fusus, T. A. Conrad in J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct.
- corpulentus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- corpulenta** Mya, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 68. [783.]
- corpulentus** Omaseus, J. F. Eschscholtz in F. v. Gebler in Ledebour, Reise Altai, II. 1830, 44.
- corpulentus** Peryphus, V. v. Mochulski, Kaef. Russl., *post* May 1850, 11.
- corpulentus** Planorbis, T. Say in Keating, Exp. Peter River, II. 1824, 262; & ed. London, 1825 (App.), 10.
- corpulentum** Ptenidium, Allibert in H. Lucas, Explor. Algér. (Artic. II.) 1849, 549.
- corpulentus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 967.

- corpulentus** Stypthrus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 54.
- corpulenta** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 280.
- corpulentus** Xylographus, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 225.
- corrallatus** Echinus, *id. ac* corollatus, Gm. 1790; W. Turton, Linnaeus, Syst. Nat. IV. 1802, 152.
- correndera** Anthus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 491.
- correntina** Plectonycha, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 302.
- correptaria** Boarmia, P. C. Zeller, Isis (Oken), 1847, 18.
- Corrhecerus** C. J. Schoenherr, Isis (Oken), 1823, 1135; Curc. disp. meth. 1826, 40.—Col.
- Corrhripates** Bl. 1834; *teste* Agassiz *sed non comp.*, v. Cirrhripates.
- corrianus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 65.
- corriei** Bellerophon, A. d'Orbigny in Férussac & d'Orbigny, H. N. Céph. acétab. 1840, 194.
- corrientesensis** Monocondylaea, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 38. [Monocondylaea.]
- corrientesinsis** Unio (Orb.), S. Hanley, Ill. Cat. Bivalve Shells (3) *exeunte* 1843, 212.—
- corrigiolata** Calobata (L.), J. C. Fabricius, Syst. Antliat. 1805, 263.—Musca, 1767.
- corrigiolatus** Ceyx (L.), Dict. Sci. Nat. VIII. 1817, 42.—Musca, 1767.
- corrigiolatus** Cyliandroderus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 181.
- corrigiolata** Micropeza (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 276. —Musca, L. 1767.
- corrigiolatus** Sargus (L.), G. F. Hentsch, Epit. Ent. Fab. 1804, 209.—Musca, 1767.
- corrira** Parra, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- corrivalis** Epipagis, J. Huebner, Verz. bekannt. Schmett. 1826, 358. [340.]
- corrodens** Vermetus, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 235.
- corrosula** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. June 1842, 177.
- corrosa** Agrotis, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850-51, 333.
- corrosa** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 74.
- corrosus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 409.
- corrosa** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
- corrosa** Edessa, Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 82.
- corrosus** Empicoris, Herrich-S., Wanzenart. Ins. VII (3) Jan. 1844, 46.
- corrosa** Hoplophora, L. Fairmaire, Rev. Zool. (Soc. Cuv.) IX. Jan. 1846, 14.
- corrosa** Latipalpis, A. J. J. Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 288.
- corrosa** Lucina, A. Keyserling, Wiss. Beob. Petschora, 1846, 308.
- corrosa** Melyris, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 291.
- corrosus** Unio, A. & J. B. Villa, Syst. Conch. 1841, 61.
- corrugata** Acteonia, J. Alder & A. Hancock, Athenaeum, 1847, 748 [*n. n.*]; Ann. Mag. N. H. (2) I. June 1848, 403.
- corrugata** Alasmodon, J. E. De Kay, N. H. New York (Moll.) 1843, 198.
- corrugatus** Ammonites, J. De C. Sowerby, Min. Conch. V. 1824, 74.
- corrugatum** Amphidesma, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 200.
- corrugata** Ampullaria, W. Swainson, Zool. Illust. (1) III (25) Oct. 1822, pl. 120.
- corrugata** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 24, Feb. 1850.
- corrugata** Biplex, G. Perry, Conchology, Ap. 1811, pl. 5.
- corrugatum** Buccinum, G. Brocchi, Conch. Subap. 1814, 652.
- corrugatum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 110, Feb. 1847.
- corrugatus** Buceros, C. J. Temminck in T. & Laugier, Pls. color. (89) Feb. 1832; (90) July 1832.
- corrugatus** Bulimus, J. A. Wagner in J. B. v. Spix, Testac. Brasil. 1827, 5.
- corrugatus** Bulinus, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831, 341.
- corrugata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. c.
- corrugata** Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 35.
- corrugata** Calyptraea, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 137.
- corrugata** Cancellaria, R. B. Hinds, Proc. Zool. Soc. London, XI (123) Oct. 1843, 48.
- corrugatus** Cancer, T. Pennant, Brit. Zool., ed. 5, IV. 1812, 8. [Dolabra.]
- corrugata** Cardinia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.—

- corrugata** Cardiomorpha, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 56.
- corrugata** Cardita (Venericardia), A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 190.
- corrugatum** Cardium, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 181.
- corrugata** Cassida, Schoenher in C. R. Sahlberg, Peric. Entom. 1823, 60.
- corrugatus** Cassidix (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 90.—Buceros.
- corrugata** Cassis, W. Swainson, App. Cat. Bligh, 1822, 5.
- corrugatum** Cerithium, Al. Brongniart, Mém. terr. Vicentin, 1823, 70. [xxvi.]
- corrugatum** Cerithium, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl.
- corrugata** Chama, W. J. Broderip, Proc. Zool. Soc. London, II (24) Ap. 1835, 150.
- corrugatus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 185, Jan. 1848.
- corrugata** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 824.
- corrugata** Cingulifera (Ziegl.), F. Held, Isis (Oken), 1837, 911.—Helix.
- corrugata** Circe, J. E. Gray, The Analyst, VIII (24) July 1838, 307.
- corrugata** Clausilia (Brug.), J. P. R. Draparnaud, H. N. Moll. France, 1805, 70.—
Bulimus, 1792.
- corrugata** Clavulina, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 242.
- corrugata** Corbis (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 78.—Sphaera.
- corrugata** Corbis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 106.
- corrugata** Crassatella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 82.
- corrugata** Crassina, T. Brown, Ill. Conch. G. B. I. 1827, pl. xvi, f. 24 [*n. et f.*].
- corrugatus** Cupellaecrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- corrugatus** Cyathocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- corrugatum** Cyclostoma, C. T. Menke, Conch.-Samml. Malsburg, 1829, 10.
- corrugatum** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 95.
- corrugata** Cypricardia, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 188.
- corrugata** Cypricardites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
244.
- corrugata** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 79.
- corrugata** Cyprina, Lamarck, An. s. vert. V. 1818, 558 (sign. 36). [409.]
- corrugatum** Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844].
- corrugata** Dolabra, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 65.
- corrugata** Enchelys, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 390.
- corrugata** Fissurella, O. G. Costa, Fauna Regno Napoli, Moll., Scudibranchi, 17 (Oct. 1838).
- corrugatus** Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 84, Ap. 1848. [1838].
- corrugata** Glauconome, L. Reeve, Conch. Icon. II.—Glauconome, no. 6, Ap. 1844.
- corrugata** Gryphaea, T. Say in Long, Exped. Rocky Mts. II. 1823, 410; not in London
- corrugata** Haliotis, J. Mawe, Linnaean syst. Conch. 1823, 181 [*n. n.*]. [ed.]
- corrugata** Haliotis, W. Wood, Suppl. Index Test. 1828, 26 [*n. et f.*].
- corrugata** Helcion (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 232.—
Calyptraea. [1836, 5.]
- corrugata** Helix, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept.
[Helix] (Cochlodina) (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl.
Limaçons, 1821, 66.—Bulimus, 1792.
- corrugata** Hyria, Lamarck, An. s. vert. VI (1) 1819, 82.
- corrugata** Hyris, de Blainville, Dict. Sci. Nat. XXII. 1821, 395.
- corrugata** Isocardia, F. M'Coy, Cat. Mus. Geol. Soc. Dublin, 1841, 26.
- corrugata** Latomeandra (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May
1849, 271.—Meandrina.
- corrugata** Leptaena, Goldfuss in Dechen in De la Beche, Handb. Geogn. 1832, 524.
- corrugata** Leptaena, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 15 [*n. n.*].
- corrugata** Leptaena, A. Fahrenkohl, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4)
1844, 784. [—Orthis.]
- corrugata** Leptaena (Portl.), J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 227.
- corrugata** Leptoena (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 35.—
Strophomena, Conr.
- corrugata** Lucina, G. P. Deshayes, Magasin de Zool. (2) V. 1843, pl. 82.
- corrugata** Lymnaea, G. B. Sowerby, I. (*ex* Budgin MS), Cat. Shells Tankerville,
1825, 42.

- corrugata Lyonsia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 128.—
- corrugata Meandrina, H. Michelin, Icon. Zoophyt. (8) 1843, 98. [Sedgwickia.]
- corrugata Melania, Lamarck, Ann. Mus. H. N. (Paris) IV (24) Aug. 1804, 431.
- corrugata Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 13.
- corrugata Membranipora, de Blainville, Dict. Sci. Nat. LX. 1830, 412.
- corrugata Microphyllia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 40.—
Meandrina.
- corrugata Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 205.
- corrugata Mitra, W. Wood, Suppl. Index Test. 1828, 43.—Voluta, 1828.
- corrugata Modiola, R. A. Philippi, Abb. Conch. II (5) 1846, 147.
- corrugatus Mugil, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 184.
- corrugatus Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841, 142.
- corrugata Myrmica, T. Say, Boston Journ. N. H. I (3) 1836, 291.
- corrugatus Mytilus, Al. Brongniart, Mém. terr. Vicentin, 1823, 78.
- corrugata Naia (Lam.), W. Swainson, Treat. Malacol., May 1840, 379.—Unio.
- corrugata Nyctelia, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 201.
- corrugata Orbicella (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 44.—
- corrugata Orbicula, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 109. [Orbicula.]
- corrugata Orthis, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 450.
- corrugata Ostrea, G. Brocchi, Conch. Subap. 1814, 670.
- corrugatus Otiorynchus (L.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 636.—
Curculio, Gm. 1789.
- corrugatum Ovulum, R. B. Hinds, Zool. "Sulphur," 1844, 47. [pullaria.]
- corrugata Pachystoma (Sw.), L. Guilding, Zool. Journ. III (12) Ap. 1828, 536.—Am-
panopaea, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 57.
- corrugata Panopaea (Koch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 215.—
Pholadomya.
- corrugata Panopaea, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 164.
- corrugatus Parmophorus, L. Reeve, Proc. Zool. Soc. London, X (110) Nov. 1842, 50.
- corrugatus Pectunculus, P. Calcara, Mem. Conch. Altavilla, 1841, 32.
- corrugata Pelonaia, Goodsir & Forbes, 10 Rept. Brit. Assoc. (Glasgow, 1840) 1841,
Trans. 138; Edinb. N. Phil. Journ. XXXI (61) July 1841, 30.
- corrugata Pholadomya, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith.
1837, 20.
- corrugatus Phorus, L. Reeve, Proc. Zool. Soc. London, X (118) Feb. 1843, 163.
- corrugatus Platycrinus, D. D. Owen & B. F. Shumard, Journ. Acad. Nat. Sci. Philad.
II (1) Nov. 1850, 59.
- corrugata Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 137.
- corrugatus Portunus (Penn.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 217.—
Cancer, 1777.
- corrugata Potomida, W. Swainson, Treat. Malacol., May 1840, 268.
- corrugata Producta, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 107.
- corrugata Pupa (Br.), J. P. R. Draparnaud, Tab. Moll. France, 1801, 62.—Bulimus,
- corrugata Pyramidella, Lamarck, An. s. vert. VI (2) 1822, 223. [1792.]
- corrugata Scalaria (Br.), Cristofori & Jan, Cat. Mus. (Sect. II (1) Conch. foss.) 1832, 5.
—Turbo, 1814.
- corrugata Scalaris (Br.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 574.—Turbo, 1814.
- corrugatus Scarites, G. J. Billberg, N. Acta Soc. Sci. Upsal. VII. 1815, 280.
- corrugata Sedgwickia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 62.
- corrugata Serpula, G. Montagu, Test. Brit. II. 1803, 502.
- corrugata Serpula, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 23.
- corrugata Serpula, G. A. Goldfuss, Petref. German. I (4) 1833, 241.
- corrugata Serpula, J. Morris, Cat. Brit. Foss. 1843, 66 [n. n.].
- corrugata Sphaera, J. Sowerby, Min. Conch. IV. 1822, 42.
- corrugata Sphenoptera (K. & E.), Laporte & Gory, H. N. Coléopt. II. 1839, 15.—Bu-
spirorbis (Mont.), J. Morris, Cat. Brit. Foss. 1843, 67.—Serpula. [prestis.]
- corrugatus Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
- corrugatus Strombus, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 35.

- corrugata** Strophomena, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
corrugata Terebra, Lamarck, An. s. vert. VII. 1822, 287. [256.]
corrugata Theba (Gm.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12.—Helix,
corrugata Tiara, W. Swainson, Treat. Malacol., May 1840, 319. [1790.]
corrugatus Triphoris [Ino], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 18.
corrugatum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 416, Liste p. 5 [*n. et f.*].
corrugatum Tritonium (Lam.), H. G. Bronn, Zschr. Min. 1827, II (1828), 532.—Triton.
corrugatus Trochus, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (3) 1843, 67.
corrugatum Trombidium, C. L. Koch, Deutsch. Crust., heft 15, 1837, tab. 16.
corrugatum Tropisoma, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 129.
corrugatus Turbo, G. Brocchi, Conch. Subap. 1814, 376.
corrugatus Turbo (Brug.), L. W. Dillwyn, Catal. Shells, 1817, 875.—Bulimus, 1792.
corrugatus Turbo, W. Wood (*ex* Chemn.), Index Test. 1818, 152.
corrugata Turbo (Lam.), W. Wood, Suppl. Index Test. 1828, 34.—Clausilia, ? Drap.
corrugata Turbonilla (Br.), H. G. Bronn, Index Pal. 1848, 1327.—Turbo.
corrugata Turris (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 74.—Mitra, ? Lam.
corrugata Turritella (Br.), A. Risso, H. N. Europe, IV. 1826, 108.—Turbo.
corrugata Unio (Müll.), Lamarck, An. s. vert. VI (1) 1819, 78.—Mya, 1774.
corrugata Unio, L. Mauduyt [*non* Lam.], Tabl. Moll. Vienne, 1839, 8.
corrugata Venus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 201.
corrugata Voluta, W. Wood, Suppl. Index Test. 1828, 11 [*n. et f.*].
corrugata Voluta (Mitra), F. S. Voigt in Cuvier, Thierreich, III. 1834, 311.
corrugosa Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 493.
corruptor Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 220.
corruptor Pachygaster, Meg.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
corruptor Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 150.
corrupta Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 815.
coruscans etc. *v.* **coruscans etc.**
Corryssorhaphis *emend. pro* Coryzorhaphis, Amyot & Serville; E. Blanchard, Dict. Univ.
 Hist. Nat. IV. 1844, 265. [1768.]
corsac Cynalopex (L.), C. H. Smith, Dogs, 1 (Nat. Libr. XXV.) Dec. 1839, 223.—Canis,
corsac Vulpes (L.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 40.—Canis, 1768.
Corsera *emend. pro* Corsyra, Steven; G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov.
 1828, 115. [pt. 2] 1833, 306.
corsicalis Cledeobia, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5,
corsicaria Hemitheia, P. Rambur, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 32.
corsicellus Crambus, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836,
corsicus Abax, Latreille; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*]. [85.]
corsicus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (9)
 1849, 146 [*"Mon. Anth."* *poster. edit.*].
corsicus Ascalaphus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 349.
corsica Asida, Laporte, Revue Entom. I (1) Mar. 1833, 33. [1834-41] [*n. et f.*].
corsica Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 82 & 83 (Fernaldo giudice
corsicus Coenocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 299.
corsica Dianthoecia (Ramb.), Boisduval, Revue Entom. II (6) 1834, 249.—Polia.
corsica Eyprepia (Boisd.), F. Treitschke, Schmett. Europa, X (1) 1834, 207.—Tricho-
 soma.
corsica Feronia (Latr.), Dejean, Spec. gén. Coléopt. III. 1828, 397.—Abax, 1821.
corsicus Harpalus (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 42.—Abax.
corsica Helix, R. J. Shuttleworth, Mitth. Nat. Ges. Bern, 1843, 15.
corsica Miselia (Ramb.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III
 (Noct.) 1838, 271.—Polia.
corsicus Necrophorus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 399.
corsica Orgyia, J. A. Boisduval, Ic. hist. lépidopt. Europe, II (—) 1835, 142.
corsica Polia, P. Rambur, Ann. Soc. Ent. France, I (3) c. Oct. 1832, 279.
corsica Salamandra, P. Savi, N. Giorn. Lett. (Pisa) XXXVII (102) 1838, 208.
corsicus Schizaster, L. Agassiz, Cat. Ect. Ech. 1840, 3.
corsicus Spatangus, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 7.

- corsica** Succinea, R. J. Shuttleworth, Mitth. Nat. Ges. Bern, 1843, 13.
- corsica** Tagenia, A. J. J. Solier, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 33.
- corsicus** Thyreonotus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 497. [sign. 19, Feb. 1833.]
- corsicum** Trichosoma, Rambur in Boisduval etc., Coll. icon. hist. Chenilles Europe,
- corsica** Zygaena, Boisduval, Essai Zygén. 1829 [1828], 81.
- Corsira** J. E. Gray, Proc. Zool. Soc. London, V (59) June 1838, 123.—M.
- Corsomyia** H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 40.—Dipt.
- Corsomyza** C. R. W. Wiedemann, N. Dipt. Gen. 1820, 13.—Dipt. [[Mugil].
- corsula** Bagrus (Ham.), Cuvier & Valenc., H. N. Poiss. XIV. 1839, 408.—Pimelodus
- corsula** Mugil, F. Hamilton, Fish. Ganges, 1822, 221.
- Corsyra** Steven in Dejean, Spec. gén. Coléopt. I. 1825, 326.—Col.
- Cortalus** Denys de Montfort, Conch. I. 1808, 114.—Rh.
- cortalus** Rotalites, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 187.
- cortesi** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 81.
- cortesii** Delphinus, J. B. Fischer, Syn. Mamm. 1829, 512.
- cortesyi** Hinnites, DeFrance, Dict. Sci. Nat. XXI. 1821, 169.
- cortesii** Pecten, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 262.
- cortesii** Phocaena, Laurillard, Dict. Univ. Hist. Nat. IV. 1844, 634.
- cortesianus** Hinnites, DeFrance in H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 311.
- Corthylus** W. F. Erichson, Arch. f. Naturg. II (1) 1836, 64.—Col.
- corticalis** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [*n. n.*].
- corticalis** Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 76.
- corticalis** Aradus (L.), J. C. Fabricius, Syst. Rhyng. 1803, 119.—Cimex, 1758.
- corticalis** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 429.
- corticalis** Asopia (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 316.—Pyralis, ?D. & S. 1775.
- corticalis** Boros (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 584.—Trogosita, 1798.
- corticalis** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 201.
- corticalis** Chelifera, C. W. Hahn, Die Arachniden, II (5) May 1835, 63.
- corticalis** Chermes, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 197.
- corticalis** Clubiona, C. A. Walckenaer, Tab. Aran. 1805, 42.—Aranea, 1802. [1775.]
- corticalis** Coreus (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 245.—Acanthia,
- corticalis** Cossonus, J. C. Fabricius, Syst. Eleuth. II. 1801, 497. [93.]
- corticalis** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- corticalis** Cynips, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 190.
- corticalis** Degeeria, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 72.
- corticalis** Drassus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 216.
- corticalis** Dromius (Duf.), Dejean, Spec. gén. Coléopt. I. 1825, 245.—Lebia.
- corticalis** Dryophthorus, T. Say, Descr. N. Amer. Curcul., July 1831, 24.
- corticalis** Hister, J. C. Fabricius, Syst. Eleuth. I. 1801, 91.
- corticalis** Hololepta (Fab.), G. Paykull, Mon. Hister. 1811, 106.—Hister.
- corticalis** Iulus, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. Aug. 1846, 287.
- corticalis** Lebia, L. Dufour, Ann. gén. Sc. Phys. (Bruxelles) VI. Dec. 1820, 322.
- corticalis** Lebia (Fab.), Dejean, Spec. gén. Coléopt. V. 1831, 390.—Carabus.
- corticalis** Lyctocoris, C. W. Hahn, Wanzenart. Ins. III (2) Feb. 1836, 21. [[& 122].
- corticalis** Microsphaera, L. Redtenbacher, Die Gatt. Deutsch. Käfer Fauna, 1845, 155
- corticalis** Olibrus (Schoen.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 115.—Phalacrus. [[*n. n.*].
- corticale** Omalium, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834, 76
- corticalis** Otiorhynchus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 432. [toma, 1798.]
- corticalis** Phalacrus (Ill.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 43.—Aniso-
- corticalis** Phloea (Dru.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 56.—Cimex, ?L. 1758. [Aleochara.]
- corticalis** Phloeopora (Grav.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 312.—
- corticale** Phylloma (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 98.—Hololepta.
- corticalis** Quedius, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
- corticalis** Rhyncolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 284.

- corticalis** Sarothrocrepis (Fab.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 76.—Carabus. [1775.]
- corticalis** Synaphe, J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis, ?D. & S.
- corticalis** Trogosita, F. V. Melsheimer, Ins. Pennsylv. 1806, 55 [n. n.].
- corticalis** Trogosita, F. V. Melsheimer; F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II. (5) Oct. 1844, 109.
- corticalis** Trox, J. Sturm, Catal. Ins. Samml. 1826, 205 [n. n.].
- corticana** Antithesia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix, ?D. & S. 1775. [1775.]
- corticana** Epinotia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 377.—Tortrix,
- corticana** Paedisca (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 193.—Tortrix,
- Corticaria** T. Marsham, Coleopt. Brit., Sept. 1802, 106.—Col. [1796.]
- corticaria** Auricula (Say), J. E. Gray, Ann. Phil. XXV. 1825, 415.—Odostomia, ?Pupa.
- corticaria** Boarmia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 388, 1829.—Geometra, 1796.
- corticaria** Carychium (Say), A. E. Féruassac, H. N. g. et p. Moll., Tabl. Auricules [1821], 104.—Odostomia, ?Pupa. [571.]
- corticarius** Ergates, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- corticaria** Mniophila (Huebner), Boisduval, Gen. Index Europ. Lepid. 1840, 200.—Geometra, 1796.
- corticaria** Pholas, G. B. Sowerby, II (ex Gray MS), Thes. Conch. II (10) 1849, 495.
- corticaria** Pupa, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.) 1819, sign. C 2.
- corticaria** Tephronia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 318.—Geo-
- corticata** Acidalia, F. Treitschke, Schmett. Europa, X (2) 1835, 208. [metra, 1775.]
- corticata** Antipathes, Lamarck, Mém. Mus. H. N. (Paris) I [6] Mar. 1816, 472.
- corticata** Bulla, Beck, Naturhist. Tidsskrift, IV (1) 1842, 79.
- corticata** Cidaris (Mich.), H. G. Bronn, Index Pal. 1848, 298.—Antipathes, ?Lam.
- corticata** Helicella, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7, & "sp. nov." 7.
- corticata** Nucula, Holboll, Naturhist. Tidsskrift, IV (1) 1842, 90.
- corticata** Phloea (Dru.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 117.—Cimex, 1773. [1773.]
- corticatus** Phloeocoris (Dru.), H. Burmeister, Handb. Ent. II (1) 1835, 371.—Cimex,
- corticca** Noctua (Huebner), A. H. Haworth, Lepidopt. Brit. (2) 1809, 218.—Bombyx; Noctua corticea, D. & S. 1775. [L. 1758.]
- corticella** Lampronia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Tinea,
- corticella** Tinea, J. Curtis, Guide Brit. Ins. (6) 1831, 187 [n. n.]; Brit. Entom. XI (128) Aug. 1834, no. 511. [110.]
- corticella** Tinea, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. I. 1848,
- corticea** Agrotis (Huebner), F. Ochseneimer, Schmett. Europa, IV. 1816, 66.—Georyx.
- corticea** Georyx (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 227.—Noctua,
- corticea** Tingis, Herrich-S. in Panzer, Ins. Germ., heft 118, 1830-33, tab. 22. [1775.]
- Corticifera** C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I., no. 8, Dec. 1817, 178.—Med.
- corticinus** Adicranus, Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 127.
- corticina** Aphanis, H. Burmeister, Handb. Ent. II (1) 1835, 166.
- corticinus** Artamus, C. L. Koch, Die Arachniden, IV (5) Nov. 1837, 85.
- corticinus** Carpophilus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 263.
- corticinus** Cimex, E. F. Germar, Revue Entom. V (4) 1840, 178.
- corticina** Clausilia, v. d. Busch in L. Pfeiffer, Symb. Helic. II. 1842, 60.
- corticinus** Clytus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 178 [n. n.].
- corticina** Coloborrhis, E. F. Germar, Revue Entom. IV (2) 1836, 73.
- corticina** Dilobura (Burm.), M. Spinola, Rev. Zool. (Soc. Cuv.) II. July 1839, 201.—Aphana.
- corticinus** Elater, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 174.
- corticina** Epuraea, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 270.
- corticinum** Glyptoma (Motsh.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 909.—Thoraxophorus.
- corticinus** Laemophloeus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 327.
- corticinus** Lanius, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 19.

- corticina** Lipura (Bourl.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 296.—
Adicranus. [Paederus.]
- corticina** Lithocharis (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 619.—
- corticina** Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [*n. n.*].
- corticinum** Orthosoma (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.)
II. 1840, 401.—Prionus, 1795.
- corticina** Oxyptoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 351.
- corticinus** Oxytelus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 192.
- corticinus** Paederus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 184.
- corticina** Phaleria, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 16 [*n. n.*].
- corticina** Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 401.
- corticinus** Prionus, C. J. Schoenherr, Syn. Insect. I (3) 1817, 345.
- corticinus** Prionus (Macrotoma), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834)
[1833], 204.
- corticina** Rhyxiphloea (Ol.), H. Burmeister, Handb. Ent. III. 1842, 611.—Cetonia,
- corticina** Ricania, H. Burmeister, Handb. Ent. II (1) 1835, 161. [1879.]
- corticinus** Tachinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 142.
- corticinus** Tachyporus, F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*]. [98.]
- corticinus** Thoraxophorus, V. v. Mochulski, Bull. Soc. Imp. Nat. Moscou, 1837 (5) 1837,
- corticinus** Trogophloeus (Grav.), Mannenheim, Mém. présentés Ac. Imp. Sci. St Pétersb.
I (5) Feb. 1831, 463.—Oxytelus.
- corticiperda** Hylesinus, Ill.; W. F. Erichson, Arch. f. Naturg. II (1) 1836, 50.
- corticis** Holothrips (De G.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
640.—Thrips, 1773.
- corticola** Boletophagus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 238.
- corticola** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*] & *var. pressus*, Knoch
- corticola** Cossonus, T. Say, Descr. N. Amer. Curcul., July 1831, 24. [*n. n.*].
- corticola** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 30 [*n. n.*].
- corticornis** Prionus, J. Duncan, Coleopt. (Nat. Libr. VIII.) May 1835, 247.
- corticosa** Chama, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 341.
- corticulata** Acidalia, C. F. Freyer, Neuere Beitr. Schmett. IV (54) 1840, 53.
- corticum** Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 90.
- corticum** Hemerobius, F. v. P. Schrank, F. Boica, II (2) 1802, 192.
- Corticus** Dejean, Catal. Coléopt. 1821, 67.—Col. [*n. n.*].
- Corticus** L. Fairmaire, Ann. Soc. Ent. France [2] VI (2) Sept. 1843, 171.—Col. [Cor.]
- Corticifera** *err. pro* Corticifera, Les.; J. F. Brandt, Prod. anim. Mertens. I. 1835, 8.—
- cortinaria** Venus, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s., V (3) 1835, 333.
- cortius** Chatoessus (Ham.), Cuvier & Valenc., H. N. Poiss. XXI. 1848, 115.—Clupanodon.
- cortius** Clupanodon, F. Hamilton, Fish. Ganges, 1822, 249.
- coruchi** Etroplus, Cuvier & Valenc., H. N. Poiss. V. 1830, 491.
- Coruna** F. Walker, Entom. Mag. I (4) July 1833, 379.—Hym. [Col.]
- Coruphes** W. S. M'Leay (*ex* Gory MS) in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 23.—
- corus** Euploea, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Papilio, 1793.
- corus** Tachynus, F. Sperm., Bull. Soc. Imp. Nat. Moscou, VIII. 1835, 155.
[coruscans.]
- coruscans** Anomala (Chevr.), H. Burmeister, Handb. Ent. IV (1) 1844, 282.—Euchlora.
- coruscans** Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 21.
- coruscans** Colibri (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 69.—Trochilus.
- coruscans** Cryptorhynchus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 432.
- coruscans** Euchlora, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 222.
- coruscans** Geotrupes, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 15. [Chiaje.]
- coruscans** Lyonsia (Sc.), G. P. Deshayes, Expl. Algér. (Moll.) 1845-8, 277.—Tellina,
- coruscans** Myctophum, J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 40.
- coruscans** Pecten, R. B. Hinds, Zool. "Sulphur," 1844, 61.
- coruscans** Pimelodes, M. H. C. Lichtenstein, Zoologisches Magazin, I (3) 1819, 58.
- coruscans** Platystoma, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 26.
- coruscans** Polytmus (Gould), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Trochilus.
- coruscans** Scopelus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 454.

- coruscans** Tellina, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 86.
- coruscans** Trochilus (Petasophora), J. Gould, Proc. Zool. Soc. London, XIV (1858) July
- coruscana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 58 & 73. [1846, 44.]
- coruscator** Cryptus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31.—Ichneumon,
- corruscula** Gyrophaena, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 189. [1758.]
- [**coruscus** -a -um.]
- corusca** Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 121, Mar. 1850. [223.]
- corruscus** Anchomenus, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834,
- corruscus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 140.
- corrusca** Brachys, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 344.
- corusca** Buprestis, L. Ponz, Mém. Ac. Sci. Turin, 1804-5 (1805) Mém. prés. 81.
- corruscus** Calliphlox (Licht.), F. Boie, Isis (Oken), 1831, 544.—Trochilus. [69.]
- corruscus** Canthon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- corrusca** Chrysodema (Fab.), Laporte & Gory, H. N. Coléopt. I. 1837, 25.—Buprestis,
- corruscus** Conus, D. Solander, Catal. Portland Mus. 1786, 153 [*n. n.*]. [1787.]
- corrusca** Diplolepis, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 270.
- corruscus** Elater, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 11.
- corrusca** Haltica (Graptodera), W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 235.
- corruscus** Harpalus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 30. [415.]
- corusca** Lamprocolius, C. L. Bonaparte (*ex* Licht. MS), Consp. gen. Avium, I. 1850,
- coruscum** Lamprosoma, H. Gory in F. E. Guérin-M., Iconographie, 1844, Ins. 293.
- corrusca** Lampyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. XXIII. 1804, 6.
- corusca** Macaria, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 18.
- corrusca** Osmia, Erichson in J. Walzl, Reise Tyrol etc. (2) 1835, 107.
- corrusca** Ostrea, D. Solander, Catal. Portland Mus. 1786, 150 [*n. n.*].
- corruscus** Phalacrus (Panz.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 109.—Anisotoma, Ill. 1798.
- corruscus** Philonthus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- corruscus** Photinus (L.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 142.—Lampyris, 1767.
- corusca** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 89, Ap. 1843.
- corruscus** Polydrusus, E. F. Germar, Ins. spec. novae, I. 1824, 454.
- corrusca** Rytela, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 317.
- corrusca** Scaeva, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 375.
- corruscus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 33.
- corrusca** Stenidia, De La Ferté-S., Rev. et Mag. de Zool. (2) I. July 1849, 345.
- corusca** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 273.
- corruscus** Tachys, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
- corruscus** Terambus, J. Gistel, Nat. Thierr. 1848, 130. [1847, 472.]
- corruscus** Terambus, J. Gistel, Handb. Naturges. 1850 [1847], 428.
- corruscus** Trechus, Knoch; Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].
- corruscus** Trochilus, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 1.
- corruscus** Trochilus, L. Fraser, Proc. Zool. Soc. London, VIII (86) July 1840, 15.
- corvi** Ricinus (L.), P. A. Latreille, Sonmini's Buffon, Ins. VIII (1804), 105.—Pediculus,
- corvi cornicis** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 202. [1758.]
- corvi frugilegi** Ascaris, C. A. Rudolphi, Entoz. Syn. 1819, 54.
- corvi glandarii** Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 197.
- Corvina** Hahn, Voegel aus Asien etc. I (11) 1822, pl. 3.—A. [*teste* C. W. R.].
- Corvina** G. Cuvier, R. Anim., ed. 2, II. 1829, 173.—P.
- Corvinella** R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 372.—A.—*typus* Lanius corvinus, Shaw.
- corvinus** Abacetus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 131.
- corvinum** Agonum, Dejean, Spec. gén. Coléopt. V. 1831, 740.
- corvinus** Amblygnathus, Dejean, Spec. gén. Coléopt. IV. 1829, 65.
- corvinus** Anchomenus, Dejean, Spec. gén. Coléopt. III. 1828, 109.
- corvinus** Aphanobius, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 183.
- corvinus** Aphodius, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (6) 1848, 831.

- corvinus** Aphodius, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 104 (2 diagnoses).
- corvina** Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 38.—Terebratula.
- corvinus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 304.
- corvinus** Bucco, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831.
- corvina** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 435.
- corvinus** Cerambyx (Stenocorus), E. F. Germar, Ins. spec. novae, I. 1824, 508.
- corvinum** Cerithium (Brong.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 559.—Rostellaria.
- corvina** Cetonia, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, Chlaenius, Illiger in Dejean, Spec. gén. Coléopt. II. 1826, 343. [117.]
- corvina** Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 610.
- corvina** Corvinella (Shaw), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 365.—Lanius.
- corvinum** Criodion (Germ.), J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 572.—Cerambyx.
- corvinus** Dermaleichus, C. L. Koch, Deutsch. Crust., heft 33, 1844, tab. 18.
- corvinus** Dytiscus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 103.
- corvinus** Eurylabus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 152.
- corvina** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 281.
- corvinus** Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 16 ["Mon. Anth." *poster. edit.*].
- corvinus** Helops, Frivaldsky in H. C. Kuester, Käfer Europas, XXI. 1850, 44.
- corvinus** Hister, E. F. Germar, Reise Dalm. 1817, 185.
- corvina** Lamprothornis, F. H. v. Kittlitz, Kupfertaf. Nat. Vögel (2) 1832-3, 12.
- corvinus** Lanius, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 337.
- corvina** Lasia, W. F. Erichson, Entomographien, 1840, 143.
- corvina** Lepipterus, J. Reinhardt, Vid. Medd. nat. Foren. Kjöbenhavn, 1849, 30.
- corvina** Madarus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 584.—Calandra.
- corvina** Medoria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 205.
- corvina** Megalaima (Temm.), G. R. Gray, Genera of Birds, II. Mar. 1846, 429.—Bucco.
- corvina** Melania, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 26.
- corvinus** Meligethes, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 177.
- corvinus** Philonthus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 462.
- corvinus** Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 937.
- corvina** Pristodactyla, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 217.
- corvinus** Pterostichus (Dej.), J. L. Leconte in Agassiz, Lake Superior, 1850, 207.—Feronia.
- corvinus** Quiscalus, W. Swainson, Anim. in Menag., Dec. 1837, 300.
- corvina** Rostellaria, Al. Brongniart, Mém. terr. Vicentin, 1823, 74.
- corvinus** Scarites, Dejean, Spec. gén. Coléopt. V. 1831, 490.
- corvina** Sparus, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 193.
- corvinus** Tenebrio, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 175.
- corvina** Terebratula, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 426.
- Corvicultur** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corvultur, Less.
- corvorum** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 171 [*n. n.*].
- corvorum** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 15 [*n. n.*].
- Corvultur** R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 327.—A.—*typus* Corvus albicollis, Lath.
- corvus** Buceros, J. Wilkes, Ency. Londin. III (142) 1800, 479.
- corvus** Carabus, Brongniart in K. Duftschmid, Fauna Austriae, II. 1812, 97.
- corvus** Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 86.
- corvus** Harpalus, Latreille, N. Dict. H. N., ed. 2, XIV. 1817, 229.
- corvus** Otiorthynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 325.
- corvus** Trigla, C. S. Rafinesque-S., Car. n. gen. 1810, 32.
- corvus** Trigla, A. Risso, Mém. Soc. Linn. Paris, III. 1825, 33.
- corvus** Trochus, R. A. Philippi, Zeitschr. f. Malakozool., Oct. 1849 [Mar. 1850], 152.
- corvus** Turbo, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 133.
- Corybantes** J. Huebner, Verz. bekannt. Schmett. [1820], 101.—Lep.

- corybas** Encyrtus, F. Walker, Entom. Mag. V (1) Oct. 1837, 40.
- corybas** Parnassius, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 242.
- Corycaeus** J. D. Dana, Proc. Acad. Nat. Sci. Philad. II (11) Oct. 1845, 285.—Cr.
- corycaeus** Artipus, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 22.
- corycaeus** Asaphus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 277.
- corycaeus** Myllocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 3.
- corycaea** Sitona, Sch.; Dejean, Catal. Coléopt. 1821, 94 [*n. n.*].
- Corycia** J. Huebner, Verz. bekannt. Schmett. 1825, 265.—Lep. [110.—Lep.]
- Corycia** Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2) 1829,
- Corycus** Cuvier, Mém. Mus. H. N. Paris, I. 1816, 359.—P. [Coricus, 1817].
- Coryda** J. C. Albers, Die Heliceen, 1850, 100.—G.
- Corydalia** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 95.—Neur. [n. d.].
- Corydalina** J. J. Audubon, Synopsis, 1839, 129.—A.
- Corydalina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corydalma, Ag.
- Corydalis** "Tem.," F. Boie, Isis, XIX (10) 1826, 974.—A. [*teste* C. W. R.].
- Corydalis** F. O. Morris, The Naturalist, II (9) June 1837, 125.—A.
- Corydalis** H. G. Bronn, Index Pal. 1848, 340 [*id. ac* Corydalis, Latr. 1802 & 1804].
- Corydaliium** L. Oken, Lehrb. Nat. III (1) 1815, 658.
- Corydalla** N. A. Vigors, Zool. Journ. II (7) Oct. 1825, 397.—A.
- Corydalla** N. F. [*z. S. D. W.*], The Analyst, II (11) June 1835, 307.—A.
- Corydallis** H. Boie (*ex* Temm.), N. Staatsburg. Mag. (Schleswik) I (1) 1832, 181.—A. [= *Corydalis*, Temm.].
- Corydalma** J. J. Audubon, Synopsis, 1839; *teste* Agassiz *sed non comp.*? *Corydalina*.
- Corydalus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 290.—Neur.
- Corydendrium** P. J. van Beneden, Bull. Ac. Roy. Brux. XI (2) 1844, 313.—Coel.
- Corydia** J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 42.—Orth.
- Corydocephalus** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 139.—Cr.
- Corydon** R. P. Lesson, Traité Orn. I. 1828, 177.—A. [Psittacidae].
- Corydon** J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 504.—A.
- Corydon** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 264.—A. [Alaudidae].
- corydon** Agriades (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1818, 68.—Papilio, 1775.
- corydon** Argus (Fabr.), Lamarck, An. s. vert. IV. 1817, 22.—Hesperia, 1793.
- corydon** Copris, Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- corydon** Cupido (D. & S.), F. v. P. Schrank, F. Boica, II (1) 1801, 213.—Papilio, 1775.
- corydon** Eurylaimus, C. J. Temminck in T. & Laugier, Pls. color. (1) Ap. 1822.
- corydon** Geotrupes (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 15.—Scarab. 1789.
- corydon** Lycaena (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 286.—Hesperia, 1793.
- corydon** Onitis, Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- corydon** Oryctes (Ol.), H. Burmeister, Handb. Ent. V. 1847, 190.—Scarabaeus, 1789.
- corydon** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 59 (Fernaldo *judice* 1799) [*n. et f.*]. [110.—Lep.]
- corydon** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 148 (Fernaldo *judice* 1817)
- corydon** Phanaeus, Dej. in E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 175.
- corydon** Polyommatus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 119.—
- Corydonix** L. P. Vieillot, Analyse, 1816, 69.—A. [Hesperia, 1793].
- Corydonyx** L. P. Vieillot, Analyse, 1816, 28.—A.
- Corydoras** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 147.—P.
- Corydon** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A [*n. n.* = Alauda].
- Corygonus** ? *err. pro* Coregonus, Art.; W. Swainson, N. H. Fishes etc. I. Oct. 1838, 245.
- corylana** Lozotaenia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyrallis, 1794.
- corylana** Tachina, Gimmerthal, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 100.
- corylana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 422.—Pyrallis, 1794.
- corylata** Harpalycy (Th.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 226.—Geometra corylaria, 1784.
- coryli** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Tenthredo, Panz.
- coryli** Aphis, J. H. Kaltenbach (*ex* Goeze), Mon. Pflanzenläuse, 1843, 98.
- coryli** Apoderus (L.), A. G. Olivier, Entom. V. 1807, 12.—Attelabus, 1758.

- coryli** Apoderus, Gyll.; Dejean, Catal. Coléopt. 1821, 79 [*n. n.*]. [1775.]
- coryli** Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 165.—Curculio,
- coryli** Buprestis, J. T. C. Ratzeburg, Forst-Insekten, I. 1837, 55; (ed. 2) 1839, 62.
- coryli** Cneorhinus (Fab.), Schoenherr, Gen. et Sp. Curc. I (2) 1833, 535.—Curculio, 1775.
- coryli** Colocasia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 63.—Phalaena, 1758.
- coryli** Demas (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Dec. 1828, 60.—Phalaena, 1758.
- coryli** Galleruca, J. F. Melsheimer, J. Acad. Nat. Sci. Philad. III. June 1824, 455.
- coryli** Laria (Fab.), F. v. P. Schrank, F. Boica, II (2) 1802, 151.—Bombyx, 1775.
- coryli** Lecanium (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 214.—Coccus, 1758. [*n. et f.*]
- coryli** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 4 (Fernaldo judice 1802)
- coryli** Oregia (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830, 18.—Phalaena, L. 1758.
- coryli** Phytocoris (L.), C. F. Fallen, Hemipt. Sveciae, 1829, 90.—Cimex, 1758.
- coryli** Strophosomus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1139.—Curculio, 1775.
- coryli** Tenthredo, G. W. F. Panzer, Ins. Germ., heft 71, 1799, tab. 8.
- coryli** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 182.
- coryli** Thylacites, Fab.; Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
- coryli** Thylacites (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 411.—Curculio, 1775.
- corylifoliella** Argyromiges (Huebner), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—Tinea, 1796. [Tinea, 1796.]
- corylifoliella** Argyromis (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—
- corylifoliella** Eucestis, J. Huebner, Verz. bekannt. Schmett. 1826, 423.—Tinea, 1796.
- corylifoliella** Oecophora (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—Tinea, 1796.
- Corylocecis** C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 502.—Hem. [*non binom.*].
- Corylophus** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 26; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 405.—Col.
- corylus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 102 [coryli, L.].
- corymbiferarum** Thrips, A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 449 [*n. n.*].
- Corymbites** P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 150.—Col.
- Corymbopora** L. Michelin, Icon. Zooph. (1846), 213.—Polyz.
- Corymbosa** d'Orb. 1853, *err. pro* Corymbopora, Mich. 1846, 92.
- corymbosa** Arethusa, Denys de Montfort, Conch. I. 1808, 303.
- corymbosa** Caryophyllia (Forsk.), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 315.—Madrepora, 1775.
- corymbosa** Ceriopora (Lamx.), H. Michelin, Icon. Zoophyt. (20-23) 1846, 246.—Millepora.
- corymbosa** Corallina, Lamarck, Mém. Mus. H. N. (Paris) II [4] Sept. 1816, 234.
- corymbosa** Heteropora (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 336.—Madrepora.
- corymbosa** Lobophyllia (Forsk.), de Blainville, Dict. Sci. Nat. LX. 1830, 321.—Madre-corymbosa
- corymbosa** Madrepora, Lamarck, An. s. vert. II. 1816, 279. [pora, 1775.]
- corymbosa** Millepora, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 87.
- corymbosa** Mussa (Forsk.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 177.—Madrepora, 1775.
- corymbosa** Terebratula, R. Howse, Tr. Tyneside Nat. F. C. I (3) 17 Aug. 1848, 253.
- corymeta** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 415.
- Corymorpha** M. Sars, Beskr. Bergenske Kyst Dyr, 1836, 6.—Coel.
- Corymorpha** J. E. Gray, Syn. cont. Brit. Mus., ed. 42, 1840, 75.—Coel. [Col.]
- Corymorpha** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 12.—
- Corymya** L. Agassiz in Sowerby, Min. Conch. (Germ. ed.) (1843), 439.—L.
- Coryna** L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1802, 239.—Coel.
- Coryna** J. P. Wolff in J. F. Wolff, Icon. Cim. (5) 1811, p. iv.—Hem.
- Coryna** C. J. Billberg, Mon. Mylabr. 1813, 73.—Col.
- Coryna** Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 569.—Hym.
- Corynactis** G. J. Allman, Ann. Mag. N. H. XVII. June 1846, 417.—Coel.
- corynaria** Hydra, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 236.

- Coryne** Lamarck, Syst. Anim. 1801, 364.—Coel.
Coryne L. Oken, Lehrb. Nat. III (1) 1815, 50.—Coel.
Corynephanes Wesmael, Bull. Ac. Roy. Belg. XVI (1) 1849, 631.—Hym.
Corynephorus C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 234.—Col.
Corynesoma F. Leuckart, 1843 [? Isis]; *teste* W. Baird, Cat. Entoz. Coll. B. M. 1853, 116, *sed non comp.*—Verm.
Corynitis C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 26.—Lep.
corynna *v.* *corinna*.
Corynocera J. W. Zetterstedt, Ins. Lapp. descr. 1838, 856.—Dipt.
Corynocere C. G. Nees *v.* E., Hymenopt. Ichn. aff. II. 1834, 122.—Hym.
Corynocerus Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 66.—Col. [*n. n.*].
Corynodes F. W. Hope, Coleopt. Manual, III. 1840, 162.—Col.
corynodes Clausilia, F. Held, Isis (Oken), 1836, 276. [*typo*].
Corynomalus Chevrolat, Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 439.—Col. [*sine*].
Corynomalus W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 181.—Col.
Corynomerus M. Spinola, Ess. Ins. Hémipt. 1837, 126.—Hem.
Cory(no)morpha (*sic*) A. F. A. Wiegmann, Arch. f. Naturg. 1836 (2), 190.—*emend. pro* Corymorpha, Sars, *q. v.* [Ben].
Corynomorpha L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corimorpha,
Corynomorpha L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corymorpha, Gray.
Corynoneura J. Winnertz, Entom. Zeitung, Stettin, VII (1) Jan. 1846, 12.—Dipt.
Corynopalpa Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 375.—Col.
Corynophyllus F. W. Hope, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 112.—Col.
Corynopus Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 802.—Hym.
corynopus Belba (Herm.), C. v. Heyden, Isis (Oken), 1826, 611.—Notaspis.
corynopus Notaspis, J. F. Hermann, Mém. Aptér. 1804, 89. [Notaspis].
corynopus Oribata (Herm.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 532.—
Corynoscelis H. Burmeister, Handb. Ent. V. 1847, 126.—Col.
Corypha G. R. Gray, List Gen. Birds, 1840, 48.—A.
coryphae Bruchus, J. C. Fabricius, Syst. Eleuth. II. 1801, 402.
coryphae Kytoryhnus (Fab.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 303.—Bruchus, 1795.
Coryphaea W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 29.—Col.
coryphena Novacula, A. Risso, H. N. Europe, III. 1826, 334.
coryphaena Tentacularia, Lamarck, Syst. Anim. 1801, 336.
coryphaenae Distoma (Bosc), C. A. Rudolphi, Entoz. II (1) 1809, 436.—Fasciola.
coryphaenae Fasciola, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 271.
coryphaenae Tentacularia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 13.
Coryphaenoides Lacepède, H. N. Poiss. III. 1802, 219.—P. [*non* Gunner, *teste* Jordan].
Coryphaenoides L. Oken, Lehrb. Naturg. VI. 1816, 54.—P.
coryphaenoides Astrodermus, Bonelli in Cuvier & Valenc., H. N. Poiss. IX. 1833, 353.
coryphaenoides Cyprinus, H. G. Bronn, Jahrb. f. Min. 1830, 28.
coryphaenoides Goniognathus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 491 [*n. n.*]; Poiss. Foss. V (1), 63 (1844) [*n. n.*].
coryphaenoides Heros, J. Heckel, Ann. Wiener Mus. II [3] 1840, 373.
coryphaenoides Novacula, H. R. Schinz in Cuvier, Thierreich, II. 1822, 430.
coryphaenula Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 131.
Coryphaeus J. Gistl, Nat. Thierr. 1848, pp. ix & 117.—Col.
Coryphaeus J. Gistl, Handb. Naturges. 1850 [1847], 385.—Col.
coryphaea Coccinella, F. E. Guérin-M., Iconographie, 1844, Ins. 320.
coryphaeus Copturus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 135.
coriphea Drymoica, G. R. Gray, Genera of Birds, I. Aug. 1848, 163.
coryphaeus Heros, J. Heckel, Ann. Wiener Mus. II [3] 1840, 364. [nella].
coryphaea Leis (Guér.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 249.—Cocci-
coryphaeus Motacilla, J. Wilkes, Ency. Londin. XVI (1094) 1818, 77.
coryphaeus Phaeogenes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 183.

- coryphaeus** Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 945.
coryphaea Pyrrota (Licht.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 238.—Tanagra.
coryphaea Saxicola, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 18
coryphaeus Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 177. [[*n. n.*].
coryphaeus Tachyphonus (Licht.), G. R. Gray, Genera of Birds, II. July 1844, 365.—
 Saxicola.
coryphaea Tanagra, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 31. [Drymoica.
coryphaea Thamnobia (Gray), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 40.—
Coryphaspiza G. R. Gray, List Gen. Birds, 1840, 47.—A.
Coryphe W. S. M'Leay (*ex* Gory MS) in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 23.—
Coryphe J. Gistel, Nat. Thierr. 1848, 174.—Ech. [Col.
Coryphe J. Gistel, Handb. Naturges. 1850 [1847], 575.—Ech.
coryphe Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 8.
coryphe Ommatius, F. Walker, List Dipt. Coll. B. M. (2) 1849, 469.
coryphe Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 266. [[*n. et f.*].
Coryphegnathus H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxix (June 1850).—A.
Coryphegnathus Reichenbach in C. L. Bonaparte, Consp. gen. Avium, I. June 1850,
Coryphella J. E. Gray, Figs. Moll. Anim. IV. 1850, 109.—Nud. [450.—A.
Coryphenoides B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 219.—P.
Coryphidea E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 960.—A.
Coryphilus J. Gould, Proc. Zool. Soc. Lond. X (118) Feb. 1843, 165.—A.
Coryphilus H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxxi (June 1850).—A. [[*n. et f.*].
Coryphistes T. de Charpentier, Orthopt. (10) 1844, tab. 58.—Orth.
Coryphium J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill.
 Brit. Ent. (Mand. V.) Jan. 1834, 344.—Col.
Coryphocera H. Burmeister, Handb. Ent. III. 1842, 220.—Col.
Coryphodon R. Owen, B. Foss. Mamm. (1845), 299.—M. [Gray.
Coryphospiza L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryphaspiza,
Coryphus Lacepède (*ex* Commerson), H. N. Poiss. III. 1802.—P. [non *binom.*].
Corypticus (? *Coryptius*, *ex* Dej. Cat.), J. Sturm, Catal. Käfer Samml. 1843, 347.—Col.
Coryptilum P. C. Zeller, Isis (Oken), 1839, 181.—Lep.
Coryptius Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 194.—Col. [*n. n.*].
Corys H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 24.—Ech.
Corys H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxiv (June 1850).—A. [*n. et f.*].
Corysosps Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 301.—Col. [*n. n.*]. [Col.
Coryssomerus C. J. Schoenherr, Isis (Oken), 1825, 583; Curc. disp. meth. 1826, 241.—
Coryssops Dejean, Catal. Coléopt., ed. 3, 1837, 325.—Corysosps, 1835, *q. v.*
Coryssopus C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 303.—
 Col. [*n. n.*]. [Buffon), Hémiptères, 1843, 79.
Coryssorhaphis *emend. pro* Coryzorhaphis, Spinola; Amyot & Serville (Roret's Suite à
Corystes P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 27.—Cr.
Corystes E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 506.—Col.
Corystion C. S. Rafinesque-S., Car. n. gen. 1810, 24.—P.
Corystium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corystion, Raf.
Corystoides H. Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844, 31.
Corythaeolus J. J. Kaup, Isis (Oken), 1828, 1147.—R.
Corythaix C. Illiger, Prod. 1811, 202.—A.
corythaix Basilornis (Wagl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 420.—Pastor.
corythaix Hetaerornis (Wagl.), G. R. Gray, Genera of Birds, II. May 1847, 335.—Pastor.
corythaix Pastor, J. Wagler, Syst. Avium, I. 1827, sign. 67.
corythaix Spelectos, J. Wagler, Syst. Avium, I. 1827, sign. 84.
Corythaixoides A. Smith, S. African Quart. Journ. II., no. 1 (2) Dec. 1833, 48.—A.
Corythalia C. L. Koch, Uebers. Arachnidensyst. V. 1850, 67.—Ar. [[*n. et f.*].
corythalia Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 3 (Fernaldo judice 1799)
corythalia Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 7.
Corythea P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 256.—Lep.
Corythia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corydia, Serv.
Corythobatus T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1027.—P.

- Corythoderus** F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *b.*—Col.
corythoe Hestia, E. Doubleday (*ex* Boisd. MS) in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 95 [*n. n.*]. [Leach.]
- Corytholophus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corylophus,
Corythophilus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coriphilus,
 Wagl. [Gould.]
- Corythophilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryphilus,
Corythopsis C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 93.—A. [Zell.]
- Corythoptilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryptilus,
Corythornis J. J. Kaup, Verh. nat. Ver. Hessen (2) 1848, 71.—A. [*typus* 5 spp. Alcedo].
- Corythrix** J. Fleming, Phil. Zool. II. 1822, 250.—A.
Corythus G. Cuvier, R. Anim. I. 1817, 391.—A.
Corythus [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 20.—A.
corythus Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 440.
corythus Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 797.
Corytophanes Boie in Férussac, Bull. Sci. IX. 1826, 235.—R. [*n. n.*].
- Corytus** *id. ac* Corythus, Cuv.; A. af Strøm, Svenska Foglarna, 1839, 47.
coryta Ariadne (Cr.), T. Horsfield, Cat. Lepid. Ins. Mus. E. I. C., expl. pl. 6 (1829).—
 Papilio, 1776.
corytus Astraptus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 103.—Papilio, 1777.
corytus Entedon, F. Walker, Mon. Chalcid. I. 1839, 116.
Coryzoplatus M. Spinola, Ess. Ins. Hémipt. 1837, 148.—Hem.
Coryzorhaphis M. Spinola, Ess. Ins. Hémipt. 1837, 353.—Hem.
Coryzus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corizus, Fall.
- cos** Agrotis (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.) 1837, 181.—Noctua. [*n. et f.*].
- cos** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 154 (Fernaldo iudice 1826–33)
Coscinaeraea E. & H. 1848; *teste* Marschall, ? *err. pro* Coscinastrea.
Coscinaestrea Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 496.—Cor.
Coscinia J. Huebner, Verz. bekannt. Schmett. [1822], 169.—Lep.
Coscinia Dejean, Spec. gén. Coléopt. V. 1831, 478.—Col.
coscinia Emydia (Och.), Boisduval, Europ. Lépid. Index, 1829 [1828], 39.—Eyprepia.
coscinia Eyprepia, F. Ochsenheimer, Schmett. Europa, III. 1810, 300.
Cosciniopterus M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 11.—Col.
Coscinium A. Keyserling, Wiss. Beob. Petschora, 1846, 191.—Polyz.
coscinodiscus Orbitolites, J. Morris, Cat. Brit. Foss. 1843, 42 [*n. n.*].
coscinodiscus Orbitolites, S. V. Wood, L., Ann. Mag. N. H. XIII. Jan. 1844, 21.
coscinophora Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 67.
coscinopleurum Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843 166.
Coscinopora G. A. Goldfuss, Petref. German. I (1) 1826, 30.—Sp.
Coscinoptera T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 511.—Col.
Coscinospira C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 110 &
cosconius Eulophus, F. Walker, Mon. Chalcid. I. 1839, 145. [131.—Rh.]
coscoroba Anser (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 332.—Anas,
 Mol. 1782.
coscoroba Cygnus (Mol.), G. R. Gray, Gen. Birds, III. Oct. 1844, 610.—Anas, 1782.
coscoroba Olor (Mol.), G. R. Gray, List Birds Coll. B. M. III. 1844, 131.—Anas, 1782.
cosensis Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 474, May 1849.
cosentini Terebra, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 227.
Cosila Guérin-M. in Duperry, Voy. “Coquille,” Zool. II (2) 1 (1838), 247.—Hym.
cosingas Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 263.
cosis Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 68.
Cosmacanthus J. L. R. Agassiz, Poiss. F. V. G. R., 120 (1845).—P.
Cosmacanthus L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 410.—P.
Cosmarhynchus Temm.; *teste* Agassiz, Nom. Zool. (Aves) 1844.—*vide* Casmarhynchus.
Cosmella Nordmann, Mém. présentés Ac. Sci. St Pétersb. IV (6) 1845, 591.—? Inf.
Cosmemma C. H. Boheman, Ins. Caffr. I (1) 1848, 19.—Col.
Cosmemma C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 135.—Hem. [*non binom.*].

- Cosmesus** J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Col.
- Cosmetes** J. Gistl, Nat. Thierr. 1848, 130.—Col.
- Cosmetes** J. Gistl, Handb. Naturges. 1850 [1847], 428.—Col.
- Cosmethis** J. Huebner, Verz. bekannt. Schmett. [1822], 179.—Lep.
- Cosmetira** E. Forbes, Brit. naked-eyed Medusae, 1848, 42.—Hydroz. [*teste* Stechow].
- Cosmetis** J. Gistl, Nat. Thierr. 1848, p. viii.—Col.
- Cosmetornis** G. R. Gray, List Gen. Birds, 1840, 8.—A.
- Cosmetus** M. Perty, Del. anim. artic. Brasil. (3) 1833, 208.—Ar.
- Cosmia** J. Huebner, Tentamen (me judice 1806), 1.—Lep. [*n. n.*].
- Cosmia** Ochsenheimer, Schmett. Europa, IV. 1816, 84.—Lep.
- Cosmina** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 423.—
- Cosmiocomus** H. C. Kuester, Käfer Europas, XXI. 1850, 10.—Col. [Dipt.]
- Cosmisoma** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 19.—Col.
- Cosmius** A. M. C. Duméril, Zool. Anal. 1806, 282.—Dipt.
- Cosmius** Perty, Del. anim. artic. Brasil. (2) 1832, 89.—Col.
- Cosmocerus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 321.—Col. [*n. n.*].
- Cosmocerus** F. E. Guérin-M., Iconogr. 1844, Ins. 219.—Col.
- Cosmocerus** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 476.—Col.
- cosmodactyla** Alucita, J. Huebner, Europ. Schmett., Tab. Alucita, 7 (Fernaldo judice 1823) [*n. et f.*].
- cosmodactyla** Amblyptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 430.—Alucita.
- cosmodactylus** Pterophorus (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835, 377.—Alucita.
- Cosmogramma** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 157.—Col.
- Cosmonessa** J. J. Kaup, Skizz. Europ. Thierw. 1829, 46.—A.
- Cosmonota** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 197.—Col. [*n. n.*].
- Cosmonota** E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 30.—Col. [[*n. n.*].
- Cosmonotus** Adams & White in A. White, List Crustacea Coll. B. M. 1847, 129.—Cr.
- Cosmonotus** Adams & White, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 227.—
- Cosmophila** J. A. Boisduval, F. Ent. Madagas. (6) 1833, 94.—Lep. [Cr.]
- Cosmophila** J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 242.—Lep. [254.]
- cosmophila** Bulla, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
- cosmophila** Neonympha, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 14.
- cosmophorana** Grapholitha, F. Treitschke, Schmett. Europa, X (3) 1835, 124.
- Cosmophorus** J. T. C. Ratzeburg, Die Ichneum. II. 1848, 71.—Hym.
- cosmopolita** Kolpoda, Bory de St V., Ency. Méth. (Zooph.) 1827, 475.
- cosmopolita** Micropteryx (Cuv.), L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 104.—
- cosmopolita** Seriola, Cuvier & Valenc., H. N. Poiss. IX. 1833, 219. [Seriola.]
- cosmopolitana** Kolpoda, Bory de St V., Dict. Class. H. N. IX. 1826, 138.
- Cosmopterix** J. Huebner, Verz. bekannt. Schmett. 1826, 424.—Lep.
- Cosmopterix** P. C. Zeller, Isis (Oken), 1839, 210.—Lep. [Huebner.]
- Cosmopterix** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cosmopterix,
- Cosmorhinus** C. J. Schoenherr, Isis (Oken), 1823, 1143; Curc. disp. meth. 1826, 196.—Col. [*n. n.*].
- Cosmorhoe** J. Huebner, Verz. bekannt. Schmett. 1826, 326.—Lep.
- Cosmosoma** J. Huebner, Exot. Schmett. II. Tab. [156] 18—.—Lep. [*n. et f.*].
- Cosmosoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cosmisoma, Serv.
- Cosmotoma** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 338.—Col.
- Cosmotriche** J. Huebner, Verz. bekannt. Schmett. [1822], 188.—Lep.
- Cosmurus** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxxviii (Aug. 1850).—A. [*n. et f.*].
- Cosnania** *err. pro* Caenonia, Latr.; Dejean, Catal. Coléopt. 1821, 2.—Col.
- cosnardi** Dictyoptera, Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 46.
- cosnardi** Psyllobora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 169.
- Cosnius** Lepeletier & Serville; *teste* Scudder *sed non comp.*
- cosoni** Hemipter, L. A. Sorniget, Oursins foss. Eure, Ap. 1850, 56.
- cossi** Gamasus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 19.
- Cossiformis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cossodes, White.

- cossivora** Ephialtes, J. Curtis, Guide Brit. Ins. (4) 1829–30, 97 [*n. n.*].
- cossivora** Pimpla, J. Curtis, Brit. Entom. V (53) May 1828, no. 214.
- Cossodes** A. White, N. W. & W. Austr. II. 1841, 477.—Lep.
- Cossonus** J. C. Fabricius, Syst. Eleuth. II. 1801, 496.—Col.
- cossuna** Tinea, W. J. Lewin, Prod. Ent. Lep. Ins. N. S. W. 1805, 19.
- cossuræ** Rissoa, P. Calcara, Giorn. Sci. Lett. Sicilia, LXXXVI. Oct. 1841, 92; Mon. Spirorbis, 1841, 10. [08] [*n. et f.*].
- cossus** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 46 (Fernaldo giudice 1802—
- cossus** Hepialus (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 299.—Bombyx, 1758.
- cossus** Teredo, J. Huebner, Tentamen (me giudice 1806), 1 [*n. n.*].
- cossus** Xyleutes (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 195.—Phalaena, 1758.
- Cossypha** N. A. Vigors, Zool. Journ. II (7) Oct. 1825, 396.—A.
- Cossypha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Gossypha, Less.
- cossyphina** Lampyrus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 28.
- cossyphoides** Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 45.
- cossyphoides** Delocrania, F. E. Guérin-M., Magasin de Zool. (2) VI. 1844, pl. 131.
- cossyphoides** Licinus, Duftschmid in Dejean, Catal. Coléopt. 1821, 8 [*n. n.*].
- Cossyphus** C. Duméril, Tabl. élém. d'H. N. 1802; *teste* Agassiz, *mihi non visum sed*
- Cossyphus** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*]. [?] *vernac.*
- Cossyphus** "Cuvier," Dumont, Dict. Sci. Nat. XXIX. 1823, 260.—A.
- Cossyphus** Cuvier & Valenc., H. N. Poiss. XIII. 1839, 102.—P.
- Cossyphus** J. McClelland, Calcutta Journ. N. H. IV. 1844, 403.—P.
- costa** Chrysomela, F. Genin, Bull. Soc. H. N. Savoie, I. 1850, 217.
- costa** Cryptoptalmus, N. Prestandrea, Il Progresso, XVIII. 1837, 141.
- costa** Ornismya, Sourcier in Du Petit-Thouars, Voy. "Vénus" (Tab. Planch. 1846).
- costa striata** Purpura, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Aug. 1840, 77.
- costae** Atlanta, E. P. di Mandralisca, Effem. Sci. Lett. Sicilia, XXVIII. Mar. 1840, 148.
- costae** Corbula, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 181.
- costae** Erpetoramphus, G. de Natale, Su poche Crost. Messina, 1850.
- costae** Hydrometra, Herrich-S., Wanzenart. Ins. IX (2) Sept. 1850, 71.
- costae** Leucopsis, Schembri, Ann. Soc. Ent. France [2] V (3) Nov. 1847, p. lxxxvii.
- costae** Lysianassa, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 365.
- costae** Mellisuga (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 113.—Ornismya.
- costae** Nereis, A. E. Grube, Actin. Adriat. 1840, 74.
- costae** Ornismya, J. Bourcier, Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 294.
- costae** Rostellaria, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 193.
- costae** Selosphorus (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 82.—Ornismya.
- costae** Siliquaria, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 394.
- costae** Tellina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 28.
- costae** Trachypterus, A. Cocco, Oss. pesci Messina (*Il Faro*, IV. 1838), 4.
- costae** Tritonia, G. B. Verany in Descr. Genova, I. 1846, 97 & 103. [laena.
- costaestrigalis** Cledeobia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Pha-
- costaestrigata** Lobophora (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Pha-
- costaestrigata** Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 319. [laena.
- costalis** Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [invente 1851], 231.
- costalis** Aeschna, H. Burmeister, Handb. Ent. II (2) ii, 1839, 837.
- costalis** Agrotera (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena, 1775.
- costalis** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Hylotoma.
- costalis** Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 299.
- costalis** Aphodius, Mannerheim in Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 83. [Clythra.
- costalis** Babia (Foersb.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 430.—
- costalis** Baccha, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 97.
- costalis** Baetis, J. Curtis, Guide Brit. Ins. (5) 1830, 132 [*n. n.*].
- costalis** Baetis, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834, 120.
- costalis** Basicryptus (Germ.), Herrich-S., Wanzenart. Ins. VII (5) May 1844, 82.—
Edessa.

- costalis** Brachycentrus, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Sept. 1836, 182.—Philopotamus, 1829.
- costalis** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 616.
- costalis** Campsomeris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 497. [*n. n.*]
- costalis** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*] & *var.* limbatus, Knoch
- costalis** Cercopis, J. C. Fabricius, Syst. Rhyng. 1803, Index p. 6.
- costalis** Chrysomela, A. G. Olivier, Entom. V. 1807, 513.
- costale** Chrysotoxum, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822,
- costalis** Cicada, C. F. Fallen, Hemipt. Svec. (2) 1826, 32. [172.
- costalis** Cicada (Fab.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 118.—Tettigonia,
- costalis** Clythra, Foersberg, N. Acta Upsal. VIII. 1821, 271. [1798.
- costalis** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 448.
- costalis** Copromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2483.
- costalis** Cybister (Fab.), C. Aubé, Spec. gén. Hydroc. 1838, 51.—Dytiscus, 1775.
- costalis** Cyphomyia, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 341.
- costalis** Dacus, J. C. Fabricius, Syst. Antliat. 1805, 278.—Musca, 1794.
- costalis** Derelomus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 93.
- costalis** Diacanthus (Payk.), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 76.—Elater,
- costalis** Dioctria, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 6. [1800.
- costalis** Dismegistus, Reiche & Fairmaire in Ferret & Galinier, Voy. Abyssin. III [1850],
- costalis** Dytiscus, Olivier; Dejean, Catal. Coléopt. 1821, 18 [*n. n.*]. [438.
- costalis** Edessa, E. F. Germar, Revue Entom. V (3) 1840, 159.
- costalis** Elachistus (Dalm.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 143.—En-
- costalis** Entedon, Dalman, K. Vet. Ac. Handl. 1820, 174. [tedon.
- costalis** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 235.
- costale** Glyptoma, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 909.
- costalis** Harmostes, Germar in Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 270.
- costalis** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 224.
- costalis** Hydroptila, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (21) Mar. 1834,
- costalis** Hylotoma, J. C. Fabricius, Syst. Piezat. 1804, 24.—Tenthredo, 1775. [218.
- costalis** Hypsopygia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Feb. 1834, 27.—Phalaena, 1775.
- costalis** Ichthyurus, J. O. Westwood, Cab. Orient. Entom. 1848, 83.
- costalis** Kleidocerys, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [*n. n.*].
- costalis** Labidomyia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
- costalis** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Miscogas-
- costalis** Lauxania, J. C. Fabricius, Syst. Antliat. 1805, 213. [ter, 1833.
- costalis** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 59.
- costalis** Limnephilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Jan. 1837, 217.
- costalis** Limnobia, C. R. W. Wiedemann, Anal. Entom. 1824, 10.
- costalis** Lithosia, P. C. Zeller, Isis (Oken), 1847, 16.
- costalis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 47.
- costalis** Ludius (Payk.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater, 1800.
- costalis** Lygaeus, Herrich-S., Wanzenart. Ins. VII (2) Sept. 1843, 22.
- costalis** Mantis, H. Burmeister, Handb. Ent. II (2) 1, 1838, 532.
- costalis** Mantispia, W. F. Erichson in Germar, Zeitschr. f. d. Entom. I (1) 1839, 164.
- costalis** Megarhinus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 275.
- costalis** Meroe, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 119 [*n. n.*].
- costalis** Minyops, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 320.
- costalis** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 463.
- costalis** Myodochus, Herrich-S., Wanzenart. Ins. VIII (5) Oct. 1846, 96.
- costalis** Nautilus, J. Phillips, Geol. Yorksh. II. 1836, 233.
- costalis** Nautilus (Temnocheilus), Phil.; F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 21.
- costalis** Nemoptera, J. O. Westwood, Tr. Ent. Soc. (Journ.) I. 1835, 75.

- costalis** Ocyptera, H. Loew, Entom. Zeitung, Stettin, V (8) Aug. 1844, 268.
- costalis** Ortalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 464.
- costalis** Orthix, J. Hall, N. H. New York (Pal. I.) 1847, 20.
- costalis** Perla, F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 264.
- costalis** Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
- costalis** Pipiza, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 342.
- costalis** Plecia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 618.
- costalis** Pleuropachus (Dalm.), J. O. Westwood, Entom. Mag. IV (5) July 1837, 437.—
Entedon. [1845], 237.—Baetis, ? Curt.
- costalis** Potamanthus (Burm.), F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*i.e.* Dec.
- costalis** Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent.
(Mand. VI.) Aug. 1836, 126.
- costalis** Rhina, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 793.
- costalis** Rhyncocephalus (Westw.), E. Newman, Entomologist (14) Dec. 1841, 220.—
- costalis** Salda, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 152. [Trichophthalma.
- costalis** Sciapteryx (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 56.—
Tenthredo, 1775.
- costalis** Sciarra, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 68.
- costalis** Selandria (Fab.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 126.—Ten-
thredo, 1775.
- costalis** Sepsis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 467.
- costalis** Serpula, Lamarck, An. s. vert. V. 1818, 367.
- costalis** Spirifer, Castelnau, Ess. Silur. Amér. sept. 1843, 41.
- costalis** Stenogaster, Herrich-S., Wanzenart. Ins. IX (5) Sept. 1850, 216.
- costalis** Stilbopteryx, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 400.
- costalis** Syrphus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58 [*n. n.*].
- costalis** Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 173.
- costalis** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 78.
- costalis** Tetanocera, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 359.
- costalis** Tettigonia (Fabr.), T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 314.—Cer-
- costalis** Tipula, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 23. [copis.
- costalis** Tipula, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 421 [*n. n.*].
- costalis** Tmesiphorus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 77.
- costalis** Trichophthalma, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (36)
June 1835, 448.
- costalis** Vermetus, L. Rousseau in J. C. Chenu, Illustr. conch. I (23 & 24) 1844, pl. 3
- costalis** Xestomyza, C. R. W. Wiedemann, Anal. Entom. 1824, 24. [*n. et f.*].
- costangularis** Neithea (Lam.), C. Drouet, Mém. Soc. Linn. Paris, III. 1825, 188.—Pecten.
- costangularis** Pecten, Lamarck, An. s. vert. VI (1) 1819, 182. [510.
- costana** Grapholitha, Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1836,
- costana** Lozotaenia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyralis, 1787.
- costana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 346. [1775.
- costana** Philedone (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 389.—Tortrix,
- costana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 423.—Pyralis, 1787.
- costaria** Calyptraea, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 82.
- costaria** Chemnitzia, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 80.—Tur-
bonilla, 1842.
- costaria** Fissurella, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 20.
- costaria** Fissurella, Desh., *v.* 20-radiata, H. G. Bronn, Zschr. Min. 1827, II (1828), 538.
- costarius** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 532.
- costaria** Helcion (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 420.—Patella.
- costarium** Infundibulum (Grat.), H. G. Bronn, Index Pal. 1848, 610.—Calyptraea.
- costaria** Lucina, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 248 [*n. n.*].
- costaria** Patella, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 9.
- costarius** Pecten, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 264.
- costarius** Pectunculus, Defrance, Dict. Sci. Nat. XXXIX. 1826, 225.
- costaria** Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 485.
- costarius** Turbo, G. P. Deshayes, Descr. Coq. char. 1831, 188.

- costaria** Turbonilla, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 536 [*n. n.*].
- costaria** Voluta, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 477.
- costaria** Volutilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 121 & 318.—
- costasta** Acanthina, G. Fischer, Mus. Démid. III. 1807, 175. [Voluta.]
- costaticollis** Ehippigeria, H. Lucas, Explor. Algér. (Artic. III.) 1849, 17.
- costatipennis** Chariodema, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 117.
- costatipennis** Philax, H. Lucas, Explor. Algér. (Artic. II.) 1846, 328.
- costato-fasciata** Pleurotomaria, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [*n. n.*].
- costato-punctatus** Pachygaster, Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- costatopunctata** Psylla, A. Foerster, Verh. nat. Ver. pr. Rheinh. V. 1848, 76.
- costator** Ichneumon, E. Donovan, Brit. Ins. XIV. 1810, 26.
- costator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 260.
- costato-striatus** Fusus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 23.
- costato-striata** Scalaria (Muenst.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 217.
—Fusus.
- costato-striatus** Turbo, R. Kner, Naturw. Abhandl. (Haidinger) III (2) 1850, 17.
- costatula** Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 217.
- costatula** Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 228.
- costatula** Trigonina, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 421.
- costatus** Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 (2) [*n. n.*].
- costatum** Achilleum, G. A. Goldfuss, Petref. German. I (2) 1829, 94. [1799.]
- costatus** Acocephalus (Panz.), H. Burmeister, Handb. Ent. II (1) 1835, 112.—Cicada,
- costata** Acomia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 384.
- costatus** Aganides (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 59.—
Goniatites. [492.]
- costata** Agathis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- costata** Alasmidonta, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 318. [1797.]
- costata** Alvania (Ad.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Turbo,
- costatus** Alydus, C. P. Thunberg, Hemip. Capen. III. 1822, 4.—Cimex, 1783.
- costata** Amblema, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 315.
- costatus** Ammonites, E. F. v. Schlotheim, Die Petrefact. 1820, 68.
- costatus** Ammonites (Reinecke), C. H. v. Zieten, Pétrif. Wurt. (1) 1830, 5.—Nautilus.
- costatus** Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. (2) 1837, 6.
- costatus** Ammophorus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 26.
- costata** Amphithoe, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 378 & 379.
- costatus** Amycterus, d'Urville in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 384.
- costata** Amygdalina, O. G. Costa, Fauna Regno Napoli, Foram., 6 (Feb. 1853).
- costatus** Anacanthus, J. G. Audinet-S., Ann. Soc. Ent. France, I (2) *c.* July 1832, 166.
- costata** Anatina, G. B. Sowerby, I., Proc. Zool. Soc. London, II (20) Oct. 1834, 87.
- costatus** Anculotus, J. G. Anthony, Boston Journ. N. H. III (1) 1840, 278.
- costatus** Ancyloceras, J. Morris, Ann. Mag. N. H. XV. Jan. 1845, 33.
- costatus** Ancyclus, A. Férussac, Dict. Class. H. N. I. 1822, 346.
- costatus** Ancyclus, G. B. Villa, Conch. Ins. Isola Sardegna, 1836 [1] [*n. n.*].
- costatus** Ancyclus, A. & J. B. Villa, Syst. Conch. 1841, 61.
- costatus** Anisorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- costatum** Anobium, Gené in Aragona, Coleopt. Ital. 1830, 16. [311.]
- costata** Anomia, G. Brocchi, Conch. Subap. 1814, 463.
- costatus** Anomites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 62.
- costata** Anthia, H. Gory, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 210.
- costatum** Anthidium, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 140.
- costata** Anthrax, T. Say in Keating, Exp. Peter River, II. 1824, 373; & ed. London, 1825 (App.), 100.
- costatus** Anthribus, Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
- costata** Apate, J. Sturm, Catal. Ins. Samml. 1826, 94 [*n. n.*].
- costata** Aphiodes, J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 633.

- costata* Aphis, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 559.
costatus Aptinus, Dejean, Spec. gén. Coléopt. V. 1831, 411.
costatus Aptychus, Voltz, N. Jahrb. f. Min. 1837, 436 [*n. n.*].
costata Aratea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 468.
costata Arca, T. Brown, Trans. Manchester Geol. Soc. 1841, 67.
costatus Ascalaphus, de Winthem in H. Burmeister, Handb. Ent. II (2) ii, 1839, 1000.
costata Asida, G. Fischer de W., Cat. Col. Sibir. [1842], 14.
costatus Ateuchus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 412.
costatus Ateuchus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 21.
costata Auricula, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 173.
costata Avicula, W. Smith, Strat. Syst. Org. Foss. 1817, 46.
costata Avicula (Schl.), H. G. Bronn, Gaea Heidelb. 1830, 129.—Mylulites.
costata Baccha, T. Say, J. Acad. Nat. Sci. Philad. VI. July 1829, 161.
costatus Bagous, Gyll.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
costatus Balanus (Don.), G. Montagu, Test. Brit. I. 1803, 11.—Lepas, 1800.
costatus Bellerophon, J. De C. Sowerby, Min. Conch. V. 1824, 110.
costata Beroe, Reynaud in R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 85.
costata Blaps, J. Sturm, Catal. Ins. Samml. 1826, 101 [*n. n.*].
costata Blepusa, J. O. Westwood, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 70.
costatus Blysyus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 540.
costatus Bodianus, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 417.
costatus Bolitophagus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Aug. 1849, 421.
costata Bolivina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 62.
costatus Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 408.
costatus Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 687.
costatus Brachypus, L. Guilding, Zool. Journ. IV (14) Oct. 1828, 167.
costatus Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 160.—
 Curculio, 1787.
costatus Brontes, G. v. Muenster, Beitr. zur Petref. (3) 1840, 41.
costatus Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxxiv.
costatus Buccardites, E. F. Schlotheim, Tasch. Min. 1813, 72.
costatum Buccinum, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 197.
costatum Buccinum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 417.
costatum Buccinum, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 30.
costata Bulimina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 269 [*n. n.*].
costatus Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 111.
costata Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 307.
costata Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 45.
costata Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 88 [*n. n.*].
costatus Calliocrinus (His.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 45.—
 Calyptroea, T. Say, Amer. J. Sci. II (1) Ap. 1820, 40. [Eugeniocrinites.
costata Calyptraea, J. E. Gray, Ann. Phil. XXV. June 1825, 407.
costata Cancellaria, G. B. Sowerby, II., Gen. Shells (5) 1821.
costata Cancellaria, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (13) 1833, f. 42;
costata Cancellaria, I. Lea, Contrib. to Geol. 1833, 141. [Catal. (200) 1841, 7.
costata Cancellaria, P. Calcara, L'Occhio, V. —, no. 143; Rev. Zool. (Soc. Cuv.) VIII.
 Aug. 1845, 281; Cenne Moll. Sicilia, Dec. 1845, 37.
costata Canthidomus (Sow.), W. Swainson, Treat. Malacol., May 1840, 342.—Melano-
costata Caprina, A. d'Orbigny, Rev. Zool. (Soc. Cuv.) II. June 1839, 170. [psis.
costata Capsa, G. Fischer, Mus. Démid. III. 1807, 254.
costatus Carabus, Hoffmannsegg in Dejean, Catal. Coléopt. 1821, 6 [*n. n.*].
costata Cardinia (Morris), J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 156.—Ortho-
costatum Cardium, G. Perry, Conchology, Ap. 1811, pl. 57. [nota.
costatus Catillus, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 226.
costata Catoplatus (Fab.), M. Spinola, Ess. Ins. Hémipt. 1837, 167.—Tingis.
costata Centrura, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 62.
costatus Ceratopogon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 821.
costatum Cerithium, DeFrance, Dict. Sci. Nat. VII. 1817, 522.

- costatum** Cerithium, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 327.
- costatum** Cerithium (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviii, f. 26.—Strombus, ? Gm. 1790.
- costatum** Cerithium (Don.), J. Fleming, Hist. Brit. Anim. 1828, 357.—Strombus, ? Gm. 1790 *vel* Pult. 1799.
- costata** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 123.
- costata** Chama, F. A. Perry, Conchology, Ap. 1811, pl. 59.
- costata** Chama, G. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 67.
- costata** Chama, J. C. Chenu, Illustr. conch. II (47) 1845, pl. 7 [*n. et f.*].
- costata** Chelonia, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 213.
- costatus** Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 548.
- costatus** Chiton, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 8.
- costata** Chlorida, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 32.
- costata** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- costata** Chlorota, H. Burmeister, Handb. Ent. IV (1) 1844, 362.
- costatus** Chrysops, J. C. Fabricius, Syst. Antliat. 1805, 112.—Tabanus, 1794.
- costatus** Cilibe, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 355.
- costata** Cingula (Adams), J. Fleming, Hist. Brit. Anim. 1828, 305.—Turbo, 1797.
- costata** Cistula (Menke), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 58.—Cyclostoma.
- costata** Clausilia, Ziegler in C. Pfeiffer, Naturg. deutsch. land-Moll. (3) 1828, 42.
- costata** Clausilina, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. *e.*
- costata** Clavatula (Da C.), S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 58.—Buccinum, 1778.
- costatus** Cleonus, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 60.
- costatus** Cleonus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 220.—Curcu-
- costata** Clepsine, Fried. Mueller, Arch. f. Naturg. XII (1) 1846, 82. [lio, 1787.
- costatum** Cnemidium (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 389.—Scyphia.
- costata** Coccudina, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 446.
- costata** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*]. [1787.
- costatus** Coleotichus (Fab.), A. White, Mag. Nat. Hist. III (35) Nov. 1839, 541.—Cimex,
- costata** Columbella, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 331.
- costata** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 12 [*n. et f.*].
- costata** Comatula (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 381.—Solanocrinites.
- costata** Cominella (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 72.—Buccinum.
- costata** Conis (Muenst.), W. Lonsdale, Q. J. Geol. Soc. London, V. 1849, 63.—Achil-
- costatus** Conocephalus, J. C. Zenker, Beitr. Nat. Umwelt, 1833, 49. [leum.
- costata** Conops, J. C. Fabricius, Syst. Antliat. 1805, 175.
- costatus** Conus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 398.
- costatus** Conus, W. Wood (*non* Gm.), Index Test. 1818, 73.
- costata** Copris, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 9 [*n. n.*].
- costata** Coptomia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 551.—Cetonia.
- costatus** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 633.
- costata** Corbula, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 223.
- costata** Corbula, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 165.
- costata** Corniculina, G. v. Muenster, N. Jahrb. f. Min. 1842, 98.
- costatus** Crambus, A. H. Haworth, Lepidopt. Brit. (2) 1809, 375.—Phal. costalis, Fab.
- costata** Crania, G. B. Sowerby, II., Gen. Shells (12) 1823.
- costata** Crepidula, G. B. Sowerby, II., Gen. Shells (23) 1824.
- costata** Crepidula, S. G. Morton, J. Acad. Nat. Sci. Philad. VI. July 1829, 115.
- costata** Crepidula, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 26 (D*).
- costata** Cristellaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 292.
- costata** Crypta, J. E. Gray, Figs. Moll. Anim. IV. 1850, 83.
- costatum** Cryptochile (Fab.), A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 252.—Pimelia, ? Gm. 1789.
- costatus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].

- costatus** Cuneus, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 50.
- costata** Cupulospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.
- costatus** Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 530.
- costata** Cuveriana, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 472 [*n. n.*].
- costata** Cyathaxonia, F. M'Coy, Ann. Mag. N. H. (2) III. Jan. 1849, 6.
- costatum** Cycloidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 33.
- costatum** Cyclostoma, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (42) Oct. 1823, 244
- costatum** Cyclostoma, K. T. Menke, Zeitschr. f. Malakozool., Mar. 1846, 47. [*n. n.*].
- costata** Cylindrella (Guild.), R. A. Philippi, Abb. Conch. I (8) 1844, 183.—Brachypus.
- costata** Cypraea, D. Solander, Catal. Portland Mus. 1786, 30 [*n. n.*].
- costata** Cyrtocera, G. v. Muenster, Beitr. zur Petref. (1) 1839, 34.
- costata** Cythere, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 165.
- costata** Cytherea (Gm.), S. Hanley, Ill. Cat. Bivalve Shells (1) *inunite* 1843, 106.—Venus, 1790.
- costata** Delphinula (Br.), H. G. Bronn, Zschr. Min. 1827, II (1828), 537.—Nerita.
- costatus** Dendarus, J. Sturm, Catal. Ins. Samml. 1826, 130 [*n. n.*].
- costata** Dentalina, E. Eichwald, Paleont. Rossii, 1850, 22.
- costata** Dentalina, F. de Pourtalès, P. Amer. Assoc. 1850 (1850), 88.
- costatum** Dentalium, J. Sowerby, Min. Conch. I. 1814, 162.
- costata** Derbe, J. C. Fabricius, Syst. Rhyng. 1803, 81. [Lagostomus.]
- costatus** Dermatodes (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 896.—
- costatum** Desmophyllum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
- costata** Diastata, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 96. [254]
- costata** Dispotaea, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 132.—Calyptraea,
- costatum** Dolium, C. T. Menke, Conch.-Samml. Malsburg, 1829, 35. [1820.]
- costatum** Dolium, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 144.
- costatus** Donacites (L.), E. F. v. Schlotheim, Die Petref. 1820, 193.—Trigonia, Park.
- costata** Donax, J. C. Zenker, Beitr. Nat. Umwelt, 1833, 55. [1758.]
- costatus** Doras (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 116.—Silurus,
- costata** Doras, J. Hancock, Zool. Journ. IV (14) Oct. 1828, 242.
- costata** Drosophila, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 776.
- costatus** Echinus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 370.
- costata** Emarginula, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 384.
- costatus** Erodus, Klug in Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 539.
- costata** Eschara, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Dec. 1836, 338.
- costata** Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 72.
- costata** Escharina, A. d'Orbigny, Amér. Mérid. (Zooph.) 1839, 14.
- costata** Euchlora, F. W. Hope (*ex* De Haan MS), Proc. Zool. Soc. London, VII (77) Oct. 1839, 73.
- costatus** Eugeniocrinites, W. Hisinger, Lethaea Svecica, 1837, 90.
- costatus** Eulachus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 275.
- costatus** Euomphalus, W. Hisinger, Anteckn. Physik Geogn. V. 1831, 114.
- costatus** Euomphalus, S. Woodward, Geol. Norf. 1833, 41.
- costata** Eurytoma, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 177.
- costata** Exogyra, T. Say, Amer. J. Sci. II (1) Ap. 1820, 43.
- costata** Fasciolaria, DeFrance, Dict. Sci. Nat. XVI. 1820, 197. [1841, 119.]
- costata** Fasciolaria, Bonelli in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III.
- costata** Fissurella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 410.
- costata** Fissurella, J. E. Gray in Sowerby, II., Conch. Illustr. (72) 1835, f. 28; Catal. (80) 1835, 5.
- costatum** Flabellum, Bellardi in H. Michelin, Icon. Zoophyt. (24-27) 1847, 271.
- costatus** Fossarus (Broc.), R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 148.—Nerita.
- costatus** Fusus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvi, f. 45.—Murex, Penn. 1777.
- costatus** Fusus (Penn.), J. Fleming, Hist. Brit. Anim. 1828, 349.—Murex, 1777.
- costatus** Fusus, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 206.
- costatus** Fusus, W. Hisinger, Lethaea Svecica, 1837, 43.

- costatus** Fusus, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 6.
- costatus** Gaulodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 316.
- costatus** Geoborus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 194. [45.]
- costatus** Georissus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840.
- costatus** Goldius (Muenst.), L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 6.—
Brontes.
- costatus** Goniatites, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 340.
- costata** Graptodera, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 173.
- costatus** Gronops (Gyll.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—Rhynchaenus.
- costata** Gymnosoma (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 205.—
Musca.
- costatum** Gyrocera (His.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 27.—
- costata** Haliotis, W. Swainson, App. Cat. Bligh. 1822, 3. [Inachus.]
- costata** Hallirhoa, J. V. F. Lamoureux, Exp. Méth. Polyp. 1821, 72.
- costatus** Hamites, T. Brown, Ill. Foss. Conch. G. B. I. (1) 1837, 3.
- costata** Harpula, W. Swainson, Treat. Malacol., May 1840, 119.
- costata** Helicina, J. E. Gray, Zool. Journ. I (1) Mar. 1824, 67.
- costatus** Helluo, F. A. Bonelli, Mém. Ac. Sci. Turin, 1811-12 (1813), 455.
- costatus** Helopinus, Spinola in Baudi & Truqui, Studi Ent. I. 1848, 199.
- costata** Hemithiris, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 286.
- costatus** Heterogaster, Herrich-S., Wanzenart. Ins. VI (2) Nov. 1840, 34.
- costata** Heterostegina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 212.
- costata** Hippolyte, Frey & Leuckart, Beitr. Kennt. wirbelloser Thiere, 1847, 159.
- costatus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 489.
- costatus** Hister, J. Sturm, Catal. Ins. Samml. 1826, 152 [n. n.].
- costatus** Hydrochus, Dejean, Catal. Coléopt. 1821, 50 [n. n.].
- costata** Hylotoma, C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (1) 1808, 45.
- costatus** Hyphydrus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 31.
- costatus** Hypsonotus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 262.
- costatus** Inachus, W. Hisinger, Lethaea Svecica, 1837, 38.
- costata** Isoarca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 138.
- costatus** Jassus (Panz.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 92.—Cicada,
1799.
- costatus** Lagostomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 616.
- costatus** Latridius, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 242.
- costata** Leguminaria, C. F. Schumacher, Essai Vers test. 1817, 126.
- costata** Lenticulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
- costata** Lepas (Mont.), Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 24.—
Balanus.
- costata** Leptaena (Sow.), J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 94.—Producta.
- costata** Leptaena, G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 142.
- costatus** Leucothyreus, H. Burmeister, Handb. Ent. IV (1) 1844, 498.
- costata** Lima, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 79.
- costata** Lineolaria, Muenster; D. T. Ansted, Geology, II. 1844, p. xi.
- costata** Lingulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 62.
- costata** Linyphia, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 31. [598.]
- costatum** Lithodendron, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug. 1845,
- costata** Lottia, G. B. Sowerby, I., Zool. "Blossom," 1839, 147.
- costata** Lucina, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 586. [[n. n.].
- costatus** Luperopherus, Ménétriés in V. v. Mochulski, Kaefer Russl., *post* May 1850, 49
- costatum** Lyriodon (Park.), H. G. Bronn, Lethaea Geogn. I (4) 1836, 364.—Trigonia.
- costatum** Lyrodon (Park.), G. A. Goldfuss, Petref. German. II (6) 1837, 201.—Trigonia.
- costata** Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 59.
- costata** Machaera (Say), A. A. Gould, Rep. Invert. Massach. 1841, 34.—Solen.
- costatus** Magilus, J. C. Chenu, Illustr. conch. I. Magilus, 1843, 2.
- costata** Mangelia (Penn.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—
- costata** Marginella, E. Eichwald, Nat. Lithuaen, 1830, 221. [Murex, 1777.]
- costatus** Megaloptalmus, Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 132.

- costatus* Melampus (Q. & G.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 107.—
costata Melanea, J. Sowerby, Min. Conch. III. 1819, 71. [Auricula.
costata Melania, G. A. Olivier, Voy. Othoman, IV (1804), 157.
costata Melania, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 314.
costata Melania, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 155.
costata Melanopsis (Ol.), J. B. Férussac, Essai Méth. Conch. 1807, 71.—Melania.
costata Melanopsis, Lamarck, Ency. Méth. (Vers) 1816, pl. 458, Liste p. 12 [*n. et f.*].
costata Melanopsis, A. E. Férussac, H. N. g. et p. Moll., wrapper of livr. 15, 1822
costata Melanopsis, G. B. Sowerby, II., Gen. Shells (22) 1824. [*n. et f.*].
costata Melanopsis (Oliv.), J. R. Roth, Moll. Orient, 1839, 25.—*var. jordanica*, Roth.
costata Melatoma (Sow.), W. Swainson, Treat. Malacol., May 1840, 342.—Melanopsis.
costata Meria, T. Say, Boston Journ. N. H. I (4) 1837, 361.
costata Mesostena, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 238.
costatus Microgaster, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 404.
costatus Micropeplus, J. L. Leconte in Agassiz, Lake Superior, 1850, 221.
costatus Minyops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 288.
costata Monanthia (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 261.—Tingis.
costatum Monoceros, G. B. Sowerby, I., Proc. Zool. Soc. London, III (28) July 1835, 50.
costata Mopsea, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 42.
costata Moutetia, C. F. F. Krauss, Südafrik. Moll. 1848, 57.
costatus Muricites, E. F. v. Schlotheim, Die Petref. 1820, 146.
costata Musca, G. W. F. Panzer, Ins. Germ., heft 73, 1800, tab. 23.
costata Mussa, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 179.
costata Myoconcha (Brown), R. Howse, Tr. Tyne-side Nat. F. C. I (3) 17 Aug. 1848, 245.
costatus Myoparo, I. Lea, Contrib. to Geol. 1833, 74 [P. *costatus*]. [—Arca.
costatus Mytilus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 55.
costatus Mytulites, E. F. Schlotheim, Tasch. Min. 1813, 105 [*n. n.*].
costatum Myzostoma, F. S. Leuckart, Isis (Oken), 1830, 613.
costata Natica, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 47. [Naticella.
costata Natica (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 189.—
costata Naticella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 101.
costatus Nautilus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 63.
costatus Nautilus, G. Montagu, Test. Brit. I. 1803, 199.
costatus Nautilus, G. Brocchi, Conch. Subap. 1814, 453.
costatus Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 87.
costatus Nautilus, G. Fischer v. W., Oryct. Moscou, 1830, sign. 64. [—Anatina.
costata Neaera (Sow.), R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 77.
costatus Nemaphorus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 491.
costata Nemoptera, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838), 94.
costata Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 13.
costata Nerita, G. Brocchi, Conch. Subap. 1814, 300.
costata Nerita, C. F. Schumacher, Essai Vers test. 1817, 187.
costata Nerita, J. De C. Sowerby, Min. Conch. V. 1824, 94.
costata Nitidula, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 64.
costata Nodosaria (Mont.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 253.—
costata Nonionina, F. A. Roemer, N. Jahrb. f. Min. 1838, 392. [Nautilus.
costata Nucula, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 4. [1844, 120.
costata Nyctipates, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
costata Ocyptera, C. F. Fallen, K. Vet. Ac. Handl. 1815 (2) 1816, 239.
costatus Odontaeus, J. Sturm, Catal. Ins. Samml. 1826, 175 [*n. n.*].
costatus Odontopus, G. Silbermann, Revue Entom. I. 1833, Descr. d'esp. nouv., no. 4.
costatus Ommatius, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 188.
costatum Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 31.
costatum Opatrum, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 218.
costata Operculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 281 [*n. n.*].
costatus Ophion, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 79.
costatus Orectochilus, Gory in C. Aubé, Spec. gén. Hydroc. 1838, 732.
costata Orsodachna, E. Newman, Entom. Mag. V (4) Ap. [i.e. July] 1838, 391.

- costata* Orthis, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 639.
costata Orthis, J. Hall, Amer. J. Sci. XLVIII (2) Ap. 1845, 295.
costata Orthonota, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 273.
costata Ortygia, T. Brown, Ill. Conch. G. B. I. 1827, pl. xx, f. 13 [*n. et f.*].
costata Ostrea, J. De C. Sowerby, Min. Conch. V. 1825, 143.
costata Ostrea, J. Steininger, Bemerk. Verst. Eifel, 1831, 40.
costata Paludina, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 170.
costatus Paracairius, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 91 [*n. n.*].
costata Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 415.
costatus Patellites, E. F. v. Schlotheim, Die Petref. 1820, 113.
costatus Pecten, C. F. Schumacher, Essai Vers test. 1817, 119.
costatus Pectunculus, J. Sowerby, Min. Conch. I. 1813, 72.
costatus Pedonoeses, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 35.
costata Pentetagonaster, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 274.
costata Periechocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 204.
costatus Periechocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 110 [*n. n.*].
costata Petalophora, J. O. Westwood, Cab. Orient. Entom. 1848, 85.
costata Petricola, Lamarck, Syst. Anim. 1801, 121.
costata Petricola, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849], 163.
costatus Phaenithon (Dej.), C. J. Schoenherr, Isis (Oken), 1823, 1135.—Anthribus.
costata Phasma, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 297.
costatus Philonthus, F. Baudi in Baudi & Truqui, Studi Ent. I. 1848, 128.
costata Pholas, H. D. de Blainville, Man. Malac. 1825, 577.
costatus Phylax, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 69.
costata Phyllodoce, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 304.
costatus Pileolus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 7.
costata Pimelia, J. C. Fabricius, Syst. Eleuth. I. 1801, 132.
costata Pinna, J. Phillips, Geol. Yorksh. II. 1836, 211.
costatus Planites, W. de Haan, Mon. Ammon. 1825, 92. [78.
costatus Planorbis, v. Klein, Jahresh. Ver. vat. Naturk. Württ. II (1) 1846 (*post* Mar.),
costata Planularia, J. Cornuel, Mém. Soc. géol. France (2) III (1) 1848, 253.
costatus Plastologus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 141.
costata Platystrophia (Pand.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 106.
—Porambonites. [Testacella.
costatus Plectrophorus (Bosc), A. E. Férussac, H. N. g. et p. Moll. II (1) 1819, 86.—
costatus Plesiosaurus, R. Owen, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, 80. [Arca.
costatus Pleurophorus (Brown), W. King, Ann. Mag. N. H. XIV. Nov. 1844, 313.—
costata Pleurotoma (Costa), H. D. de Blainville, Faune Française (20) Malac. 1829, 103.
costatum Pleurotoma, E. Eichwald, Nat. Lithuaen, 1830, 225. [—Buccinum, 1778.
costata Pleurotoma, L. Reeve (*ex* Gray MS), Conch. Icon.—Pleurotoma, no. 298, Dec.
1845. [Schizostoma.
costata Pleurotomaria (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 69.—
costata Pleurotome, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (6) 1808, 36.
costata Plusiotis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
[*ineunte* 1851], 210.
costata Polyglypta, H. Burmeister, Handb. Ent. II (1) 1835, 142.
costatus Polyscopus, J. Walzl, Reise Tyrol etc. (2) 1835, 74.
costata Polystomella (F. & M.), Lamarck, An. s. vert. VII. 1822, 625.—Nautilus, 1798.
costata Porambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 96.
costata Porcellia (Muenst.); A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 195.—
Schizostoma.
costata Posidonia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 78.
costata Posidonomya, G. v. Muenster, Beitr. zur Petref. (5) 1842, 117.
costata Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 222.
costatus Prepodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 18.
costatus Prochilodus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 79.
costata Producta, J. De C. Sowerby, Min. Conch. VI. 1827, 115.
costatus Productus, G. Fischer v. W., Oryct. Moscou, 1830, sign. c⁴.

- costata* Pronites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 73. [37.
costatus Psammeticus, Guérin in Solier, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838,
costatus Psammeticus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 95.
costata Psammobia, L. Reeve, Proc. Zool. Soc. London, X (116) Jan. 1843, 122.
costata Pterinea, G. A. Goldfuss, Petref. German. II (5) 1836, 137.
costata Pterocera (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 357.—
costatus Ptilinus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 329. [Rostellaria.
costatus Ptynx, A. Lefebvre, Magasin de Zool. (2) IV. 1842; text to pl. 92. [231.
costata Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832,
costata Pyrula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 79.
costata Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 301 [*n. n.*].
costata Ranella, A. Risso, H. N. Europe, IV. 1826, 202. [Murex, 1777.
costata Raphitoma (Penn.), L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 625.—
costata Retepora, F. v. Hagenow, N. Jahrb. f. Min. 1840, 646.
costata Rhaphomyia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 431.
costata Rhinaria, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 189.
costatus Rhodocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*].
costatus Rhodocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 202.
costatus Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 89.
costatus Rhyzodes, Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 58.
costata Ringicula (Eich.), H. G. Bronn, Index Pal. 1848, 1089.—Marginella.
costata Rissoa, Fréminville, Bull. Sci. Soc. Philom. Paris, 1814 (Aug.), 7.
costata Rissoa, S. Loven, K. Vet. Ac. Handl. 1839 (1841), 241.
costata Rissoa, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 9.
costata Rissoa (Mont.), J. Morris, Cat. Brit. Foss. 1843, 161.—Turbo, ? Pult. 1799.
costata Robulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 288 [*n. n.*].
costata Robulina (F. & M.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 289.—
costata Rostellaria, DeFrance, Dict. Sci. Nat. XLVI. 1827, 298. [Nautilus, 1798.
costata Rostellaria, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [*n. et f.*].
costata Rostellaria, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 146.
costata Rotella, Valenciennes in L. C. Kiener, Spec. Coquilles (Rotella) 1838-39, 10.
costata Salpa, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 37.
costata Saperda, Dejean, Catal. Coléopt. 1821, 109 [*n. n.*].
costata Saperda, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 112.
costata Sapromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 266.
costata Sarcinula, G. A. Goldfuss, Petref. German. I (1) 1826, 73.
costatus Saurichthys, G. v. Muenster, Beitr. zur Petref. (1) 1839, 118.
costata Saxicava, C. T. Menke, Syn. meth. Moll. 1828, 73 [*n. n.*].
costata Scalaria, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 345.
costatus Scaphites, G. A. Mantell, Foss. South Downs, May 1822, 120.
costatus Scarites, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 126.
costata Schizoneura, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 367.
costata Schizostoma, G. v. Muenster, Beitr. zur Petref. (4) 1841, 106. [287.
costata Sciarra, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818,
costata Scissurella, A. d'Orbigny, Mém. Soc. H. N. Paris, I (2) 1824, 344.
costatus Sclerognathus, F. W. Hope (*ex* Burm. MS), Cat. Lucanoid Coleopt. 1845, 27.
costatum Sclerostoma (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
[Nov. 1844], 260.—Strongylus.
costatus Sclerostomus, H. Burmeister, Handb. Ent. V. 1847, 426.
costata Scolopendra, C. L. Koch, Krit. Revision Insect-Deutschl. 1847, 166.
costata Scopolia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 252.—
Ocyptera.
costatus Scotobius, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 16.
costata Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 6.
costatum Sepidium, D. H. Schneider, Verz. Insectensamml. 1828, 77 [*n. n.*].
costata Serpula, F. v. Hagenow, N. Jahrb. f. Min. 1840, 669.
costatus Sigaretus (Br.), P. M. T. de Serres, Geogn. Terr. tert. 1829, 127.—Nerita.
costata Silpha, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 167.

- costata Siphonaria, G. B. Sowerby, I., Proc. Zool. Soc. London, III (25) Ap. 1835, 6.
 costata Siphonaria, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. Sept. 1841, 192. [rhoa.]
- costata Siphonia (Lamx.), H. G. Bronn, Lethaea Geogn. II (7 & 8) 1837, 592.—Halli-
 costata Siphonostoma, Guilding in W. Swainson, Treat. Malacol., May 1840, 168 & 333.
 costata Sitonia, G. Fischer de W., Cat. Col. Sibir. [1842], 24.
 costatus Solanocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 166.
 costatus Solen, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 315.
 costatus Solen, J. C. Chenu, Illustr. conch. I (18 & 19) 1843, pl. 8 [*n. et f.*].
 costatus Sphaerotus, De Brême, Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 108; Mon. Coléopt. 1842, 15. [1798.]
- costatus Spinicterules (F. & M.), Denys de Montfort, Conch. I. 1808, 223.—Nautilus,
 costata Spirifera, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 55.
 costatus Spondylus, Lamarck, An. s. vert. VI (1) 1819, 189.
 costata Squilla, W. de Haan in Siebold, F. Japon. (Crust. 1849), 223.
 costata Steira, J. O. Westwood in Magasin de Zool. VII. 1837, pl. 176.
 costata Stellispongia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 391. —Achilleum.
- costata Stenomorpha, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 490.
 costata Stomatia (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [P 1822], 352.
 costata Strepsidura, W. Swainson, Treat. Malacol., May 1840, 308. [—Nerita.]
 costatus Strongylus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 647. [Ocyptera.]
 costata Tachina (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 419.—
 costatus Tapenopsis, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 218.
 costata Tellina, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 148.
 costatus Tenebrio, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 97.
 costata Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 142.
 costata Terebra, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 309.
 costata Terebra, C. T. Menke, Syn. meth. Moll. 1828, 51.
 costata Terebra, I. Lea, Contrib. to Geol. 1833, 166. [Volutacea (11) 1839, 26.]
 costata Terebra, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2,
 costata Terebratula, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,
 costata Terebratula, R. T. Lowe, Zool. Journ. II (5) Ap. 1825, 105. [1809, 23.]
 costata Terebratula (Wahl.), S. Nilsson, Petrif. Suec. 1827, 37.—Anomites.
 costatus Termes, P. Rambur (Roret's Suite à Buffon, Névroptères, 1842, 305.
 costata Testacella, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 240.
 costata Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 135.—Cimex, 1787.
 costatus Thylacites, J. Sturm, Catal. Ins. Samml. 1826, 202 [*n. n.*].
 costata Tingis, J. C. Fabricius, Syst. Rhyng. 1803, 125.—Acanthia, 1794.
 costata Tingis, P. S. Schilling, Uebers. Arb. schles. Ges. 1837 (1838), 105.
 costatus Trachodes, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 409.
 costatus Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 438.
 costatus Trigonellites (Schl.), J. F. Krueger, Gesch. d. Urwelt (2) 1823, 443.—Donacites.
 costata Trigonina, J. Parkinson, Org. Rem. III. 1811, 175.
 costatus Trox, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 30.
 costata Truncatella, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 356. [239.]
 costata Turbinolia, H. M. Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
 costatus Turbo, E. Donovan, Brit. Shells, 1804, pl. clxxviii.
 costatus Turbo, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 16.
 costatus Turbo, Beudant, Ann. Mus. H. N. (Paris) XV (87) *inter* Ap.—Sept. 1810, 202.
 costatus Turbo, Lamarck, An. s. vert. VII. 1822, 50.
 costatus Turbo, S. d. Chiaje, Descr. An. invert. Sicilia, II. 1841, 133. [1797.]
 costata Turbonilla (Ad.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Turbo,
 costata Turrilites, Lamarck, Syst. Anim. 1801, 102.
 costata Turritella, J. De C. Sowerby, Min. Conch. VI. 1827, 126.
 costata Turritella, C. H. v. Zieten, Pétrif. Wurt. (6) 1832, 43.
 costata Turritella, T. Brown, Ill. Foss. Conch. G. B. I. (17, 18) [1843], 70.
 costatus Turrites (Roissy), W. de Haan, Mon. Ammon. 1825, 76.—Turrilites, Lam.

- costatum** Unicardium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 52.
costata Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 315.
costatus Unio, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 223.
costatus Unio, G. A. Goldfuss, Petref. German. II (6) 1837, 182.
costata Vaginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 258 [*n. n.*].
costatus Venericardites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 447.
costata Venus, L. W. Dillwyn (*ex Chemn.*), Catal. Shells, 1817, 175.
costata Venus, Solander in L. W. Dillwyn in Lister, Index Conch., ed. 3, 1823, 20.
costata Venus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 521.
costata Venus, T. Brown, Ill. Conch. G. B. L., ed. 2, 1844, 90.—Ortygia, 1827.
costata Voluta, W. Swainson, Q. Journ. Sci. (R. Inst. Gt. Brit.) XVII (33) Ap. 1824, 33.
costata Voluta, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 221.
costatus Xylocharis, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 33.
costatus Zophobas (Guér.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 118.—Tenebrio.
costazii Cellepora, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 237.
Costellaria W. Swainson, Treat. Malacol., May 1840, 320.—G.
costellaris Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 206.
costellaris Tiara (Lam.), W. Swainson, Treat. Malacol., May 1840, 319.—Mitra.
costellaris Voluta (Lam.), L. W. Dillwyn, Catal. Shells, 1817, 548.—Mitra.
costellaris Voluta, W. Wood (*ex Chemn.*), Index Test. 1818, 97.
costellaria Bulla, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 89.
costellaria Pleurotoma, H. Nyst, Messenger des Sci. XIV. 1836, 172.
costellatus Acteon, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 45.
costellata Acteon, Grateloup, Actes Soc. Linn. Bordeaux, X (53) 1838, 280.
costellata Acteon, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Plicacéens, pl. 1.—Auricula, 1828.
costellatus Ammonites, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 320 [*n. n.*]; *ibid.* V (1) 1842, 15.
costellata Auricula, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 107.
costellata Avicula, Lamarck, An. s. vert. VI (1) 1819, 149.
costellatum Buccinum, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Buccins, pl. 1.—Nassa, 1834.
costellatus Bulimus, J. Sowerby, Min. Conch. IV. 1822, 89 (pl. 366).
costellatus Bulimus, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 99.
costellata Byssoarca, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 72.
costellata Calyptraea, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 62.
costellata Cardiomorpha (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 133.—Sanguinolites.
costellata Cardita, Defrance, Dict. Sci. Nat. VII. 1817, 91.
costellatum Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 202.
costellatum Cerithium, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 31.
costellatum Cerithium (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 156.—Nassa.
costellata Chemnitzia (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 311 & 342.—Melania.
costellata Clymenia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 11 [= *var.* of *striata*].
costellata Columbella, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829,
costellatus Conoclypeus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 168. [376].
costellatus Conus, Grateloup, Actes Soc. Linn. Bordeaux, VII (39) 1835, 109.
costellata Corbula, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 86.
costellata Cucullaea, J. De C. Sowerby, Min. Conch. V. 1824, 67.
costellata Cucullaea, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*].
costellata Cytherina, F. A. Roemer, N. Jahrb. f. Min. 1838, 517.
costellata Dentalina (Rss.), H. G. Bronn, Index Pal. 1848, 411.—Nodosaria (D.).
costellata Diastoma, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 46.
costellata Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 5.
costellata Leptaena, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 15 [*n. n.*].

- costellata** Margarita, G. B. Sowerby, I., Malac. Conch. Mag. (1) 1838, 26.
- costellata** Melania, Lamarck, Ann. Mus. H. N. (Paris) IV (24) Aug. 1804, 430.
- costellata** Melania, Lam. *var.* roncana, Al. Brongniart, Mém. terr. Vicentin, 1823, 59.
- costellatus** Melanites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 399.
- costellata** Melanopsis, Férussac, Mém. Soc. H. N. Paris, I (1) 1823, 157.
- costellatus** Muricites, E. F. v. Schlotheim, Die Petref. 1820, 152.
- costellata** Nassa, Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 275.
- costellata** Nassa, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 344. [17.
- costellatus** Nautilus (Discites), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844,
- costellatus** Nautilus (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 110.—
Nautilus (Discites). [77.—Corbula.
- costellata** Neaera (Desh.), R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843,
- costellata** Nerita, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 115.
- costellata** Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 27.
- costellata** Nucula, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 198.
- costellata** Ovula, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 110.
- costellata** Perna, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 246.
- costellata** Petricola, Lamarck, An. s. vert. V. 1818, 504.
- costellata** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1845, 55.
- costellatus** Planulites, G. v. Muenster, Die Planuliten, 1832, 13.
- costellata** Pleurotoma, Lamarck, Ann. Mus. H. N. (Paris) III (15) Jan. 1804, 168.
- costellata** Producta, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 108.
- costellata** Pterocera (Buv.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 356.—
Rostellaria.
- costellata** Ptilodictya, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 287.
- costellatus** Pygaster, L. Agassiz, Mon. Ech. III. 1842, 81 [Cat. ect. Ech. 1840].
- costellata** Rissoa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533 [*n. n.*].
- costellata** Rissoa, Grateloup, Actes Soc. Linn. Bordeaux, X (52) 1838, 199.—Bulimus, 1828. [536.
- costellata** Rostellaria, A. Buvignier in Sauvage & B., Stat. min. géol. Ardennes, 1842,
- costellata** Rostellaria, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 249.
- costellatus** Sanguinolites, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 48.
- costellata** Scalaria, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 200. [30.
- costellata** Stomatella, A. Adams, Proc. Zool. Soc. London, XVIII (202) Nov. 12, 1850,
- costellatus** Strongylus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 116.
- costellata** Terebra, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
- costellata** Tornatella, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 282. [262.
- costellatus** Trichotropis, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 108.
- costellata** Trigonia, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 37.
- costellata** Turbonilla (Grat.), H. G. Bronn, Index Pal. 1848, 1327.—Auricula.
- costellata** Venus, G. B. Sowerby, I., Proc. Zool. Soc. London, III (27) June 1835, 42.
- costellifer** Cancellaria (Sow.), S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 538.—
- costellifer** Fusus (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 353.—Murex. [Murex.
- costellifer** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 558.
- costellifer** Murex, J. Sowerby, Min. Conch. II. 1818, 225.
- costellifer** Trochus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 58.
- costellifera** Venus, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 79.
- costella** Abebaea, J. Huebner, Verz. bekannt. Schmett. 1826, 408.—Tinea; Alucita,
- costella** Anacampsis, J. O. Westwood, Brit. Moths, II (? 1841), 192. [Fab. 1775.
- costellus** Chaetochilus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Dec. 1834, 338.—
Alucita, 1775.
- costellus** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 208.
- costella** Gelechia (Westw.), J. W. Douglas, Tr. Entom. Soc. Lond., n. s., I (1) Feb. 1850, 19.—Anacampsis.
- costella** Hypolepia (Fab.), A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 337.—
Alucita, 1775.

- costella** Rhinosia (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 17.—Tinea; Alucita, Fab. 1775.
- costellus** Ypsolophus (Fab.), A. H. Haworth, Lepidopt. Brit. (4) 1828, 542.—Alucita, 1775.
- costerii** Bulimus, F. Eydoux, Moll. de la "Favorite" in Magasin de Zool. VIII. 1838.
- costicaudis** Buthus, J. Gistel, Nat. Thierr. 1848, 191. [pl. 116.]
- costicaudis** Buthus, J. Gistel, Handb. Naturges. 1850 [1847], 626.
- costicollis** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 109.
- costicollis** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 172.
- costicollis** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [n. n.].
- costicollis** Ellimenistes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 184.*
- costicollis** Exema, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 854.
- costicollis** Melantho, Laporte, Revue Entom. IV (1) 1836, 10.
- costicollis** Ocladius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 699.
- costicollis** Thanasimus, M. Spinola in Gay, Chili, IV (Col.) 1849, 401. [[n. n.].]
- costiculata** Madrepora, de Haan in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 354
- costifera** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 31; Catal. (200) 1841, 5.
- costiferus** Conotrachelus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 452.
- costifera** Melania, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (2) Jan. 1841 [3].
- costifera** Purpura, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Aug. 1840, 77.
- costifera** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
- costifer** Trochus, J. H. Jonas, Zeitschr. f. Malakozool., Aug. 1846, 123. [432.]
- costiferum** Trophon, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 48.
- costiger** Cryptorhynchus, D. H. Schneider, Verz. Insectensamml. 1828, 79 [n. n.].
- costiger** Ocladius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 123.
- costigera** Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 78.
- costiguttella** Gelechia, F. Lienig, Isis (Oken), 1846, 290.
- costimaculana** Peronaea, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48 [n. n.]; & Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 160.
- costimanus** Buthus, C. L. Koch, Die Arachniden, IV (2) Oct. 1837, 27.
- costipennis** Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 149.
- costipennis** Chlorida, L. Buquet in F. E. Guérin-M., Iconographie, 1844, Ins. 221.
- costipennis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 3.
- costipennis** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 99.
- costipennis** Glyptosomus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 113.
- costipennis** Hypsonotus, Sahlberg in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 166.
- costipennis** Lacon, E. F. Germar, Linnaea Entom. III., Ap. 1848, 181.
- costipennis** Pelobatus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 70.
- costipennis** Porphyraspis, C. H. Boheman, Mon. Cassid. I. 1850, 93.
- costipunctana** Spilonota (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix.
- costipunctana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 443.
- costirostris** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- costirostris** Cosmorhinus, C. J. Schoenherr, Isis (Oken), 1823, 1143 [n. n.]. [403.]
- costirostris** Erirhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 294.
- costirostris** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1835, 223.
- costirostris** Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 105.
- costirostris** Listroderes, Gyllenhal in C. J. Schoenherr, Isis (Oken), 1823, 1142.
- costirostris** Merionus, Gyll.; Dejean, Catal. Coléopt. 1821, 90 [n. n.].
- costirostris** Rhynchaenus, C. R. Sahlberg, Diss. Ins. Fenn. II (5) 1835, 71. [416.]
- costirostris** Tanyrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- costnicensis** Coregonus, J. Gistel, Nat. Thierr. 1848, 45 [n. n.].
- costnicensis** Coregonus, Gistel, Handb. Naturges. 1850 [1847], 145.
- costosa** Depressaria, A. H. Haworth, Lepidopt. Brit. (3) 1811, 508.
- costosum** Euryale, Lamarck, An. s. vert. II. 1816, 538. [Euryale.]
- costosus** Gorgonocephalus (Lam.), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 26.—
- costovata** Cidaria (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena.

- costovata** Phalaena, E. Haworth, Prodr. Lep. Brit. 1802, 25.
- costovata** Zerynthia (Haw.), J. Curtis, Brit. Entom. VII (74) Feb. 1830, no. 296.—Pha-
costrizensis Cervus, F. Holl, Handb. Petref. I. 1829, 45. [laena.]
- costula** Melania, C. S. Rafinesque, Atlantic Journ. (5) 1833, 166.
- costula** Nassa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 540 [*n. n.*].
- costula** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 68.
- costularis** Fusus (Lam.), R. A. Philippi, Abb. Conch. II (7) 1847, 193.—Murex.
- costularis** Murex, Lamarck, Ency. Méth. (Vers) 1816, pl. 419, Liste p. 5 [*n. et f.*].
- costularis** Murex, W. Wood, Suppl. Index Test. 1828, 14 [*n. et f.*].
- costularis** Purpura (Lam.), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post*
May 1832, 232.—Murex.
- costulata** Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XIII (148) Oct. 1845, 75.
- costulata** Achatina, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 13.
- costulata** Actinia, S. A. Renier, Tavole [1804] xxiii.
- costulatus** Aganides (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- costulatus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 78. [Goniatites.]
- costulata** Ammonites, Lamarck, An. s. vert. VII. 1822, 637.
- costulata** Anomia, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 24.
- costulata** Aphodius, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Aug. 1849, 413.
- costulata** Arcopagia (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 235.—
Tellina.
- costulata** Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 455.
- costulata** Avicula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 85.
- costulatus** Barinotus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 59 [*n. n.*].
- costulata** Borelis (Eich.), H. G. Bronn, Index Pal. 1848, 171.—Melonia.
- costulatum** Buccinum, S. A. Renier, Tavole [1804] ix.
- costulatum** Buccinum, E. Eichwald, Zool. Spec. I. 1829, 297.
- costulatum** Buccinum, H. E. Anton, Verz. Conch. 1839, 91.
- costulatum** Buccinum, H. E. Anton, Verz. Conch. 1839, 92.
- costulatus** Buccinum, P. Calcara, Mon. Gen. Clausilia e Bulimo, 1840, 50.
- costulatus** Bulimus (Fér.), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 138.—
Helix (Cochlogena).
- costulata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 159.
- costulata** Cancellaria, Lamarck, Ann. Mus. H. N. (Paris) II (1) May 1803, 63.
- costulatum** Cardium, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 217.
- costulata** Caryophyllia (Ren.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847,
- costulatum** Cerithium, A. Risso, H. N. Europe, IV. 1826, 157. [96.—Actinia.]
- costulatum** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 199.
- costulata** Clausilia, Lamarck, An. s. vert. VI (2) 1822, 113.
- costulata** Clausilia, W. Wood, Suppl. Index Test. 1828, 34.—Turbo, 1828.
- costulata** Clausilia, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 3.
- costulata** Clymenia, G. v. Muenster, Beitr. zur Petref. (3) 1840, 94.
- costulata** Cochlocycla (Fér.), G. Jan, Consp. meth. Testac. 1830, 6.—Helix.
- costulata** Columbella, C. B. Adams, Contr. to conch. (4) Jan. 1850, 58.
- costulata** Corbula, Lamarck, An. s. vert. V. 1818, 497.
- costulata** Crenella (Risso), Forbes & Hanley, Hist. Brit. Moll. II. 1849, 205.—Modiolus.
- costulata** Crioceris, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 551.
- costulatum** Cyclostoma, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 22 [*n. n.*].
- costulatum** Cyclostoma, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I
(5 & 6) July 1837, 49.
- costulatum** Cyclostoma, O. G. Costa, Corresp. Zool. I. 1839, 70 [*n. n.*].
- costulata** Cyllindrella, C. B. Adams, Contr. to conch. (2) Oct. 1849, 4 [*i. e.* 20].
- costulata** Delphinula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer.
Phil. Soc., n. s., IX (3) Dec. 1846, 260. [Sept. 1849, 194.]
- costulatum** Diplomatina, W. H. Benson (*ex* Hutton MS), Ann. Mag. N. H. (2) IV.
- costulatus** Echinocyamus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 142.
- costulata** Exogyra, Rouillier & Vosinsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2)
1849, 351.

- costulatus Fusus, Lamarck, An. s. vert. VII. 1822, 135.
 costulatus Fusus, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 393.
 costulata Gervillia, J. A. Eudes-D., Mém. Soc. Linn. Calvados, 1824 (1824), 131.
 costulatus Goniatites, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 341.
 costulata Helcion (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 197.—
 costulata Helix, S. A. Renier, Tavole [1804] xi. [Patella].
 costulata Helix, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 12 [n. n.].
 costulata Helix, Ziegler in C. Pfeiffer, Naturg. deutsch. land-Moll. (3) 1828, 32.
 costulata Helix (Cochlogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 58 [n. n.].
 costulatus Hippurites, G. A. Goldfuss, Petref. German. II (7) 1840, 302. [[n. n.].
 costulata Isocardia, Voltz in J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 13
 costulata Leptosmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 268.
 costulata Lima, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 30.
 costulata Madrepora, de Haan in H. D. de Blainville, Man. Actin. 1834, 390 [n. n.].
 costulata Mangelia, A. Risso, H. N. Europe, IV. 1826, 219.
 costulata Margarita, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 81.
 costulata Margarita, H. P. C. Möller, Index Moll. Groenl. 1842, 8. [82.
 costulata Melania, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl.
 costulata Melania (Risso), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 584.—Turbonilla.
 costulata Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 14.
 costulata Melonia, E. Eichwald, Zool. Spec. II. 1830, 22.
 costulata Mitra, A. Risso, H. N. Europe, IV. 1826, 246.
 costulata Mitra, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 673.
 costulata Mitrella, A. Risso, H. N. Europe, IV. 1826, 248.
 costulatus Modiolus, A. Risso, H. N. Europe, IV. 1826, 324.
 costulatus Murex, S. A. Renier, Tavole [1804] ix.
 costulatus Murex, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 111.
 costulatus Murex, A. Risso, H. N. Europe, IV. 1826, 197.
 costulatus Murex, G. D. Nardo (ex Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
 costulata Mya (Macgill.), Catlow & Reeve, Conch. Nomen. 1845, 7.—Sphenia. [55.
 costulatum Nassa, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 217.
 costulata Nassa, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 220.
 costulata Natica, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 235.
 costulata Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 13.
 costulata Nerita, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 617.
 costulata Nerita, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 82.
 costulata Nerita, v. d. Busch in R. A. Philippi, Abb. Conch. I (4) 1844, 86.
 costulata Neritopsis (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 222.—
 costulatus Opatrinus, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 321. [Nerita.
 costulatus Orthoceratites, G. v. Muenster, Beitr. zur Petref. (3) 1840, 99.
 costulatus Pachygaster, Ziegl. ; Dejean, Catal. Coléopt. 1821, 91 [n. n.].
 costulata Patella, G. v. Muenster, N. Jahrb. f. Min. 1834, 10 [n. n.].
 costulata Patella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 7.
 costulatus Pecten, Hartmann in C. H. v. Zieten, Pétrif. Wurt. (9) 1833, 68.
 costulatus Pectunculus, G. A. Goldfuss, Petref. German. II (6) 1837, 163.
 costulatus Planorbis, C. F. F. Krauss, Südafrik. Moll. 1848, 83.
 costulata Pleurotoma (Risso), H. D. de Blainville, Faune Française (20) Malac. 1829, 100.—Mangelia.
 costulatum Pleurotoma, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 394.
 costulata Polystomella, O. G. Costa, Corrisp. Zool. I. 1839, 69 [n. n.]. [[n. n.].
 costulata Polystomella, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 186
 costulata Psammobia, W. Turton, Conch. Insul. Brit. 1822, pp. xxviii & 87.
 costulatus Pseudomaseus, V. v. Mochulski, Kaefar Russl., post May 1850, 51.
 costulata Pupa, S. Nilsson, Hist. Moll. Suec. 1822 [1823], 51.
 costulata Pupa, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 187.
 costulata Purpura, A. Risso, H. N. Europe, IV. 1826, 169.

- costulata** Pustulipora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 236 [*n. n.*].
- costulata** Pyramidella, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 137 [*n. n.*].
- costulatus** Rhizotragus, I. Frivaldsky, K. magyar tudos Tarsasag évkönyvei, II. 1835,
- costulata** Rissoa, H. E. Anton, Verz. Conch. 1839, 62. [257.]
- costulata** Rissoa, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 106.
- costulata** Scalaria, L. C. Kiener, Spec. Coquilles (Scalaria) 1838-9, 5.
- costulata** Scalaria, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 392.
- costulatus** Scarabus, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Auriculacea (53) 1845, 67.
- costulata** Sphenia, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 301.
- costulata** Tellina, G. A. Goldfuss, Petref. German. II (7) 1840, 235.
- costulata** Terebra, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 223.
- costulata** Theba, Ziegl.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.
- costulatus** Trochocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848,
- costulatus** Trochus, Lamarck, An. s. vert. VII. 1822, 14. [304.]
- costulata** Truncatella, A. Risso, H. N. Europe, IV. 1826, 125.
- costulatus** Turbo, W. Wood, Suppl. Index Test. 1828, 20 [*n. et f.*].
- costulata** Turbonilla, A. Risso, H. N. Europe, IV. 1826, 224.
- costulata** Turrilites, Lamarck, An. s. vert. VII. 1822, 646.
- costulata** Turritella, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 313.
- costulata** Turritella (Risso), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 280.—Turbonilla.
- costulata** Turritella, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 83.
- costulata** Turritella, H. P. C. Möller, Index Moll. Groenl. 1842, 10.
- costulata** Turritella, Mighels & Adams, Boston Journ. N. H. IV (1) 1842, 50.
- costulata** Vaginulina, F. A. Roemer, N. Jahrb. f. Min. 1842, 273.
- costulata** Venus, W. Wood, Suppl. Index Test. 1828, 5 [*n. et f.*].
- costulifera** Pleurotoma, H. G. Bronn, Zschr. Min. 1827, II (1828), 535 [*n. n.*].
- costulosa** Achatina, C. B. Adams, Contr. to conch. (7) Ap. 1850, 102.
- costulosa** Alvania, A. Risso, H. N. Europe, IV. 1826, 142.
- costulosum** Buccinum, A. Risso, H. N. Europe, IV. 1826, 159.
- costulosa** Cyliindrella, C. B. Adams, Contr. to conch. (6) Mar. 1850, 98.
- costulosa** Geomelania, C. B. Adams, Contr. to conch. (6) Mar. 1850, 96.
- costulosa** Spiraxis, C. B. Adams, Contr. to conch. (6) Mar. 1850, 88.
- costus** Actinocrinus, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 11 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 181.
- cosuatis** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 338.
- Cosymbia** J. Huebner, Verz. bekannt. Schmett. 1825, 302.—Lep.
- Cosymbotus** L. Fitzinger, Syst. Rept. 1843, 19 & 104.—R.—*typus* Hemidactylus platycosyra
- cosyra** Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1042. [urus, Cuv.]
- Cotalpa** H. Burmeister (*ex* Kirby MS), Handb. Ent. IV (1) 1844, 423.—Col.
- cotentina** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 64.
- Cothonaspis** T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (I) 1840, 186.—Hym.
- cothurnata** Acineta, J. F. Weisse, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. V (15) May 1846, 228.
- cothurnatus** Asilus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 317.
- cothurnata** Calobata (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 387.—
- cothurnatus** Ceyx (Panz.), Dict. Sci. Nat. VIII. 1817, 41.—Musca, 1798. [Musca, 1798.]
- cothurnata** Dioctria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 244.
- cothurnatus** Dolerus, Le Peletier, Mon. Tenthred. 1823, 123.
- cothurnatus** Elachestus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 141.
- cothurnata** Empis, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 298.
- cothurnatus** Entedon (Nees), F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 136.—Elachestus, 1834. [Gryllus, 1799.]
- cothurnatus** Gomphocerus (Creutz.), H. Burmeister, Handb. Ent. II (2) i, 1838, 647.—
- cothurnatus** Hoplisemenus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 426.
- cothurnatus** Ichneumon, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 258.

- cothurnata** Linnobia, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 161.
- cothurnatus** Mecynopus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 223.
- cothurnata** Oedipoda (Creutz.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 743.—Gryllus, 1799.
- cothurnata** Pimelia (Forsk.), F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. c. —Tenebrio, 1775. [(1844), 157.—Hoplismenus.
- cothurnatus** Platylabus (Grav.), C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845
- cothurnatus** Platypalpus, J. Macquart, Ins. dipt. N. France (3) 1827, 100.
- cothurnata** Stomoxys, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 249.
- cothurnata** Tachydromia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 98.—Platypalpus.
- cothurnata** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 106.
- cothurnatus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 285.
- cothurnata** Vorticella, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. f, pl. I., f. 14 (1828). [(1843), 345.
- cothurnella** Ornix, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- Cothurnia** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 94.—Inf.
- cothurnia** Tintinnus, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 201.
- cothurnix** *v.* **coturnix**. [Quad. XIV. 1799 [1802], 295.
- coticus** Tetrao, *err. pro* scoticus, L.; F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.)
- Cotidia** W. Kirby in Boisduval in d'Urville, Voy. "Astrolabe" (Ent.) II (2) 1835, 208.—
- Cotile** F. Boie, Isis (Oken), 1822, 550.—A. [Col.
- Cotilephorus** W. Swainson, N. H. Fishes etc. II. July 1839, 189 & 308 [Coty].—P.
- Cotinga** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*].
- Cotinga** C. P. Thunberg, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 175.—A.
- cotini** Glyphiptera, A. P. de Villiers, Ann. Sci. Soc. Agric. Lyon, IV. 1841, 464.
- cotini** Tortrix, A. P. de Villiers, Ann. Sci. Soc. Agric. Lyon, IV. 1841, 465.
- Cotinis** H. Burmeister, Handb. Ent. III. 1842, 254.—Col.
- cotio** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 339. [cotio.
- cotis** [Abramis] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 288.—Cyprinus
- cotis** Osteobrama (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1033.—Cyprinus
- Cotobotes** J. Gistel, Nat. Thierr. 1848, p. xi.—R. [cotio.
- Cotoptria** A. Guénée, 1845; *err.* Scuderi *pro* Catoptria, *q. v.*
- cotorra** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 362.
- Cotostomus** *err. pro* Catostomus, Les.; C. S. Rafinesque, Western Review, II (5) June 1820, 299 [*i. e.* 301]; Ichth. Ohiensis [Dec.] 1820, 54.
- contra** Colisa (Ham.), Cuvier & Valenc., H. N. Poiss. VII. 1831, 366.—Trichopodus.
- contra** Trichopodus, F. Hamilton, Fish. Ganges, 1822, 119.
- cotswaldiae** *v.* **cotteswoldiae**.
- cotta** Crenilabrus (Risso), H. Cloquet, Dict. Sci. Nat. XI. 1818, 389.—Lutjanus.
- cotta** Elania, P. H. Gosse, Ann. Mag. N. H. (2) III. Ap. 1849, 257.
- cotta** Lutjanus, A. Risso, Ich. Nice, 1810, 282.
- cotta** Platyaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 242.
- cottae** Ammonites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 86.
- cottae** Crenilabrus (Risso), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 204.—Lutjanus *cotta*.
- cottae** Fusus (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 229.—Pyrula.
- cottae** Lepidotus, J. L. R. Agassiz, Poiss. Foss. II (1), 306 (1844) [*n. n.*].
- cottae** Mytilus, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 66.
- cottae** Pinna, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (2) 1840, 55.
- cottae** Pyrula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 79. [tites.
- cottai** Acanthis (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—Gonia-
- cottai** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.—
- cottai** Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 25. [Goniatites.
- cottaldi** Homarus, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 115.
- cottaldiana** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 3.
- cottaldida** Comophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 40.
- cottaldina** Acrourea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 320.
- cottaldina** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 217.

- cottaldina** Avicula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 470.
cottaldina Cardita, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 91.
cottaldinum Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 22.
cottaldina Confusastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 322.
cottaldina Corbis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 17.
cottaldina Crenaster, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 320.
cottaldina Eunomia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
cottaldinus Fusus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 133.
cottaldinus Hyppalimus, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. May 1850, 180.
cottaldinum Hippopodium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
cottaldina Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 537.
cottaldina Meandrina, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 179.
cottaldina Myopsis (Orb.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.
 —Panopaea.
- cottaldina** Neritopsis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 7.
cottaldina Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 330.
cottaldinus Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 590.
cottaldina Phyllocaenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
cottaldina Phytogyra, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 38.
cottaldina Stephanocoenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 176.
cottaldina Stylosmilia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
cottaldina Thalamospongia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 179.
cottaldina Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 438.
cottaldina Zonopora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 171.
- cottardii** Lavignonus (Payr.), Potiez & Michaud, Gal. Moll. Douai, II. 1844, 250.—
cottardii Lutraria, B. C. Payraudeau, Cat. Moll. Corse, 1826, 28. [Lutraria.]
- cotteausia** Astarte, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
cotteausia Opis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
cotteausius Turbo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 8.
- cottellii** Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 59.
cottellii Molops (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 166.—Carabus.
cotteswoldia Asterias, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 94.
cotswaldiae Solarium, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 419.
- Cottila** J. Gistel, Nat. Thierr. 1848, p. x.—Dipt.
- cottoides** Apistus (L.), Cuvier & Valenc., H. N. Poiss. IV. 1829, 410.—Perca, 1758.
cottoides Clinus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 367.
cottoides Podabrus, J. Richardson, Zool. "Samarang" (Fish, 1848), 13.
cottoides Scorpaena, J. R. Forster, Anim. mar. Aust. 1844, 128.
- Cottopsis** C. F. Girard, Proc. Boston Soc. N. H. III. 1851 (1850), 303.—P.
Cotunnium S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 28.—G.
- Coturniculus** C. L. Bonaparte, Comp. List Birds Europ. 1838, 32.—A.
- coturnix** Buccinum, D. Solander, Catal. Portland Mus. 1786, 98 [*n. n.*].
coturnix Buliminus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 69.—Bulinus.
coturnix Bulinus, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,
coturnix C. [=Leptocoris], H. Burmeister, Handb. Ent. II (1) 1835, 305. [30].
coturnix Coturnix (L.), G. Cuvier, R. Anim. I. 1817, 452.—Tetrao, 1758.
coturnix Gymnetis, H. Burmeister, Handb. Ent. III. 1842, 289.
coturnix Ortygion (L.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. lxxvi & 202.—
coturnix Perdix (L.), C. Illiger, Prod. 1811, 242.—Tetrao, 1758. [Tetrao, 1758].
- cothurnix** Venus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 261.
- Cotyle** F. Boie, Isis (Oken), 1826, 971.—A. [Cotile in 1822].
- cotyledonis** Helix, W. H. Benson, Ann. Mag. N. H. (2) V. Mar. 1850, 216.
- "**Cotylelithus** Vallot, 1842," teste Scudder, *vernac. est.*
- Cotylophorus** W. Swainson, N. H. Fishes etc. I. Oct. 1838, 354.—P.
- cotylophorus** Silurus (? Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 57.—
 ? Platystachus, 1794.
- Cotylis** Mueller & Troschel, Ber. Verh. k. pr. Ak. Wiss. 1843, 212.—P. [Swains].
- Cotylophorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cotylephorus,

- cotylus** Cyprinus, J. E. Gray, Ill. Ind. Zool. (3) [1830], pl. v, f. 3.
- cotylus** Discognathus (Gray), J. J. Heckel in Russegger, Reise, I (2) 1843, 1027.—Cyprinus.
- cotyto** Heliconia, F. E. Guérin-M., Iconographie, 1844, Ins. 471.
- Coua** L. Oken, Isis, I. 1817, 1184.—A. [*n. n.*; Cuv. *vernac.*].
- Coua** H. R. Schinz in Cuvier, Thierreich, I. 1821, 651.—A.
- couaga** Chaetodon, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 726.
- couagga** Equus, *id. ac* quagga, Gm.; A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822,
- coubie** Labeo, E. Rueppell, Fortz. Besch. Fische Nil, 1832, 11. [414.]
- [**couchi**]
- couchii** Acantholabrus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 248.
- couchii** Crenilabrus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 178.
- couchii** Nika, T. Bell, Brit. stalk-eyed Crust. (6) [1846-51], 278.
- couchii** Serranus, W. Yarrell, Hist. Brit. Fishes, I. 1836, 12.
- couchii** Zoanthus, G. Johnston in R. Q. Couch, Cornish Fauna (3) 1844, 73.
- Couchia** W. Thompson, Ann. Nat. Hist. II. Feb. 1839, 411.—P.
- Couchia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Couchia, Buch.
- coucyi** Adesmia, H. Lucas, Ann. Soc. Ent. France [2] VIII (1) *post* Mar. 1850, p. xi.
- coudougan** Oriolus, C. J. Temminck in T. & Laugier, Pls. color. (54) Jan. 1825.
- cogneti** *v. cogneti*.
- coui** Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 271.
- couiy** Hystrix, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 345.
- coulaci** Psittacula, R. P. Lesson, Traité Ornith. (3) July 1830, 202.
- culacissi** Psittacula (Vieill.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 628.—Psittacus.
- coulacissi** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1405. [1835, 353.]
- couleruana** Paedisca, Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6),
- coulonellus** Crambus, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7),
- couloni** Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 147. [1836, 128.]
- couloni** Coelaster, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 191.
- couloni** Donacilla (Ag.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 401.—Mac-
- couloni** Elopides, J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844) [*n. n.*]. [troya.]
- couloni** Gryphaea, Defrance, Dict. Sci. Nat. XIX. 1821, 534.
- couloni** Holaster, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 22.
- couloni** Mactromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 195.
- couloni** Mytilus, J. Marcou, Bull. Soc. géol. France (sér. 2) IV. 1847, 138 [*n. n.*].
- couloni** Mytilus, J. Marcou, Mém. Soc. géol. France (2) III (1) 1848, 138 [*n. n.*].
- couloni** Ostrea (Defr.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 698.—Gryphaea.
- coulonii** Perla, F. J. Pictet, H. N. Ins. Neuropt., Perlides, 1842, 212.
- couloni** Pycnodus, J. L. R. Agassiz, Poiss. Foss. II (2), 200 (1844).
- couloni** Rotularia, Defrance, Dict. Sci. Nat. XLVI. 1827, 322.
- coulonii** Smynthurus, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 84. [1839.]
- couloni** Toxaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 26.—Holaster,
- coulteri** Glandina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 78.
- couma** Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 459.
- coupei** Ammonites, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 391.
- coupeii** [Myoxus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. II (40) Mar. 1823, Lérot du Sénégal, p. 2.
- couperi** Chelonia, R. Harlan, Amer. J. Sci. XLIII (1) July 1842, 144.
- couperi** Coluber, J. E. Holbrook, N. Amer. Herpet., ed. 2, III. 1842, 75.
- couperi** Mosasaurus, R. W. Gibbes, P. Amer. Assoc. 1849 (1850), 77 [*n. n.*].
- couperii** Unio, *emend.* cowperianus Anodonta, Lea; S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (13, 14) May 1842, 177 & 215. [periana, 1840.]
- couperiana** Anodonta, I. Lea, Tr. Amer. Phil. Soc., n. s., VIII (2) 1842, 227 [=cow-
- couperianus** Unio, *emend.* cowperianus, Lea; S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (13, 14) May 1842, 177 & 215.
- courbina** Pogonathus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 120.
- couro** Emys, A. F. Schweigger, Koenigsb. Archiv, I. 1812, 358.
- couro** Terrapene (Schw.), L. J. Fitzinger, Neue Classif. Rept. 1826, 45.—Emys.

- couroupa** Achatina, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 318.
- courtaudina** Cidaris, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 105.
- courteaudianum** Diadema, H. G. Cotteau in A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 380.
- cous** Arius (L.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1094.—Silurus, 1766.
- cous** Pimelodus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 95.—Silurus, 1766.
- coutellii** Anthus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826, 281.
- couturii** Monodonta, B. C. Payraudeau, Cat. Moll. Corse, 1826, 134.
- couturi** Trochus (Payr.), H. D. de Blainville, Faune Française (28) Malac., 1830, 287.—
- couxio** Chiropotes, R. P. Lesson, Spéc. des Mamm., Nov. 1840, 179. [Monodonta.
- coval** Clupea, G. Cuvier, Règne Anim., ed. 2, II. 1829, 318.
- covierii** Capreolus, *z. cauvierii*.
- cowieii** Alligator, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 15.
- cowperiana** Anodonta, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 289.
- coxalgica** Lema, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 535.
- coxalgica** Mecynodera (Boisd.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 17.—Lema. [672.
- coxale** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- coxalis** Agathis, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 196.
- coxalis** Bracon, M. Spinola, Ins. Liguriae, II. 1808, 126. [29.
- coxalis** Chlaenius, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- coxalis** Coryphocera, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 26.
- coxalis** Eubadizon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 235.
- coxalis** Helcon (Eubadizon) (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 132.—Eubadizon.
- coxalis** Ixodes, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvii [*n. n.*].
- coxalis** Nacerdes, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201 [*n. n.*].
- coxalis** Poria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 887.
- coxalis** Pterochelus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 173, 1839, tab. 17.
- coxalis** Rogas (Spin.), C. G. Nees von E., Hymenopt. Ichn. aff. I. 1834, 209.—Bracon.
- coxalis** Tenthredo, T. Hartig, Adelfl. Deutschl. I. 1837, 298.
- coxalis** Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 287.
- coxarum** Sepsis, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 748.
- coxator** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 109.
- coxata** Agromyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2737.
- coxatus** Philonthus, J. Curtis, Brit. Entom. XIII (153) Sept. 1836, no. 610.
- coxata** Sciomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 739.
- coxata** Tachydromia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 281.
- coxeirana** Helix, S. Moricand, Mém. Soc. Phys. H. N. Genève, VII (2) 1836, 433.
- Coxelus** Ziegler in Dejean, Cat. Coléopt. 1821, 67.—Col.
- Coxelus** J. Sturm, Cat. Ins. Samml. 1826, 24.—Col.
- Coxendix** J. Gistel, Nat. Thierr. 1848, p. ix.—Dipt.
- Coxendix** Bembidium, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 151.
- coxendix** Odontium (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 452.—Bembidium.
- coxii** Maerorhinus (Desm.), P. Boitard, Jardin des Plantes, 1842 [*i. e.* 1841], 277.—Phoca.
- coxii** Phoca, Desmarest, N. Dict. H. N., ed. 2, XXV. 1817, 559.
- coxiranus** Bulimus, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 138.
- coyanus** Aganides, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 116.
- coyana** Eulima, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 117.
- coyana** Lucina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 131.
- coyana** Lyonsia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.
- coyana** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 118.
- coyanus** Nautilus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 111.
- coyanus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 139.
- Coylipne** C. S. Rafinesque, Analyse, 1815, 160.—Coel. [*n. n.*].
- coynarti** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céphi.) 1844, 290.

- coynarti** Turrilites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 181.
- coyolcos** Ortyx (Gm.), G. R. Gray, Genera of Birds, III. May 1846, 514.—Tetrao, 1788.
- coypus** Castor (Mol.), J. B. Fischer, Syn. Mamm. 1829, 288.—Mus, 1782.
- coipus** Hydromys (L.), E. Geoffroy, Bull. Sci. Soc. Philom. [Paris] no. 93, 1804, 254.—
- coztototl** Psarocolius, J. G. Wagler, Isis (Oken) 1829, 757. [Mus, Mol. 1782.
- coztototl** Yphantès (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 432.—Oriolus
- cpriis** *v.* **cypris**. [costototl, 1788.
- craboides** Delena, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- crabronarius** Clerus, M. Spinola (*ex* Dej. Cat.), Ess. mon. Clérites, I. 1844, 247. [492.
- craboniformis** Aegeria (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 131.
—Sesia, 1793. [1793.
- crabroniformis** Memythus (Lasp.), E. Newman, Sphinx vesp. 1832, 53.—Sesia, Fab.
- crabroniformis** Milesia, J. C. Fabricius, Syst. Antliat. 1805, 187.—Syrphus, 1775.
- crabroniformis** Molorchus, J. Gistel, Nat. Thierr. 1848, 190.
- crabroniformis** Molorchus, J. Gistel, Handb. Naturges. 1850 [1847], 624.
- crabroniformis** Trichodes, J. C. Fabricius, Syst. Eleuth. I. 1801, 285.—Clerus, 1787.
- crabroniformis** Trochilium (Lewin), J. F. Stephens, Ill. Brit. Ent. (Haust. I.) June 1828,
138.—Sphinx, 1797.
- Crabronites** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 110.—Col.
- crabronoides** Scaphidomorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 487.
- craccae** Apion, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 382.
- craccae** Ophiussa (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 93.—Noctua,
1775. [1775.
- craccae** Ophiussa (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 266.—Noctua,
- craccae** Rhynchites (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 238.—Atte-
labus, Ol. 1789. [Noctua, 1775.
- craccae** Toxocampa (Fab.), A. Guénéé, Ann. Soc. Ent. France, X (2) July 1841, 77.—
[cracherodei]
- crachrodii** Circe, J. E. Gray, The Analyst, VIII (24) July 1838, 307.
- cracherodii** Haliotis, W. E. Leach, Zool. Miscell. I. 1814, 131.
- cracherodii** Helix, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 67.
- Cractes** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 14.—A.
- Cracticornis** G. R. Gray, List Gen. Birds, ed. 2, 1841, 88.—A.
- Cracticus** L. P. Vieillot, Analyse, 1816, 37.—A.
- Cracticus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cracticus, Eyt.
- Cractiornis** G. R. Gray, List Gen. Birds, ed. 2, 1841, 88.—A.
- Craesus** W. E. Leach, Zool. Miscell. III. 1817, 129.—Hym.
- cruesa** Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1839, 15 [=croesus].
- cræsus** Solenius, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar.
1835, 727.
- cræsus** SpheX, Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 351.
- Crago** Lamarck, Syst. Anim. 1801, 159.—Cr.
- craigensis** Strepshodes, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 275.
- Crambaphis** C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 478.—Hem. [*non*
- Crambina** P. C. Zeller, Isis (Oken), 1847, 747.—Lep. [*binom.*].
- crambis** Hipparchia, C. F. Freyer, Neuere Beitr. Schmett. V (74) 1845, 99.
- cramera** Lycaena, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 217.
- cramerella** Argyromigès (Fab.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—
Tinea, 1777.
- cramerella** Argyromis (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea, 1777.
- cramerella** Elachista (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8)
[ante Nov. 1840], 516.—Tinea, 1777.
- cramer**[i] Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 739.
- crameri** Rhetus, W. Swainson, Zool. Illust. (2) I (7) — 1829, pl. 33. [(1846), 188.
- crameri** Umbra, J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1844, 35 [*n. n.*]; Abh. 1844
- Crameria** J. Huebner, Verz. bekannt. Schmett. [1822], 168.—Lep.
- Crameria** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 59.—
- cramerianus** Papilio, G. Shaw, Nat. Misc. XX. 1809, pl. 852. [Dipt.

- crameriana** Tortrix, J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 229.
- cran** Buthus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 49.
- [**cranchi**]
- cranchii** Achæus, W. E. Leach, Malac. podophth. Brit., text to pl. xxii c (16) Dec. 1817.
- cranchii** Alvania, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*].
- cranchii** Bela, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*].
- cranchii** Bulla, J. Fleming, Hist. Brit. Anim. 1828, 292. [1850, 586.]
- cranchii** Bulla, A. Adams (*ex* Leach MS), in G. B. Sowerby, II., Thes. Conch. II (11)
- cranchii** Campeocea, W. E. Leach, Dict. Sci. Nat. XII. 1818, 341.
- cranchii** Chiton, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [*n. n.*].
- cranchii** Cineras, W. E. Leach in Tuckey, Exp. Zaire, 1818, 412.
- cranchii** Ebalia, W. E. Leach, Malac. podophth. Brit., text to pl. xxv (14) Ap. 1817.
- cranchii** Francolinus (Leach), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 336.—Perdix.
- cranchii** Fusus, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvi, f. 5 [*n. et f.*].
- cranchii** Gymnolepas, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 374.
- cranchii** Hippolyte, W. E. Leach, Malac. podophth. Brit., text to pl. xxxviii (16) Dec. 1817.
- cranchii** Loligo, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 174.
- cranchii** Megalopa, W. E. Leach in Tuckey, Exp. Zaire, 1818, 414.
- cranchii** Nelocira, W. E. Leach, Dict. Sci. Nat. XII. 1818, 347.
- cranchii** Ocythoe, W. E. Leach, Phil. Trans. R. Soc. 1817 (2) 1817, 295.
- cranchii** Pandarus, W. E. Leach, Dict. Sci. Nat. XIV. 1819, 535.
- cranchii** Perdix, W. E. Leach in Tuckey, Exp. Zaire, 1818, 408.
- cranchii** Phyllosoma, ? Leach in A. White, List Crustacea Coll. B. M. 1847, 82.
- cranchii** Pimelodus, W. E. Leach in Tuckey, Exp. Zaire, 1818, 409.
- cranchii** Pinnotheres, W. E. Leach, Malac. podophth. Brit., text to pl. xiv (1) Jan. 1815.
- cranchii** Pternistis (Leach), J. G. Wagler, Isis (Oken), 1832, 1229.—Perdix.
- cranchii** Roxania, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
- cranchii** Roxania (Flem.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 161.—Bulla.
- cranchii** Trochus, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*].
- cranchii** Vertumnus, "Leach MS," A. White, List Crustacea Coll. B. M. 1847, 89 [*n. n.*].
- Cranchia** W. E. Leach, Zool. Miscell. III. 1817, 140.—Ceph.
- cranchianus** Cineras, W. E. Leach, Zool. Journ. II (6) July 1825, 212.
- cranchianus** Prionorhynchus, W. E. Leach, Trans. Plymouth Inst. 1830, 171.
- "**Cranellus** Linder Meyer, Isis, 1843;"—[*non comp.*]. [spinosus].
- Cranellus** R. Tobias, Abh. nat. Ges. Görlitz, IV (1) 1844, 60.—A. [*typus* Hoplopterus
- crangon** Astacus (L.), T. Pennant, Brit. Zool., ed. 5, IV. 1812, 26.—Cancer, 1758.
- Crangonus** *emend. pro* Crangon, Latr.; C. S. Rafinesque, Analyse, 1815, 98.—Cr. [*n. n.*].
- crangorum** Bopyrus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 43.—Monoculus, 1798. [[*n. n.*].
- Cranicella** *emend. pro* Crania, Lam.; C. S. Rafinesque, Analyse, 1815, 148.—Brach.
- Cranidium** Illiger in H. Burmeister, Handb. Ent. II (2) 1, 1838, 574.—Orth.
- craniifera** Blabera, H. Burmeister, Handb. Ent. II (2) 1, 1838, 516.
- cranio-labris** Helicina, C. B. Adams, Contr. to conch. (1) Sept. 1849, 14.
- craniolaris** Fibularia (Leske), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 193.—Echinocyamus, 1778.
- craniolaris** Leucosia (Hbst.), W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 334.—
- Craniolites** E. F. v. Schlotheim, Die Petref. 1820, 246.—Br. [Cancer, L. 1758.]
- cranipes** Saxicola, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831.—oranipes, 1828.
- cranium** Inoceramus, J. Phillips, Geol. Yorksh. I. 1829, 119 [*n. et f.*].
- cranium** Leucosia, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 507.
- cranium** Terebratula, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 273 [*n. n.*].
- cranium** Tethya (Müll.), Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 71.—Alcyonium, 1776.
- Cranoceros** H. G. L. Reichenbach, Avium Syst. Nat., pl. 1 (Dec. 1849).—A. [*n. et f.*].
- Cranopelargus** C. W. L. Gloger, Gemeinnütz. Naturges. (2) 1842, 417.—A.
- Cranophorus** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 940.—Col.

- Crantor** Á. H. Haliday, Entom. Mag. I. 1833, 268.—Hym. [Papilio, 1793.]
crantor Cissia (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 34.—
crantor Pholus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 134.—Sphinx, 1777.
crapa Lutianus, C. S. Rafinesque-S., Car. n. gen. 1810, 52.
crapas Serranus, Cuvier & Valenc., H. N. Poiss. III. 1829, 494. [Dipt.
Crapitula B. B. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 330.—
Crasodactylus *pro* Crassodactylus; Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 258.
Craspedia J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 33.—Lep. [—Col.
Craspedia J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 198.—Dipt.
Craspedocephalus Kuhl & v. Hasselt, Algem. Konst. Letter-Bode, 1822 (7) Feb. 1822,
 100; Isis (Oken), 1822, 473.—R. [*non* Kaup, *apud* Agassiz].
Craspedochaeta Macquart, 1850; *teste* Marschall, 1851 *est*. [1852].
Craspedodonta Kuester, Conch. Cab. IX. 18—, pl. 27.—L. [*teste* Hermannsen, Suppl.
Craspedonia J. O. Westwood, Arcana Entom. (2) July 1841, 25.—Orth. [*typus* Phasma
gibbosa].
Craspedonta Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 367.—Col.
Craspedophora G. R. Gray, List Gen. Birds, 1840, Addenda, p. i.—A.
Craspedophorus F. W. Hope, Coleopt. Manual, II. 1838, 91 & 165.—Col.
Craspedopoma L. Pfeiffer, Zeitschr. f. Malakozool., Mar. 1847, 48.—G.
craspedopterus Euplectes, C. L. Bonaparte (*ex* Schiff MS), Consp. gen. Avium, I. 1850,
Craspedosoma W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 407.—Myr. [446.
Craspedosoma W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 380.—Cr.
Craspedotus C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 87.—Col.
Craspedotus R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1847, 23.—G.
Craspedum P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 138.—Hem.
Crassa T. Bruand, Mém. Soc. Emul. Doubs, Vol. III (Tom. 3) (5 & 6) 1850, 48.—Lep.
crassa v. crassus -a -um.
crassa lamella Styliina, H. Michelin, Icon. Zoophyt. (3) 1841, 25. [1787.
crassalis Bomolocha (Fab.), J. Huebner, Verz. bekannt. Schmett. 1826, 343.—Phalaena,
crassalis Hypena (Fab.), F. Treitschke, Schmett. Europa, VI (2) 1828, 311.—Phalaena,
 1787. [[1842], 138.
crassana Peronea, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
crassatella Mactra, Lamarck, An. s. vert. V. 1818, 479.
crassatellaeformis Astarte, G. G. Pusch, Geogn. Besch. Polen, II. 1836, 511.
crassatellaeformis Venus (Astarte), G. G. Pusch, Polens Paleont. (1) 1836, 74.
crassatellatum Cardium, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 51.
crassatellina Trigonia, Lamarck, An. s. vert. VI (1) 1819, 65.
Crassatellites J. F. Krueger, Gesch. d. Urwelt (2) 1823, 466.—L. [253.
crassatelloides Cythera, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837,
 "Crassatina T. Brown, 1829;" *non comp.*, Crassina *est*.
crassatina Ampullaria, Lamarck, Ann. Mus. H. N. (Paris) V (25) Sept. 1804, 33.
crassatina Arca, J. McClelland, Calcutta Journ. Nat. Hist. II (6) July 1841, 242.
crassatina Arca (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 306.—Cucullaea.
crassatina Bulla, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 88.
crassatina Cucullaea, Lamarck, Syst. Anim. 1801, 116.
crassatina Guttulina (Muenst.), H. G. Bronn, Index Pal. 1848, 559.—Polymorphina.
crassatina Natica (Lam.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 581.—Ampullaria.
crassatina Polymorphina, G. v. Muenster, N. Jahrb. f. Min. 1838, 385.
crassator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 257.
crassatus Crambus, A. H. Haworth, Lepidopt. Brit. (2) 1809, 366.—*alis*, Fab., 1798.
crassatum Cyclostoma, Omalius d'H., Mém. Géol. Pays-Bas, 1828, 243.
crassicauda Aptychus, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (4 & 5) 1848, 314.
crassicauda Asaphus (Illaenus) (Wahl.), J. W. Dalman, K. Vet. Ac. Handl. 1826 (2)
 1827, 250.—Entomostracites.
crassicauda Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 50.
crassicauda Bodo (Cercomonas) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 46.—
Cercomonas.
crassicauda Cercomonas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 288.

- crassicauda** Entomotractites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 27.
- crassicauda** Filaria, F. C. H. Creplin, N. A. Ac. Caes. Leop. Car. XIV (2) 1829, 874.
- crassicauda** Homalonotus, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 27. [stracites.]
- crassicauda** Illaenus (Wahl.), H. Burmeister, Organ. d. Trilobit. 1843, 119.—Entomo-
- crassicauda** Isotelus (Wahl.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 300.—Entomotractites. [291.]
- crassicaudus** Isothrix, Natterer in J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (2) 1848,
- crassicaudus** Lebias, L. Agassiz, Jahrb. f. Min. 1832, 136 [*n. n.*]. [V (2) 56 (1839).]
- crassicaudus** Lebias, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*]; Poiss. Foss.
- crassicauda** Pyrula, R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 98.
- crassicauda** Scorpio, G. A. Olivier, Voy. Othoman, V (1807), 172.
- crassicauda** Spiroptera, F. C. H. Creplin, N. Obs. de Entozois, 1829, 3.
- crassicauda** Trichosoma, O'B. Bellingham, Ann. Mag. N. H. XIV. Dec. 1844, 476.
- crassicaudatum** Diclibothrium, F. S. Leuckart, Zool. Bruchst. III. 1842, 13.
- crassicaudata** Didelphis, A. Desmarest, Nouv. Dict. N. H. XXIV (Tab.) 1804, 19.
- crassicaudatus** Dysopes (Geoff.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804—1811 (1815), 109.—Molossus.
- crassicaudatus** Galago, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 166.
- crassicaudatus** Lemur, H. D. de Blainville, Ostéogr., Lemur, pl. vii [1839]. [1832.]
- crassicaudatus** Lepus, I. Geoffroy, Magasin de Zool. II. 1832, pl. 9; Etudes Zool. (2)
- crassicaudata** Manis, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 282.
- crassicaudatus** Molossus, E. Geoffroy, Ann. Mus. H. N. (Paris) VI (32) May 1805, 156.
- crassicaudatus** Otolicnus (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 292.—Galago.
- crassicaudata** Peramys, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 187 [*n. n.*].
- crassicaudata** Phascogale, J. Gould, Proc. Zool. Soc. London, XII (136) Oct. 1844, 105. [Phascogale, 1844.]
- crassicaudatus** Podabrus, J. Gould, Mamm. of Australia, I (1) May 1845, pl. 47.—
- crassicaudatum** Scelotrema, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 155.
- crassicaudatus** Trygonobatus, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 337.
- crassicaudis** Coluber (Natrix), Gm.; B. Merrem, Tent. Syst. Amph. 1820, 107.
- crassicaudis** Didelphys, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804—1811 (1815), 107 [*n. n.*].
- crassicaudis** Salamandrachas, J. Gistel, Nat. Thierr. 1848, 188.
- crassicaulis** Flabellaria, Lamarck, An. s. vert. II. 1816, 344.
- crassiceps** Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 139.
- crassiceps** Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 364.—Alyselm. 1800.
- crassiceps** Hemiteles, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 151.
- crassiceps** Locusta (Conocephalus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 212. [bezitt., Zool. (Ins.) 1842, 87.]
- crassiceps** Mantis (Oxyphilus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- crassiceps** Rhynchobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 572.
- crassiceps** Taenia (Zed.), C. A. Rudolphi, Entoz. II (2) 1810, 172.—Alyselm. 1800.
- crassiclunus** Cerbus, E. F. Germar, Revue Entom. V (3) 1840, 157.
- crassicollis** Taenia, Nordmann in Lamarck, H. N. Anim. s. vert., ed. 2, III. 1840, 573.
- crassicollis** Aucella, A. Keyserling, Wiss. Beob. Petschora, 1846, 300.
- crassicollis** Avicula (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 372.—Aucella.
- crassicollis** Brentus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*].
- crassicollis** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 113. [313.]
- crassicollis** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
- crassicollis** Chironomus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 18.
- crassicollis** Clemmys (Bell), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 123.—Emys.
- crassicollis** Cratonychus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 98.
- crassicolle** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 378.

- crassicollis** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- crassicollis** Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
- crassicollis** Emys, T. Bell in S. Raffles, Mem. T. S. Raffles, 1830, 695 [*n. n.*].
- crassicollis** Emys, J. E. Gray (*ex* Bell MS), Ill. Indian Zool. I (—) [1830–2] (pl. 76); Syn. Rept. 1831, 21.
- crassicollis** Helops, Dejean in H. C. Kuester, Käfer Europas, XXI. 1850, 32.
- crassicollis** Holotrochus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 758.
- crassicollis** Liparus, Dahl; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
- crassicollis** Oophorus (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 214.—Elater.
- crassicollis** Oxytelus, Dufts.; Dejean, Catal. Coléopt. 1821, 25 [*n. n.*].
- crassicollis** Pinophilus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 678.
- crassicolle** Pterobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 564.
- crassicolle** Rhynchobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 572.
- crassicollis** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 7.
- crassicollis** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 173.
- crassicollis** Tarus, J. R. Schellenberg, Helvet. Entom. II. 1806, 96.
- crassiconum** Scyllium, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 4.
- crassicornella** Tinea, P. C. Zeller, Isis (Oken), 1847, 810.
- crassicornis** Actinia, Lamarck, An. s. vert. III. 1816, 67.
- crassicornis** Actinia (Isacmaea), Gmelin; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 257. [Lytta.]
- crassicornis** Aenas (Fab.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 229.—
- crassicornis** Aleochara, Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- crassicornis** Aleochara, L. Gyllenhal, Ins. Suecica, I (4) 1827, 486.
- crassicornis** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 113.
- crassicornis** Anthribus, J. C. Fabricius, Syst. Eleuth. II. 1801, 407.
- crassicornis** Araeopus (Fab.), M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 336.—Delphax, 1798. [1798.]
- crassicornis** Asiraca (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 260.—Delphax,
- crassicornis** Athrix, Meigen in G. W. F. Panzer, Ins. Germ., heft 105, 1806–9, tab. 10.
- crassicornis** Bolitochara (Gyll.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 491.—Aleochara.
- crassicornis** Bostrichus, F. V. Melsheimer, Ins. Pennsylv. 1806, 8 [*n. n.*].
- crassicornis** Brentus, Dejean, Catal. Coléopt. 1821, 82 [*n. n.*].
- crassicornis** Bythinus, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 317.
- crassicornis** Bythinus, H. M. Schmidt, Beytr. Mon. Pselaphen, 1838, 9.
- crassicornis** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 565.
- crassicornis** Cantharis, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 437.
- crassicornis** Capsus, P. C. Fabricius, Syst. Rhyng. 1803, 246.—Acanthia, 1794.
- crassicornis** Cavolina, F. Eschscholtz, Zool. Atlas, IV. 1831, 15.
- crassicornis** Ceraphron, C. H. Boheman, K. Vet. Ac. Handl. 1831 (1832), 331.
- crassicornis** Ceromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 36.
- crassicornis** Chondracanthus, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 203.
- crassicornis** Colliuris, Dejean, Spec. gén. Coléopt. I. 1825, 166.
- crassicornis** Cordyla, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 275.
- crassicornis** Coreus (L.), J. C. Fabricius, Syst. Rhyng. 1803, 201.—Cimex.
- crassicornis** Coreus, P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 205.
- crassicornis** Corizus (L.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 467.—Cimex, 1758.
- crassicornis** Corizus (Fab.), C. F. Fallen, Hemipt. Sveciae, 1829, 41.—Coreus.
- crassicornis** Crabro, M. Spinola, Ins. Liguria, II. 1808, 262.
- crassicornis** Crepidodera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 343.
- crassicornis** Cribrina (Müll.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 46.—
- crassicornis** Crioceris, A. G. Olivier, Entom. VI. 1808, 731. [Actinia, 1776.]
- crassicornis** Cucujus, J. Walzl, Isis (Oken), 1839, 225.
- crassicornis** Curculio, A. G. Olivier, Entom. V. 1807, 386. [Ichneumon, 1794.]
- crassicornis** Cynips (Rossi), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 314.—

- crassicornis Cynips, J. Curtis, Guide Brit. Ins. (4) 1829-30, 108 [*n. n.*].
- crassicornis Degeeria, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 370.
- crassicornis Dictyonota (Fall.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 50.—Tingis.
- crassicornis Elachestus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 148.
- crassicornis Eriocampa, Tischbein, Entom. Zeitung, Stettin, VII (4) Ap. 1846, 113.
- crassicornis Euceros, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 370.
- crassicornis Eucorynus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1135.—Anthribus.
- crassicornis Eumesius (Grav.), J. O. Westwood, Introd. class. Insect. II. 1840, Syn. 59.—Euceros.
- crassicornis Evania, M. Spinola, Rev. Zool. (Soc. Cuv.) V. June 1842, 189.
- crassicornis Evania (Hyptia), Spin.; J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 247.
- crassicornis Evaniusomus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 113.
- crassicornis Exochus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 347.
- crassicornis Feronia, G. Fischer de W., Cat. Col. Sibir. [1842], 6.
- crassicornis Flabellina (Esch.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 109.—Cavolina.
- crassicornis Glyptoma, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 908. [crassimanus.
- crassicorne Gonatopus (Hal.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Dryinus
- crassicornis Gonia (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 345.—Musca, 1794.
- crassicornis Haematopota, Wahlberg, Ofvers. K. Vet. Ac. Förh. V (9) 1848 (1849), 200.
- crassicornis Halictus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 267.
- crassicornis Haltica, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834, 96 [*n. n.*].
- crassicornis Haltica, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 131.
- crassicornis Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 847.
- crassicornis Hippolyte, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 375.
- crassicornis Homalota (Gyll.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 134.—Aleo-
- crassicornis Hylurgus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 71. [chara.
- crassicornis Inocellia (Hartl.), W. G. Schneider, Mon. Rhaphidiæ, 1843, 89.—Rhaphidia.
- crassicornis Isocardia (Ag.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 137.—Ceromya.
- crassicorne Isosoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 15.
- crassicornis Itea, C. L. Koch, Deutsch. Crust., heft 36, 1844, tab. 5.
- crassicornis Julius, J. C. Mikan, Isis (Oken), 1834, 742. [L. 1758.
- crassicornis Kleidocerys (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Cimex,
- crassicornis Lampyrus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 118.
- crassicorne Lathrobium, Dahl; Dejean, Catal. Coléopt. 1821, 24 [*n. n.*].
- crassicornis Latridius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Aug. 1830, 113 (transversus).
- crassicornis Leia, J. Curtis, Guide Brit. Ins. (7) 1831, 208 [*n. n.*].
- crassicornis Leia, J. Curtis, Brit. Entom. XIV (161) May 1837, no. 645.
- crassicornis Lema, Ol.; Dejean, Catal. Coléopt. 1821, 114 [*n. n.*].
- crassicornis Lonsdaleia, F. M'Coy, Ann. Mag. N. H. (2) III. Jan. 1849, 12.
- crassicornis Lycoperdina, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 166.
- crassicornis Lygaeus, H. Lucas, Explor. Algér. (Artic. III.) 1849, 67.
- crassicornis Lytta, J. C. Fabricius, Syst. Eleuth. II. 1801, 80.
- crassicornis Machilis, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1846, 253. [1846, 179.
- crassicornis Malthinus, F. G. Maeklin, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (1)
- crassicornis Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- crassicornis Mestogaster, H. M. Schmidt, Beytr. Mon. Pselaphen, 1838, 9. [1846, 218.
- crassicornis Mycetophila, F. H. Stannius, Obs. Mycetophila, 1831, 22.
- crassicornis Mycetoporus, F. G. Maeklin, Spec. Fenn. Mycetop. 1847, 9.
- crassicornis Nematus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 28.
- crassicornis Nematus, T. Hartig, Adelf. Deutschl. I. 1837, 204. [1763.
- crassicornis Nirmus (Scop.), I. F. M. de Olfers, De Veg. Anim. 1816, 89.—Pediculus,
- crassicornis Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 173.

- crassicornis** Nonagria (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Noctua.
crassicornis Noterus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 224.—Dytiscus.
crassicornis Nyctibora, H. Burmeister, Handb. Ent. II (2) 1, 1838, 501. [? Müll. 1776.
crassicornis Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 155.
crassicornis Odynerus (Panz.), C. Wesmael, Mon. Odyn. Belg. 1833, 39.—Vespa.
crassicornis Oenas (Fab.), Lamarck, An. s. vert. IV. 1817, 433.—Lytta, ? Ill. 1800.
crassicornis Oenas (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 29.—Lytta, ? Ill. 1800. [Moscou, VI. 1839, 23.
crassicornis Otiorhynchus, Schoenherr in F. Faldermann, N. Mém. Soc. Imp. Nat.
crassicornis Pachypalpus, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 269. [52.
crassicornis Panthus, F. Walker (ex Haliday MS), Ann. Mag. N. H. XVIII. July 1846,
crassicornis Passandra, E. Desmarest in Vaillant, Voy. "Bonite," Zool. I. 1842, 319.
crassicornis Pediculus, H. Burmeister, Gen. Ins. (4) 1838, no. 15. [1832.
crassicornis Pella, J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Ap. 1835, 434.—Aleochara,
crassicornis Peneaus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 418.
crassicornis Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 220.
crassicornis Physoplia, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 543.
crassicornis Phytocoris, C. W. Hahn, Wanzenart. Ins. II (4) July 1834, 90.
crassicornis Pimpla, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 375.
crassicornis Polynema, A. Foerster, Linnaea Entom. II. July 1847, 221.
crassicornis Pompilus, J. Schiödt, Naturhist. Tidsskrift, I. 1837, 335.
crassicornis Pompilus, W. E. Shuckard, Foss. Hymenopt. 1837, 63.
crassicornis Porcellio, C. L. Koch, Deutsch. Crust., heft 34, 1841, tab. 19. [67.
crassicornis Prioscelis, J. O. Westwood, Proc. Zool. Soc. London, IX (103) Mar. 1842,
crassicornis Psammetichus, G. R. Waterhouse, Ann. Mag. N. H. XIII. Jan. 1844, 54.
crassicornis Pteromalus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 424.
crassicornis Pterygia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 264.
crassicornis Pyramis, F. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 576.
crassicornis Raphidia, Hartlieb, Beitr. Entom. Schlesien (1) 1832, 15.
crassicornis Rhopalus (Fab.), P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 50.—Coreus.
crassicornis Sabella, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 202.
crassicornis Saperda, C. J. Schoenherr, Syn. Insect. I (3) 1817, 421.
crassicornis Sarrotrium, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 260.
crassicornis Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 23.
crassicornis Senometopia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 114.—Tachina.
crassicornis Setella, J. D. Dana, P. Amer. Ac. I. 1848, 155.
crassicornis Synergus, Th. Hartig in Germar, Zeitschr. f. d. Entom. IV. 1843, 414.
crassicornis Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 71.
crassicornis Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 351.
crassicornis Tachyporus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
crassicornis Telephorus (Tylocerus), J. W. Dalman, Anal. Entom. 1823, 57. [1844, 180.
crassicornis Themisto, H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 295.
crassicornis Tingis, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 38.
crassicornis Tipula, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 841.
crassicornis Trineura (Meig.), J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2874.—Phora.
crassicornis Umbonia (A. & S.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 275.—Physoplia. [1847, 266.
crassicornis Winthemia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] V (2) Aug.
crassicornis Zelus, H. Burmeister, Handb. Ent. II (1) 1835, 225.
crassicornuta Melongena, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct.
crassicoستا Argonauta, de Blainville, Dict. Sci. Nat. XLIII. 1826, 213. [1847, 286.
crassicoستا Cancellaria, L. Bellardi, Mem. R. Acc. Sci. Torino [2] III. 1841, 247.
crassicoستا Cardita, Lamarck, An. s. vert. VI (1) 1819, 24.
crassicoستا Corbis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
crassicoستا Orthambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 82.
crassicoستا Patella, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 133.

- crassicosta** Rissoa, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 6.
- crassicosta** Spondylus, Lamarck, An. s. vert. VI (1) 1819, 193.
- crassicostata** Alvania, A. Risso, H. N. Europe, IV. 1826, 143.
- crassicostatus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 197.
- crassicostata** Chama, W. Wood, Suppl. Index Test. 1828, 6 [*n. et f.*].
- crassicostata** Chelone, R. Owen, Rept. London Clay (Pal. Soc. II.) July 1849, 27.
- crassicostatus** Clypeaster, L. Agassiz, Cat. Ect. Ech. 1840, 6. [1842, 39.
- crassicostatus** Clypeaster, Agassiz in E. Sisonda, Mem. R. Acc. Sci. Torino [2] IV.
- crassicostatus** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 541.
- crassicostata** Helix, W. H. Benson, Ann. Mag. N. H. (2) II. Sept. 1848, 159.
- crassicostata** Mangelia, C. B. Adams, Contr. to conch. (4) Jan. 1850, 66.
- crassicostatus** Murex, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 601.
- crassicostatus** Pecten, G. B. Sowerby, II., Thes. Conch. I (2) *ante* 2 Nov. 1842, 75.
- crassicostatus** Pecten, W. Dunker, Palaeontographica, I (4) May 1848, 164.
- crassicostata** Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) *ante* 11 Ap. 1844, 104.
- crassicostata** Scalaria, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 42.
- crassicostatus** Spirifer, J. De C. Sowerby, Q. J. Geol. Soc. London, III. 1847, 248 [*n. n.*].
- crassicostata** Turbinella, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*].
- crassicostata** Turbinella, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 265.
- crassicostata** Venericardia, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. IV.
- crassicostata** Venericardia, W. Wood, Suppl. Index Test. 1828, 57.—Chama, 1828.
- crassicostis** Atrypa, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 131.
- crassicostulatus** Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 157.
- crassicrus** Sphaetes, Menzel in Bremi, Entom. Zeitung, Stettin, X (3) Mar. 1849, 95.
- crassidens** Astarte, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 365.
- crassidens** Carcharodon, E. Sisonda, Mem. R. Acc. Sci. Torino [2] X. 1849, 35.
- crassidens** Cardium, L. Rousseau in Démidoff, Voy. Russie, II. 1842, 816.
- crassidens** Coniasaurus, R. Owen in F. Dixon, Geol. Sussex, 1850, 386. [(3) 1840, 503.
- crassidens** Crocodilus (Leptorhynchus), Falconer & Cautley, Tr. Geol. Soc. Lond. [2] V
- crassidens** Delphinus (Ow.), C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 234.—Phocaena.
- crassidens** Elonichthys, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 251.
- crassidens** Gavialis (F. & C.), H. G. Bronn, Index Pal. 1848, 527.—Crocodilus.
- crassidens** Goniopholis, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 69.
- crassidens** Lamna, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 115 (1838); III. 292 (1843).
- crassidens** Lutraria, Lamarck, An. s. vert. V. 1818, 471.
- crassidens** Mactra, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 346.
- crassidens** Mitra, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 372.
- crassidens** Mitra, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 676.
- crassidens** Mulinia, T. A. Conrad, Rep. Assoc. Amer. geol. nat. 1843, 110.
- crassidens** Orca (Owen), J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 34.—Phocaena.
- crassidens** Oxyrhina, F. Dixon, Geol. Sussex, 1850, 367.
- crassidens** Pandora, T. A. Conrad, Foss. Med. Tert. U. S. (1) Jan. 1838, 2.
- crassidens** Pedipes, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 93.
- crassidens** Phocaena, R. Owen, B. Foss. Mamm. (1846), 516.
- crassidens** Sphyaenodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*];
Poiss. Foss. V (1), 99 (1844) [*n. n.*].
- crassidens** Triton, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 287.
- crassidens** Unio, Lamarck, An. s. vert. VI (1) 1819, 71.
- crassidentata** Flustra, Lamarck, An. s. vert. II. 1816, 159.
- crassidentata** Membranipora, F. S. Voigt in Cuvier, Thierreich, VI. 1843, 365.
- crassidentata** Plicatula, H. G. Bronn, Index Pal. 1848, 1020.
- Crassidorsa** T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 98.—G.
- crassifibra** Caprina, C. F. Roemer, Texas, 1849, 408.
- crassificata** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 319.
- crassiflavella** Cephimallota, T. Bruand, Mém. Soc. Emul. Doubs, Vol. III (Tom. 3)
(5 & 6) 1850, 32. [bezitt., Zool. (Ins.) 1842, 197.
- crassifolia** Locusta (Phylloptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.

- crassifrons** Harpes, J. Barrande, *Nouv. Trilob.*, Suppl. à Not. prélim. Silur. 1846, 15.
- crassifrons** Pleurorhynchus, T. A. Conrad, *J. Acad. Nat. Sci. Philad.* VIII. *post* Ap. 1842, 252.
- Crassilabris** W. Swainson, *N. H. Fishes etc.* II. July 1839, 172 & 225 (-brus).—P.
- crassilabris** Achatina, W. H. Benson, *J. Asiat. Soc. Bengal*, V. 1836, 353.
- crassilabris** Bulimus, J. E. Gray, *Proc. Zool. Soc. London*, II (19) Nov. 1834, 66.
- crassilabris** Bulimus, Grateloup, *Actes Soc. Linn. Bordeaux*, XI (55) 1840, 164.
- crassilabris** Cellepora, A. E. Reuss, *Naturw. Abhandl. (Haidinger)* II. 1848, 89.
- crassilabris** Clausilia, Megerle in C. T. Menke, *Syn. meth. Moll.* 1828, 17 [*n. n.*].
- crassilabre** Dolium (Val.), K. T. Menke, *Zeitschr. f. Malakozool.*, Dec. 1850 [Ap. 1851], 182.—Malea.
- crassilabris** Helicina, R. A. Philippi, *Zeitschr. f. Malakozool.*, Aug. 1847, 125.
- crassilabris** Helix, L. Pfeiffer, *Proc. Zool. Soc. London*, XIV (166) Jan. 26, 1847, 111.
- crassilabris** Malea, A. Valenciennes in Humboldt, *Voy. Intér. Amér. (Obs. Zool.* II. 1832), 327.
- crassilabris** Murex, Potiez & Michaud, *Gal. Moll. Douai*, I. Oct. 1838, 414.
- crassilabris** Trophon, J. E. Gray, *Figs. Moll. Anim.* IV. 1850, 67.
- crassilabris** Upeneus, Cuvier & Valenc., *H. N. Poiss.* VII. 1831, 523.
- crassilabrum** Buccinum, W. Wood, *Index Test.* 1818, 115.
- crassilabrum** Cerithium, C. F. F. Krauss, *Südafrik. Moll.* 1848, 107.
- crassilabrum** Cerithium, A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 11.
- crassilabra** Cyclostoma, P. Matheron, *Catal. méth. foss. B. du Rhône*, 1843, 211; *Rep. trav. Soc. stat. Marseille*, VI. 283.
- crassilabrum** Mangelia, L. Reeve, *Conch. Icon.* III.—Mangelia, no. 36, June 1846.
- crassilabra** Marginella, I. Lea, *Contrib. to Geol.* 1833, 177.
- crassilabra** Marginella, T. A. Conrad, *Foss. Shells Tert. N. Amer.* (3) Aug. 1833, 33.
- crassilabrum** Marginella, G. B. Sowerby, I., *Proc. Zool. Soc. London*, XIV (164) Nov. 1846, 96.
- crassilabrum** Monoceros, Lamarck, *Ency. Méth. (Vers)* 1816, pl. 396, Liste p. 2 [*n. et f.*].
- crassilabrum** *v. album*, Monoceros, G. B. Sowerby, I., *Proc. Zool. Soc. London*, III (28) July 1835, 49. [1845.]
- crassilabrum** Murex, L. Reeve (*ex* Gray MS), *Conch. Icon.* III.—Murex, no. 146, Aug.
- crassilabrum** Natica, H. C. Lea, *P. Amer. Phil. Soc.* III. 1843, 164 [*n. n.*]; *Tr. Amer. Phil. Soc.*, n. s., IX (3) Dec. 1846, 254.
- crassilabrum** Pleurotoma, L. Reeve, *Proc. Zool. Soc. London*, XI (130) June 1844, 185.
- crassilabrum** Pleurotoma, [E. Requier], *Cat. Coq. Corse, extremo* 1848, 74.
- crassilabrum** Pleurotoma, J. W. Mighels, *Proc. Boston Soc. N. H.* II. 1848 (1845), 23.
- crassilabrum** Pomatias, D. Dupuy, *Cat. extr. mar. Galliae Test.*, Feb. 1849, 4; *H. N. Moll. France* (5) May 1851, 511.
- crassilabrum** Purpura (Lam.), H. D. de Blainville, *N. Ann. Mus. H. N. (Paris)* I [2] *post* May 1832, 247.—Monoceros.
- crassilabrum** Rostellaria, G. P. Deshayes, *Descr. Coq. foss. Paris*, II. 1835, 624.
- crassilabrum** Rostellaria (Strombus), H. E. Anton, *Verz. Conch.* 1839, 87.
- crassilabrum** Scalaria, G. B. Sowerby, II., *Thes. Conch.* I (4) *ante* 11 Ap. 1844, 105.
- Crassilabrus** W. Swainson, *N. H. Class. Fishes*, II. 1839, 225.—P.
- crassiloba** Spongia, Lamarck, *Ann. Mus. H. N. (Paris)* XX (119) Jan. 1814, 374.
- crassimanus** Achelous, W. S. M'Leay in A. Smith, *Ill. Zool. S. Afr. (Ins.)* 1838, 61.
- crassimanus** Borborus (Hal.), F. Walker, *List Dipt. Coll. B. M.* (4) 1849, 1131.—Limosina.
- crassimana** Clythra, C. P. Forsberg, *N. Acta Soc. Sci. Upsal.* VIII. 1821, 276.
- crassimanus** Dameus, C. S. Rafinesque-S., *Précis Som.* 1814, 26.—Cr. [*n. n.*].
- crassimanus** Dryinus, J. Curtis (*ex* Hal. MS), *Brit. Entom.* V (51) Mar. 1828, no. 206.
- crassimanus** Gammarus, D. Viviani, *Phosph. maris*, 1805, 5 & 10.
- crassimana** Limosina, A. H. Haliday, *Entom. Mag.* III (4) Jan. 1836, 328.
- crassimanus** Lygaeus, J. C. Fabricius, *Syst. Rhyng.* 1803, 233. [1842, 26.—Syrtris.]
- crassimanus** Macrocephalus (Fab.), J. O. Westwood, *Tr. Entom. Soc. Lond.* III (1) Jan.
- crassimanus** Pagurus, H. M. Edwards, *Ann. Sci. Nat.* [2] (Zool.) VI. Nov. 1836, 277.
- crassimanus** Poterocrinus, F. M'Coy, *Ann. Mag. N. H.* (2) III. Ap. 1849, 245.

- crassimanus** Scylla (MacLeay), A. White, List Crustacea Coll. B. M. 1847, 26.—Achelous.
- crassimana** Syrtis, J. C. Fabricius, Syst. Rhyng. 1803, 123.
- crassimarginata** Calymene, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 173.
- crassimargo** Chrysis, M. Spinola, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 127.
- crassimargo** Chrysomela, Dufts.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
- crassimargo** Chrysomela (Ill.), E. F. Germar, Ins. spec. novae, I. 1824, 584. [178.]
- crassimargo** Chrysomela, Hoffmannsegg in K. Duftschmid, Fauna Austriae, III. 1825,
- crassimargo** Monachoda, H. Burmeister, Handb. Ent. II (2) i, 1838, 515.
- crassimargo** Natica, Cristofori & Jan, Cat. Mus. (Sect. II.) (1) Conch. foss. 1832, 3.
- Crassina** Lamarck, Anim. s. vert. V. July 1818, 554.—L.
- crassinerva** Eucoila, J. O. Westwood, Introd. class. Insect. II. 1840, Syn. 56.
- crassinervis** Lycus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 22 [*n. n.*].
- crassi-nervis** Ponera, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 150.
- crassinervis** Tanyus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 817.
- crassinervis** Triozia, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 83. [[*n. n.*].
- crassinoda** Eurytoma, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 151
- crassinoda** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 198. [166.]
- crassinoda** Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39=60) 1842,
- crassinoda** Poner a (Latr.), Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 191.—Formica.
- crassinuclea** Succinea, Benson, Zeitschr. f. Malakozool., July 1849 [Jan. 1850], 110.
- crassior** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 327.
- crassior** Diploria, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 289.
- crassior** Lacuna (Mont.), W. Turton, Zool. Journ. III (10) July [*i. e.* Sept.] 1827, 192.—Turbo. [errata.—Turbo.]
- crassior** Lacuna (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 10 (Phasianella) &
- crassior** Medoria (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271.—Turbo.
- crassior** Phasianellus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvi, f. 43.—Turbo.
- crassior** Prionastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 131.
- crassior** Sciaenurus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*]; Poiss. Foss. IV. 296 (1844) [*n. n.*].
- crassior** Turbo, G. Montagu, Test. Brit. II. 1803, 309.
- crassipalpis** Acanthomera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 43.
- crassipalpis** Cordyla, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XII. July 1839, 31.
- crassipalpis** Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 102.
- crassipalpis** Sarcophaga, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 112.
- crassipalpus** Argus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 353.—Micyrphantes.
- crassipalpus** Micyrphantes, C. L. Koch, Die Arachniden, IV (6) May 1838, 128.
- crassipennis** Ceroxys (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- crassipennis** Corvus, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 17. [438.—Ortalis.]
- crassipennis** Musca (Fab.), Lamarck, An. s. vert. III. 1816, 363.—Thereva, 1798.
- crassipennis** Ortalis (Fab.), C. F. Fallen, Ortalides Sveviae (2) 1820, 18.—Scatophaga.
- crassipennis** Phasia (Fab.), Latreille, N. Dict. H. N., ed. 2, XXV. 1817, 505.—Thereva, 1798.
- crassipennis** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 209.—Musca, 1794.
- crassipennis** Tephritis (Fab.), C. F. Fallen, K. Vet. Ac. Handl. 1814 (2) 1815, 163.—
- crassipes** Anisotoma, Ziegl.; Dejean, Catal. Coléopt. 1821, 69 [*n. n.*]. [Musca, 1794.]
- crassipes** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 71 [“Mon. Anth.” *poster. edit.*].
- crassipes** Anthophora (F.), Lamarck, An. s. vert. IV. 1817, 62.—Apis, 1793.
- crassipes** Aquila, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [*n. n.*].
- crassipes** Atax (Müll.), C. L. Koch, Deutsch. Crust., heft 7, 1836, tab. 21.—Hydrachna,
- crassipes** Atherix, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 109. [1776.]
- crassipes** Bdella, C. L. Koch, Deutsch. Crust., heft 23, 1839, tab. 14.
- crassipes** Berytus, Herrich-S. in Panzer, Ins. Germ., heft 135, 1835, tab. 6.
- crassipes** Blaps, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 167. [123.]
- crassipes** Calcar, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,

- crassipes** Callidium, Meg.; Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].
crassipes Calosoma, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, [745].
crassipes Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 95.
crassipes Cecidomyia, H. Loew, Dipterologische Beiträge, IV. 1850, 31.
crassipes Centris, J. C. Fabricius, Syst. Piezat. 1804, 359.—Apis, 1793.
crassipes Chionea, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. III (6) 1846, 179.
crassipes Chironomus, Meigen in G. W. F. Panzer, Ins. Germ., heft 109, 1813, tab. 22.
crassipes Chrysomela, H. Lucas, Explor. Algér. (Artic. II.) 1849, 533.
crassipes Comasinus, Meg.; Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
crassipes Coptognathus, H. Burmeister, Handb. Ent. V. 1847, 185.
crassipes Cordylura, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 734.
crassipes Coriscus, F. v. P. Schrank, F. Boica, II (1) 1801, 99.
crassipes Crioceris, A. G. Olivier, Entom. VI. 1808, 729. [[*err. pro 264*].
crassipes Cryptochile, A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 364
crassipes Cryptorhynchus, D. H. Schneider, Verz. Insectensamml. 1828, 79 [*n. n.*].
crassipes Delphax, J. Curtis, Guide Brit. Ins. (7) 1831, 194 [*n. n.*].
crassipes Diaplochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 133.
crassipes Dioctria, J. C. Fabricius, Syst. Antliat. 1805, 152.
crassipes Diphya, H. Nicolet in Gay, Chili, III (Arach.) 1849, 406. [[*n. n.*].
crassipes Diplolepis, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148
crassipes Docophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 425.
crassipes Drassus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 217.
crassipes Empis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 33.
crassipes Erioptera, J. Curtis, Brit. Entom. XII (139) July 1835, no. 557.
crassipes Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 237.
crassipes Feronia (Omaseus), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 120.
crassipes Gamasus (L.), C. L. Koch, Deutsch. Crust., heft 26, 1795, tab. 4.—Acarus, 1758.
crassipes Gelasimus, A. White, Proc. Zool. Soc. London, XV (175) July 20, 1847, 84.
crassipes Gelasimus, A. White, List Crustacea Coll. B. M. 1847, 36 [*n. n.*].
crassipes Geophilus, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 3.
crassipes Geotrupes (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 18.—Scarab. 1789.
crassipes Gryllus, T. v. Charpentier, Horae Ent. 1825, 174.
crassipes Haematopota, J. C. Fabricius, Syst. Antliat. 1805, 108.
crassipes Harpalus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 14.—Carabus.
crassipes Helophilus (Fab.), F. Walker, List Dipt. Coll. B. M. (3) 1849, 609.—Eristalis.
crassipes Hister, Dejean, Catal. Coléopt. 1821, 48 [*n. n.*].
crassipes Hoplia (Fab.), Dejean, Catal. Coléopt. 1821, 59.—Melolontha, 1775. [1789.
crassipes Hoploscelis (Ol.), H. Burmeister, Handb. Ent. IV (1) 1844, 55.—Scarabaeus,
crassipes Hybos, J. C. Fabricius, Syst. Antliat. 1805, 146.
crassipes Ichneumon, J. N. Vallot, Concord. à Réaumur, 1802, 175.
crassipes Ichneumon, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 159.
crassipes Lamia, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 111.
crassipes Laphria (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 240.—Dioctria.
crassipes Lema (Ol.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 310.— [1835.
crassipes Crioceris.
crassipes Linotaenia, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 188.—Geophilus,
crassipes Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 504.—Curculio, 1775. [323.
crassipes Lycosa, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
crassipes Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 214. [= plumipes].
crassipes Memythrus (Dru.) [*lapsus calami*], E. Newman, Sphinx vesp. 1832, 53.—Sphinx
crassipes Merodon, J. C. Fabricius, Syst. Antliat. 1805, 196.
crassipes Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
crassipes Microphor, J. Macquart, Ins. dipt. N. France (3) 1827, 140. [1846, 237.
crassipes Midas, J. O. Westwood, Arcana Entom. (4) Nov. 1841, 51.
crassipes Nomia (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 414.—Eucera, 1798.
crassipes Oedemera, J. Sturm, Catal. Ins. Samml. 1826, 175 [*n. n.*].

- crassipes** Oedipoda (Charp.), G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 328.—Gryllus.
- crassipes** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 127. [127.]
- crassipes** Pachygrapsus, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840,
- crassipes** Pedicia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*].
- crassipes** Pemphredon, J. C. Fabricius, Syst. Piezat. 1804, 315.—Crabro, 1798.
- crassipes** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 335.—Docophorus. [1775.]
- crassipes** Phymata (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 247.—Acanthia,
- crassipes** Phymata (Fab.), Latreille, N. Dict. H. N., ed. 2, XXVI. 1818, 46.—Syrtis.
- crassipes** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 190.
- crassipes** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 95.
- crassipes** Podalirius (Fab.), P. A. Latreille, H. N. Fourmis etc., May 1802, 431.—Apis, 1793. [1793.]
- crassipes** Podalirius (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 379.—Apis,
- crassipes** Porphyrops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 50.
- crassipes** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (*c.* Mar.) 1844, 205.
- crassipes** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 273.
- crassipes** Rhaphium (Meig.), J. W. Zetterstedt, Dipt. Scand. II. 1843, 466.—Porphyrops.
- crassipes** Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 195.
- crassipes** Scolopendra, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VII (11) Mar. 1840, 153.
- crassipes** Siro (Herm.), Lamarck, An. s. vert. V. 1818, 70.—Acarus, L. 1758.
- crassipes** "Sphinx," Drury, ?=plumipes, Sphinx, Drury, *v.* crassipes Memythrus.
- crassipes** Sycophaga, J. O. Westwood, Tr. Entom. Soc. Lond. II (4) Nov. 1840, 222.
- crassipes** Syrtis, J. C. Fabricius, Syst. Rhyng. 1803, 121.—Acanthia, 1775.
- crassipes** Tanypus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 819.
- crassipes** Timarcha, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 47. [Microphorus.
- crassipes** Trichina (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 78.—
- crassipes** Trichius (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 110.—Melolontha,
- crassipes** Troglus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 305. [1775.]
- crassipes** Xanthidium, H. H. White, Trans. Micros. Soc. London, I. 1844, 81.
- crassipes** Xylota, P. F. Wahlberg, K. Vet. Ac. Handl. 1838 (1839), 15.
- crassipinnis** Acara, J. Heckel, Ann. Wiener Mus. II [3] 1840, 357.
- crassiplica** Bulla, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 282.
- crassiplica** Lutraria, Lamarck, An. s. vert. V. 1818, 471.
- crassipora** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 697.
- crassirostris** Alauda, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 373.
- crassirostris** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 107.
- crassirostre** Apion, Meg.; Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- crassirostre** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 446.
- crassirostris** Bombylius, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 421.
- crassirostris** Brachytrachelus (Goldf.), C. Giebel, Jahresber. nat. Ver. Halle, II. 1850, 3.
- crassirostris** Calandra, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*]. [—Pterodactylus.
- crassirostris** Camarhynchus, J. Gould, Proc. Zool. Soc. London, V (49) Oct. 1837, 6.
- crassirostris** Carpodacus, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 476.
- crassirostris** Charadrius, J. B. v. Spix, Avium Brasil. II. 1825, 77.
- crassirostris** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 98.
- crassirostris** Cormoranus, L. A. F. Baillon, Mém. Soc. Emul. Abbeville, 1833 (1834), 77.
- crassirostris** Corsomyia, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 40.
- crassirostris** Corvultur (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 387.—
- crassirostris** Corvus, E. Rueppell, Neue Wirbelth. Abyssin. (5) 1836, 19. [Corvus.
- crassirostris** Cuculus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 86.
- crassirostris** Cuculus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 229.
- crassirostris** Curruca (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 294.—
- crassirostris** Cyanocitta, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 378. [Sylvia.
- crassirostris** Dendrocolaptes, G. Such, Zool. Journ. II (5) Ap. 1825, 115.
- crassirostris** Emberiza, C. L. Brehm, Isis (Oken), 1842, 753.

- crassirostris** Empis, C. F. Fallen, Empiidae Sveciae (3) 1816, 31. [362.]
- crassirostris** Enneoctonus, C. L. Bonaparte (*ex* Kuhl MS), Consp. gen. Avium, I. 1850,
- crassirostris** Erana (Vieill.), G. R. Gray, List Gen. Birds, 1840, 48.—Alauda.
- crassirostris** Fringilla, Max Wied, Beitr. Naturges. Brasil. III (1) 1830, 564.
- crassirostris** Fulica, J. E. Gray in Griffith, Anim. Kingd. (Birds) III. 1829, 542.
- crassirostris** Gallinula, G. R. Gray, List Birds Coll. B. M. III. 1844, 123.—Fulica, 1829.
- crassirostris** Garrulus, J. Kaleniczenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3) 1839, 357.
- crassirostris** Gymnetron, H. Lucas, Explor. Algér. (Artic. II.) 1849, 458.
- crassirostris** Heilipus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 147.
- crassirostris** Hylemyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 319.—Anthomyia.
- crassirostris** Hylemyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 315.—Anthomyia.
- crassirostris** Keropia (Lath.), G. R. Gray, List Gen. Birds, 1840, 28.—Turdus, Gm. 1788.
- crassirostris** Lanius, G. de Paykull, N. Acta Soc. Sci. Upsal. VII. 1815, 282.
- crassirostris** Lanius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 148.
- crassirostris** Larus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 508. [Alauda.]
- crassirostris** Megalophonus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 243.—
- crassirostris** Melanocorypha (Vieill.), F. Boie, Isis (Oken), 1828, 322.—Alauda.
- crassirostris** Miliaria, C. L. Brehm, Isis (Oken), 1841, 56.
- crassirostris** Neomorpha, J. Gould, Syn. Birds of Australia & adj. islands (1) Jan. 1837.
- crassirostris** Nycticorax, A. N. Vigors, Zool. "Blossom," 1839, 27.
- crassirostris** Otus (Vieill.), G. R. Gray, List Birds Coll. B. M. I. 1844, 48.—Strix.
- crassirostris** Pachyramphus (Goldf.), L. Fitzinger, Syst. Rept. 1843, 35.—Pterodactylus.
- crassirostris** Pica, J. Wagler, Syst. Avium, I. 1827, sign. 212. [—Fulica.]
- crassirostris** Porphyriops (Gray), Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 278.
- crassirostris** Pterodactylus, Goldfuss, N. A. Ac. Caes. Leop. Car. XV (1) 1831, 63.
- crassirostris** Pyrrhula (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 301.—
Loxia, Gm. 1788.
- crassirostris** Quiscalus, W. Swainson, Anim. in Menag., Dec. 1837, 355.
- crassirostris** Rhyncolus, Meg.; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*].
- crassirostris** Rhyncolus, Cr.; J. Sturm, Catal. Ins. Samml. 1826, 191.
- crassirostra** Scaphidura, W. Swainson, Anim. in Menag., Dec. 1837, 301.
- crassirostris** Sparus (Cuv.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 54.—Chrysophrys.
- crassirostris** Spermophila (Gm.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—
Loxia, 1788. [Loxia, 1788.]
- crassirostris** Sporophila (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 498.—
- crassirostris** Strix, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 44.
- crassirostris** Sylvia, P. J. Cretschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
Vögel (—) 1830 *vel* 1831, 49. [1831, 504.]
- crassirostris** Tetrao, C. L. Brehm, Isis, 1830, 985 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- crassirostris** Totanus, L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 406.
- crassirostris** Treron, L. Fraser, Proc. Zool. Soc. London, XI (122) Oct. 1843, 35.
- crassirostris** Tringa, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1849), 107.
- crassirostris** Turdus, [H. Lichtenstein], Verz. Samml. Kaffernl. 1842, 14.
- crassirostris** Turnagra (Lath.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 38.—Turdus,
?Gm. 1788.
- crassirostris** Turnagra, R. P. Lesson, Echo Monde Savant, XI. 20 June 1844, 1139.
- crassirostris** Tyrannus, W. Swainson, Q. Journ. Sci. (R. Inst. Gt. Brit.) XX (40) Jan.
1826, 273.
- crassirostris** Ulula (Vieill.), O. Des Murs in Gay, Chili (Aves) 1847, 254.—Strix.
- crassisepta** Dimorphastrea, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 177.
- crassisepta** Meandrastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 208.
- Crassiseta** C. L. F. v. Roser, C. B. landw. Ver. Wuertt. I (1) 1840, —.—Dipt. [*mihī non*
visum].
- Crassiseta** H. Loew, Dipt. Beitr. I. 1845, 49.—Dipt.
- crassiseta** Musca, J. T. C. Ratzeburg, Forst-Insekten, III. 1844, 174.
- crassispinum** Acrosoma, C. L. Koch, Die Arachniden, III (4) *post* July 1836, 55.
- crassispinus** Dentex, J. L. R. Agassiz, Poiss. Foss. IV. 39 (1835) [*n. n.*].

- crassispinus** Dentex, J. L. R. Agassiz, Poiss. Foss. IV. 10 (1838), 147 (1839).
crassispinum Diagramma, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 125.
crassispinus Diplacanthus, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. F. V. G. R., 34 & 43 (1844).
crassispina Gunellus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 139.
crassispinus Hybodus, J. L. R. Agassiz, Poiss. Foss. III. 48 (1837).
crassispina Murex, Lamarck, An. s. vert. VII. 1822, 157. [Ophiura.
crassispina Ophiocoma (Say), Joh. Mueller & Troschel, Syst. Asterid. 1842, 103.—
crassispina Ophiura, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 147.
crassispina Plectana (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 180.—Acrosoma.
Crassispira W. Swainson, Treat. Malacol., May 1840, 152 & 313.—G.
crassisquama Spondylus, Lamarck, An. s. vert. VI (1) 1819, 191.
crassissima Ananchytes, L. Agassiz, Cat. Ect. Ech. 1840, 2.
crassissima Ancyloxycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*invenit* 1851], 133.
crassissimus Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 327. [Unio.
crassissima Cardinia (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 206 (1841).—
crassissimus Conoclypeus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 168.
crassissima Cupulospongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 326.
crassissima Hermella (Lam.), A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 20.—Sabellaria.
crassissima Modiola, F. M'Coy, Ann. Mag. N. H. XX. Nov. 1847, 300.
crassissima Ostrea, Lamarck, An. s. vert. VI (1) 1819, 217.
crassissima Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 150.
crassissimus Pachyodon (Sow.), S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 483.—Unio.
crassissima Pinna, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 340.
crassissima Sabellaria, Lamarck, An. s. vert. V. 1818, 352.
crassissimus Spatangus, Defrance, Dict. Sci. Nat. L. 1827, 96.
crassissimus Unio, J. Sowerby, Min. Conch. II. 1817, 121. [Pullastra.
crassistria Cardinia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.—
crassistria Leptaena, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 119.
crassistria Pullastra, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 54.
crassistriata Rissoa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533 [*n. n.*].
crassistylum Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850,
crassisulca Venus, Lamarck, An. s. vert. V. 1818, 594. [412.
crassitarsata Empis, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 162.
crassitarsis Aphritis, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 198.
crassitarsis Dasyopogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 152.
crassitarsis Eumolpus, D. H. Schneider, Verz. Insectensamml. 1828, 85 [*n. n.*].
crassitarsis Megapoda, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 198.
crassitarsis Simulium, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 173.
crassitarsis Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 647.
crassitarsus Scolobates, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 360.
crassitentaculata Fungia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 182.
crassitesta Astarte, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 39.
crassitesta Cyprina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 4.
crassitesta Pecten, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 27.
crassitesta Perna, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 105.
crassius Cyprinus *err. pro* carasius, Bloch; J. F. Blumenbach, Handb. Naturg., ed. 11, 1825, 255. [Fenn. I. 1834, 396.
crassiuscula Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (26) 1831, 396; & Ins.
crassiuscula Calyptraea, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 83.
crassiuscula Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 531.
crassiusculus Cardinia (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 235 (1841).—Unio.

- crassiuscula** Corticaria, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 331. [(1843), 149 [*n. n.*].
- crassiusculum** Cyclostoma, A. Braun, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1842
- crassiusculum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 408. [1844], 235.
- crassiusculus** Enoplus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov.
- crassiuscula** Falagria, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 301.
- crassiuscula** Filaria, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (1) 1832, 20.
- crassiuscula** Lispe, H. Loew, Entom. Zeitung, Stettin, VIII (1) Jan. 1847, 31.
- crassiuscula** Ophiusa (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Phytometra. [483.—Unio.
- crassiusculus** Pachyodon (Sow.), S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842,
- crassiuscula** Phytometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 259.
- crassiuscula** Thalassites (Sow.), F. A. Quenstedt, Floezgeb. Wuerttemb. 1843, 145.—
- crassiusculus** Unio, J. Sowerby, Min. Conch. II. 1817, 191. [Unio.
- crassivaricosa** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 33, May 1845.
- crassiventris** Colpochila, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 107. [1819], 90.
- crassiventris** Orthoceratites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep.
- crassiventre** Pentatoma, W. S. Dallas, Tr. Entom. Soc. Lond. V (7) Sept. 1849, 189.
- Crassodactylus** (*sic*) F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) X. Feb. 1847, 50.—Col.
- crasso-lamellata** Heterocoenia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Dec. 1848, 309.—Stylina crassa lamella.
- crasso-lamellosa** Diploria, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
- crasso-ramosa** Astrea, H. Michelin, Icon. Zoophyt. (9-12) 1844, 109. [291.
- crasso-ramosa** Enallocoenia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—
- crassoramosa** Oculina, H. Michelin, Icon. Zoophyt. (24-27) 1847, 312. [Astrea.
- crassula** Achatina, L. Reeve (*ex* Benson MS), Conch. Icon. V.—Achatina, no. 120, Mar. 1850.
- crassulus** Ammonites, L. Hutton, Tr. Geol. Soc. London [2] V. 1837, 217 [*n. n.*].
- crassulus** Ammonites, M. Simpson, Mon. Amm. 1843, 20.
- crassulus** Bullinus (Dillw.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 117.—Bulla.
- crassula** Bulla, L. Dillwyn, Descr. Cat. Shells, I. 1817, 487.
- crassula** Campeloma, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 423.
- crasula** (*sic*) Clausilia, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 180.
- crassula** Eryma (Muenst.), H. G. Bronn, Index Pal. 1848, 467.—Glyphea.
- crassula** Eulima, J. G. Jeffreys, Malac. Conch. Mag. (2) 1839, 34 [*n. n.*].
- crassula** Glyphea, G. v. Muenster, Beitr. zur Petref. (2) 1839, 17.
- crassula** Helix, R. A. Philippi, Abb. Conch. I (6) 1844, 152.
- crassulus** Nematius, A. G. Dahlbom, Conspect. Tenthred. 1835, 9 [*n. n.*].
- crassula** Nonionina (W. & J.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 294.—Nautilus, Jac. 1798.
- crassula** Pentatoma, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 168.
- crassula** Placentula (Walk.), H. D. de Blainville, Faune Française (18) Malac. 1828, 53.—Nautilus, Jac. 1798. [Jac. 1798.
- crassula** Polystomella (Mont.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 241.—Nautilus,
- crassula** Rotalia (W. & J.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 1 & errata, p. 145.—Nautilus, Jac. 1798.
- crassula** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 702.
- crassula** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 124.
- crassa** Acrocera, J. C. Fabricius, Syst. Antliat. 1805, 332. [*varia*.
- crassa** Acteonella (Duj.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 111.—Vol-
- crassus** Actinocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*].
- crassa** Agaricia, G. A. Goldfuss, Petref. German. I (1) 1826, 43.
- crassus** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 31.
- crassa** Agronomae, J. Huebner, Verz. bekannt Schmett. [1822], 227.
- crassa** Agrotis (Hueb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 67.—Noctua.
- crassa** Aleochara, F. Baudi in Baudi & Truqui, Studi Ent. I. 1848, 120.

- crassa** Amara, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 131.
- crassa** Amiba, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 238.
- crassus** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 253.
- crassus** Ammonites, J. Phillips, Geol. Yorksh. I. 1829, 163 [*n. et f.*].
- crassa** Amorphospongia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 289.—
- crassa** Amphidonte, G. G. Pusch, Polens Paleont. (1) 1836, 39. [Cnemidium.
- crassa** Amphiroa, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 52.
- crassa** Ampullaria, W. Swainson, Zool. Illust. (1) III (28) Jan. 1823, pl. 136.
- crassa** Ampullaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 32. [33-
- crassa** Ampullaria, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835,
- crassa** Anatifra, J. E. Gray, Proc. Zool. Soc. London, XVI (182) Nov. 14, 1848, 44.
- crassa** Anatina, S. Stutchbury, Zool. Journ. V (17) Feb. 1830, 100.
- crassa** Anculosa, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (4) Jan. 1842 [3]. [14.
- crassus** Ancyclus, S. S. Haldeman, Mon. f.-w. univ. Moll. U. S. (7) Jan. 1844, Ancyclus,
- crassus** Anisodactylus, J. L. Leconte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 382.
- crassus** Anodon, W. Swainson, Zool. Illust. (1) III (34) July 1823, pl. 167.
- crassa** Anodonta, L. J. Fitzinger, Beitr. Landeskr. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 120.
- crassa** Anomala, J. Sturm, Catal. Ins. Samml. 1826, 92 [*n. n.*].
- crassus** Anomites, W. Martin, Petr. Derb. 1809, pl. 16. [? Penn. 1777.
- crassa** Arcopagia (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xvi, f. 8.—Tellina,
- crassa** Arcopagia (Gm.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—Venus,
- crassa** Ascaris, E. Deslongchamps, Ency. Méth. (Zooph.) 1824, 89. [1790.
- crassa** Astartea (Goldf.), H. G. Bronn, Index Pal. 1848, 124.—Agaricia.
- crassa** Atrypa, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 636.
- crassa** Aulopora, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 15.
- crassa** Auricula, Defrance in A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 108 [*n. n.*].
- crassa** Bacillaria, Bory de St V., Ency. Méth. (Zooph.) 1824, 136.
- crassus** Balanus, J. Sowerby, Min. Conch. I. 1815, 194.
- crassus** Belemnites, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 53.
- crassus** Bombylius, F. Walker, List Dipt. Coll. B. M. (2) 1849, 287.
- crassum** Buccinum, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 569.
- crassum** Buccinum (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 277.—Phos.
- crassum** Buccinum, F. C. L. Koch in R. A. Philippi, Abb. Conch. III (5) 1849, 43.
- crassa** Byrsopolis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 219.
- crassus** Carcharodon, J. L. Neugeboren, Arch. Ver. Siebenbürg. Landeskr. IV (2) 1850,
- crassa** Cardita, Lamarck, An. s. vert. VI (1) 1819, 27. [40.
- crassa** Cardita, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 161 & 471 [*n. n.*].
- crassa** Cardita, G. B. Sowerby, I., Zool. "Blossom" 1839, 152.
- crassum** Cardium, Defrance, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 106.
- crassum** Cardium, E. Eichwald, Zool. spec. I. 1829, 283.
- crassa** Cassidulina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 56.
- crassa** Cellaria, S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 17.
- crassus** Centrolophus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 348.
- crassa** Cerambyx, Panzer in Voet, Ins. III. 1794, 23.
- crassus** Cerebratulus, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 218.
- crassa** Ceriopora (Lonsd.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 49.—
- crassum** Cerithium, Defrance, Dict. Sci. Nat. VII. 1817, 521. [Heteropora.
- crassum** Cerithium, Lamarck, An. s. vert. VII. 1822, 71.
- crassum** Cerithium, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 288.
- crassa** Cetonia (Pachnoda), H. Schaum, Tr. Entom. Soc. Lond. V (4) June 1848, 72.
- crassa** Chaetetes (Lonsd.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 170.—
- crassa** Chama, W. Smith, Strat. Syst. Org. Foss. 1817, 80. [Stenopora.
- crassa** Chama, J. C. Chenu, Illustr. conch. III (62) 1846, pl. 5 [*n. et f.*].

- crassa** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.
—Melania.
- crassa** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 748.
- crassa** Cidaris, H. G. Cotteau, Bull. Soc. Sci. Yonne, IV. 1850, 211.
- crassus** Clerus, E. Newman, Entomologist (1) Nov. 1840, 15.
- crassus** Clypeaster, L. Agassiz, Cat. Ect. Ech. 1840, 6.
- crassus** Clypeaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 131.
- crassum** Cnemidium, H. Michelin, Icon. Zoophyt. (9-12) 1844, 142.
- crassa** Coccudina, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 446.
- crassa** Confusastrea (Goldf.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.—Astrea.
- crassus** Conurus (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 222.—Tachyporus.
- crassa** Corallina, E. J. C. Esper, Pflanzenth., Cor. tab. II. [n. d., 1810?].
- crassa** Corbula, R. B. Hinds in L. Reeve, Conch. Icon.—Corbula, no. 8, Aug. 1843.
- crassa** Coscinopora (Mich.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 186.—
Retepora.
- crassa** Cristellaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 90.
- crassa** Cristellaria (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 95.—Robulina.
- crassus** Cryptocephalus, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 372.
- crassus** Cupressocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 212.
- crassus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 264.
- crassa** Cyclas (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 422.—Cyrena.
- crassum** Cyclidium, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 287.
- crassum** Cyclostoma, C. B. Adams, Contr. to conch. (8) Oct. 1850, 143 & 147.
- crassus** Cyclurus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368 [n. n.].
- crassa** Cyrena, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 119.
- crassus** Cyrtus (Fab.), C. R. W. Wiedemann, Anal. Entom. 1824, 32.—Acrocera.
- crassa** Cytherea, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 137.
- crassus** Dasygogon, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 433.
- crassum** Dentalium, G. P. Deshayes, Mém. Soc. H. N. Paris, II (2) Ap. 1826, 373.
- crassa** Didacna, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 167.—
Cardium, 1829. [per], 248.
- crassus** Didelphis, A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrap-
crassus Dinornis, R. Owen, Proc. Zool. Soc. Lond. XIV (158) July 1846, 46.
- crassum** Distoma, Siebold, Arch. Anat. Phys. 1836, 234. [279.
- crassus** Dochmius, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
crassus Dolichoremus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 436.
- crassus** Echinaster, Joh. Mueller & Troschel, Syst. Asterid. 1842, 23.
- crassus** Echinoneus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 143.
- crassus** Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 283; & App.
1817, 135. [293.—Unio.
- crassa** Elliptio (Say), C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820,
crassa Emarginula, J. Sowerby, Min. Conch. I. 1813, 73.
- crassus** Emery, R. Owen, Rept. London Clay (Pal. Soc. II.) July 1849, 76.
- crassa** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 127.
- crassus** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 232.—Syrphus, 1787.
- crassa** Eschara (D. & L.), G. Michelotti, Spec. Zoophyt. diluv. 1838, 209.—Flustra.
- crassa** Eumenia, A. S. Orsted, Annul. Dan. Consp. (1) 1843, 47.
- crassus** Euplotes (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 172.—Ploesconia.
- crassus** Exetastes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 423.
- crassa** Explanaria, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 18.
- crassa** Favosites, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 284.
- crassa** Fenestella, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 10 [n. n.];
Syn. Carb. Lst. foss. Ireland, 1844, 201.
- crassa** Fenestrellina (M'Coy), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849,
crassa Fissurella, Lamarck, An. s. vert. VI (2) 1822, 11. [501.—Fenestella.
- crassum** Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 276.
- crassa** Flustra, Desmarest & Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 53.
- crassa** Flustra, Lamarck, An. s. vert. II. 1816, 160.

- crassa** Frondicularia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 212.
- crassa** Fungia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 304.
- crassus** Fusus, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvi, f. 8 [*n. et f.*].
- crassus** Gastrancistrus, F. Walker, Entom. Mag. II (2) Ap. 1834, 177.
- crassus** Geotrupes, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 166.
- crassa** Gervillia, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 98.
- crassus** Gordius, Grube, Arch. f. Naturg. XV (1) 1849, 370.
- crassus** Gyrimus, C. Aubé, Spec. gén. Hydroc. 1838, 711.
- crassa** Helicina, A. d'Orbigny in Sagra, Cuba (Moll. I.), 1842, 243.
- crassa** Helix, J. B. v. Spix, Testac. Brasil. 1827, 4 [*n. n.*].
- crassa** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 72.
- crassus** Hepialus (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 2.—
Phalaena, 1782.
- crassus** Herpetolithus, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 310.
- crassa** Heteropora, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 680.
- crassa** Hornera, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 677.
- crassus** Hybodius, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 94 (1836); III. 47 (1837).
- crassa** Idmonea (Roem.), A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 170.
—Aulopora.
- crassa** Isocardia, Nyst & Westendorp, Bull. Ac. Roy. Brux. VI (2) 1839, 403.
- crassus** Ithobalus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 88.—Papilio, 1777.
- crassa** Jania, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 23.
- crassa** Jania, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 197.
- crassus** Labrus, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 95.
- crassa** Lacerta, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 422.
- crassa** Laguna, C. F. Schumacher, Essai Vers test. 1817, 240.
- crassa** Lamia (Voet), C. J. Schoenherr, Syn. Insect. I (3) 1817, 381.—Cerambyx, Panz.
1794. [(1844).]
- crassus** Leptolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 120 (1839); II (2) 131
- crassa** Leptoxis, S. Haldeman; J. C. Chenu, Illustr. conch. IV., Leptoxis, 1848, 2.
- crassa** Lima (Limatula), E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 193.
- crassa** Linckia, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 284.
- crassa** Lingula, J. Hall, N. H. New York (Pal. I.) 1847, 98.
- crassus** Lithodomus, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [*n. n.*].
- crassus** Lonchotus (Klug), H. Burmeister, Handb. Ent. V. 1847, 173.—Geotrupes.
- crassa** Lucina, J. De C. Sowerby, Min. Conch. VI. 1827, 108.
- crassa** Lytta (Tetraonyx), F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 451.
- crassus** Macropneustes, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 9.
- crassa** Mactra, W. Turton, Conch. Insul. Brit. 1822, pp. xxvi & 69.
- crassa** Mactra, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 337.
- crassa** Marginulina, J. Cornuel, Mém. Soc. géol. France (2) III (1) 1848, 251.
- crassa** Meandrina, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 282.
- crassus** Megaspis (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 88.—
- crassa** Melania, G. v. Muenster, Beitr. zur. Petref. (4) 1841, 94. [Eristalis.]
- crassa** Melania, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 2.
- crassa** Melina, C. F. Schumacher, Essai Vers test. 1817, 111.
- crassa** Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [*n. n.*].
- crassus** Meriones, C. J. Sundevall, K. Vet. Ac. Handl. 1842 (1843), 233.
- crassus** Millericrinus, A. d'Orbigny, H. N. Crinoides (2) Nov. 1840, 48.
- crassa** Mitra, W. Swainson, Zool. Illust. (1) II (17) Feb. 1822, pl. 88.
- crassa** Mitra, W. Wood, Suppl. Index Test. 1828, 43.—Voluta, 1828.
- crassa** Monas (Masticheomonas) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 31.—
Cyclidium.
- crassa** Monodonta (Mont.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 326.—
- crassus** Murex, L. W. Dillwyn, Catal. Shells, 1817, 692. [Trochus, ? Pult. 1799.]
- crassus** Murex, W. Wood (*ex* Chemn.), Index Test. 1818, 121.
- crassa** Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 387.
- crassa** Mutilla, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. f.

- crassa** Mya, Vallot, Exer. Hist. Nat. 1801, 7.
crassa Mya, W. Wood, General Conch. 1815, 106.
crassa Mya, C. Grewingk, Verh. Russ.-Kais. min. Ges. St P. 1848-9 (1850), 355.
crassa Myadora (Stutch.), L. Reeve, Conch. Icon. II.—Myadora, no. 1, May 1844.—
crassa Myoconcha, J. De C. Sowerby, Min. Conch. V. 1824, 103. [Anatina.
crassus Mytilus, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 241 [n. n].
crassa Natica, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 443.
crassus Nematus, J. F. Eschscholtz, Entomographien, I (1) 1822, 93.
crassus Nematus (Fall.), A. G. Dahlbom, Conspect. Tenthred. 1835, 7.—Tenthredo.
crassa Nemertes (Quatr.), C. M. Diesing, Syst. Helminth. I. 1850, 275.—Cerebratulus.
crassus Nemopteryx, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 137 (1841); V (1), 75
 (1844). [1790.
crassa Nereiphylla (L.), de Blainville, Dict. Sci. Nat. LVII. 1828, 466.—Nereis, Gm.
crassa Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 32 (Fernaldo judice 1802)
 [n. et f.]. [18] [n. et f.].
crassa Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 121 (Fernaldo judice 1808—
crassa Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 99.
crassa Nucula, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [n. n.].
crassa Nummulina, H. G. Bronn, N. Jahrb. f. Min. 1837, 657 [n. n.].
crassa Nummulites, N. Boubée, Bull. H. N. de France, 1833 (5), 6. [[n. n.].
crassa Obovaria, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427
crassa Ocyptera, H. Loew, Entom. Zeitung, Stettin, VI (6) June 1845, 178.
crassa Odostomia, W. Thompson, Ann. Mag. N. H. XV. May 1845, 315.
crassa Omniretepora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 45.
crassa Orbicella (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 21.—Orbi-
crassa Orbicula, J. Hall, N. H. New York (Pal. I.) 1847, 290. [cula.
crassa Orbulites, Lamarck, An. s. vert. VII. 1822, 642.
crassus Orchestes (Fab.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 527.—
 Rhynchaenus.
crassus Ornithichnites, E. Hitchcock, Amer. J. Sci. XXXII (1) Ap. 1837, 175 [n. n.].
crassus Orthoceratites, F. A. Roemer, Verst. Harzgeb. 1843, 35.
crassus Osmeroides, F. Dixon, Geol. Sussex, 1850, 376.
crassa Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 27. [III. 271 (1843).
crassus Otodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 494 [n. n.]; Poiss. Foss.
crassa Oxyrhina, J. L. R. Agassiz, Poiss. Foss. III. 283 (1843). [1834, 164.—Elater.
crassus Oxyternus (Gyll.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar.
crassa Pachystoma (Sw.), L. Guilding, Zool. Journ. III (12) Ap. 1828, 536.—Ampul-
crassus Paederus, C. H. Boheman, Ins. Caffr. I (1) 1848, 288. [Iaria.
crassum Palaeotherium, G. Cuvier, Oss. Foss. III. 1812, 119.
crassus Palimphyes, C. G. Giebel, N. Jahrb. f. Min. 1847, 666.
crassa Paludina, A. & G. Villa in Catteneo, Notiz. Nat. Lombard. 1844, 484 [n. n.].
crassa Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 144. [Pleuromya.
crassa Panopaea (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 215.—
crassus Paraeyathus, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 23.
crassa Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 413.
crassa Patiria, J. E. Gray, Proc. Zool. Soc. London, XV (175) July 20, 1847, 83.
crassa Pavonia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 331.
crassus Pecten, A. Risso, H. N. Europe, IV. 1826, 300.
crassus Pectunculus, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 13.
crassus Pentacrinus, P. J. E. Desor, Bull. Soc. Sci. Nat. Neuchâtel, I (19) 1845, 213.
crassa Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 39.
crassum Phalangium, L. Dufour, Ann. Sci. Nat. XXII (88) Ap. 1831, 386.
crassa Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 81.
crassa Pholas, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VI. 1838, 223.
crassus Phos, R. B. Hinds, Ann. Mag. N. H. XI. Ap. 1843, 257.
crassa Pinna, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 130 [n. n.].
crassus Planorbis, M. de Serres, Ann. Sci. Nat. [3] (Zool.) II. Sept. 1844, 178.
crassa Plectambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 91.

- crassa** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 125.
- crassa** Pleuromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 240.
- crassa** Pleuronema, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 474.
- crassa** Plexaura (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 429.—Gorgonia, 1786.
- crassa** Ploesconia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 438.
- crassa** Polymorphina, F. A. Roemer, N. Jahrb. f. Min. 1838, 385.
- crassus** Poteriocrinites, J. S. Miller, N. H. Crinoidea, 1821, 68.
- crassus** Princeps, J. Huebner, Exot. Schmett., Tab. Princeps [*n. et f.*].
- crassus** Productus (Martin), Dillwyn (*ex* Miller, MS), Index Hist. Conch. Lister, 1823,
- crassus** Productus, J. Fleming, Hist. Brit. Anim. 1828, 379. [24.—Anomites.
- crassus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 27. [241.
- crassa** Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832,
- crassus** Pygorhynchus, L. Agassiz, Cat. Ect. Ech. 1840, 5.
- crassus** Pygorhynchus, L. Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 161.
- crassus** Pyrophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 141.
- crassa** Pyrula (Gm.), J. E. Gray, Zool. "Blossom," 1839, 115.—Buccinum, 1790.
- crassa** Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 301 [*n. n.*].
- crassa** Ranella (Dillw.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov. 1843, 547.—Murex.
- crassa** Retepora, H. Michelin, Icon. Zoophyt. (13-19) 1845, 146.
- crassus** Rhinoncus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- crassus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 492.
- crassa** Robulina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 98.
- crassa** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 275 [*n. n.*].
- crassa** Rotalia (Orb.), H. G. Bronn, Index Pal. 1848, 1102.—Rotalina.
- crassa** Rotalina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 32.
- crassus** Scarabaeus, J. Sturm, Catal. Ins. Samml. 1826, 193 [*n. n.*].
- crassa** Serpula, J. Sowerby, Min. Conch. I. 1813, 73.
- crassa** Sowerbya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 362.
- crassus** Sphaenophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 204.
- crassus** Sphaerodus, J. L. R. Agassiz, Poiss. Foss. II (1), 15 (1833); II (2), 212 (1844).
- crassus** Spirifer, L. G. de Koninck, Descr. Anim. foss. (6) Mar. 1843, 262.
- crassus** Spirostreptus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 106.
- crassa** Spisula (Turt.), J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 374.—Mactra.
- crassus** Spondylus, Defrance, Dict. Sci. Nat. L. 1827, 328. [1846, 509.
- crassus** Staphylinus, C. G. Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2)
- crassa** Stenopora, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug. 1845, 632.
- crassus** Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 287.
- crassa** Streptoplasma, J. Hall, N. H. New York (Pal. I.) 1847, 70.
- crassus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 50.
- crassus** Tachyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 190.
- crassus** Tachyporus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*].
- crassus** Taphazous, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (Dec. 1840), 491.
- crassus** Taphozous, E. Blyth, Ann. Mag. N. H. XV. July 1845, 473.
- crassa** Tellina, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 248 [*n. n.*].
- crassus** Tenthredo, Fallen, K. Vet. Ac. Handl. XXIX. 1808, 106.
- crassa** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 318.
- crassa** Tetraonyx, Klug; J. Sturm, Catal. Ins. Samml. 1826, 201.
- crassa** Thecosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 31.
- crassa** Thyllis (Fab.), W. F. Erichson, Entomographien, 1840, 150.—Acroceras.
- crassus** Trichodectes, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 295.
- crassa** Triloculina, G. Nicolucci, N. Ann. Sci. Nat. [2] VI. 1846 [Oct.], 207.
- crassum** Triton, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Ranelles, pl. 1.
- crassum** Tritonium (Grat.), H. G. Bronn, Index Pal. 1848, 1292.—Triton.

- crassus** Trochus (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Trochus.
crassus Trochocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 304.
crassa Trochomilia, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850.
crassus Trochus, J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 82. [69.
crassa Turbinella, E. Sismonda, Atti 7 Riun. Sci. Ital. 1846, 1115.
crassa Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820,
 233.—& *var. geminata*.
crassa Turbinolia, A. J. Michelotti, N. Jahrb. f. Min. 1846, 52 [*n. n.*].
crassa Turbinolia, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
 (2) III (2) 1847, 27.
crassus Turbo, W. Wood, Suppl. Index Test. 1828, 20 [*n. et f.*].
crassa Turbonilla (Thomps.), S. Loven, Ofvers. K. Vet. Ac. Förh. III (2) 1846, 50.—
 Odontostomia.
crassus Unio, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.) 1819, sign. C 3.
crassa Venus, D. Solander, Catal. Portland Mus. 1786, 93 [*n. n.*].
crassa Venus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 525.
crassus Venus, M. Tuomey, Rep. Geol. S. Carolina, 1848, 210 [*n. n.*].
crassa Vermilia (Sow.), J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 243.—
 Serpula.
crassa Vespa, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 179, 1841, tab. 1 & 4.
crassus Vespertilio, F. Cuvier, N. Ann. Mus. H. N. (Paris) I [1] May, 1832, 18.
crassa Voluta, W. Wood, Suppl. Index Test. 1828, 10 [*n. et f.*].
crassa Volvaria, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 232. [1782.
crassa Xyleutes (Dru.), J. Huebner, Verz. bekannt. Schmett. [1822], 195.—Phalaena,
crassa Xylocopa, Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 204.
crassus Zabrus, Dejean, Spec. gén. Coléopt. III. 1828, 451.
crasta Megorima, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427
Crastia J. Huebner, Verz. bekannt. Schmett. 1816, 16.—Lep. [*n. n.*].
crasticornis Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 206.
Cratacanthus Dejean, Spec. gén. Coléopt. IV. 1829, 40.—Col.
crataegalis Eudorea (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2)
 (Noct. 5, pt. 2) 1833, 292.—Tinea crataegella, 1767.
crataegana Lozotaenia (Hueb.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Ap. 1834,
 76.—Tortrix. [*n. et f.*].
crataegana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 17 (Fernaldo giudice 1797)
crataegana Tortrix, Huebn.; F. Treitschke, Schmett. Europa, VII. 1829, 228.
crataegaria Aphis, F. Walker, Ann. Mag. N. H. (2) VI. July 1850, 46. [1761.
crataegaria Ennomos (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 428.—Geometra,
crataegaria Myrtilina (Müll.), Bory de St V., Ency. Méth. (Zoo-ph.) 1827, 559.—Vorti-
 cella, L. 1767. [crataegata, 1761.
crataegaria Opisthographis (L.), J. Huebner, Verz. bekannt. Schmett. 1825, 292.—Phalaena
crataegata Ennomos (L.), F. Treitschke, Schmett. Europa, VI (1) 1827, 41.—Geom. 1761.
crataegata Opisthographis (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 168.
 —Phalaena, 1761.
crataegata Phalaena (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 17.—Geometra, 1761.
crataegata Rumia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct.
 4, pt. 2), 119, 1829.—Geometra, 1761.
crataegella Erycia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 295.—
 Zaida c—llae.
crataegella Eudorea (Hueb.), Zeller, Linnaea Entom. I. Feb. 1846, 296.—Tinea.
crataegella Scythropia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Phalaena,
 1767. [Phalaena, 1767.
crataegella Telea (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 245.—
crataegella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 37 (Fernaldo giudice 1796)
 [*n. et f.*]. [—Tinea, 1767.
crataegella Yponomeuta (L.), J. B. Godart, H. N. Lépid. France, V (Noct. 2), 37, 1824.
crataegellae Senometopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
 1835, 115.—Zaida.

- crataegellae** Zaida, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 151.
- crataegi** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 66.
- crataegi** Aporia (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 90.—Papilio, 1758.
- crataegi** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 36 (Fernaldo iudice 1802) [*n. et f.*].
- crataegi** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 119.
- crataegi** Bucculatrix, P. C. Zeller, Isis (Oken), 1839, 216. [1758.
- crataegi** Clisiocampa (L.), J. Curtis, Brit. Entom. V (57), Sept. 1828, no. 229.—Bombyx,
- crataegi** Coccus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 714.
- crataegi** Crioceris (Forst.), T. Marsham, Coleopt. Brit., Sept. 1802, 228.—Chrysomela, 1771.
- crataegi** Diaphone (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 188.—Phalaena, 1758.
- crataegi** Eriosoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67 [*n. n.*].
- crataegi** Galleruca, Schott in K. Duftschmid, Fauna Austriae, III. 1825, 223.
- crataegi** Ganoris (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 86.—Papilio, 1758. [1781.
- crataegi** Gastropacha (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 278.—Bombyx,
- crataegi** Lasiocampa (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 49.—Phalaena, 1758.
- crataegi** Microgaster, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 72.
- crataegi** Otiorhynchus, Dahl in E. F. Germar, Ins. spec. novae, I. 1824, 366.
- crataegi** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 79 (Fernaldo iudice 1799) [*n. et f.*].
- crataegi** Pieris (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 164.—Papilio, 1758.
- crataegi** Pontia (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 283.—Papilio, 1758.
- crataegi** Psylla (Scop.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Chermes, 1763.
- crataegi** Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 118.
- crataegi** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 54.
- crataegi** Trichiura (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 43.—Phalaena, 1758.
- crataegi** Trichola (Steph.), J. Gistel, Nat. Thierr. 1848, p. xi.—Trichiura.
- crataegicola** Psylla, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 72. [Elachista.
- crataegifoliella** Argyromiges (Dup.), H. T. Stainton, The Zoologist, VI (7) 1848, 2161.—
- crataegifoliella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 339.
- crataegus** Bombycilla, N. F. [i. e. S. D. W.], The Analyst, II (11) June 1835, 307.
- crataegus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 105 [= crataegi, L.].
- crataegus-coccinea** Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 16.
- Crataeonyx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crataeonyx, Eyton.
- Crataerina** I. F. M. de Olfers, De Veg. Anim. 1816, 101.—Dipt.
- Crataeonyx** T. C. Eyton, Proc. Zool. Soc. London, VII (78) Nov. 1839, 104.—A.
- Crateis** C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
- [**crater.**]
- crater** Gemmipora (Pall.), de Blainville, Dict. Sci. Nat. LX. 1830, 352.—Madrepora, 1766.
- crater** Turbinaria, L. Oken, Lehrb. Nat. III (1) 1815, 67.
- [**cratera.**]
- cratera** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 197.
- cratera** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 59.—Aranea, 1802.
- craterus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 224.
- cratera** Siphonia, F. Roemer, N. Jahrb. f. Min. 1848, 685.
- cratera** Solarium, C. F. Schumacher, Essai Vers test. 1817, 195.
- Cratere** Megerle; C. Porro, Mal. Prov. Comasca, 1838, 47.—G.
- Cratere** Hartmann (*ex* Meg.), Erd- und Süßw. Gast. I. 1844, 122.—G.
- crateriformis** Cyathocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- crateriformis** Ecclissa (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 106.—Vorticella, 1773.
- crateriformis** Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 369.—
- crateriformis** Scyphia, L. Oken, Lehrb. Nat. III (1) 1815, 77. [Taenia, Goeze, 1782.

- crateriformis** Sphaerulites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 241; ed. 2, 1830, 94.
- crateriformis** Urceolaria (Müll.), Lamarck, An. s. vert. II. 1816, 44.—Vorticella, 1773.
- Craterina** J. Curtis (*ex* Olfers), Brit. Ent. VIII. 1826, 122.—Dipt.
- Craterina** Bory de St V., Ency. Méth. (Zooph.) 1827, 523.—Inf.
- Craterocerus** F. W. Hope, Coleopt. Manual, II. 1838, 74.—Col. [*n. n.*].
- Crateronyx** P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 77.—Lep.
- crateronyx** Lacerta, J. Hermann, Obs. Zool. 1804, 255.
- Crateropus** W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 487.—A. [*z.* Cratopus].
- craterus** *v.* cratera.
- crates** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 236.
- crathis** Olyras, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 108.
- Crathoplus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*incunte* 1851], 209.—Col.
- craticula** Aphrodes, J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 633.
- craticula** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 127.
- craticula** Janira (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 253.—Pecten.
- craticula** Pecten, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 293.
- craticula** Tellina, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 166.
- craticulata** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 22.
- craticulatum** Buccinum, S. A. Renier, Tavole [1804] ix.
- craticulatus** Cellanthus, Denys de Montfort, Conch. I. 1808, 207.
- craticulatum** Cymatium (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 119.—Murex, 1758.
- craticulata** Fasciolaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 429, Liste p. 7 [*n. et f.*].
- craticulatus** Fusus (L.), H. D. de Blainville, Faune Française (20) Malac. 1829, 88.—Murex, 1758. [1780.]
- craticulatus** Murex (Fab.), R. A. Philippi, Abb. Conch. III (2) 1847, 40.—Tritonium,
- craticulata** Plicatella, W. Swainson, Treat. Malacol., May 1840, 304.
- craticulata** Polystomella (F. & M.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 284.—Nautilus, 1798.
- craticulata** Turbinella (Gm.), Lamarck, An. s. vert. VII. 1822, 109.—Voluta, 1790.
- craticulatus** Turbo, S. A. Renier, Tavole [1804] x. [1798.]
- craticulata** Vorticialis (F. & M.), Lamarck, An. s. vert. VII. 1822, 626.—Nautilus,
- craticuloides** Cardium, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 66.
- Craticus** "Vieill.," T. C. Eyton, Ann. Mag. N. H. VIII (48) Sept. 1841, 47.—A.
- cratidas** Callicore, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 239 [*n. n.*].
- cratiens** Mygale, Latreille, N. Dict. H. N., ed. 2, XXII. 1818, 120.
- cratinus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 255.
- cratitia** Fissurella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 155.
- cratitia** Meliphaga (Gould), G. R. Gray, Genera of Birds, I. Oct. 1846, 122.—Ptilotis.
- cratitius** Ptilotis, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 160.
- Cratocerus** Dejean, Spec. gén. Coléopt. IV. 1829, 12.—Col.
- Cratocnemus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 277.—Col. [*n. n.*; Curc.].
- Cratocnemus** E. Blanchard in Orbigny, Voy. Amér. mérid. (Col.) 1840, 191.—Col. [Lam.].
- Cratoerina** Olfers, 1816; *err.* Scudleri *pro* Crataerina, *g.v.*
- Cratognathus** Dejean, Spec. gén. Coléopt. IV. 1829, 46.—Col. [Col.]
- Cratohaerea** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 13.—
- Cratomeris** A. J. J. Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 295.—Col.
- Cratomus** J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 177.—Hym.
- Cratonychus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 87.—Col. [*sine typo*].
- Cratonychus** Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1836, 161.—Col.
- Cratonychus** W. F. Erichson (*ex* Dej.) in Germar, Zeitschr. f. d. Entom. III. 1841, 89.—Col.
- Cratoparis** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 235.—Col. [*sine typo*].
- Cratoparis** C. J. Schoenherr (*ex* Dej. MS), Gen. et Sp. Curc. V (1) 1839, 217.—Col.

- Cratopus** C. J. Schoenherr, *Disp. meth. Curc.* 1826, 120.—Col.
- Cratopus** F. Eschscholtz, *Zool. Atlas*, IV. 1831, 8.—Col.
- Cratopus** W. Jardine, *Edinb. Journ. Nat. Geogr. Sci.* III. Feb. 1831, 97.—A.
- Cratoscelis** H. Lucas, *Ann. Soc. Ent. Fr.* III. (2) June 1834, 361 f. n.—Ar.
- Cratoscelis** W. Erichson, *Arch. f. Naturg.* I (1) 1835, 267.—Col.
- Cratosomus** C. J. Schoenherr, *Isis* (Oken), 1825, 585; *Curc. disp. meth.* 1826, 278.—Col.
- cratylus** Pteromalus, F. Walker, *Ann. Mag. N. H.* XIX. June 1847, 392.
- Craugus** [G. J. Billberg], *Syn. Faunae Scand.* I (2) 1828, Tab. A, *dorso* [*n. n.* = Picus,
- Craurusa** H. Burmeister, *Handb. Entom.* II (2) 1838, 542.—Orth. [Cuv.]
- craveri** Venus, G. Michelotti, *Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem* (2) III (2) 1847, 123.
- Cravus** C. S. Rafinesque, *Analyse*, 1815, 68.—A. [*n. n.*]
- crawfurdii** *Alectrophasis* (J. E. Gray), G. R. Gray, *List Gen. Birds*, ed. 2, 1841, 78.—Phasianus. [Phasianus.]
- crawfurdii** *Gallophasis* (J. E. Gray), G. R. Gray, *Genera of Birds*, III. Jan. 1845, 498.—
- crawfurdii** *Gennaeva* (Gray), Cabanis in *Ersch & Gruber, Allg. Ency.* (3) XXII. 1846, 148.—Phasianus.
- crawfurdii** Phasianus, J. E. Gray in *Griffith's Cuvier, Anim. Kingd., Aves*, III. 1829, 27.
- crawfurdii** Phoenicophaus, J. Crawford, *Zool. Miscell.* (Gray) (1) Feb. 1831, 3.
- crawfurdii** Picus, J. E. Gray in *Griffith's Cuvier, Anim. Kingd., Aves*, II. 1829, [513] & pl.
- crawfurdii** *Zanclostomus* (J. E. Gray), G. R. Gray, *Genera of Birds*, II. May 1845, 460.—
- crax** *Musca*, W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 621. [Phoenicophaus.]
- Craxa** [G. J. Billberg], *Syn. Faunae Scand.* I (2) 1828, Tab. A. [=Crax, L.]
- Craxirex** J. Gould, *Zool. "Beagle"* (Birds, 1839), 22.—A.
- Creadion** L. P. Vieillot, *Analyse*, 1816, 34.—A.
- Creadium** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Creadion, Vieill.
- creagra** *Hydropsalis*, C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 58.
- Creagria** W. Sodovsky, *Bull. Soc. Imp. Nat. Moscou*, 1837 (6) 1837, 94.—Lep. [*vine*
- Creagrius** C. W. L. Gloger, *Gemeinnütz. Naturges.* (1) 1841, 387.—A. [*typo*.]
- Creapyga** R. P. Lesson, *Echo Monde Savant*, X. 16 July 1843, 109.—A. [*typus* *Caprimulgus furcatus*, Cuv.].
- Creatonotos** J. Huebner, *Verz. bekannt. Schmett.* [1822], 170.—Lep.
- Creatonotos** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Creatonotos, Huebn.
- Creatophora** R. P. Lesson, *Descr. Mamm. Ois.* 1847, 308.—A.
- creberrimus** *Anthicus*, F. de La Ferté-S. in F. E. Guérin-M., *Spec. et Icon. Anim. artic.* (8) 1849, 105 [*"Mon. Anth." poster. edit.*].
- creberrimus** Cis, J. Mellié, *Ann. Soc. Ent. France* [2] VI (4) May 1849, 357.
- creberrima** *Scalaria*, R. B. Hinds, *Proc. Zool. Soc. London*, XI (128) Mar. 1844, 125.
- creberrima** *Tauroma*, C. H. Boheman, *Mon. Cassid.* I. 1850, 118.
- crebissimus** *Fusus*, I. Lea, *Contrib. to Geol.* 1833, 147.
- crebricosta** *Atrypa* (Sow.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 38.—Terebratula.
- crebricosta** *Mitra*, Lamarck, *Ann. Mus. H. N.* (Paris) II (1) May 1803, 58.
- crebricosta** *Pleurotoma*, L. Bellardi, *Mem. R. Acc. Sci. Torino* [2] IX. 1848, 608.
- crebricosta** *Terebratula*, J. De C. Sowerby in R. I. Murchison, *Silurian System*, Jan. 1839, 631.
- crebricostata** *Arca*, L. Reeve, *Conch. Icon.* II.—*Arca*, no. 61, Mar. 1844. [98.]
- crebricostata** *Astarte*, R. McAndrew & E. Forbes, *Ann. Mag. N. H.* XIX. Feb. 1847,
- crebricostata** *Clavatula*, R. B. Hinds, *Proc. Zool. Soc. London*, XI (122) Oct. 1843, 41.
- crebricostatus** *Fusus*, Lamarck, *An. s. vert.* VII. 1822, 130.
- crebri-costata** *Melania*, I. Lea, *P. Amer. Phil. Soc.* II (16) Feb. 1841, 13.
- crebricostatus** *Pecten*, R. A. Philippi, *Abb. Conch.* I (4) 1844, 100.
- crebricostata** *Siphonaria*, Nuttall in J. C. Jay, *Cat. Shells*, ed. 3, 1839, 39 [*n. n.*].
- crebricostis** *Melania*, W. H. Benson, *Ann. Mag. Nat. Hist.* IX. 1842, 488.
- crebriliratus** *Fusus*, L. Reeve, *Conch. Icon.* IV.—*Fusus*, no. 20, Nov. 1847.
- crebrilirata** *Mitra*, L. Reeve, *Conch. Icon.* II.—*Mitra*, no. 92, Sept. 1844.
- crebriliratus** *Trochus*, J. H. Jonas, *Zeitschr. f. Malakozool.*, Aug. 1846, 125.
- crebruplicata** *Pleurotoma*, L. Reeve, *Conch. Icon.*—*Pleurotoma*, no. 313, Jan. 1846.

- crebripunctatus** Tropidonotus, A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 250. [Ormoceras.]
- crebriseptum** Actinoceras (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 3.—
- crebriseptum** Ormoceras, J. Hall, N. H. New York (Pal. I.) 1847, 313.
- crebristria** Spirifer (Terebratula), J. Morris in P. de Strzelecki, Phys. descr. N. S. W.
- crebristriata** Melania, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 166. [1845, 279.]
- crebristriatus** Mytilus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 242.
- crebristriata** Strophomena, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 254.
- crebrisulca** Venus, Lamarck, An. s. vert. V. 1818, 587.
- Crecca** J. Brookes, Catal. Mus. Brookes (2) July 1828, 101.—A. [*teste* C. W. R.].
- Crecca** C. T. Wood, Orn. Guide, 1835, 207.—A.
- crecca** Anas (Boschas), W. Swainson, Journ. R. Inst. Gt Brit. II. Aug. 1831, 21.
- crecca** Querquedula (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 146.—Anas, 1758.
- creccoides** Anas, P. P. King, Zool. Journ. IV (13) July 1828, 99.
- creccoides** Querquedula, C. L. Brehm, Isis, 1830, 998 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 886.
- creditor** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 270.
- credneri** Ammonites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 119.
- credneri** Cyrena, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 152; Norddeutsch. Wälderthon, 1843, 26; Mon. Norddeutsch. Weald. 1846, 35.
- credneri** Lingula, H. B. Geinitz, Verst. Zechsteingeb. (1) 1848, 11.
- credneri** Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 163.
- credneri** Turbo (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—Pleurotomaria.
- credula** Composita (Fab.), J. Huebner, Verz. bekannt. Schmett. [1822], 179.—Bombyx, 1775.
- credula** Composita, J. Huebner, Exot. Schmett. II. Tab. [188] [*n. et f.*].
- credula** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 226.
- creeks** Vespertilio, F. Cuvier, N. Ann. Mus. H. N. (Paris) I [1] May 1832, 18.
- cremans** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 242, Mar. 1844 [*err. pro* 1845].
- Cremastocheilus** A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 115.—Col.
- Cremastochilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cremastocheilus, Kn. [choliis, B. & S.]
- Cremastochilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cremastochilolus
- Cremastochilolus** Burmeister & Schaum, 1841; *teste* Agassiz *sed?* *err. pro* C—cheilus.
- Cremastogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crematogaster, Lund. [1829, 730.—Hym.]
- Cremastus** J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64 & III.
- Crematogaster** P. W. Lund, Ann. Sci. Nat. XXIII (90) June 1831, 132; Frieriep, Notizen, XXXII. 1831, 104.—Hym.
- cremata** Cancellaria, R. B. Hinds, Proc. Zool. Soc. London, XI (123) Oct. 1843, 48.
- cremata** Cymindis, Th. Lacordaire, N. Ann. Mus. H. N. (Paris) II [1] 1833, 59 [*n. n.*].
- cremata** Nassa, R. B. Hinds, Zool. "Sulphur," 1844, 35. [*n. n.*].
- cremenecensis** Turbo, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 562
- cremenensis** Turbo, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 101.
- cremiaria** Boarmia, C. F. Freyer, Neuere Beitr. Schmett. III (43) 1838, 92.
- cremides** Dexia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 842.
- cremieri** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 363.
- cremieri** Pachylomma, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 53.
- cremieri** Paxillomma, de Romand, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 434.
- Cremna** E. Doubleday, List Lepid. Coll. B. M. (2) 1847, 14.—Lep.
- Cremnodes** A. Foerster, Arch. f. Naturg. XVI (1) 1850, 70.—Hym.
- cremnophila** Helix, E. Boissier, Zeitschr. f. Malakozool., Sept. 1847, 130. [Risso].
- Cremoria** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 63 & 90.—G. [=Cemoria].
- crena** Anas, F. L. P. Gervais in Dict. pittoresque H. N. I (77) 1834, 616; N. Dict. class. H. N., ed. 2, VI. June 1844, 32.
- crenana** Epinotia, J. Huebner, Verz. bekannt. Schmett. 1826, 377.—Tortrix.

- crenana** Paedisca (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1836, 518.—Tortrix. [173.—Tortrix.]
- crenana** Phlaeodes (Huebner), A. Guénéée, Ann. Soc. Ent. France [2] III (2) Oct. 1845,
- crenana** Phoxopteryx (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 334.—Tortrix. [[*n. et f.*]]
- crenana** Tortrix, J. Huebner, Europ. Schmetzt., Tab. Tort. 38 (Fernaldo judice 1811-18)
- Crenaster** Blainville (*ex* Luidius), Dict. Sci. Nat. LX. 1830, 220.—Ast. [*in syn.*].
- Crenaster** A. d'Orbigny (*ex* Luidius), Prodr. Paléont. I. 1849 [Jan. 1850], 240.—Ast.
- crenaticollis** Ancylonycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 137.
- crenaticollis** Aradus, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 139.
- crenaticornis** Spio, G. Montagu, Tr. Linn. Soc. London, XI (2) 1815, 199.
- crenatimargo** Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 72.
- crenatipennis** Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 178.
- crenatipes** Hister, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 378.
- crenati** → *v. et* **crenato** →
- crenato-costatum** Cardium, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 610.
- crenaticostata** Emalodera, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 195.
- crenator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII.
- crenator** Pimpla, J. C. Fabricius, Syst. Piez. 1804, 114. [1822, 271.—Pimpla.]
- crenato-striatus** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt.
- crenatostriatus** Bradytus, M. de Chaudoir, Enum. Carab. 1846, 161. [IV. 1846, 373.]
- crenatostriata** Feronia, M. de Chaudoir, Enum. Carab. 1846, 138.
- crenatostriatus** Iphthimus, Imhoff, Ber. nat. Ges. Basel, V. 1840-42 (1843), 174.
- crenato-striata** Nebria, C. Bassi (*ex* Bonelli), Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 464.
- crenatostriatus** Oxyomus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 184.
- crenato-striatus** Poecilus, Steven; Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- crenatostriatus** Poecilus, J. Sturm, Catal. Ins. Samml. 1826, 186 [*n. n.*].
- crenato-striata** Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 239.
- crenato-striata** Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
- crenatosulcatus** Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 177 [*n. n.*].
- Crenatula** Lamarck, Ann. Mus. H. N. (Paris) III (13) Dec. 1803, 28.—L.
- crenatulatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 317.
- crenatuloides** Ostrea, P. M. T. de Serres, Geogn. Terr. tert. 1829, 137.
- crenatula** Goodallia, S. V. Wood, I, Ann. Mag. N. H. VI. Dec. 1840, 249 [*n. n.*].
- crenatus** Abacetus, Dejean, Spec. gén. Coléopt. V. 1831, 743.
- crenata** Achatina, W. Swainson, Zool. Illustr. (1) I (10) July 1821, pl. 58.
- crenata** Acidota (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Staph. 1792.
- crenatum** Acridium (Mastax), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 164.
- crenatus** Acteon, J. De C. Sowerby, Min. Conch. V. 1824, 87. [507.]
- crenata** Amara, Dejean, Cat. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. III. 1828,
- crenata** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 23.
- crenatus** Ammonites (Reinecke), C. H. v. Zieten, Pétrif. Wurt. (1) 1830, 1.—Nautilus.
- crenatus** Ammonites, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 337.
- crenata** Ammonites, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 43 [*n. n.*].
- crenatus** Amycterus, d'Urville in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
- crenatus** Angoleus, Hoffm.; J. Sturm, Catal. Käfer Samml. 1843, 24. [1835, 385.]
- crenatum** Anobium, Dejean, Catal. Coléopt. 1821, 40 [*n. n.*].
- crenatus** Anthribus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 196.
- crenatus** Aphodius, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
- crenatum** Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- crenatus** Aradus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- crenata** Arca, D. Solander, Catal. Portland Mus. 1786, 37 & 93 [*n. n.*].
- crenata** Arca, H. E. Anton, Verz. Conch. 1839, 13.
- crenata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 51, Feb. 1844.

- crenatus** Argutor, Dufts.; Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- crenata** Ascaris (Zed.), C. A. Rudolphi, Entoz. II (1) 1809, 146.—Fusaria, 1800.
- crenata** Aspidoglossa (Dejean), J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 629.
—Clivina. [114.
- crenata** Atomaria, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844,
- crenata** Aurellia, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 359.
- crenatus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 681.
- crenatum** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 147.—Peryphus, 1821.
- crenata** Bitoma (Fab.), Herbst, Käfer, V. 1793, 30.—Ips, 1777. [Lyctus, 1792.
- crenatus** Bitoma (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 157.—
- crenatus** Bolitophagus, J. C. Fabricius, Syst. Eleuth. I. 1801, 113.—Opatrum, 1792.
- crenatum** Borborus, J. Waltl, Isis (Oken), 1837, 283.
- crenatus** Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 407. [348.
- crenatus** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- crenatum** Buccinum, D. Solander, Catal. Portland Mus. 1786, 102 [*n. n.*].
- crenata** Buprestis, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
- crenata** Calandra, J. Sturm, Catal. Ins. Samml. 1826, 106 [*n. n.*].
- crenatus** Calathus, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- crenatus** Camptodontus, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 41.
- crenatus** Cancer (Eucrate), W. de Haan in Siebold, F. Japon. (Crust. 1835), 51.
- crenatus** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 92.
- crenata** Cardita, G. A. Goldfuss, Petref. German. II (6) 1837, 185.
- crenatum** Cardium, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 138. [Cardita.
- crenatum** Cardium (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 199.—
- crenatum** Cerithium (Br.), DeFrance, Dict. Sci. Nat. VII. 1817, 522.—Murex.
- crenata** Chersina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 74.
- crenatus** Cis, C. R. Sahlberg, Diss. Ins. Fenn. II (10) 1836, 159.
- crenata** Clausilia (Fér.), C. T. Menke, Syn. meth. Moll. 1828, 16.—Helix. [418.
- crenata** Clivina, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]; Spec. gén. Coléopt. I. 1825,
- crenata** Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 411.—Galleruca, 1792.
- crenata** Copromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2489.
- crenatus** Cordyle, Billberg, Enum. Ins. 1820, 41.
- crenatus** Coxelus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].
- crenata** Crassina (Gray), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 88.—
Nicania.
- crenatus** Cryptophagus, Gyll.; J. Sturm, Catal. Ins. Samml. 1826, 127.
- crenatus** Ctenoptychius, J. L. R. Agassiz, Poiss. Foss. III., 173 (1843) [*n. n.*]. [404.
- crenatus** Ctenoptychius, L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- crenatus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 28 [*n. n.*].
- crenatum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 38.
- crenata** Cyclostoma (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 87.
—Turbo, 1758. [435.
- crenata** Cymindis, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844,
- crenata** Cypraea, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 728.
- crenata** Cytherea, T. A. Catullo, Giorn. di Fisica etc. (2) IX. 1826, 288.
- crenatus** Dasyceus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 50.
- crenatum** Deliphrum (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 873.—Omalium.
- crenata** Delphinula, G. B. Sowerby, II., Gen. Shells (39) 1833.
- crenata** Delphinula, L. C. Kiener, Spec. Coquilles (Delphinula) 1838-39, 11.
- crenatus** Dendrophagus (Payk.), Schoenherr, K. Vet. Ac. Nya Handl. XXX (1) 1809,
51.—Cucujus, 1799.
- crenatum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 404.—Fasciola, 1802.
- crenata** Ditoma (Herbst), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 266.—
- crenata** Donax, G. Perry, Conchology, Ap. 1811, pl. 58. [Bitoma.
- crenatus** Dryophthorus, Eschscholtz in J. A. Boissduval in d'Urville, Voy. "Astrolabe,"
Ent. (2) 1835, 450.
- crenata** Ebala, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*]. [154.
- crenatus** Elater (Agrypnus), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833],

- crenatus** Elmis, T. Say in Keating, Exp. Peter River, II. 1824, 275; & ed. London, 1825 (App.), 21. [79.—Homalilus.
- crenatus** Eros (Germ.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847,
- crenata** Eurychora, A. J. J. Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 160.
- crenatus** Eurynotus, J. L. R. Agassiz, Poiss. Foss. II (1), 154 (1835).
- crenata** Fasciola, K. A. Rudolphi, Archiv Zool. (Wiedemann) III (1) 1802, 76.
- crenata** Fasciola, J. A. Froelich, Naturforscher, XXIX. 1802, 60.
- crenata** Feronia, Hoffm.; Dejean, Spec. gén. Coléopt. III. 1828, 226.
- crenata** Forficula, F. de Tigny, s. à Deterville ed. Buffon, Ins. IX. 1801, 71.
- crenatus** Geotrupes, W. E. Leach, Zool. Miscell. III. 1817, 98. [1785.
- crenata** Gluphisia (Esp.), Boisduval, Europ. Lepid. Index, 1829 [1828], 56.—Bombyx,
- crenata** Goniadera, M. Perty, Del. anim. artic. Brasil. (2) 1832, 63.
- crenatum** Haliomma, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839],
- crenata** Haliotis, W. Swainson, App. Cat. Bligh, 1822, 3. [130.
- crenata** Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 334.—Taenia,
- crenata** Harpa, W. Swainson, App. Cat. Bligh, 1822, 5. [Goeze, 1782.
- crenata** [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 66 [*n. n.*].
- crenatus** Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*n. n.*].
- crenatus** Homalilus, E. F. Germar, Ins. spec. novae, I. 1824, 61.
- crenatus** Hydrochus (Fab.), Dejean, Catal. Coléopt. 1821, 50.—Elophorus, 1792.
- crenatus** Hylesinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 390.—Bostrichus, 1787.
- crenatus** Ixodes, T. Say, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 76.
- crenatus** Ixodes, V. Kollar in J. E. Pohl, Reise Brasil. I. 1832, 109.
- crenatus** Jassus, E. F. Germar, Fauna Ins. Europ. (17) [1831-35], 10.
- crenatus** Lacon (Klug), E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 263.—Elater.
- crenatus** Lambrus, A. White, List Crustacea Coll. B. M. 1847, 12 [*n. n.*].
- crenata** Leiocnemis (Dej.), C. Zimmermann, Faunus, I (1) 1832, 39.—Amara.
- crenatus** Leptops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 222.
- crenata** Leptoxis, S. Haldeman in J. C. Chenu, Illustr. conch. IV. Leptoxis, 1848, 6.
- crenatum** Megymenum, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 261.
- crenata** Meletta, J. J. Heckel, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 233.
- crenata** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 171; & App. 1817, 78. [Brod.
- crenata** Mitra (Sw.), L. Reeve, Conch. Icon. II.—Mitra, no. 284, Mar. 1845.—Tiara,
- crenata** Montivaltia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 35.
- crenatus** Murex, G. Brocchi, Conch. Subap. 1814, 442.
- crenatus** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 120.
- crenatus** Mytilus, J. Fleming, Hist. Brit. Anim. 1828, 411.
- crenatus** Mytilus, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 421.
- crenatus** Mytulites, E. F. v. Schlotheim, Die Petref. 1820, 296.
- crenatus** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 80.
- crenatus** Nautilus, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 21 [*n. n.*].
- crenatus** Nautilus (Temnocheilus), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 21.
- crenata** Nerinea, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 46.
- crenata** Nerita, H. E. Anton, Verz. Conch. 1839, 30.
- crenata** Nicania, J. E. Gray, App. Parry's Voy. 1819-20, 1824, p. ccxlii.
- crenata** Nitidula, W. Turton, Linnaeus, Syst. Nat. II. 1802, 113. [1785.
- crenata** Notodonta (Esp.), F. Ochseneimer, Schmett. Europa, III. 1810, 79.—Bombyx,
- crenatus** Odontacanthus, J. L. R. Agassiz, Poiss. F. V. G. R., 115 (1845).—Ctenoptyo-
- crenata** Odontopleura, H. F. Emmrich, Naturg. Trilobiten, 1844, 17. [chius, 1843.
- crenata** Odontota, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 211.
- crenatus** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 629.
- crenatum** Omalium (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 114.—Staphylinus,
- crenata** Oncaea, J. Gistel, Nat. Thierr. 1848, 168. [? Fab. 1792.
- crenata** Oncaea, J. Gistel, Handb. Naturges. 1850 [1847], 550.
- crenatus** Onthophagus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 328.

- crenatum** Opatrum, J. C. Fabricius, Syst. Eleuth. I. 1801, 117.
crenata Ostrea, G. A. Goldfuss, Petref. German. II (4) 1833, 6.
crenatus Panopaeus, H. Milne-Edw. & H. Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844, 16.
crenata Parthenia, R. T. Lowe, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 41.
crenatus Passalus (Macl.), F. Eschscholtz, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 24.—Paxillus.
crenatus Paxillus, W. S. Macleay, Horae Entom. I (1) 1819, 106.
crenatus Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 262.
crenatus Peryphus, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
crenata Phalaenites, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 186.
crenata Phaleria, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 180.
crenatus Phobelius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 198.
crenata Phthora, Dejean in E. F. Germar, Fauna Ins. Europ. (18) 1835, 11.
crenatus Phylan, Dejean, Catal. Coléopt. 1821, 66 [*n. n.*] [1787].
crenata Pimelia (Thunb.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 136.—Erodius,
crenata Planaria, O. Fabricius, Abhandl. K. Danske Vid. Selsk. II. 1826, 22.
crenatus Planites (Rein.), W. de Haan, Mon. Ammon. 1825, 83.—Ammonites.
crenatus Platynotus, J. C. Fabricius, Syst. Eleuth. I. 1801, 139.
crenata Platysma (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 73.—Carabus.
crenata Pleurotoma, P. H. Nyst, Bull. Soc. géol. France, XIV. 1843, 453 [*n. n.*];
 Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 511.
crenata Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 113.
crenatus Polyplex, G. Perry, Conchology, Ap. 1811, pl. 9.
crenatus Prionus, J. C. Fabricius, Syst. Eleuth. II. 1801, 264.
crenatus Pristonychus, L. Redtenbacher in Russegger, Reise, I (2) 1843, 981.
crenatus Prooxys, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 140.
crenatus Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 198.
crenata Ptygmatis (Goldf.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108.—
 Nerinaea.
crenata Pullastra (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 41.—Venerupis.
crenatus Pyramis, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 53 [*n. et f.*].
crenatum Pyrgoma, G. B. Sowerby, II., Gen. Shells (18) 1823.
crenatus Rhodocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 212.
crenatus Rhynchaenus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 207.
crenata Robulina, F. v. Hagenow, N. Jahrb. f. Min. 1842, 572.
crenata Scalaria (L.), de Blainville, Dict. Sci. Nat. XLVIII. 1827, 15.—Turbo, 1758.
crenatus Sigaretus, [W. Swainson], Manchester N. H. Soc. Catal. Shells, 1837, 56
 [*n. n.*] [July], 152.
crenatus Smilodon, T. Plieninger, Jahresh. Ver. vat. Naturk. Württ. II (2) 1846 (*post*
crenatum Sphaeridium, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 158.
crenatus Sphenophorus (Billb.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 876.—
 Cordyle.
crenatus Strombus, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xix.
crenatus Stryphus, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 243.
crenatus Tenebrio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 477.
crenata Terebratula, G. Fischer, Mus. Démid. III. 1807, 278.
crenatus Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 270.
crenata Tettigonia, C. P. Thunberg, Hemip. Capen. I. 1822, 7.
crenata Thalamita, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 461.
crenatus Thectodus, Plieninger in Meyer & Plien., Beitr. Pal. Württ. 1844, 116.
crenatus Thylacites, Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
crenata Tiara, W. J. Broderip, Proc. Zool. Soc. London, III (36) Ap. 1836, 196.
crenatus Tornatella (Sow.), J. Fleming, Hist. Brit. Anim. 1823, 336.—Acteon.
crenatus Trichocephalus, C. A. Rudolphi, Entoz. II (1) 1809, 95.
crenatus Trochus, C. T. Menke, Conch.-Samml. Malsburg, 1829, 21.
crenatus Truxalis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 86.
crenatus Turbo, G. v. Muenster, Beitr. zur Petref. (4) 1841, 115.

- crenatus** Turbo (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—Pleurotomaria.
- crenata** Uloma, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- crenata** Upis, Dejean, Catal. Coléopt. 1821, 67 [*n. n.*].
- crenata** Uroplata, F. E. Guérin-M., Iconographie, 1844, Ins., 274.
- crenatus** Utricular (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 101.—Acteon.
- crenata** Venericardia, T. A. Catullo, Sagg. Zool. foss. 1827, 165 & 254.
- crenata** Venerupes, Lamarck, An. s. vert. V. 1818, 508.
- crenatus** Venulites, E. F. v. Schlotheim, Die Petref. 1820, 195.
- crenata** Voluta, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 38.
- crenatus** Xantho, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 396.
- crenata** Xylophila (F.), Lamarck, An. s. vert. IV. 1817, 333.—Lyctus, 1792.
- crenatus** Zanclodon, T. Plieninger, Jahresh. Ver. vat. Naturk. Württ. II (2) 1846 (*post* Crenea A. Risso, H. N. Europe, IV. 1826, 83.—G. [July], 258.
- Crenea** J. C. Albers, Die Heliceen, 1850, 77.—G.
- Crenella** T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxi, f. 12.—L.
- crenellus** Amplexis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xli, f. 78.—Helix.
- crenella** Cyclostoma, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 87.
- crenella** Helix, G. Montagu, Test. Brit. II. 1803, 441.
- crenicichla** J. Heckel, Ann. Wiener Mus. II [3] 1840, 416.—P.
- crenicollis** Agrypnus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 166.—Elater.
- crenicollis** Altica, T. Say, Boston Journ. N. H. I. (2) 1835, 200.
- crenicollis** Corticaria, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 37.
- crenicollis** Elater, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 156.
- crenicollis** Lacon (Mén.), E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 265.—Elater.
- crenicollis** Scotinus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 415.
- crenicollis** Trogossita, F. E. Guérin-M., Iconographie, 1844, Ins. 199.
- crenicornis** Codrus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 357.
- crenicornis** Hylaetus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 57 [*n. n.*]. [407.
- crenicornis** Lampronota, J. Curtis (*ex* Hal. MS.), Brit. Entom. IX (102) June 1832, no.
- crenicosta** Auladera (Guér.), A. J. J. Solier, Ann. Soc. Ent. France, V (2) *post* May 1836, 333.—Nyctelia.
- crenicosta** Nyctelia, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 5.
- Crenidelphinus** Laurillard, Dict. Univ. Hist. Nat. IV. 1844, 636.—M.
- Crenidens** Cuvier & Valenc., H. N. Poiss. VI. 1830, 378.—P.
- crenidens** Hemiodus, J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1842, 206.
- crenifera** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 29; Catal. (200) 1841, 5.
- creniferum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 354. [128.
- crenifera** Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835,
- crenifera** Leda (Sow.), A. d'Orbigny, Amér. Mérid. (Moll.), 1846, 545.—Nucula.
- crenifera** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July, 1811, 204.
- crenifera** Nucula, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 197.
- crenifera** Scabricola (Lam.), W. Swainson, Treat. Malacol., May 1840, 319.—Mitra.
- creniferus** Turbo, L. C. Kiener, Spec. Coquilles (Turbo), pl. xxxiv (1847-8) [text is 1873].
- crenifera** Venus, G. B. Sowerby, I., Proc. Zool. Soc. London, III (27) June 1835, 43.
- crenifera** Voluta (Lam.), L. W. Dillwyn, Catal. Shells, 1817, 542.—Mitra.
- crenifolia** Locusta, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 202.
- creni-jugata** Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 19.
- crenilabra** Marginella, Bory de St V., Ency. Méth. (Vers) 1824, 167 [*n. et f.*].
- crenilabris** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 88.
- crenilabris** Mugil, Forsk.; J. G. Schneider, Bloch, Syst. Ichth. 1801, 116.—*varr.* seheli;
- Crenilabrus** Oken, Isis, 1817 [182a].—P. [öür; tade.
- Crenilabrus** H. Cloquet, Dict. Sci. Nat. XI. 1818, 383.—P. [*non* Cuv. *vernac.*].

- crenipes** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 261.
- Creniphilus** *emend. pro* Cryniphilus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (2) 1845, corrections.
- creniptera** Tiedemannia, A. Krohn, Arch. f. Naturg. X (1) 1844, 324.
- crenirostris** Pyrrhula, L. P. Vieillot, Ois. Chanteurs (8) *post* 1807, 77.
- Crenis** J. Huebner, Index exotic. Lepid. 1821, 2.—Lep.
- Crenis** J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 196.—Lep.
- Crenis** J. A. Boisduval, F. Ent. Madagas. (3) 1833, 48.—Lep.
- crenis** Migonitis, J. Huebner, Verz. bekannt. Schmett. 1816, 12.
- crenistria** Goniatites, J. Phillips, Geol. Yorksh. II. 1836, 234.
- crenistria** Leptaena (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 90.—Strophomena.
- crenistria** Orthis, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 66.—Spirifera, 1836.
- crenistrius** Passalus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 244.
- crenistria** Pleurotomaria, F. Sandberger, N. Jahrb. f. Min. 1846, 477.
- crenistria** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 216.
- crenistria** Strophomena, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 171.
- crenistriata** Nucula, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 186.
- crenocarina** Melania (Mor.), R. A. Philippi, Abb. Conch. II (6) 1847, 174.—Melanopsis.
- creno-carina** Melanopsis, S. Moricand, Mém. Soc. Phys. H. N. Genève, IX (1) 1841, 61.
- Crenodonta** F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 33.—L.
- Crenogenes** Imhoff in Labram, Ins. der Schweiz, II. 1838, 42.—Col.
- Crenophilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cryniphilus, Motsch.
- crenosa** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 4 (Fernaldo *judice* 1802) [*n. et f.*].
- crenosa** Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [me *judice* 1805], 104.
- crenosa** Drymonia, J. Huebner, Verz. bekannt. Schmett. [1820], 144. [phyllum.
- crenulare** Actinocyathus (Ph.). A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.—Cyatho-
- crenularis** Ammonites, J. Phillips, Geol. Yorksh. I. 1829, 164 [*n. et f.*].
- crenularis** Astraea (Ph.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 187.—
- crenularis** Cidarites, Lamarck, An. s. vert. III. 1816, 59. [Cyathophyllum.
- crenularis** Clavatula, Lamarck, Ency. Méth. (Vers) 1816, pl. 440, Liste p. 9 [*n. et f.*].
- crenulare** Cyathophyllum, J. Phillips, Geol. Yorksh. II. 1836, 202. [—Cidarites.
- crenulare** Diadema (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 158.
- crenularis** Hemicidarites (Lam.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 44.—Cidarites [*Cidarites* on pl.].
- crenulare** Lithostrotion (Ph.), J. Morris, Cat. Brit. Foss. 1843, 40.—Cyathophyllum.
- crenularis** Melania, G. P. Deshayes, Magasin de Zool. (2) VI. 1844, pl. 83.
- crenularis** Pentagonites, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429 [*n. n.*].
- crenularis** Pleurotoma, Lamarck, An. s. vert. VII. 1822, 92.—Clavatula, 1816.
- crenularis** Trochilites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 413.
- crenularis** Trochus, Lamarck, Ann. Mus. H. N. (Paris) IV (19) Mar. 1804, 48.
- crenularis** Vitrina, L. Pfeiffer (*ex* Beck MS), Proc. Zool. Soc. London, XVI (187) Ap. 25,
- crenulato-punctata** Feronia, R. F. Sahlberg, F. Ins. Ross. 1844, 39. [1849, 106.
- crenulata** Acetabularia, J. V. F. Lamouroux, Hist. Polyp. 1816, 249.
- crenulatus** Alydus, J. C. Fabricius, Syst. Rhyng. 1803, 250.—Lygaeus, 1794.
- crenulatus** Ammonites, G. Fischer v. W., Oryct. Moscou, 1830, sign. a⁴.
- crenulatum** Amphidesma, G. E. Sowerby, I., Conch. Illustr., Catal. issued with (200) 1841, 8 [*n. n.*]. [VII. 1838, 278.
- crenulata** Amphithoe, J. C. H. Reinhardt in Krøyer, Afhandl. K. Danske Vid. Selsk.
- crenulatum** Anobium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
- crenulata** Ascaris, Bremser, Icones helminth. 1824, 5. [293.
- crenulata** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 71.
- crenulata** Atrypa, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. to pl. 56.
- crenulata** Avicula (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 86.—
- crenulatum** Bembidium, R. F. Sahlberg, F. Ins. Ross. 1844, 58. [Pecten.
- crenulatus** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1845, 156.

- crenulatus** Byssacanthus, J. L. R. Agassiz, Poiss. F. V. G. R., 116 (1845).
crenulatus Byssacanthus, L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 409.
- crenulata** Cancellaria, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 501.
crenulatum Cardium, Lamarck, An. s. vert. VI (1) 1819, 13.
crenulatum Cardium, L. Rousseau in Démidoff, Voy. Russie, II. 1842, 804.
crenulatum Cerithium (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 233.—
crenulata Chama, Lamarck, An. s. vert. VI (1) 1819, 94. [Fusus].
crenulatus Chamites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 463.
crenulata Chemnitzia (Corn.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 58.—
 Melania. [27.]
- crenulatus** Chiton, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,
crenulata Chonetes (Roem.), L. G. de Koninck, Rech. Anim. foss. (1) *post* June 1847,
crenulata Clausilia, A. Risso, H. N. Europe, IV. 1826, 86. [205.—Orthis].
crenulata Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4)
 Sept. 1836, 21.
- crenulatus** Conus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 750.
crenulatus Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849—50, 355.
crenulata Corticaria (Sch.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Latridius.
crenulatus Cryptophagus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 369. = C.
 crenatus, Gyll.
- crenulatus** Ctenacanthus, J. L. R. Agassiz, Poiss. Foss. III., 177 (1843) [*n. n.*].
crenulatus Ctenomerus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3)
 1843, 411.
- crenulatus** Cyclograpsus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 80.
crenulatum Cyclostoma, Potiez & Michaud (*ex* Fér. MS), Gal. Moll. Douai, I. Oct. 1838,
 235.
- crenulatum** Cyclostoma, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 356. [1843, 148].
crenulatum Cyclostoma, G. B. Sowerby, I. (*ex* Gray MS), Thes. Conch. I (3) *ante* 23 June
crenulatus Discognathus, J. J. Heckel in Russegger, Reise, II (3) [1847], 262.
crenulatum Dolium, R. A. Philippi, Zeitschr. f. Malakozool., Oct. 1845, 148.
crenulatus Drosochrus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 244. [370].
crenulata Emarginula, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829,
crenulata Erycina, A. Scacchi, Cat. Conch. Neap. 1836, 6.
crenulata Escharina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 68.
crenulatus Eugeniocrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 383.
crenulata Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 215.—Poecilus, 1821.
crenulata Fissurella, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. vi.
crenulatum Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 277.
crenulata Fungia, C. D. E. König, Icones foss. 1825, pl. 14 [*n. et f.*].
crenulatus Fusus, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 157.
crenulatus Fusus, M. Tuomey, Rep. Geol. S. Carolina, 1848, 153 [*n. n.*].
crenulatus Gastrodus (Fab.), W. S. MacLeay in P. P. King, Narr. Surv. Australia, II.
 1827 [*z. e.* Ap. 1826], 445.—Curculio, 1775. [24.]
- crenulatus** Gomphoceratites, Schnur in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849,
crenulatus Grapsus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 15.
crenulatus Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 12.
crenulatus Heliophilus, E. Ménétriés, Cat. Rais. Zool. Caucas. 1832, 202.
crenulata Helix, G. A. Olivier, Voy. Othoman, III (1804), 69. [Limaçons, 1821, 49].
crenulata Helix (Helicella), Olivier; A. E. Férussac, H. N. g. et p. Moll., Tab.
crenulatus Hylesinus, K. Duftschmid, Fauna Austriae, III. 1825, 104.
crenulatus Ixodes, C. L. Koch, Deutsch. Crust., heft 39, 1844, tab. 8.
crenulata Kolpoda, Bory de St V., Ency. Méth. (Zooph.) 1827, 475.
crenulatus Latridius, Schüpp.; J. Sturm, Catal. Ins. Samml. 1826, 160.
crenulatus Latridius, L. Gyllenhal, Ins. Suecica, I (4) 1827, 125.
crenulatus Lethrus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (2) 1845, 334.
crenulatus Limonius, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 169.
crenulata Lithophaga, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 180.

- crenulata* Locusta, C. P. Thunberg, *Mém. Ac. Imp. Sci. St Pétersb.* V. 1815, 280.
crenulata Lucapina, J. E. Gray, *Figs. Moll. Anim.* IV. 1850, 92 [*n. n.*].
crenulata Lucina, T. A. Conrad, *Foss. Med. Tert. U. S.* (2) May 1840, 39.
crenulata Lucina, S. V. Wood, I., *Ann. Mag. N. H.* VI. Dec. 1840, 248 [*n. n.*].
crenulatus Lyriodon (Lam.), H. G. Bronn, *Index Pal.* 1848, 686.—Trigonia.
crenulata Mastrema, C. S. Rafinesque, *Journ. de Physique*, LXXXVIII. June 1819, 428 [*n. n.*]. [June 1838, 434.]
crenulata Melania, G. P. Deshayes in Lamarck, H. N. *Anim. s. Vert.*, ed. 2, VIII.
crenulata Melania, J. Cornuel, *Mém. Soc. géol. France*, IV (2) 1841, 289.
crenulata Melolontha, C. R. W. Wiedemann, *Mag. Entom.* (German) IV. 1821, 132.
crenulatus Mesops, H. Burmeister, *Handb. Ent.* II (2) 1, 1838, 610.
crenulata Monodonta, C. T. Menke, *Moll. N. Holl.* 1843, 14.
crenulatum Monostoma, C. A. Rudolphi, *Entoz.* II (1) 1809, 328.
crenulata Nassa, Lamarck, *Ency. Méth.* (Vers) 1816, pl. 394, Liste p. 1 [*n. et f.*].
crenulata Nassa, J. E. Gray, *Figs. Moll. Anim.* IV. 1850, 71.
crenulatus Ochthebius, Mulsant & Rey, *Ann. Soc. Linn. Lyon* (1847-9) 1850, 236.
crenulata Orthis, C. F. Roemer, *Rheinische Uebergangsgeb.* 1844, 74.
crenulatus Orthoceratites, G. Fischer, *Bull. Soc. Imp. Nat. Moscou*, I (10) 1829, 323.
crenulata Ostrea, Lamarck, *Ann. Mus. H. N.* (Paris) VIII (44-45) *inter* June-Sep. 1806, 163.
crenulatum Oxytrema, C. T. Menke, *Syn. meth. Moll.*, ed. 2, 1830, 137.
crenulatus Palemon, A. Risso, H. N. *Europe*, V. 1826, 60. [19.—Scarites.
crenulatus Parallelomorphus (Chaud.), V. v. Mochulski, *Kaefer Russl.*, *post* May 1850,
crenulatus Passalus, F. Klug, *Insect. Doublet.* Z. M. Berlin, 1829, 5.
crenulatus Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon. *Moll.* II. 1801, 273.
crenulatus Pecten, J. Hall, N. H. *New York* (Geol. 4 dist.) 1843, 265.
crenulatus Peprilus, G. Cuvier, *Règne Anim.*, ed. 2, II. 1829, 214 [*n. n.*].
crenulatus Pholas, D. Solander, *Catal. Portland Mus.* 1786, 102 & 174 [*n. n.*]. [184.
crenulatus Pholidophorus, P. de M. Grey Egerton, *Proc. Geol. Soc. London*, IV. 1843,
crenulatum Phyllostoma, E. Geoffroy, *Ann. Mus. H. N.* (Paris) XV (87) *inter* Ap.—
Sept. 1810, 183.
crenulata Pileopsis, J. E. Gray, *Ann. Phil.* XXV. June 1825, 407.
crenulata Pleurotoma, Lamarck, *Ann. Mus. H. N.* (Paris) III (15) Jan. 1804, 168.
crenulatus Poecilus, Dejean, *Catal. Coléopt.* 1821, 11 [*n. n.*].
crenulatus Poecilus (Dej.), H. Lucas, *Explor. Algér.* (Artic. II) 1846, 58.—Feronia.
crenulata Polystomella, W. Macgillivray, *Hist. Moll. Aberdeen*, 1843, 316.
crenulatus Porcellio (Pall.), P. A. Latreille, *Sonnini's Buffon*, *Ins.* VII (1804), 46.—
Oniscus, 1771. [Escharina.
crenulata Pyripora (Reuss), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 263.—
crenulatus Rhombus, Cuvier & Valenc., H. N. *Poiss.* IX. 1833, 410.
crenulata Rissoa, A. G. L. Michaud, *Descr. genre Rissoa*, 1830, 13. [(1) 1845, 80.
crenulatum Sarrotrium V. v. Motschulsky, *Bull. Soc. Imp. Nat. Moscou*, XVIII. 1845
crenulata Scalaria, L. C. Kiener, *Spec. Coquilles* (Scalaria) 1838-39, 17. [811.
crenulatus Scarites, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XV. 1842 (4) 1842,
crenulata Scutella, W. J. Broderip, *Proc. Zool. Soc. London*, II (18) *Sept.* 1834, 48.
crenulata Scutellina (Brod.), J. E. Gray, *Proc. Zool. Soc. London*, XV (178) Nov. 1847, 168.—Scutella.
crenulatus Stenocorynus (Fab.), C. J. Schoenherr, *Isis* (Oken), 1823, 1142.—Curculio,
crenulatus Stenolophus, Dejean, *Spec. gén. Coléopt.* IV. 1829, 432. [1775.
crenulatus Strongylus, C. A. Rudolphi, *Entoz.* II (1) 1809, 238.
crenulata Struthiolaria, Lamarck, *An. s. vert.* VII. 1822, 148.
crenulata Synastrea, A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 292.
crenulata Taenia, Schultze, *Ann. ges. Heilk.* (Berlin) II. 1825, 127 [*teste* Stiles & H.].
crenulata Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, *Moll.* V. 1801, 14.—
Buccinum, 1758.
crenulata Terebra, Lamarck, *Ency. Méth.* (Vers) 1816, pl. 402, Liste p. 3 [*n. et f.*].
crenulata Terebratula (Sow.), J. Phillips, *Figs. descr. Pal. foss. Cornwall*, 1841, 85.—
Atrypa.

- crenulata** Terebratula, G. B. Sowerby, I., Proc. Zool. Soc. London, XIV (164) Nov. 1846, 91. [1774+]
- crenulata** Theba (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12.—Helix,
- crenulata** Tridacna (Chama), F. S. Voigt in Cuvier, Thierreich, III. 1834, 508.
- crenulata** Trigonía, Lamarck, An. s. vert. VI (1) 1819, 63.
- crenulatus** Trochus, G. Brocchi, Conch. Subap. 1814, 354.
- crenulatus** Trochus, G. Brocchi, Conch. Subap. 1814, 662.
- crenulatus** Trochus, Lamarck, An. s. vert. VII. 1822, 22.
- crenulatus** Truxalis, Palisot de B., Ins. Afr. Amér. (—) 1807, 79.
- crenulata** Turbinella, L. C. Kiener, Spec. Coquilles (Turbinella) 1841, 43.
- crenulata** Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 233.
- crenulatus** Turbo, L. Reeve, Conch. Icon. IV.—Turbo, no. 42, Mar. 1848.
- crenulata** Turritella, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 399.
- crenulatus** Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 4 [*n. n.*].
- crenulata** Venus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 189.
- crenulata** Venus, Lamarck, An. s. vert. V. 1818, 586.
- crenulata** Venus, A. Risso, H. N. Europe, IV. 1826, 358.
- crenulata** Voluta, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 478.
- crenulata** Volutilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 121 & 318.—
- crenulicosta** Lima, C. F. Roemer, Texas, 1849, 399. [Voluta.
- crenulosum** Cyclostoma, C. B. Adams, Contr. to conch. (1) Sept. 1849, 12.
- crenulosum** Solarium, G. Michelotti (*ex* Bonelli MS), Nat. Verh. Hollandsche Maat. te Wetensch. te Haarlem (2) III (2) 1847, 168.
- Creobius** F. E. Guérin, Ins. de la "Favorite" in Mag. de Zool. 1838, 4.—Col.
- Creobroter** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 160.—
- Creogenys** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 367.—A. [Orth.
- creolus** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 265.
- creona** Anaphæis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 93.—Papilio, 1776.
- creona** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 131.—Papilio, Cr. 1776.
- Creophilus** Kirby in Samouelle, Entom. Comp. 1819, 172.—Col.
- Creopoles** J. Gistel, Nat. Thierr. 1848, p. x.—Ar.
- Creotroctes** J. Gistel, Nat. Thierr. 1848, p. x.—P.
- Creoxylyus** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 265.—Orth.
- creperum** Cerithium, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 537 [*n. n.*].
- creperus** Odontocorynus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 271.
- creperus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 985.
- creperus** Unio, I. Lea, Syn. Naiades, 1836, 28 [*n. n.*].
- creperus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 33.
- Crepicardus** Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 103.—Col. [*n. n.*].
- crepida** Lynceus, F. v. P. Schrank, F. Boica, III (1) 1803, 263.
- crepidaria** Lonchæa, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 309.
- crepidatus** Larus, Banks & Solander in Hawkesworth, Account of Voyages in S. Hemisphere, ed. 2, II. 1773, 15 [*n. n.*].
- crepidatus** Lestris (Lath.), C. Illiger, Prod. 1811, 273.—Larus, 1787.
- crepitatus** Oceanus (Lath.), K. L. Koch, Syst. baier. Zool. I. 1816, 381.—Larus, 1787.
- crepidatus** Stercorarius (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819,
- crepidianus** *v.* **cepedianus**. [155.—Larus, 1787.
- crepidinella** Coleophora, P. C. Zeller, Isis (Oken), 1847, 885.
- Crepidipatella** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crepidipatella, Less.
- crepidis** Aphidius, A. H. Haliday, Entom. Mag. II. (1) Jan. 1834, 94.
- Crepidites** Schroeter; Herrmannsen, Ind. gen. Malac. I. 1847, 320.—Br.
- Crepidocardius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crepicardus, Dej.
- Crepidodera** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 391.—Col. [*sine typo*].
- Crepidodera** Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 343.—Col.
- Crepidogaster** C. H. Boheman, Ins. Caffr. I (1) 1848, 68.—Col.

- Crepidomenus** W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 140.—Col.
- Crepidopatella** *emend. pro* Crepidatella, Less.; A. N. Herrmannsen, Ind. Gen. Malacoz. I. 1847, 320.
- Crepidotus** C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 859.—Col.
- crepidula** Calyptraea (L.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 187.—Patella, 1764.
- crepidula** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 275.
- crepidula** Crepidula, de Blainville, Dict. Sci. Nat. XI. 1818, 399.
- crepidula** Cristellaria (F. & M.), Lamarck, An. s. vert. VII. 1822, 608.—Nautilus, 1798.
- crepidula** Nucleolites, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 154.
- crepidula** Ostrea, Defrance in G. P. Deshayes, Descr. Coq. foss. Paris, I. 1832, 339.
- crepidula** Planularia (F. & M.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 260.—Nautilus, 1798.
- crepidularis** Calyptraea, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 385.
- crepidularis** Frondicularia, H. G. Bronn, Index Pal. 1848, 504 [*n. n.*].
- crepidulare** Infundibulum (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 371.—Calyptraea.
- crepidularis** Lingulina (Muenst.), H. G. Bronn, Index Pal. 1848, 656.—Planularia.
- crepidularis** Planularia, G. v. Muenster, N. Jahrb. f. Min. 1832, 382.
- crepidularis** Planularia, F. A. Roemer, N. Jahrb. f. Min. 1842, 273. [Neritina.
- crepidularius** Clithon (Lam.), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 383.—
- crepidularia** Nerita, W. Wood, Suppl. Index Test. 1828, 25 [*n. et f.*].
- crepidularia** Nerita (Lam.), C. A. Récluz, Proc. Zool. Soc. London, X (118) Feb. 1843, 170.—Neritina.
- crepidularia** Neritina, Lamarck, An. s. vert. VI (2) 1822, 186.
- crepidularia** Neritina, W. Wood, Suppl. Index Test. 1828, 45.—Nerita, 1828.
- crepidulatus** Astaculus, Denys de Montfort, Conch. I. 1808, 263.
- Crepidulina** H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 188.—Prot.
- Crepidulus** Denys de Montfort, Conch. Syst. II. 1810, 86 [=Crepidula].
- Crepipatella** R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 389.—G.
- crepitaculum** Sannionites, G. Fischer v. W., Oryct. Moscou, 1830, sign. 62.
- crepitaculum** Thoracoceras, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 765.—Sannionites, 1830.
- crepitans** Agami (L.), Partington, Brit. Cyclop. N. H. I (2) May 1834, 46.—Psophia, 1758.
- crepitans** Alauda, Anon., Ersch & Gruber, Allg. Ency. II. 1819, 321.
- crepitans** Brachinus, J. C. Fabricius, Syst. Eleuth. I. 1801, 219.—Carabus, L. 1758.
- crepitans** Crex, S. Palmer, The Analyst, III (14) Jan. 1836, 274.
- crepitans** Hyla, Max Wied, Isis (Oken), 1824, 671; Abb. Naturg. Brasil. (8) 1824.
- crepitans** Hypsiboas (Wied), J. Wagler, Nat. Syst. Amph. 1830, 200.—Hyla.
- crepitans** Meliphaga (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 262.—Muscicapa.
- crepitans** Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. li.
- crepitans** Oedicnemus, C. J. Temminck, Man. Orn. 1815, 322.
- crepitans** Psophodes (Lath.), Vigers & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 329.—Muscicapa.
- crepitatus** *v.* **crepidatus**.
- creplini** Cyclas, W. Dunker, Zeitschr. f. Malakozool., Feb. 1845, 20.
- creplini** Cyclostoma, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 177.
- creplinii** Myriopora (Hag.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 64.—Orbitulites.
- creplinii** Orbitulites, F. v. Hagenow, N. Jahrb. f. Min. 1839, 289.
- crepundius** Buliminus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 71.—Helix.
- crepundia** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 275.—Helix, 1835.
- crepundia** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 14.
- crepuscularis** Erebus (Fab.), P. A. Latreille, Consid. gén. Crust. etc. 1810, 365.—Noctua, 1781. [1758.
- crepuscularis** Nyctipao (L.), J. Huebner, Verz. bekannt. Schmett. 1825, 272.—Phalaena,
- crepuscularis** Vespertilio, de Blainville, C. R. Acad. Sci. (Paris) V. 1837, 822 [*n. n.*].
- crepuscularia** Boarmia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Geometra, 1775.

- crepuscularia** Ectropis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 316.—
Geometra, 1775.
- crepuscularia** Phalaena (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 6.—Geometra,
1775. [Geometra, 1775.]
- crepuscularia** Tephrosia (D. & S.), Boisduval, Gen. Index Europ. Lepid. 1840, 198.—
- crepusculella** Oecophora, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV
(Noct.) [1843] 337.
- crepusculella** Opostega, Fischer v. R. in P. C. Zeller, Isis (Oken), 1839, 214.
- crepusculum** Conus, L. Reeve, Conch. Icon.—Conus, no. 251, Feb. 1844.
- crepusculum** Monas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 57.
- crepusculum** Monas (Eumonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 22.
- creescens** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 237.
- Creseis** P. S. Rang, Ann. Sci. Nat. XIII (51) Mar. 1828, 305.—Pter.
- Cresis** P. C. A. L. Rang, Man. Moll. 1829, 115, f. [v. Creseis].
- creosphontes** Heraclides (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio,
- Cressida** W. Swainson, Zool. Illust. (2) III (21) 1832, pl. 94.—Lep. [1781.]
- cressida** Eurycus (Fab.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 392.—
Papilio, 1775.
- cressida** Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 176.
- cressida** Nestorides (Fab.), C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837,
- crestata** Aptenodytes, v. cristata. [13.—Papilio, 1775.]
- creesus** v. croesus.
- cretaceana** Cnephasia, J. Curtis, Guide Brit. Ins. (6) 1831, 171 [n. n.].
- cretaceana** Cochylis, C. F. Freyer, Neuere Beitr. Schmett. IV (54) 1840, 56.
- cretaceana** Sciaphila (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX
(Noct. 6) 1835, 397.—Tortrix.
- cretaceana** Teras (Huebner), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 525.—Tortrix.
- cretaceana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 42. [n. et f.]
- cretaceana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 50 (Fernaldo judice 1830),
- cretacea** Acontia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 80.
- cretaceus** Acrodus, F. Dixon, Geol. Sussex, 1850, 364. [II. 1813], 51.
- cretacea** Altisa [= Altica], P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool.
- cretacea** Alveolina, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 191.
- cretacea** Amblophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
- cretacea** Arca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 244.
- cretacea** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 35, Mar. 1850.
- cretaceum** Aspergillum, C. Rominger, N. Jahrb. f. Min. 1847, 659 [n. n.].
- cretacea** Axogaster, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 257.
- cretaceum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 112, Feb. 1847.
- cretaceum** Callidium, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 28.
- cretacea** Chama, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 689.
- cretacea** Clavagella, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 300.
- cretaceus** Cleonus, L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 49.
- cretaceus** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849, 264.
- cretacea** Cyclolina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 139.
- cretaceus** Cyphus (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
1840, 306.—Curculio, 1792.
- cretaceus** Echinus, L. A. Sorignet, Oursins foss. Eure, Ap. 1850, 34.
- cretacea** Emarginula, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 130.
- cretacea** Entobia, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 360.
- cretacea** Eschara (D. & L.), G. Michelotti, Spec. Zoophyt. diluv. 1838, 210.—Flustra.
- cretaceus** Eunotus, F. Walker, Entom. Mag. II (3) July 1834, 298.
- cretacea** Fasciculipora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 115.
- cretacea** Flustra, Desmarest & Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 53.
- cretacea** Flustra, Lamarck, An. s. vert. II. 1816, 161.
- cretaceus** Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 48, Dec. 1847.
- cretacea** Globigerina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 34.
- cretacea** Guttulina, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 262.

- cretaceus** Gyrodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 119 (1839); II (2), 233
- cretaceus** Harmodytes, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 177. [(1844).
- cretaceus** Holaster, L. A. Sorignet, Oursins foss. Eure, Ap. 1850, 69.
- cretacea** Idmonea, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 237.
- cretaceum** Infundibulum, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 390.—
Trochatella on pl.
- cretacea** Isocardia, G. A. Goldfuss, Petref. German. II (6) 1837, 211.
- cretacea** Lichenopora, Defrance, Dict. Sci. Nat. XXVI. 1823, 257.
- cretaceus** Linnaeus, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 157.
- cretacea** Lucina, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 230.
- cretacea** Lunulites, Defrance, Dict. Sci. Nat. XXVII. 1823, 360.
- cretacea** Lutraria, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 141; Rep. trav.
Soc. stat. Marseille, VI. 213.
- cretaceus** Microcerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 727.
- cretacea** Modiola, T. A. Conrad, Trans. Geol. Soc. Pennsylv. I (2) 1835, 340.
- cretacea** Myoconcha, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 260.
- cretacea** Myopsis (Math.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 255.—
[Lutraria.
- cretaceus** Mytilus, F. v. Hagenow, N. Jahrb. f. Min. 1842, 562. [Lutraria.
- cretacea** Narica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 170.
- cretacea** Natica, G. A. Goldfuss, Petref. German. III (8) 1844, 119.
- cretacea** Operculina, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 35.
- cretacea** Ostrea, S. G. Morton, Syn. Org. Rem. Cret. 1834, 52.
- cretacea** Ovula, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 128.
- cretaceus** Oxyderces (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1140.—Curculio, 1792.
- cretacea** Panopaea (Math.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 233.—
- cretaceus** Pentacrinites, F. v. Hagenow, N. Jahrb. f. Min. 1840, 662. [Lutraria.
- cretaceus** Pentacrinites, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 319
[n. n.]; *ibid.* V (1) 1842, 2.
- cretacea** Perna, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 185.
- cretaceus** Phylloodus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 222.
- cretaceus** Pinnites, E. F. Schlotheim, Tasch. Min. 1813, 113. [1838], 470.
- cretaceus** Pseudophyllus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- cretaceus** Pycnodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 122 (1839); II (2) 198
- cretacea** Pyrala, E. Bayle in Fournel, Rich. min. Algérie, I. 1849, 362. [(1844).
- cretaceus** Rhyncholithes, Jos. Mueller, Beitr. Petref. Aachen. Kreidef. 1846, 13.
- cretaceus** Rhyncholithus, F. v. Hagenow, N. Jahrb. f. Min. 1842, 567.
- cretacea** Seriatopora, Defrance, Dict. Sci. Nat. XLVIII. 1827, 496.
- cretacea** Tornatella, G. G. Pusch, Polens Paleont. (2) 1837, 111.
- cretacea** Triloculina, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 210.
- cretaceum** Trochatella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, *vide* **cretaceum**
- cretacea** Turbinolia, E. Eichwald, Nat. Lithuauen, 1830, 187. [Infundibulum.
- cretaceus** Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 228.
- cretacea** Venus, A. d'Orbigny, Coq. Fos. Colomb. 1842, 47.
- cretaceus** Verticillites, Defrance, Dict. Sci. Nat. LVIII. 1829, 5.
- cretacea** Vincularia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 110.
- cretacea** Volvaria, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 213.
- cretae** Anatifera, J. Steenstrup, Naturhist. Tidsskrift, I. 1837, 359.
- cretana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 345.
- cretaria** Cabera, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 395.
- cretata** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [n. n.].
- cretata** Helix, W. J. Broderip, Proc. Zool. Soc. London, IX (98) Oct. 1841, 23.
- cretatus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 329.
- cretatus** Ichneumon, C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 146.
- cretatus** Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 652.
- cretata** Saperda, E. Newman, Entom. Mag. V (4) Ap. [*z. v.* July] 1838, 395.
- cretensis** Bulimus, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (5) 1846, 124.
- cretensis** Clausilia, Megerle in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4)
Sept. 1836, 11.

- cretensis** Scarus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 285.—Labrus, 1758.
- creteus** Astraptes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 103.—Papilio, 1780.
- creteus** Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 739.—Papilio, 1780.
- cretheis** Eurytoma, F. Walker, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 150.
- cretheus** Conus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 41.
- crethon** *v.* **crithon**.
- creticola** Nabis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
- cretica** Bulla, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 188.
- cretica** Chaerocampa (Boisd.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.) 1836, 160.—Sphinx.
- cretica** Chrysomela, A. G. Olivier, Entom. V. 1807, 518.
- creticus** Cryptocephalus, E. Suffrian, Linnaea Entom. II. July 1847, 178.
- cretica** Deilephila, J. A. Boisduval, Ic. hist. lépidopt. Europe, II (23 & 24) 1834, 20.—
- cretica** Helix, Fér.; L. Pfeiffer, Symb. Helic. I. 1841, 40. [Sphinx, 1827.]
- cretica** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 49 [*n. n.*]. [Deilephila.]
- cretica** Macroglossa (Boisd.), F. Treitschke, Schmett. Europa, X (1) 1834, 138.—
- creticus** Omaseus, Frivaldsky, K. magyar termes. Tars. évkönyvei I [1845], 179.
- creticus** Scarus, G. Cuvier [*non* Bloch], Règne Anim., ed. 2, II. 1829, 265.
- cretica** Sphinx, J. A. Bois-Duval, Mém. Soc. Linn. Paris, VI. 1827, 118.
- cretica** Theba (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12.—Helix.
- cretiferus** Byrrhus, Leach; Dejean, Catal. Coléopt. 1821, 49 [*n. n.*].
- cretifera** Chaetophora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 99 [*n. n.*].
- cretifera** Lamia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
- cretifera** Syncalypta, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 133.
- cretosus** Astacus, G. A. Mantell, Medals, II. 1844, 539.
- cretosa** Cetonia, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 63.
- cretosus** Chaetites, A. E. Reuss, Verst. boehm. Kreid. II. 1846, 63.
- cretosa** Emarginula, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 230.
- cretosus** Galerites, G. A. Mantell, Medals, I. 1844, 349.
- cretosa** Panopea, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 223.
- cretosus** Pecten, DeFrance in Cuvier & Brongniart, Desc. Géol. Paris, ed. 3, 1822, 383.
- cretosus** Pectinites (Cuv.), J. F. Krueger, Gesch. d. Urwelt (2) 1823, 520.—Pecten.
- cretosa** Polytrema (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 209.—Chaetites.
- cretula** Anthophila, C. F. Freyer, Neuere Beitr. Schmett. IV (60) 1842, 124.
- Creurgus** F. O. Morris, The Naturalist, II (9) June 1837, 124.—A.
- Creurgus** B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 Ap.), 29.—A.
- creusa** Anthocharis, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 56 [*n. et f.*].
- creusa** Caligo, J. Huebner, Exot. Schmett. II. Tab. [68] [*n. et f.*]. [1758.]
- creusa** Coenochromia (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 121.—Sphinx,
- creusa** Palaemon, A. White, List Crustacea Coll. B. M. 1847, 78 [*n. n.*].
- creusa** Syntomis (L.), Boisduval, Essai Zygén. 1829 [1828], 121.—Sphinx, 1758.
- creusa** Venus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 29.
- Creusia** W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 171.—Cirr.
- creutzeri** Bradybatus (Meg.), E. F. Germar, Ins. spec. novae, I. 1824, 306.—? Rhinodes.
- creutzeri** Bruchus, Rossi; Dejean, Catal. Coléopt. 1821, 79 [*n. n.*].
- creutzeri** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 173.
- creutzeri** Cechenus (Ziegl.), G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May 1822, 111.—Carabus, ? Fab.
- creutzeri** Meleus, Meg.; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
- creutzeri** Platychrus (Fab.), F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 26.—Carabus.
- creutzeri** Rhinodes, Meg.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- Crex** P. H. G. Moehring, Ges. Vogel. (Nozemann & Vosmaer's ed.) 1758, 6 & 61.—A.
- crex** J. M. Bechstein, Orn. Taschenb. 1803, 336.—A.
- Crex** (L.), C. Illiger, Prod. 1811, 266.—Rallus, 1758.
- crex** Gallinula, [M. Tunstall], Orn. Britt. 1771, 3.

- crex** Ortygometra (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 218.
—Rallus, 1758.
- Cribaria** Persoon, Neu. Mag. Bot. I. 1794, 91.—Rh. [*teste* Waterh., *sed* Plantae].
- cribaria** Eschara, G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 352.
- cribaria** Seriatopora, DeFrance, Dict. Sci. Nat. XLVIII. 1827, 496. [cribraria.]
- cribarius** Thyreocoris (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 384.—Tetyra
- Cribella** Audouin & Edwards, 1830; *teste* Scudder, *vernac. est.*
- Cribella** L. Agassiz, Ann. Sci. Nat. [2] VII. 1837, 286 [=? Cribrella].
- cribella** *v.* **cribellus** *et* **cribellus**.
- cribellatus** Aphodius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 34 [*n. n.*].
- cribellatus** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, III. 1812, 167.
- cribellata** Chrysomela, J. Sturm, Catal. Ins. Samml. 1826, 116 [*n. n.*]. [(3) 1849, 102.
- cribellatus** Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849
- cribellatus** Lyperopherus, Ménétré in V. v. Mochulski, Kaefer Russl., *post* May 1850, 49 [*n. n.*]. [22.
- cribellum** Cypraea, J. S. Gaskoin, Proc. Zool. Soc. London, XVII (191) Dec. 14, 1849,
- cribella** Lithosia (Hueb.), J. B. Godart, H. N. Lépid. France, V (Noct. 2), 29, 1824.—
Tinea cribrella, 1796. [[*n. n.*].
- cribellum** Ophonus, J. Curtis (*ex* Leach MS), Brit. Entom. IV (48) Dec. 1827, no. 191
- cribellum** Ophonus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 163.
- cribellum** Trypeta, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 430 [*n. n.*].
- cribralis** Herminia (Hueb.), F. Treitschke, Schmett. Europa, VI (2) 1828, 311.—Pyralis, 1796.
- cribralis** Macrochilo, J. Huebner, Verz. bekannt. Schmett. 1826, 345.—Pyralis, 1796.
- cribralis** Polyponon (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Pyralis, 1796. [[*n. et f.*].
- cribram** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 28 (Fernaldo judice 1802)
- cribrarium** Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 78.
- cribrarium** Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 178.
- cribraria** Amphitrite (Lam.), A. White, List Crustacea Coll. B. M. 1847, 27.—Portunus.
- cribrarius** Aphodius, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 171.
- cribraria** Astrea, H. Michelin, Icon. Zoophyt. (2) 1841, 21.
- cribrarius** Attelabus, A. G. Olivier, Entom. V. 1807, 8.
- cribrarius** Brachycerus, A. G. Olivier, Entom. V. 1807, 58.
- cribrarium** Buccinum, Lamarck, An. s. vert. VII. 1822, 274.
- cribraria** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 434.—Curculio, 1798.
- cribraria** Camptolenes, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, V. May 1848, 115.
- cribrarium** Cerithium, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 537 [*n. n.*].
- cribraria** Chrysobothris, Dejean, Cat. Coléopt., ed. 2 (1) Jan. 1833, 80 [*n. n.*].
- cribraria** Chrysobothris, Solier (*ex* Dej. Cat.), Ann. Soc. Ent. France, II (2) *c.* July 1833, 311.
- cribraria** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
- cribraria** Columbella (Lam.), J. E. Gray, Zool. "Blossom," 1839, 129.—Buccinum.
- cribraria** Columbella (Lam.), G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 129.—Buccinum. [1843, 66.—Tetyra.
- cribrarium** Coptosoma (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
- cribrarius** Cossus, S. I. Ljungh, K. Vet. Ac. Handl. 1825 (2) 1826, 348.
- cribrarius** Crabro (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 331.—Spheg, 1767.
- cribrarius** Curculio, A. G. Olivier, Entom. V. 1807, 348.
- cribrarius** Dasytes, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 151.
- cribrarius** Enodius (Br.), Laporte, Revue Entom. IV (1) 1836, 31.—Dasytes.
- cribraria** Eudea, H. Michelin, Icon. Zoophyt. (24-27) 1847, 251.
- cribrarius** Geonemus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 214.—
- cribrarius** Haliphus, J. L. Leconte in Agassiz, Lake Superior, 1850, 212. [Curculio.
- cribraria** Lucina, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 147.
- cribraria** Lupea (*sic*) (Lam.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 452.—Portunus.

- cribraria** Orthostixis, J. Huebner, Verz. bekannt. Schmett. 1825, 304.—Geometra, 1796.
cribraria Phyllocoenia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206.—
cribrarius Portunus, Lamarck, An. s. vert. V. 1818, 259. [Astrea.
cribrarius Rhizoplatus, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 455.
cribraria Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 143.—Cimex, 1798. [1798.
cribraria Thyreocoris (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 26.—Cimex,
cribrarius Thyreopus (Fab.), Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III
 (4) *post* Mar. 1835, 752.—Crabro, 1775.
cribraria Venericardia, T. Say, Amer. Conch., wrapper of (5) Aug. 1832.
cribraria Venus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 310.
cribratella Myeloides, P. C. Zeller, Isis (Oken), 1847, 762.
cribraticollis Diplotaxys, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I
 (2) 1850 [*ineunte* 1851], 171. [I (2) 1850 [*ineunte* 1851], 238.
cribratipennis Leucothyreus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.
cribratipennis Staphylinus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 78.
cribrator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 264.
cribratus Aclees, C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 18. [648.
cribratum Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
cribratus Adoretus, A. White, Ann. Mag. N. H. XIV. Dec. 1844, 424.
cribratus Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
 1850 [*ineunte* 1851], 234.
cribratus Agriotes, Eschscholtz, Die Quatember, II (3) 1830, 18.
cribratus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 199.
cribratus Apotomorphinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
cribratus Asilus, H. Loew, Linnaea Entom. IV. Dec. 1849, 3. [1844, 259.
cribrata Aspidoglossa, Reiche in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 634.
cribratum Buccinum, Hoeninghaus, Verz. Hoen. Mus. Bonn. Petref.-Samml. 1829, 8
cribratus Carabus, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 171. [[*n. n.*]
cribratus Cercyon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 62.
cribrata Cerosterna, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 195.
cribrata Cicindela, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 9.
cribratus Cis, H. Lucas, Explor. Algér. (Artic. II.) 1849, 469.
cribrata Coscinoptera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 512.
cribratus Cryptocephalus, E. Suffrian, Linnaea Entom. II. July 1847, 90.
cribrata Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 69.
cribrata Dichroa, P. S. Schilling, Uebers. Arb. schles. Ges. 1826 (1827), 23 [*n. n.*].
cribratus Elampus, F. Klug in J. Walth, Reise Tyrol etc. (2) 1835, 90.
cribrata Ephydra, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 269.
cribrata Euchlora, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
 [*ineunte* 1851], 194.
cribrata Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 354.—Pterostichus, 1821.
cribratum Himatidium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 76 [*n. n.*].
cribratus Hydrobius, E. Mulsant, Ann. Sci. Soc. Agric. Lyon, VII. 1844, 377.
cribratum Lacon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 144.
cribratus Lissomus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 31.
cribratus Phileurus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 90.
cribratus Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 431.
cribratus Pinophilus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1842, 86.
cribratus Pleuracanthus, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Dec. 1842, 374.
cribratus Polyxenes, Denys de Montfort, Conch. I. 1808, 139.
cribrata Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 236.
cribratus Pterostichus, Bon.; Dejean, Catal. Coléopt. 1821, 12 [*n. n.*].
cribratus Rhyzophagus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 637.
cribrata Schizonycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
 1850 [*ineunte* 1851], 150.
cribrata Silpha, Faldermann in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 168.
cribratus Sphaerotus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 108.
cribratus Spheniscus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].

- cribrata** Sphenoptera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 152.
- cribratus** Stenus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 220.
- cribrata** Tentyria, Bonelli in Géné, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, p. iii.
- cribrata** Zerene, F. Treitschke, Schmett. Europa, V (2) 1825, 445.
- Cribrella** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 [1836], 191.—Ech. [*in syn.*].
- cribrellum** Hesperia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1841 (1) 1841, 25.
- cribrella** Hoplia, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 171.
- cribrella** Lispe (Huebn.), F. Treitschke, Schmett. Europa, IX (1) 1832, 205.—Tinea, 1796.
- cribrella** Phycis (Huebn.), F. Treitschke, Schmett. Europa, VIII. 1830, 297.—Tinea.
- cribriceps** Dorcus, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 224.
- cribricollis** Anchonus, Coquerel, Rev. et Mag. de Zool. (2) I. May 1849, 227.
- cribricollis** Ancyloxycha, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 524.
- cribricollis** Ancyloxycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 133.
- cribricollis** Aphodius, H. Lucas, Explor. Algér. (Artic. II.) 1846, 260.
- cribricollis** Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 93.
- cribricollis** Bledius, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 210.
- cribricollis** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 644.
- cribricollis** Chlaenius, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 316.
- cribricollis** Cryptorhynchus, T. Say, Descr. N. Amer. Curcul., July 1831, 28.
- cribricollis** Cymindis, Dejean, Spec. gén. Coléopt. V. 1831, 311.
- cribricollis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [*n. n.*].
- cribricollis** Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 755.
- cribricollis** Harpalus, Steven in Dejean, Spec. gén. Coléopt. IV. 1829, 208.
- cribricollis** Hegeter, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 66.
- cribricollis** Lamprys, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 157.
- cribricollis** Leirus, M. de Chaudoir, Enum. Carab. 1846, 231.
- cribricollis** Liparus, Dahl; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
- cribricollis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 44.
- cribricollis** Loborhynchus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 164.
- cribricollis** Ludius, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- cribricollis** Natalis, M. Spinola, Ess. mon. Clérites, I. 1844, 203. [Mar. 1835, 361.]
- cribricollis** Ochthebius, J. L. Leconte in Agassiz, Lake Superior, 1850, 217.
- cribricollis** Omaseus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 47. [582.]
- cribricollis** Otiorynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
- cribricollis** Pachygaster, Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- cribricollis** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 487.
- cribricollis** Platystethus, E. Truqui in Baudi & Truqui, Studi Ent. I. 1848, 145.
- cribricollis** Sitona, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 101.
- cribricollis** Trionychus, H. Burmeister, Handb. Ent. V. 1847, 142.
- cribrifera** Heterostoma, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
- cribriformis** Adeona, Lamarck, An. s. vert. II. 1816, 180. [IV. 1847, 248.]
- Cribrilina** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 116 & 147.—Polyz.
- Cribrina** Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 264.
- cribripenne** Callidium, Dejean, Catal. Coléopt. 1821, 110 [*n. n.*]. [—Coel.]
- cribripennis** Desmonota, C. H. Boheman, Mon. Cassid. I. 1850, 159.
- cribripennis** Harpalus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4)
- cribripennis** Helops, H. Lucas, Explor. Algér. (Artic. II.) 1846, 353. [1842, 830.]
- cribripennis** Ischiopachys, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 476.
- cribripennis** Notoxus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 140.
- cribripenne** Pelonium, M. Spinola, Ess. mon. Clérites, I. 1844, 379.
- cribripennis** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 117.
- cribripennis** Prosymnus, Laporte, Revue Entom. IV (2) 1836, 52.
- cribripennis** Pseudophonus (Chaud.), V. v. Mochulski, Kaefer Russl., *post* May 1850,
- 30.—Harpalus. [1843, 723.]
- cribripennis** Scarites, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4)
- cribripennis** Stenochia, Imhoff, Ber. nat. Ges. Basel, V. 1840-42 (1843), 175.

- cribripes** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 11.
cribripora Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 470.
cribripora Porites, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 564.
cribrithorax Onchorhinus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 339. [1843, 345.]
cribrisicollis Otiiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1)
Cribrispongia A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547.—Sp.
cribrosus Aegithus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 293.
cribrosus Agrypnus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.
cribrosa Blaps, Dupont in Baudi & Truqui, Studi Ent. I. 1848, 304.
cribrosa Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 87.
cribrosa Cerceris, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 119.
cribrosa Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 36.
cribrosa Chrysomela, E. F. Germar, Fauna Ins. Europ. (1) 1812, 10.
cribrosa Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 179.
cribrosa Colaspis, Dejean, Catal. Coléopt. 1821, 124 [n. n.].
cribrosus Cremastocheilus, Gory & Percheron, Mon. Cétoines (1) 1833, 50; (4) 1834, 117.
cribrosus Curculio, E. F. Germar, Fauna Ins. Europ. (2) 1814, 14.
cribrosa Dentipora, de Blainville, Dict. Sci. Nat. LX. 1830, 348 [n. n.].
cribrosa Epilampra, H. Burmeister, Handb. Ent. II (2) i, 1838, 505. [Lichenopora.
cribrosa Fasciculipora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 268.—
cribrosa Fistulipora (Goldf.), F. M'Coy, Ann. Mag. N. H. (2) III. Feb. 1849, 130.—
 Manon.
cribrosa Gematis, J. Sturm, Catal. Ins. Samml. 1826, 143 [n. n.]. [stoecheilus.
cribrosus Hoplostomus (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 657.—Crema-
cribrosa Lichenopora, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 64.
cribrosus Manon, G. A. Goldfuss, Petref. German. I (1) 1826, 3.
cribrosa Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [n. n.].
cribrosa Monticulipora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 184.—
 Ceriopora.
cribrosus Omalium, Gravenhorst in O. Heer, Coleopt. Helvet. (3) 1841, 569.
cribrosus Otiiorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 346.—Curculio, 1814.
cribrosus Pachygaster, Sturm; Dejean, Catal. Coléopt. 1821, 90 [n. n.].
cribrosus Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [n. n.].
cribrosus Ptychophorus (G. & P.), Burmeister & Schaum in Germar, Zeitschr. f. d.
 Entom. III. 1841, 274.—Cremastocheilus.
cribrosus Rhyssemus, J. L. Leconte in Agassiz, Lake Superior, 1850, 225.
cribrosus Sciocoris, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. d.
cribrosa Spongia, J. Phillips, Geol. Yorksh. I. 1829, 118 [n. et f.].
cribrosus Strophoconus, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843, 167 & 272.
cribrosa Tentyria, J. Sturm, Catal. Ins. Samml. 1826, 201 [n. n.].
cribrosa Thalamopora (Goldf.), F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1)
 1840, 21.—Ceriopora.
cribrosus Trinucleus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 40.
cribrosa Uvigerina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 377.
cribrum Astrea, Defrance, Dict. Sci. Nat. XLII. 1826, 379. [1843, 161.—Edessa.
cribrum Brachystethus (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
cribrum Cassida, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 8.
cribrum Chelymormpha, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 18 [n. n.].
cribrum Coscinia (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 169.—Phalaena, 1761.
cribrum Cyphosoma, L. Agassiz, Cat. Ect. Ech. 1840, 11. [402.
cribrum Cyphosoma, Agassiz in E. Sismonda, Mem. R. Acc. Sci. Torino [2] VI. 1844,
cribrum Discopora, Lamarck, An. s. vert. II. 1816, 166.
cribrum Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 154.—Cimex, 1781.
cribrum Emydia (L.), Boisduval, Europ. Lepid. Index, 1829 [1828], 39.—Phalaena, 1761.
cribrum Eulepia (L.), J. Curtis, Brit. Entom. II (14) Feb. 1825, no. 56.—Phalaena, 1761.
cribrum Eyrepia (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 302.—Phalaena,
 1761.

- cribrum** Gorgonia, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- cribrum** Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 93.
- cribrum** Hoplophora, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 272.
- cribrum** Leiosomus, C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 318.—Molytes,
- cribrum** Liparus, Meg.; Dejean, Catal. Coléopt. 1821, 88 [n. n.]. [1834.
- cribrum** Lithosia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 197.—Bombyx, 1775.
- cribrum** Mesomphalia (Klug), C. H. Boheman, Mon. Cassid. I. 1850, 356.—Cassida.
- cribrum** Molytes (Sturm), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 357.—Liparus, ? Meg.
- cribrum** Phanerostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 372.
- cribra** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 151.
- cribrum** Setina, F. v. P. Schrank, F. Boica, II (2) 1802, 166.
- cribrum** Spongia, C. G. Ehrenberg, N. Jahrb. f. min. 1841, 732 [n. n.].
- cribrum** Spongophyllum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 92.
- cribrum** Trox, J. Gené, Mem. R. Acc. Sci. Torino, XXXIX. 1836, 186.
- cribrum** Trox, Gené, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, p. iii.
- Cricacanthus** J. L. R. Agassiz, Poiss. Foss. III., 176 (1843).—P. [n. n.].
- Cricetodipus** T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 52.—M.
- Cricetomys** G. R. Waterhouse, Proc. Zool. Soc. London, VIII (85) July 1840, 2.—M.
- cricetorum** Helix, S. A. Renier, Tavole [1804] xi.
- Cricetus** N. G. Leske, Anfangsgr. Naturgesch. I. 1779, 168.—M.
- cricetus** Cricetus (L.), A. Desmarest, Nouv. Dict. N. H. XXIV (Tab.) 1804, 23.—Mus, 1758.
- cricetus** Geotrupes, Hausmann, Mag. f. Insektenk. (Illiger) VI. 1807, 266.
- cricetus** Hamster (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 167.—Mus, 1758.
- cricetus** Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 90.
- crichtoni** Bulinus, W. J. Broderip, Proc. Zool. Soc. London, IV (40) July 1836, 44.
- Cricocercus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 345.—A.
- Cricochalcis** A. F. A. Wiegmann, Herpet. Mex. 1834, 11.—R.
- Cricodus** L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 195.—P.
- Cricodus** L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 406.—P.
- cricoides** Entacmaea, P. Duchassaing, Anim. rad. Antilles [1850], 10.
- Cricopora** de Blainville, Dict. Sci. Nat. LX. 1830, 385.—Cor.
- Cricostoma** *emend. pro* Cricostomata, Blainv.; A. N. Herrmannsen, Ind. Gen. Malacoz.
- Cridotheres** Vieillot, Galerie des Ois. I. 1825, pl. 148 [= Acridotheres]. [I. 1847, 323.
- criella** Palpula, F. Treitschke, Schmett. Europa, X (3) 1835, 194.
- Crimia** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 305.—Hem.
- Crimophilus** *emend. pro* Crymophilus, Vieill.; L. Agassiz, Ind. Univ. 1846, 104.
- crinalis** Bagrus, J. Richardson, 15 Rept. Brit. Assoc. (Camb. 1845) 1846, 282.
- crinalis** Herminia, F. Treitschke, Schmett. Europa, VI (2) 1828, 311.
- crinella** Tinea, C. H. G. Sodovski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 70.
- crini** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 229.
- Crinia** J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 38 & 78.—R.
- crinicauda** Dolichopus, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3087.
- crinicaudus** Mycetes, P. W. Lund, Afhandl. K. Danske Vid. Selsk. VIII. 1841, 110.
- crinicaudis** Torymus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 179.
- crinicollis** Copris, E. F. Germar, Ins. spec. novae, I. 1824, 100.
- crinicollis** Melolontha, Grav.; J. Sturm, Catal. Ins. Samml. 1826, 169.
- crinicornis** Dolichopus, C. R. W. Wiedemann, Anal. Entom. 1824, 39. [pro 305].
- crinicornis** Eulophus, E. Perris, Ann. Soc. Ent. France, IX (4) *post* May 1841, 405 [err.].
- crinicornis** Heterotoma, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 276.
- crinicornis** Saperda, E. F. Germar, Ins. spec. novae, I. 1824, 490.
- crinicornis** Tetanocera, C. F. Fallen, Sciomyz. Sveciae, 1820, 5.
- crinicornis** Thyrsocera, Klug in H. Burmeister, Handb. Ent. II (2) i, 1838, 499.
- Crinifer** F. P. Jarocki, Zoologia, II. 1821, 181.—A. [*typus* Phasianus africanus, Lath.]

- criniformis** Docmuis (Goeze), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
[Nov. 1844], 276.—Ascaris, 1782.
- criniformis** Strongylus (Goeze), K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802,
39.—Ascaris, 1782.
- crinifrons** Batrachostomus, C. L. Bonaparte (*ex* Temm. MS), Consp. gen. Avium, I. 1850,
crinifrons Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 23. [57.]
- Criniger** C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lx.—A.
- criniger** Brachypodius, A. Hay, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 577.
- crinigera** Decura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- criniger** Drymoica (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 458.—Suya.
- criniger** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 82.
- crinigera** Helix, W. H. Benson, Ann. Mag. N. H. (2) V. Mar. 1850, 214.
- criniger** Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 140.
- criniger** Setornis, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. June 1839, 167.
- criniger** Suya, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 183.
- crinigerella** Nemophora, Anon., Ber. Iepidopt. Tauschver. [Jena] for 1850, 70 [*n. n.*].
- crinipes** Apiomerus (Trichoscelis) (Fab.), W. F. Erichson in R. Schomburgk, Reisen
Brit.-Guiana, III. 1848, 613.—Reduvius.
- crinipes** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 35.
- crinipes** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 581.
- crinipes** Harpalus, Ziegl.; J. Sturm, Catal. Ins. Samml. 1826, 148. [361.]
- crinipes** Psilopus, v. Winthem in J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830,
- crinipes** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 273.
- crinipes** Sybistroma, C. Staeger, Naturhist. Tidsskrift, IV (1) 1842, 6.
- Crinismus** C. S. Rafinesque, Analyse, 1815, 161.—Prot. [*n. n.*] [= Proteus, Brug.].
- crinismus** Augiades (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 112.—Papilio, 1780.
- crinismus** Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 750.—Papilio,
1780. [603.—Papilio, 1780.]
- crinismus** Tamyris (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- crinitarsis** Apate, Imhoff, Ber. nat. Ges. Basel, V. 1840-42 (1843), 177.
- crinitarsis** Cryptorhynchus (Germ.), J. Sturm, Catal. Ins. Samml. 1826, 128.—? Poecilma.
- crinitarse** Macromerus (Germ.), C. J. Schoenherr, Isis (Oken), 1825, 585.—Poecilma.
- crinitarse** Poecilma, E. F. Germar, Ins. spec. novae, I. 1824, 253.
- crinitarsis** Rhamphomyia, H. Loew, U. d. Bernstein (Prog. Meseritz) Sept. 1850, 41.
- crinitella** Adela, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1008 (sign. 64).
- crinitella** Tinea, F. v. P. Schrank, F. Boica, II (2) 1802, 109. [Chiton, Penn. 1777.]
- crinitus** Acanthopleurus (Wood), L. Guilding, Zool. Journ. V (17) Feb. 1830, 28.—
- crinitus** Acanthoderes (Klug), E. Newman, Entomologist (2) Dec. 1840, 22.—Stenopteris.
- crinitum** Anisonyx (Fab.), P. A. Latreille, Gen. Crust. Ins. II. 1807, 120.—Melolontha,
1777.
- crinitus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8)
1849, 105 ["Mon. Anth." *poster. edit.*].
- crinita** Anthypna (Fab.), Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 473.—
- crinita** Avicula, F. A. Roemer, Verst. Harzgeb. 1843, 21. [Melolontha, 1777.]
- crinitus** Bleinnius, Cuvier & Valenc., H. N. Poiss. XI. 1836, 237. [? Mitch. 1826.]
- crinitus** Blepharis (Ak.), J. E. De Kay, N. H. New York (Fish) 1842, 123.—Zeus,
- crinitus** Bradypus, J. E. Gray, Proc. Zool. Soc. London, XVII (194) Jan.-June 1850, 67.
- crinita** Cetonia, T. v. Charpentier, Horae Ent. 1825, 213.
- crinita** Chetetes (Lonsd.), J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 711.
—Stenopora.
- crinitus** Clinus, L. Jenyns, Zool. "Beagle" (Fish, 1841), 90.
- crinita** Coracias, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 401.
- crinitum** Enoplium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 369.
- crinita** Epicometis (Charp.), H. Burmeister, Handb. Ent. III. 1842, 436.—Cetonia.
- crinita** Eucera, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. 8.
- crinitus** Eusomatus, J. Sturm, Catal. Ins. Samml. 1826, 141 [*n. n.*].
- crinita** Hetaerornis, G. R. Gray, Genera of Birds, II. May 1847, 335.
- crinitus** Heterocerus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 224.

- crinita** Hoplophora, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 8.
crinita Hypera, Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
crinitus Ichthyocoris (Val.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 67.—Blennius.
crinitus Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 88. [1826, 60.]
- crinitus** Lachnaeus, C. J. Schoenherr, Isis (Oken), 1823, 1146 [*n. n.*]; Curc. disp. meth.
crinitus Larinus, C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 144.—Lachnaeus.
crinita Lima, F. A. Roemer, Palaeontographica, I (6) July 1851, 330. [1823.]
crinitus Macrostylus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 923.
crinita Medusa, J. G. Dalyell, Rare Anim. Scotland, II. 1848, 248.
crinita Mitra, Cristofori & Jan, Cat. Mus. (Sect. II.) (1) Conch. foss. 1832, 14.
crinita Muscivora, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 230. [1766.]
- crinitus** Myiobius (L.), G. R. Gray, Genera of Birds, I. May 1847, 248.—Muscicapa,
crinitus Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 20.
crinita Notopygos, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 288 [*n. n.*].
crinita Odontocera (Kl.), J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 549.—Stenopterus.
- crinitus** Omias, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 547.
crinitus Orchestes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 380.
crinita Pachyscelis, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 61.
crinitus Pecten, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 71.
crinitus Phytonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 403.
crinita Pimelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. *b*.
crinitus Pogonocherus, Panz.; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
crinitus Polydrosus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 56 [*n. n.*].
crinitus Pyrrhocorax (Daud.), L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 568.—Corvus, 1800.
- crinitus** Rhynchites, Ziegl.; Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].
crinitus Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 58.
crinita Sitona (Ol.), Dejean, Catal. Coléopt. 1821, 94.—Curculio, ? Gm. 1789.
crinita Stenopora, W. Lonsdale in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 265.
crinitus Stenopterus, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 474.
crinitus Syngnathus, L. Jenyns, Zool. "Beagle" (Fish, 1842), 148. [51.—Pimelia.]
crinita Thriptra (Klug), A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836,
crinitus Todus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 23 [*n. n.*].
crinita Trichius (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 232.—Melolontha, 1777. [1849], 103.
- crinitus** Trochus (Phorcus), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb.
crinita Tyrannula (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 189.—Muscicapa, 1766. [1826, 271.—Muscicapa, 1766.]
- crinitus** Tyrannus (L.), W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XX (40) Jan.
crinitus Zeus, S. L. Mitchill, Amer. J. Sci. XI (1) ? June 1826, 146.
- Crino** J. Huebner, Index exot. Lepid. 1821, 6.—Lep.
Crino J. Huebner, Verz. bekannt. Schmett. [1822], 216.—Lep.
Crino J. Gistl, Nat. Thierr. 1848, 166.—G.
Crino J. Gistl, Handb. Naturges. 1850 [1847], 544.—Pter.
crino Cirrospilus, F. Walker, Ann. Nat. Hist. I (5) July 1838, 382.
- crinocea** Sericocera, *v. erinaceus*.
- Crinoceras** H. Burmeister, Handb. Ent. II (1) 1835, 318.—Hem.
crinoidea Flustra, J. S. Miller, Tr. Geol. Soc. London [2] III. 1829, 36 [*n. n.*].
Crinola *emend. pro* Crino, Lam.; C. S. Rafinesque, Analyse, 1815, 151.—Verm. [*n. n.*].
Crinomorpha P. J. van Beneden, Bull. Ac. Roy. Brux. XI (2) 1844, 385.—Polyz.
Crinopora A. d'Orbigny, Note Polyp. foss., Oct. 1849, 11.—Cor.
Crinopsis C. S. Rafinesque, Analyse, 1815, 151.—Verm. [*n. n.*].
Crinosoma Castelnau, Ess. Silur. Amér. sept. 1843, 50.—Ech. [—Cr.]
Criocarcinus Guérin in H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 331.
Criocephalum Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 328.—Col. [*sine typo*].

- Criocephalum** V. v. Motchulski, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 89.—Col.
- Criocephalus** E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 63.—Col.
- Criocera** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 92.—Ceph.
- Crioceras** *emend. pro* Crioceratites, Lév.; A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 457.—Ceph.
- Crioceratites** C. Léveillé, Mém. Soc. géol. France, II (2) 1837, 313.—Ceph.
- Criocerina** E. F. Germar, Mag. Entom. (Germar) I (1) 1813, 14.—Col.
- Criocerus** W. King, Ann. Mag. N. H. XIV (91) Oct. 1844, 276.—Ceph.
- Criodion** Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 173.—Col. [*n. n.*].
- Criodion** J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 571.—Col.
- Criodium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Criodion, Serv.
- Criodrilus** W. Hoffmeister, Regenwürmer, 1845, 41.—Verm.
- Criomorphus** J. Curtis, Guide Brit. Ins. (7) 1831, 194.—Hem.
- Criomorphus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 337.—Col. [*n. n.*].
- Criomorphus** E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 58.—Col.
- Criopododerma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Criopoderma, Poli, 1795.
- Crioprosopus** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 53.—Col.
- Criopus** J. E. Gray, London Med. Repos. XV. 1821, 238.—Br.
- Criorhina** Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 236; VII. 1838, 115.—Dipt.
- Criorrhina** Meig. 1822; *teste* Scudder *sed* Criorhina *est*.
- Criotaurus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 148.—M.
- Cripolus** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*] [*v. et* Cnipolus].
- [*crippsi*; "J. M. Cripps"]. [ceramus, Mant.
- crispilii** (*sic*) Catillus (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 167.—Ino-
- crispilii** (*sic*) Inoceramus, G. A. Mantell, Foss. South Downs, May 1822, 133.
- Criseis** *err. pro* Creseis, Rang; E. Forbes, 13 Rep. Brit. Assoc. (Cork, 1843) 1844, 132.
- Criserpia** H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 208.—Polyz.
- crishna** *v.* krishna. [Coel.
- Crisia** J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 183.—
- Crisia** *id. ac* Creseis, Rang; Menke, Zeitschr. f. Malak. 1844, 72.
- crisia** Euptychia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmetz. IV. 1832, 21.
- crisia** Leptalis (God.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 422.—Pieris.
- crisia** Licinia (God.), W. Swainson, Zool. Illust. (1) III (25) Oct. 1822, pl. 124.—Pieris.
- crisia** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 167.—Papilio, Dru.
- crisia** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 738. [1782.
- Crisidia** H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 203 & 235.—Polyz.
- Crisina** P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849 [1850], 656.—Polyz.
- Crisina** d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 265.—Polyz.
- Crisioidea** Michelin, Icon. Zooph. 1847, 263.—Polyz. [*non* 1840, *apud* Marschall].
- crisioidea** Dynamena, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 291.
- [**crisioidea**] Sertularia (Q. & G.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 152.—Dynamena, Lamx.
- crisioidea** Tubularia, Quoy & Gaimard, Ann. Sci. Nat. XIV (55) July 1828, 250 [*n. n.*].
- crisioidea** Websteria, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, pp. lxxxiv & 43.
- Crisisina** A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 113.—Polyz.
- Crisinoma** *err. pro* Crinosoma, Castelnau, Ess. Silur. Amér. sept. 1843, 56.
- crisopogon** *v.* chrysopogon.
- crispa** *v.* crispus. [689.
- crispatorstris** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- crispata** Alasmodonta, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849],
- crispata** Anatina, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VI. 1834, 77. [270.
- crispata** Anodonta, Lamarck, An. s. vert. VI (1) 1819, 86.
- crispata** Astarte, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 399.
- crispata** Asterias, A. J. Retzius, Diss. Sp. Aster. 1805, 17.

- crispata** Astraea (Orbicella), Lam.; J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 217.
- crispata** Astrea, Lamarck, An. s. vert. II. 1816, 265.
- crispatus** Astropecten, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 479.
- crispata** Avicula, Goldfuss in F. A. Alberti, Beitr. Bunter, 1834, 94.
- crispatum** Buccinum, D. Solander, Catal. Portland Mus. 1786, 105 [*n. n.*].
- crispatum** Buccinum, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 613.
- crispatum** Buccinum, J. De C. Sowerby, Min. Conch. V. 1823, 12.
- crispatus** Buceros, Anon., Ency. Londin. III (142) 1800, 479.
- crispata** Corallina, J. V. F. Lamouroux, Hist. Polyp. 1816, 289.
- crispata** Derephysia, Herrich-S., Wanzenart. Ins. IV (4) Ap. 1838, 72.
- crispatus** Fusus, A. Sassi, Giorn. Ligustico, I (5) Sept. 1827, 479.
- crispata** Haliotis, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1848), 251.
- crispata** Helix, O. G. Costa, Cat. Test. Sicilie, 1829, pp. cvi & cxi.
- crispata** Helix, Fér.; L. Pfeiffer, Symb. Helic. II. 1842, 26.
- crispata** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 33 [*n. et f.*]. [Terebratula.]
- crispata** Hemithiris (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 37.—
- crispatus** Hipporhinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I. (2) 1833, 476.—
Curculio, 1781.
- crispatus** Hydroporus, Dejean in E. F. Germar, Fauna Ins. Europ. (11) [1825–28], 1.
- crispatus** Irus, L. Oken, Lehrb. Nat. III (1) 1815, 231.
- crispatus** Loborhynchus, Ziegl.; J. Sturm, Catal. Ins. Samml. 1826, 164.
- crispata** Maia, A. Risso, H. N. Europe, V. 1826, 23.
- crispata** Manicina, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 287.
- crispata** Margaritana, A. Mousson, Zeitschr. f. Malakozool., Dec. 1849 [Ap. 1850], 185.
- crispata** Mitra, Schmidt in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Volutacea (20) 1840, 115. [[Mar. 1849], 155.]
- crispata** Modiola (Lithophagus), R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848
- crispatus** Murex, Lamarck, Ency. Méth. (Vers) 1816, pl. 419, Liste p. 5 [*n. et f.*].
- crispata** Orthis, E. Emmons, N. H. New York (Geol. 2 dist.) 1842, 404.
- crispata** Ostrea, G. A. Goldfuss, Petref. German. II (4) 1833, 15.
- crispata** Oulastrea (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 495.—Astrea.
- crispatus** Pachygaster, Ziegl.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- crispatus** Pholas, D. Solander, Catal. Portland Mus. 1786, 38 [*n. n.*].
- crispatus** Pleurotoma, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 149 [*n. n.*].
- crispata** Pleurotoma, Cristofori & Jan, Cat. Mus. Sect. II (1) Conch. foss. 1832, 9.
- crispata** Polytopa, W. Swainson, Treat. Malacol., May 1840, 81.
- crispatum** Purpura (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 341.—Buccinum.
- crispatus** Purpura (Gm.), J. E. Gray, Zool. "Blossom," 1839, 123.—Buccinum (*non comp.*).
- crispatus** Rhytirhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 436.
- crispata** Scissurella, J. Fleming, Hist. Brit. Anim. 1828, 366.
- crispatus** Scotobius, E. F. Germar, Ins. Spec. novae, I. 1824, 136.
- crispatus** Sisyphus, Dejean in Gory, Mon. gen. Sisiphe, 1833, 13. [440.]
- crispata** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
- crispata** Stomatia, H. Lichtenstein, Verz. Samml. Neuholland. 1837, 9 [*n. n.*].
- crispatus** Strombus, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 26. [624.]
- crispata** Terebratula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- crispata** Terebratula, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 292.
- crispata** Unio, A. A. Gould, Proc. Boston Soc. N. H. I (2–3) [1844–5], 141.
- crispi** *err. pro* **crippsi**.
- crispiceps** Criniger (Blyth), G. R. Gray, Genera of Birds, I. Oct. 1847, 236.—Tricophorus.
- crispiceps** Tricophorus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 204.
- crispicollis** Rhyssomatus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 367.
- crispicularis** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 690.
- crispinae** Tenthredo, J. N. Vallot, Mém. Ac. Sci. Dijon, 1847–8, Sci. (1849), 201.

- crispisulcatus** Spatangus, G. G. Pusch, Geogn. Besch. Polen, II. 1836, 244.
- crispula** Clausilia, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 353.
- crispula** Cylindrella, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 42.—Clausilia, 1839.
- crispula** Delphinula, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 21.
- crispulus** Trochus, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 156.
- crispa** Actinia (Entacmaea), Hemprich in C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 260.
- crispa** Admete, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 88.
- crispa** Admete, H. P. C. Möller, Index Moll. Groenl. 1842, 15.
- crispa** Agaricia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 330.
- crispus** Ammonites, G. Fischer v. W., Oryct. Moscou, 1830, sign. b¹.
- crispa** Amorphospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 392.—Ceriopora.
- crispa** Antilope, C. J. Temminck in Siebold, F. Japon. (Mam. 1842-5), 55.
- crispa** Apiodera, Klug in M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
- crispa** Astrea, H. Michelin, Icon. Zoophyt. (13-19) 1845, 162. [1848, 38.
- crispus** Balanus, Defrance, Dict. Sci. Nat. (ed. 2) III (Suppl.) 1816, 167.
- crispa** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 30; Catal. (200) 1841, 5.
- crispa** Casonia, F. Klug, Jahrb. Insectenk. I. 1834, 48.
- crispa** Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 38.
- crispum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 406.
- crispus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 120, May 1847.
- crispa** Chrysaora (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 379.—Ceriopora.
- crispa** Clausilia, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 65.
- crispus** Coccus, Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 204.
- crispus** Colibri, J. B. v. Spix, Avium Brasil. I. 1824, 80.
- crispa** Corbula, R. B. Hinds in L. Reeve in Conch. Icon.—Corbula, no. 43, May 1844.
- crispus** Cysticerus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 181.
- crispa** Delthyris, W. Hisinger, Anteckn. Physik Geogn. IV. 1828, 220.
- crispa** Discopora, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 69.
- crispa** Echenais (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 19.—Papilio, 1777.
- crispus** Fusus, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 317.
- crispus** Fusus, A. A. Gould (*ex* Couthouy MS), Proc. Boston Soc. N. H. III. 1851 (1849),
- crispus** Gallus, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 146. [141.
- crispa** Gleba, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 368.
- crispus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 48.
- crispus** Hemerobius, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 127.
- crispus** Hinnites (Br.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 628.—Ostrea.
- crispus** Hinnites (Br.), H. G. Bronn, Ersch & Gruber, Allg. Ency. (2) VIII. 1831, 264.
- crispa** Hornera, Defrance, Dict. Sci. Nat. XXI. 1821, 432. [—Ostrea.
- crispus** Hypotamus, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXIX. 1849, 572.
- crispus** Lemonias (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 16.—Papilio,
- crispa** Lichenopora, Defrance, Dict. Sci. Nat. XXVI. 1823, 257. [1777.
- crispa** Ligula, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 134 [*n. n.*].
- crispa** Meandrina, Lamarck, An. s. vert. II. 1816, 247.
- crispus** Megaspilus, Haliday in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.
- crispa** Membranipora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 262.—Discopora.
- crispa** Merulina, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 274.
- crispus** Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 224.
- crispus** Murex, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 176.
- crispa** Mussa (Lam.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 183.—
- crispus** Mytilus, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 397. [Meandrina.
- crispus** Nemorrhædus (Temm.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 39.—Antilope.
- crispa** Nerinea, L. Zeuschner, Naturw. Abhandl. (Haidinger) III (1) 1850, 138.
- crispa** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 100.
- crispa** Orbicula, Defrance, Dict. Sci. Nat. XXXVI. 1825, 293.

- crispus** Ornithorhynchus, W. Macgillivray, Mem. Werner. N. H. Soc. VI. Jan. 1832, 128.
- crispa** Orthis, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 29.
- crispa** Orthis, R. Kner, Naturw. Abhandl. (Haidinger) III (2) 1850, 32.
- crispa** Ostrea, G. Brocchi, Conch. Subap. 1814, 567.
- crispus** Otiiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 319.
- crispa** Oulophyllia (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Meandrina.
- crispa** Pavonia (Ehr.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 322.—
- crispus** Pecten, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 257. [Agaricia.]
- crispus** Pecten, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 51.
- crispus** Pelecanus, Bruch, Isis (Oken), 1832, 1109.
- crispa** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 48.
- crispa** Pholas, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 359.—*crispatus*, Sol.
- crispus** Phorus (Kön.), H. G. Bronn, Index Pal. 1848, 968.—Trochus.
- crispum** Phrissoma (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 483.—Lamia, 1777.
- crispa** Piestocystis (Rud.), C. M. Diesing, Syst. Helminth. I. 1850, 494.—Cysticerus.
- crispa** Pileopsis (Defr.), H. G. Bronn, Index Pal. 1848, 973.—Orbicula.
- crispa** Pleurotoma, Lamarck, Ency. Méth. (Vers) 1816, pl. 439, Liste p. 8 [*n. et f.*].
- crispa** Polystomella (F. & M.), Lamarck, An. s. vert. VII. 1822, 625.—Nautilus, L. 1758.
- crispa** Prionastrea (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 334.—Astrea.
- crispa** Pyrrhula, L. P. Vieillot, Ois. Chanteurs (8) *post* 1807, 76.
- crispa** Scalaria, Lamarck, Ann. Mus. H. N. (Paris) IV (21) May 1804, 213.
- crispa** Serialaria, Lamarck, An. s. vert. II. 1816, 131.
- crispus** Sphenotrochus (Lam.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848, 241.—Turbinolia. [40.—Terebratula.]
- crispus** Spirifer (His.), L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838) [1837],
- crispus** Spirifer (Dalm.), J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 614 & 624.—Delthyris. [1758.]
- crispus** Spirifer (L.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 41.—Anomia,
- crispa** Terebratula, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 227.
- crispus** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 68, June 1844.
- crispus** Trochus, C. D. E. König, Icones foss. 1825, 3.
- crispus** Trochus, DeFrance, Dict. Sci. Nat. LV. 1828, 484.
- crispa** Turbinolia, Lamarck, An. s. vert. II. 1816, 231.
- crispa** Vorticialis, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 181.
- crissalis** Fringilla, N. A. Vigors, Zool. "Blossom," 1839, 19.
- Crissia** ? *id. ac* Crisia, Lamouroux; J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 76.
- [*crista.*]
- crista** Dicholophus (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. xcvi.—Pala-medea cristata, 1766.
- crista** Ostracites, E. F. v. Schlotheim, Die Petref. 1820, 240.—galli (240); planulatus (241); complicatus, unguilatus, urogalli (242); vaginatus, hastellatus (243); parasiticus, cornucopiaeformis (244); difformis (245).
- crista** Ostrea, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1802, 163.
- crista** Phalangium, A. Brullé in Bory de St V., Exp. Morée (Arach.) 1832, 60.
- crista** Streblota, J. Huebner, Exot. Schmett. III. Tab. [*n. et f.*]. [f. 6.]
- crista flammea** Acrydium, M. Perty, Del. anim. artic. Brasil. (2) 1832, 124 & pl. xxiv,
- crista flammea** Monachidium, M. Perty, Del. anim. artic. Brasil. (2) 1832, 124.
- cristagalli** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1847, 434. [Sol.]
- crista-galli** Dendrostraea (Sow.), W. Swainson, Treat. Malacol., May 1840, 389.—Ostrea,
- crista-galli** Desmophyllum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
- crista galli** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 130. [253.]
- crista galli** Madrepora (Porites), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 340.
- crista-galli** Manopora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 494.
- crista galli** Millepora, C. F. A. Morren, Ann. Ac. Groning. 1828, 24.
- crista galli** Ostracites, E. F. Schlotheim, Tasch. Min. 1813, 72.

- crista galli** Ostrea (L.), D. Solander, Catal. Portland Mus. 1786, 137.—Mytilus, 1758.
- crista-galli** Spirigera (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 204.—Terebratula.
- crista galli** Terebratula, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 217.
- crista meleagris** Ostracites, E. F. Schlotheim, Tasch. Min. 1813, 112.
- crista-urogalli** Ostracites, E. F. Schlotheim, Tasch. Min. 1813, 112.
- crystalana** Peronea (Don.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2, *ibid.* 1835-9, 3.
- crystalis** Nephopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 370.—Tinea cristella,
- crystalariooides** *v. cryst*→. [1796.]
- crystalinus** *v. cryst*→.
- crystalisatus** *v. cryst*→.
- crystalloides** *v. cryst*→.
- crisana** Eclectis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 385.—Tortrix, 1775.
- crisana** Peronea (Fab.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2, *ibid.* 1835-9, 4.—Tortrix, D. & S. 1775.
- crisana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 353.
- crisana** Teras (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 253.—Tortrix, 1796.
- Cristaria** C. F. Schumacher, Essai Vers test. 1817, 38 & 107.—L.
- Cristatella** Lamarck [*non* Cur. 1798], Syst. Anim. 1801, 385.—Polyz.
- cristatellus** Acridotheres (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818,
- cristatella** Agama, H. Kuhl, Beitr. Zool. I. 1820, 108. [393.—Gracula, L. 1758.
- cristatellus** Anolis, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 143.
- cristatella** Bronchocela (Kuhl), J. Kaup, Isis (Oken), 1827, 619.—Agama.
- cristatellus** Calotes (Kuhl), A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 219.—Agama. [1839.]
- cristatella** Ceroclastes, P. C. Zeller, Linnaea Entom. III. Ap. 1848, 300.—Lyonetia,
- cristatellus** Corvus, C. J. Temminck in T. & Laugier, Pls. color. (33) Ap. 1823.
- cristatellus** Cyanurus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 495.
- cristatellus** Edolius, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 171.
- cristatella** Emberiza, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 928.
- cristatellus** Falco, C. J. Temminck in T. & Laugier, Pls. color. (48) July 1824.
- cristatella** Fratercula, C. Dumont, Dict. Sci. Nat. XXVII. 1823, 480.
- cristatellus** Garrulus (Temm.), J. Kaleniczenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3) 1839, 360.—Corvus. [Emberiza.]
- cristatella** Gubernatrix (Vieill.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 61.—
- cristatella** Hetaerornis (L.), G. R. Gray, Genera of Birds, II. May 1847, 335.—Gracula,
- cristatella** Lenticulites, S. Nilsson, Petrif. Suec. 1827, 7. [1758.]
- cristatella** Lyonetia, Fischer v. R. in Zeller, Isis (Oken), 1839, 214.
- cristatella** Pastor (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lv.—Gracula, 1758. [Alca, 1769.]
- cristatella** Phaleris (Pall.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. cxii.—
- cristatella** Pica (Temm.), J. Wagler, Syst. Avium, I. 1827, sign. 2113.—Corvus.
- cristatellus** Ptychonotus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 65.—Anolis.
- cristatellus** Spizaetus (Temm.), Jardine and Selby, Ill. Orn., pl. 66, 1829.—Falco.
- cristatellus** Tachyphonus (Spix), G. R. Gray, Genera of Birds, II. July 1844, 365.—
- cristatella** Tanagra, J. B. v. Spix, Avium Brasil. II. 1825, 40. [Tanagra.]
- cristatellus** Thamnophilus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 749.
- cristatellus** Trochilus, J. Latham, Index Orn., Suppl. 1801, p. xxxix. [[1802], 232.
- cristatellus** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cristatellus** Tyloramphus (Pall.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (22) Aug. 1837, 348.—Alca, 1769.
- cristatella** Uria, P. S. Pallas, Zoographia, II. 1811, 370.—Alca, 1769. [Anolis.]
- cristatellus** Xiphosurus (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 197.—
- cristator** Exochus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 352. [1758.]
- cristatus** Acanthonotus, R. Owen in Ross, App. 2 Voy. 1835, p. xc.
- cristatus** Acrydium (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802) 283.—Gryllus,

- cristatum** Adelostoma, F. Eschscholtz, Zool. Atlas, IV. 1831, 12.
- cristatus** Aegothales (White), G. R. Gray, List Gen. Birds, 1840, 7.—Caprimulgus, 1790.
- cristata** Aenippe, R. A. Philippi, Arch. f. Naturg. IX (1) 1843, 62.
- cristata** Agama, B. Merrem, Tent. Syst. Amph. 1820, 50.
- cristata** Agaricia, G. Fischer, Mus. Démid. III. 1807, 303.
- cristata** Alauda, P. S. Pallas, Zoographia, I. 1811, 523. [1802], 287.
- cristata** Alcedo, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cristatus** Amblyrhynchus, T. Bell, Zool. Journ. II (6) July 1825, 206.
- cristatus** Ammonites, Deluc in Cuvier & Brongniart, Desc. Géol. Paris, ed. 3, 1822, 395.
- cristatus** Ammonites, J. De C. Sowerby, Min. Conch. V. 1823, 24.
- cristata** Amphithoe (Ow.), H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 322.—Acanthonotus.
- cristatus** Anabates, J. B. v. Spix, Avium Brasil. I. 1824, 83.
- cristata** Anas (Steph.), L. Benoit, Orn. Sicil. 1840, 204.—Fuligula. = Anas, L.
- cristata** Ancula (Alder), S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 137.—
- cristata** Anodonta, H. D. de Blainville, Man. Malac. 1825, 631. [Polycera.
- cristata** Apomocyna, S. Sturm, Catal. Ins. Samml. 1826, 97 [n. n.].
- cristata** Apsendesia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 82.
- crestata** (*sic*) Aptenodytes, J. F. Miller, Icones (9) ?1784, pl. 49.
- cristatus** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 364.—Theridion.
- cristata** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1579.
- cristatus** Armiger (L.), J. D. W. Hartmann, Erd- u. Süsw. Gast. (5, 6) 1842, 172.— Planorbis, ?Drap. [322.
- cristatus** Asilus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820,
- cristata** Aspidiscus (Lam.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 277.—Cyclolites.
- cristata** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 66.
- cristatus** Astromyctes (L.), J. E. Gray, List Mamm. Coll. B. M. 1843, 76.—Sorex, 1758.
- cristatus** Astur, G. R. Gray, Ann. Mag. N. H. XI. May 1843, 371.
- cristatus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 363. [1831, 916.
- cristata** Aythya, C. L. Brehm, Isis, 1830, 998 [n. n.]; Handb. Nat. Vögel Deutschl.
- cristatus** Basiliscus, Bory de St V., Dict. Class. H. N. II. 1822, 214.
- cristatus** Batrisus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 96.
- cristatus** Blechropus, W. Swainson, Flycatchers (Nat. Libr. XXI) June 1838, 99.
- cristatus** Bostrichus, J. C. Fabricius, Syst. Eleuth. II. 1801, 389.
- cristatus** Bruchus, J. Sturm, Catal. Ins. Samml. 1826, 103 [n. n.].
- cristatus** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 122.
- cristatus** Buceros, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 591.
- cristatus** Buceros, E. Rueppell, Neue Wirbelth. Abyssin. (2) 1835, 3.
- cristatus** Bucorvus (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 89.—Buceros.
- cristatus** Bufo, A. F. A. Wiegmann, Isis (Oken), 1833, 660.
- cristatus** Buteo, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 481.
- cristatus** Buteo (Cuv.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1225.—Pernis.
- cristata** Cacatua (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 10.— Psittacus, L. 1758.
- cristatus** Calanus, H. Krøyer, Naturhist. Tidsskrift [2] II (5) 1848, 546.
- cristata** Caligus, A. A. Gould, Rep. Invert. Massach. 1841, 341.
- cristata** Calotes (Agama), B. Merrem, Tent. Syst. Amph. 1820, 50.
- cristata** [Calyptura] (Vieill.), J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [i.e. Feb. 1832], 491.—Pardalotus.
- cristata** Calyptura, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 24.
- cristata** Cancellaria (Br.), Cristofori & Jan, Cat. Mus. (Sect. II (1) Conch. foss. 1832,
- cristatus** Caprimulgus, Shaw in White, Voyage N. S. W. 1790, 241. [10.—Murex.
- cristatus** Carbo (Lath.), C. J. Temminck, Man. Orn., ed. 2, II. Oct. 1820, 900.— Pelecanus, ?Brunn. 1764.
- cristata** Cariama (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 275.—Palamedea, 1766.

- cristata** Caryophyllia (Esp.), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 315.—Madrepora, 1789. [? Penn. 1781.]
- cristatus** Cassicus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 362.—Oriolus
- cristatus** Cassicus *var.* *viridis*, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818,
- cristata** Cavia, G. Fischer, Zoogn., ed. 3, III. 1814, 84. [14.]
- cristata** Cellepora, Lamarck, An. s. vert. II. 1816, 172. [pora.]
- cristata** Celleporaria (Lam.), J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 43.—Celle-
- cristatum** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (16) ?Feb. 1804, 273.
- cristatus** Chameleon, S. Stutchbury, Tr. Linn. Soc. London, XVII (3) 1836, 361.
- cristatus** Charadrius, J. A. Scopoli, Del. Insub. 1783, 93.
- cristatus** Charadrius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 483.
- cristata** Chimaera, F. Faber, Nat. Fische Islands, 1829, 45.
- cristatus** Chironomus, J. C. Fabricius, Syst. Antliat. 1805, 39.
- cristata** Chlamys (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 343.—Clythra.
- cristata** Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 62.
- cristata** Ciconia, McClelland, India Review, 1838, 512.
- cristata** Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10. [phalus.]
- cristatus** Cirrus (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 122.—Euom-
- cristata** Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar.
- cristata** Clausilia, Potiez & Michaud, Gal. Moll. Douai. I. Oct. 1838, 180. [1836, 19.]
- cristata** Clavagella, Lamarck, An. s. vert. V. 1818, 432.
- cristata** Clymenia, R. Richter, Beitr. Pal. Thuringer Wald, 1848, 31.
- cristata** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 33.
- cristatus** Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 542.
- cristata** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 531.
- cristatus** Coccyzus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 274.—
- Cuculus, L. 1766.
- cristatus** Coelotides, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 294.
- cristatus** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- 362.
- cristatus** Colopterus, J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 253.
- cristata** Columba, C. J. Temminck in Knip, Les Pigeons, II (—) 1809, 20.
- cristatus** Condylura (L.), C. Illiger, Prod. 1811, 126.—Sorex, 1758. [438.]
- cristatus** Conotrachelus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- cristata** Coracia, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 3.
- cristatus** Cormoranus, C. T. Wood, Orn. Guide, 1835, 211.
- cristata** Corytophanes (Merr.), Férussac, Bull. Sci. IX. 1826, 235.—Agama.
- cristatus** Cosmorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 521.
- cristata** Cotinga (Gm.), G. R. Gray, Genera of Birds, I. Dec. 1846, 279.—Ampelis,
- Mill. 1777.
- cristata** Coua (L.), G. R. Gray, List Gen. Birds, 1840, 56.—Cuculus, 1766.
- cristatus** Crioceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 467.
- cristatus** Cryptocephalus, Dufour in Suffrian, Entom. Zeitung, Stettin, X (1) Jan. 1849, 19.
- cristatus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- cristatus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
- 1844, 336.
- cristata** Cryptosoma, H. M. Edwards in Brullé, H. N. Crust. II. 1837, 110 [*n. n.*].
- cristata** Cryptosoma, A. Brullé in Webb & Berthelot, Canaries (Crust.) 1840, pl.
- [*n. et. f.*].
- cristatus** Ctenodus, J. L. R. Agassiz, Poiss. Foss. III., 137 (1838). [Corvus, 1758.]
- cristata** Cyanocitta (L.), H. E. Strickland, Ann. Mag. N. H. XV. Ap. 1845, 261.—
- cristatus** Cyanocorax (L.), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Corvus,
1758. [Corvus, 1758.]
- cristatus** Cyanogarrulus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 376.—
- cristatus** Cyanurus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1832, 495.
- cristatus** Cychrus, T. W. Harris, Boston Journ. N. H. II (2) Feb. 1838, 200.
- cristata** Cyclolites, Lamarck, Syst. Anim. 1801, 369 [*n. n.*]; An. s. vert. II. 1816, 234.
- cristata** Cyclolites, Lamarck, Ency. Méth. (Vers) 1816, pl. 483, Liste p. 16 [*n. et. f.*].

- cristata** Cyclophyllia (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Cyclolites. [(1815), 77 [*n. n.*].
- cristatus** Cynocephalus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811
- cristata** Cyrtia (Schl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 168.—Terebratulites. [? Erx. 1777.
- cristata** Cystophora (Fab.), G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 31.—Phoca,
- cristata** Dasyprocta, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 358.
- cristata** Dexia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 41.
- cristata** Dicholophus (L.), C. Illiger, Prod. 1811, 253.—Palamedea, 1766.
- cristatus** Dicrurus, L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 587.
- cristata** Dictyonota (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64.—Tingis.
- cristata** Dinera (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 188.—Dexia.
- cristata** Diplorhina, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 50.
- cristatum** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 117.
- cristatus** Dolichopus, J. C. Fabricius, Syst. Antliat. 1805, 266.—Musca, 1775.
- cristatus** Echimyis, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 291.
- cristatus** Elania (Cab.), G. R. Gray, Genera of Birds, III. App. 1849, 30^b.—Colopterus.
- cristata** Emarginula, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 140.
- cristata** Emberiza, W. Swainson, Zool. Illustr. (1) III (30) Mar. 1823, pl. 148.
- cristata** Emberiza, N. A. Vigers, Proc. Comm. Sci. Zool. Soc. London (3) Mar. 1831, 35.
- cristatus** Enneoctonus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 362.—Lanius, 1758.
- cristatus** Entedon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 163.
- cristata** Eolidia, S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 6.
- cristata** Ephialtes (Daud.), G. R. Gray, Genera of Birds, I. Sept. 1845, 38.—Strix, 1800.
- cristata** Ephydatis, Bory de St V. in Dict. pittoresque H. N. IX. 1839, 124; N. Dict. class. H. N., ed. 2, XLII. 1847, 268.
- cristatus** Episus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 596.
- cristatus** Euomphalus, J. Phillips, Geol. Yorksh. II. 1836, 225. [drius.
- cristata** Eupodotis (Scop.), G. R. Gray, Genera of Birds, III. Feb. 1845, 533.—Chara-
- cristatus** Eupsychortyx (L.), J. Gould, Mon. Odontophorinae (2) 1846, pl. 9.—Tetrao, 1766.
- cristata** Eurylepta (Quatr.), C. M. Diesing, Syst. Helminth. I. 1850, 210.—Proceros.
- cristata** Euscarthmus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 184.—Motacilla, ? Müll. 1776.
- cristata** Explanaria, Lamarck, An. s. vert. II. 1816, 257.
- cristata** Felis, Falconer & Cautley, Asiat. Researches, XIX (1) 1836, 135.
- cristata** Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 197.
- cristata** Fulica, W. J. Burchell, Trav. S. Afr. I. 1822, 263.
- cristata** Fuligula (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 190.—Anas, Gm. 1788.
- cristata** Galerida (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 245.—Alauda, 1758.
- cristata** Galeruca (Adimonia), T. W. Harris, Trans. N. H. Soc. Hartford, I. 1836, 90.
- cristatus** Gallus, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 145.
- cristatus** Garrulus (L.), G. Cuvier, R. Anim. I. 1817, 399.—Corvus, 1758.
- cristatus** Gecko, F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 167.
- cristata** Gemmipora (Lam.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 344.—Explanaria. [571.—Cicada.
- cristata** Germaria (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- cristatus** Geronticus (Bodd.), G. R. Gray, Genera of Birds, III. Ap. 1847, 566.—? Ardea, ? Müll. 1758.
- cristatus** Graculus (Fab.), G. R. Gray, Genera of Birds, III. Jan. 1845, 667.—? Grammatophora, J. E. Gray, Ann. Mag. N. H. VII. Ap. 1841, 87.
- cristata** Guttera (Pall.), J. G. Wagler, Isis (Oken), 1832, 1226.—Numida, 1767.
- cristatus** Harpalus, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) VI. Dec. 1820, 328.
- cristatus** Harpyia (L.), Cuvier, Règne Anim. I. 1817, 317.—Falco, Gm. 1788.
- cristata** Helix (Müll.), G. Montagu, Test. Brit. II. 1803, 460.—Valvata, 1774.
- cristatus** Heterops, B. H. Hodgson, Zool. Miscell. (Gray) (6) June, 1844, 84 [*n. n.*].

- cristata** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. Sept. 1817, 523.
cristata Hirundo, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (1) 1817, 94.
cristatus Hybodus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 219.
cristata Hydralector (Vieill.), Isis (Oken), 1832, 280.—Parra.
cristatus Hydrocorax (Br.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 89.—
 Pelecanus, 1764.
cristatus Hydroporus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 155.
cristatus Hypselomus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 96.
cristatus Hypsilophus (Bell), L. Fitzinger, Syst. Rept. 1843, 55.—Amblyrhynchus.
cristatus Ibis (Gm.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 335.—Tantalus, 1788. [1788.
cristatus Icterus (Lath.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 46.—Oriolus, Gm.
cristatus Issus, J. C. Fabricius, Syst. Rhyng. 1803, 100.
cristatus Lanio (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 305.—Tanagra,
 L. 1766. [Prionops.
cristatus Lanius (Ruepp.), P. A. J. Drapiez, Dict. class. Sci. Nat. VIII. 1842, 635.—
cristatus Leptotilus (McClell.), G. R. Gray, Gen. Birds, III. Feb. 1848, 561.—Ciconia.
cristata Liponix (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 501.—
 Columba, ? Gm. 1788. [—Madrepora, 1789.
cristatum Lithodendron (Esp.), A. F. Schweigger, Beob. naturh. Reisen, 1819, Tab. vi.
cristata Lophophyllia (Esper), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap.
 1849, 251.—Madrepora, 1789. [—Nelomys.
cristata Loncheres (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 332.
cristata Loncheres (Desm.), G. R. Waterhouse, Nat. Hist. Mamm. II. 1848, 315.—
 Echimus. [—Fringilla, 1788.
cristata Lophospiza (Gm.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 424.
cristata Lophotrix (Daud.), G. R. Gray, List Birds Coll. B. M. I. 1844, 47.—Strix, 1800.
cristata Loxia, P. L. S. Müller, Natursyst., Suppl. 1776, 149.
cristata Lucina, C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 270.
cristatus Lycus, J. C. Fabricius, Syst. Eleuth. II. 1801, 114.
cristatus Madreporites, J. F. Blumenbach, Spec. Arch. tellur. 1803, 251; Comm. Soc.
 Reg. Sci. Göttingen, XV. 1804, 154.
cristata Maevia, C. L. Koch, Die Arachniden, XIV (2) Dec. 1846, 70.
cristata Maia (L.), Lamarck, An. s. vert. V. 1818, 242.—Cancer, 1758.
cristata Megachile, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] IV (1) July 1846,
cristatum Megasoma, Feisthamel, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 347. [46.
cristatus Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 9.
cristata Mellisuga (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
 250.—Trochilus, 1758.
cristatus Mergus, P. S. Pallas, Zoographia, II. 1811, 291.
cristatus Merlinus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [n. n.].
cristata Micippa (L.), W. E. Leach, Zool. Miscell. III. 1817, 16.—Cancer, 1758.
cristatus Mirounga (Gm.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn.
 1827, 179.—Phoca, Erx. 1777.
cristatus Morpchnus, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 51.
cristatus Murex, G. Brocchi, Conch. Subap. 1814, 394.
cristatus Murex, J. Sowerby, Min. Conch. III. 1819, 52.
cristatus Murex, W. Wood, Suppl. Index Test. 1828, 14 [n. et f.]. [Sylvia, 1790.
cristata Muscicapa (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 471.—
cristata Muscipeta (Lath.), G. Cuvier, R. Anim. I. 1817, 344.—Muscicapa, ? Penn. 1781.
cristata Muscipeta (Lath.), G. Cuvier, R. Anim. I. 1817, 345.—Motacilla, ? Müll. 1776.
cristata Muscivora (Gm.), G. R. Gray, Gen. Birds, I. Aug. 1846, 258.—Muscicapa, 1788.
cristata Musophaga, L. P. Vieillot, Analyse, 1816, 68.
cristata Mycetophila, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 254.
cristatus Myxodes, Cuvier & Valenc., H. N. Poiss. XI. 1836, 401.
cristata Nelomys, I. Geoffroy, Mag. de Zool. 1840, 5.
cristata Nyctoporis, F. Eschscholtz, Zool. Atlas, IV. 1831, 11.
cristata Odontochila, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 94.

- cristatum** Ophiostoma (Froel.), C. A. Rudolphi, Entoz. Syn. Mant. 1819, 60.—Rictularia.
- cristatus** Ophiotheres, L. P. Vieillot, N. Dict. H. N., ed. 2, XXX, 1819, 468.
- cristatus** Opisthocomus (Gm.), C. Illiger, Prod. 1811, 239.—Phasianus, 1788.
- cristatum** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 21.
- cristatus** Orchilus, F. O. Morris, The Naturalist, II (9) June 1837, 124.
- cristata** Oreica (Lewin), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 190.—Turdus.
- cristatus** Oreocephalus (Bell), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 189.—Ambly-
- cristatus** Oriolus, P. Boddaert, Tab. Planch. Enl. 1783, 21. [rhynchus.]
- cristata** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (4-9) *inter* May & Nov. 1829, 113.
- cristatus** Orthorhynchus (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 281.—Trochilus, 1758.
- cristata** Ortyx (Gm.), Jardine & Selby, Ill. Orn., sign. C₂, 1828.—Tetrao, L. 1766.
- cristata** Ostrea, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 20.
- cristatus** Oxyrhynchus, W. Swainson, Zool. Illust. (1) I (9) June 1821, pl. 49.
- cristatus** Pachycephalus, J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844) [*n. n.*].
- cristatus** Pagurus, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Nov. 1836, 269.
- cristatus** Pamphagus, H. Burmeister, Handb. Ent. II (2) i, 1838, 618.
- cristatus** Pardalotus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIV. 1818, 528.
- cristata** Parra, L. P. Vieillot, N. Dict. H. N., ed. 2, XVI. 1817, 450.
- cristatus** Passer (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- cristata** Pavona, Lamarck, Syst. Anim. 1801, 372. [41.—Fringilla, 1788.]
- cristata** Pavonia, Lamarck, An. s. vert. II. 1816, 239.
- cristatus** Pecten, H. G. Bronn, Zschr. Min. 1827, II (1828), 542.
- cristatus** Pecten (Pleuronectes), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 624.
- cristatus** Peneus, A. Risso, H. N. Europe, V. 1826, 67.
- cristata** Perdix (Gm.), C. Illiger, Prod. 1811, 242.—Columba, 1788.
- cristatus** Perdix (Gm.), C. Illiger, Prod. 1811, 242.—Phasianus, 1788.
- cristata** Peristera (Lath.), G. R. Gray, Genera of Birds, II. June 1845, 476.—Columba,
- cristatus** Pernis, Cuvier, R. Anim., ed. 2, I. 1829, 335. [Gm. 1788.]
- cristatus** Phalacrocorax (Fab.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 83.—Pelecanus, Br. 1764.
- cristata** Phallusia, A. Risso, H. N. Europe, IV. 1826, 276.
- cristatus** Phanerotinus (Ph.), J. De C. Sowerby, Min. Conch. VII. 1843, 29.—Euomphalus.
- cristata** Phibalura, W. Swainson, Zool. Illust. (1) I (6) Mar. 1821, pl. 31.
- cristata** Phoca, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 241.
- cristata** Pica, J. Wagler, Syst. Avium, I. 1827, sign. 217.
- cristatus** Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 98.
- cristatus** Pimelodus, J. Mueller & Troschel in E. Schomburgk, Reisen Brit.-Guiana, III. 1848, 628.
- cristata** Planella (Müll.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 13.—Valvata,
- cristatus** Planorbis, J. P. R. Draparnaud, H. N. Moll. France, 1805, 44. [1774.]
- cristatus** Platyrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818,
- 20.—Muscicapa, ?Penn. 1781. [1801, 153.]
- cristatus** Pleuronectes, [A. A. H.] Lichtenstein in J. G. Schneider, Bloch, Syst. Ichth.
- cristata** Pleurotoma, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847,
- cristata** Plicatula, Lamarck, An. s. vert. VI (1) 1819, 185. [284.]
- cristatus** Ploceus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 129.
- cristata** Plumatella, Lamarck, An. s. vert. II. 1816, 107.
- cristata** Plumularia, Lamarck, An. s. vert. II. 1816, 125. [1758.]
- cristatus** Pyltcolophus (L.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 7.—Psittacus,
- cristata** Polycera, J. Alder, Ann. Mag. N. H. VI. Jan. 1841, 340.
- cristata** Polyphyllia, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 305 [*n. n.*].
- cristata** Porcellana, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 254.
- cristata** Presbytes (Raffl.), J. E. Gray, List Mamm. Coll. B. M. 1843, 3.—Simia.
- cristatus** Prionops (Lanius), E. Rueppell, Neue Wirbelth. Abyssin. (5) 1836, 30.
- cristatus** Prionotus (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- 357.—Cimex, 1763.
- cristatus** Proceros, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) IV. Sept. 1845, 139.

- cristatus** Proteles (Sparrm.), E. D. Blyth, *The Analyst*, X (28) July 1839, 71.—Viverra, Psaris, W. Swainson, *Zool. Journ.* II (7) Oct. 1825, 355. [1783.]
- cristatus** Psarocolius (Vieill.), J. Wagler, *Syst. Avium*, I. 1827, sign. 223.—Cassicus.
- cristatus** Psittacus (Vieill.), C. Ranzani, *Elem. Zool.* III (2) 1821, 59.—Cacatua.
- cristatus** Pteraulus, A. J. J. Solier, Baudi & Truqui, *Studi Ent.* I. 1848, 201.
- cristata** Pterochroza, Audinet-Serville (Roret's Suite à Buffon), *Orthopt.* 1839 [Dec. 1838], 435.
- cristatus** Pteromalus, A. Foerster, *Beitr. Monogr. Pteromal.* 1841, 20. [1838], 435.
- cristatus** Ptiloleptus, W. Swainson, N. H. *Classif. Birds*, II. June 1837, 323.
- cristata** Pyrgita (Gm.), Cuvier, *Règne Anim.* I. 1817, 385.—Fringilla, 1788.
- cristatus** Regulus, L. P. Vieillot, *Ois. Amér. sept.* II. 1807, 50.
- cristata** Rhinaria, W. Kirby, *Tr. Linn. Soc. London*, XII (2) 1819, 431.
- cristata** Rhinaria, J. A. Boissduval in d'Urville, *Voy. "Astrolabe," Ent.* (2) 1835, 415.
- cristata** [Rhinaster] (L.), J. Wagler, *Nat. Syst. Amph.* 1830, 14.—Sorex, 1758.
- cristatus** Rhombus (Schn.), G. Cuvier, *R. Anim.* II. 1817, 222.—Pleuronectes.
- cristatus** Rhombus, R. T. Lowe, *Proc. Zool. Soc. London*, VII (77) Oct. 1839, 88.
- cristata** Rictularia, J. A. Froelich, *Naturforscher*, XXIX. 1802, 9.
- cristatus** Rollulus (Gm.), G. R. Gray, *List Gen. Birds*, ed. 2, 1841, 80.—Tetrao, L. 1766.
- cristata** Rotularia, DeFrance, *Dict. Sci. Nat.* XLVI. 1827, 322.
- cristata** Sabellides, M. Sars, *Nyt Mag. for Naturvid.* VI (2) 1850, 205.
- cristata** Salpa, G. Cuvier, *Ann. Mus. H. N. (Paris)* IV (23) July 1804, 366.
- cristatus** Samaris, J. E. Gray, *Zool. Miscell. (Gray)* (1) Feb. 1831, 5.
- cristata** Sariama (Gm.), R. P. Lesson, *Echo Monde Savant*, IX. 8 Dec. 1842, 1036.—Palamedea, L. 1766. [Gm. 1788.]
- cristata** Sasa (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXX. 1819, 216.—Phasianus,
- cristata** Scalops (L.), A. Desmarest, *Nouv. Dict. H. N.* XXIV (Tab.) 1804, 14.—Sorex, 1758.
- cristata** Scolopendra, G. Newport, *Ann. Mag. N. H.* XIII. Feb. 1844, 98.
- cristata** Scops (Daud.), W. Jardine, *Contr. Orn.* I. 1848, 60.—Strix, 1800.
- cristatus** Semnopithecus (Raffl.), W. C. L. Martin, *Mag. Nat. Hist.*, n. s., II. Aug. 1838, 435.—Simia.
- cristatus** Serisomus, W. Swainson, N. H. *Classif. Birds*, II. June 1837, 323.
- cristatus** Serpentarius (Vieill.), R. P. Lesson, *Traité Ornith.* (1) Feb. 1830, 16.—Ophio-
- cristata** Serpula, Lamarck, *An. s. vert.* V. 1818, 365. [theres.]
- cristata** Serpula, G. B. Sowerby, II., *Gen. Shells* (22) 1824.
- cristata** Serpula (Duj.), A. E. Reuss, *Verst. boehm. Kreidef.* I. 1845, 18.—Vermilia.
- cristata** Sicyonia, W. de Haan in Siebold, *F. Japon.* (Crust. 1849), 194.
- cristata** Siliquaria, F. W. Hoeninghaus, *Jahrb. f. Min.* 1831, 139 [n. n.].
- cristata** Simia, G. A. Goldfuss, *Vergl. Naturb. Säugeth.* (1) 1809, 55.
- cristata** Simia, T. S. Raffles, *Tr. Linn. Soc. London*, XIII (1) 1821, 244.
- cristata** Simia, "Shaw," J. B. Fischer, *Syn. Mamm.* 1829, 34.
- cristatus** Simorhynchus, B. Merrem, *Ersch & Gruber, Allg. Ency.* II. 1819, 406.
- cristata** Siphona (Fab.), J. W. Zetterstedt, *Dipt. Scand.* VIII. 1849, 3212.—Stomoxys.
- cristatus** Smaragdites (L.), F. Boie, *Isis (Oken)*, 1831, 547.—Trochilus, 1758.
- cristata** Sparacta, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXXI. 1819, 526.
- cristatus** Sparactes (L.), C. Illiger, *Prod.* 1811, 219.—Lanius, 1758.
- cristatus** Spatangus, A. Risso, *H. N. Europe*, V. 1826, 281.
- cristata** Sphaerulites, C. Des Moulins, *Bull. H. N. Soc. Linn. Bordeaux*, I (5) 1827, 262; ed. 2, 1830, 115.
- cristatum** Sphenostoma, J. Gould, *Syn. Birds Austral.* (4) Ap. 1838. [lites]
- cristatus** Spirifer (Schl.), H. B. Geinitz, *Verst. Zechsteingeb.* (1) 1848, 13.—Terebratu-
- cristatus** Spirifer (Schl.), R. Howse, *Tr. Tyneside Nat. F. C.* I (3) 17 Aug. 1848, 254.—Terebratulites.
- cristata** Spirorbis, DeFrance, *Dict. Sci. Nat.* L. 1827, 303.
- cristata** Spongia (L.), J. V. F. Lamouroux, *Ency. Méth. (Zooph.)* 1824, 347.
- cristata** [Stemmatopus] (L.), F. Cuvier, *Mém. Mus. H. N. (Paris)* XI [3] Oct. 1824, 197.—Phoca, *Erx.* 1777.
- cristata** Sterna, J. F. Stephens in G. Shaw, *Gen. Zool.* XIII (1) 1826, 146.
- cristata** Sterna, W. Swainson, *Birds W. Africa*, II (Nat. Libr. XIX) Sept. 1837, 247.

- cristata** Stomoxys, J. C. Fabricius, Syst. Antliat. 1805, 281.
- cristatus** Strombus, Lamarck, An. s. vert. VII. 1822, 202. [Cneorhinus.]
- cristatus** Strophosomus (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 883.—
- cristatus** Sycobius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 37.
- cristata** Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 473. [Astraea.]
- cristata** Synastrea (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 386.—
- cristatus** Syrphus, Schummel, Uebers. Arb. schles. Ges. 1836 (1837), 85.
- cristata** Tachyphonus (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 356.—
Tanagra, 1766.
- cristata** Tadorna (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824,
77.—Anas, 1788.
- cristatus** Talpa (L.), G. Cuvier, R. Anim. I. 1817, 138.—Sorex, 1758. [1788.]
- cristata** Tchitreia (Gm.), G. R. Gray, Genera of Birds, I. Aug. 1846, 260.—? Muscicapa,
- cristata** Terebella (Müll.), Lamarck, An. s. vert. V. 1818, 354.—Amphitrite, 1776.
- cristatus** Terebratulites, E. v. Schlotheim, Denkschr. K. Ak. Wiss. München, VI. 1816—
17 (1820), 28. [capa.]
- cristata** Terpsiphone (Gm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 59.—Musci-
- cristatus** Tetranychus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15 & 28.
- cristata** Tetrao, P. de la Llave, Reg. Trimestre, I (2) Ap. 1832, 144.
- cristatus** Thamnophilus (Lath.), Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1003.
—Turdus, ? Penn. 1781.
- cristatum** Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 224.
- cristatus** Thomisus (Clerck), C. A. Walckenaer, Tab. Aran. 1805, 32.—Aranea, 1757.
- cristata** Tingis, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 19.
- cristata** Tityra (Sw.), Jardine & Selby, Ill. Orn., sign. D₃, 1826.—Paris.
- cristatus** Trachypterus, F. A. Bonelli, Mem. R. Acc. Sci. Torino, XXIV. 1820, 487.
- cristatus** Trachysomus (Perty), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.)
II. 1840, 482.—Hypselomus. [Terebratulites.]
- cristata** Trigonotreta (Schl.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 127.—
- cristata** Triton (Bechst.), J. Wagler, Nat. Syst. Amph. 1830, 208.—Salamandra,
? Houtt. 1782.
- cristata** Tritonalia (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 356 & corrig.—Murex.
- oristatus** Trochilus, *err. pro* cristatus, L.; J. M. Bechstein in Latham, Vögel, IV (1) 1811,
- cristatus** Trochilus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 21. [218.]
- cristatus** Trochilus, C. L. Lemaire, H. N. Ois. exot. 1836, 26.
- cristata** Turbo, J. L. M. Poiret, Coq. Aisne, 1801, 29.
- cristatus** Turbo, Vallot, Exer. Hist. Nat. 1801, 6.
- cristatus** Turbo (Müll.), Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 169.—
Valvata, 1774.
- cristatus** Turbo (Mont.), W. Turton, Conch. Dict. 1819, 227.—Helix.
- cristatus** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41.
- cristatus** Turdus, J. W. Lewin, Birds of N. Holland, 1808, 13.
- cristatus** Vanellus, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, IV. 1809, 346.
- cristata** Vermilia, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 233.
- cristatus** Vireo, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 130.—
Tanagra, 1817; ? L. 1766. [1833, 107.]
- cristata** Walckenaeria, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser., III (14) Aug.
1827, 411 [*teste* Iredale].
- cristaurea** Regulus, J. Forster, Pocket Encycl. Nat. Phenom. 1827, 411 [*teste* Iredale].
- cristea** Phycis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 492.
- cristea** Phycita (Haw.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—Phycis.
- cristella** Chama, Lamarck, An. s. vert. VI (1) 1819, 96.
- cristella** Lenticulites, S. Nilsson, K. Vet. Ac. Handl. 1825 (2) 1826, 337.
- cristella** Phycis (Huebn.), Zincken, Mag. Entom. (Germa) III. 1818, 152.—Tinea, 1796.
- Cristellaria** Lamarck, Ency. Méth. (Vers) 1816, pl. 467, Liste p. 14.—Rh. [*non* 1812,
vernac.].
- cristelloides** Maina, B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 771 [*n. n.*].
- Cristiceps** Cuvier & Valenc., H. N. Poiss. XI. 1836, 402.—P.
- cristiceps** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 132.

- cristimanus** Pagurus, H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 64.
- crisini** Muraenophis, A. Risso, Ich. Nice, 1810, 368.
- crisoforii** v. de **crisoforii**. [1796.]
- cristulalis** Hercyna (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 318.—Pyralis,
- cristulalis** Nola (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1833, 269.—Pyralis, 1796.
- cristulalis** Nolites (Huebner), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II (Tom. 2, pts. 5 & 6) 1846, 113.—Pyralis, 1796.
- cristulana** Roeselia, J. Huebner, Verz. bekannt. Schmett. 1826, 397.—Pyralis, 1796.
- cristularis** Pecten, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 74.
- cristulifer** Calliptamus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 692.
- cristula** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- Crisularia** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 111.—Polyz. [45 *n. n.*].
- Crithagra** W. Swainson, Zool. Journ. III (11) Dec. 1827, 348.—A.
- crithæa** Jaera (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 38.—Papilio, ?Dru. 1773.
- crithæa** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 353.
- crithæa** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 5.
- crithæa** Panopæa, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 273.
- crithæa** Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 258.
- crithia** Limenitis (Cr.), Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 93.—Papilio, ?Dru. 1773.
- Crithias** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 17.—Cr.
- crethon** Timetes (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 263.—Papilio **crithon**, 1777.
- critica** Lamia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 376.
- critomedia** Enantia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 41.
- critomedia** Leptalis (Huebner), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 424.—Enantia.
- Critoneura** H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 36.—Dipt.
- critrinula** Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 40.
- Crius** A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 45.—P.
- crius** Miscogaster, F. Walker, Mon. Chalcid. I. 1839, 201.
- croaticus** Carabus, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*].
- croaticus** Carabus, Dejean, Spec. gén. Coléopt. II. 1826, 40. [1797.]
- croatica** Cephonodes (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 131.—Sphinx,
- croaticus** Corymbites, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 59.
- croatica** Helix, Partsch in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3) Mar. [1836, 3.]
- croatica** Hypera, Dejean, Catal. Coléopt. 1821, 89 [*n. n.*]. [1797.]
- croaticus** Loborhynchus, J. Sturm, Catal. Ins. Samml. 1826, 164 [*n. n.*]. [1797.]
- croatica** Macroglossa (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 42.—Sphinx,
- croatica** Poneræ, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 148.
- croaticus** Scydmaenus, C. Hampe, Entom. Zeitung, Stettin, XI (10) Oct. 1850, 351.
- croaticus** Termes, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 34.
- croatica** Tragomma (Parsch), F. Held, Isis (Oken), 1837, 916.—Helix.
- croaticus** Trechus, Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].
- croaticus** Trechus, Dejean, Spec. gén. Coléopt. V. 1831, 22.
- croatica** Zonites (Parsch), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 8.—Helix.
- Crobilocerus** H. Loew, Linnaea Entom. II. July 1847, 533.—Dipt. [*Eybus* Dasygogon
- Crobylus** C. v. Heyden, Isis (Oken), 1826, 610.—Ar. [megilliformis].
- crocale** Callidryas (Cr.), Boisduval (Roret's Suite à Buffon), Lepid. I. Ap. 1836, 625.—Papilio, 1775.
- crocale** Catopsilia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 98.—Papilio, 1775.
- crocale** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 239.
- Crocallis** F. Treitschke, Schmett. Europa, V (2) 1825, 431.—Lep. [1777.]
- crocas** Zatrephes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 171.—Phalaena **crocos**,
- crocator** Bracon, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 261.

- crocatum** Amorphosoma, Laporte & Gory, H. N. Coléopt. II. 1839, 13.
- crocatu8** Ampedus (Lap.), F. E. Germar, Zeitschr. f. d. Entom. V. 1844, 159.—Elater.
- crocatum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 97, Dec. 1846.
- crocata** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 129.
- crocata** Clythra, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 226.
- crocatu8** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 424.
- crocata** Corticaria, Motschulsky in Germar, Zeitschr. f. d. Entom. V. 1844, 53.
- crocatu8** Donax, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 255.
- crocatu8** Dyoctiopteru8, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 82.
- crocatu8** Elater, Ziegl.; Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].
- crocatu8** Elater, F. L. de Laporte, H. N. Ins. Coléopt. I. 1840, 244.
- crocata** Fasciolaria, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1848, 25.
- crocatu8** Herpyllu8, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 457.
- crocata** Lamia (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 395.—Cerambyx, 1795.
- crocata** Liparis, Boisduval in A. Delegorgue, Voy. Afrique austr. II. 1847, 599.
- crocatu8** Lygaeu8, C. P. Thunberg, Hemip. Capen. IV. 1822, 3.
- crocata** Macrocera, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 90 [*n. n.*].
- crocata** Margarita, W. Swainson, Zool. Illust. (2) II (12) — 1831, pl. 55.
- crocata** Meloe, P. S. Pallas in Georgi, Nach. Besch. Russ. Reichs, 1802, 337 [*n. n.*].
- crocata** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 202.
- crocatu8** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 168, Oct. 1845. [1782.]
- crocata** Mylabris (Pall.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 98.—Meloe,
- crocata** Mylabris, Billb.; Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
- crocata** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 343.
- crocatu8** Nematu8, A. G. Dahlbom, Conspect. Tenthred. 1835, 8 [*n. n.*].
- crocata** Nephrotoma (L.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 195.—
Tipula, 1758. [Tipula, 1758.]
- crocata** Pachyrina (L.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 88.—
- crocata** Paropsis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 564.
- crocata** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 415.
- crocata** Patella, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 26.
- crocata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 174, Oct. 1845.
- crocatu8** Pterocera8, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 109.
- crocatu8** Rhyncholophu8, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 15.
- crocata** Stenotarsia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 593.—Cetonia.
- crocata** Succinea, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 183.
- crocatu8** Unio, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 31. [D. & S. 1775.]
- croceago** Hoporina (Fab.), Boisduval, Gen. Index Europ. Lepid. 1840, 147.—Noctua,
- croceago** Hoporina (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 513.—Noctua, D. & S. 1775. [1775.]
- croceago** Jodia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 234.—Noctua,
- croceago** Lampetia (Fab.), J. Curtis, Entom. Mag. I (2) Jan. 1833, 189.—Noctua, D. & S. 1775.
- croceago** Phalaena Noctua (Fab.), E. J. C. Esper, Die Schmett. IV (53-54) 1804-5, 674.—Noctua, D. & S. 1775. [1775.]
- croceago** Xanthia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 83.—Noctua,
- croceago** [Xantholeuca] (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July [i.e. Aug.] 1831, 333.—Noctua, 1775. [1796.]
- crocealis** Botys (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 314.—Pyralis,
- crocealis** Ebulea (Huebner), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 239.—Pyralis, 1796.
- crocealis** Sitochroa, J. Huebner, Verz. bekannt. Schmett. 1826, 356.—Pyralis, 1796.
- croceana** Lozotaenia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix, ? Huebn. 1797.
- croceana** Pandemis, J. Huebner, Verz. bekannt. Schmett. 1826, 389.—Tortrix, 1797.
- croceana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 19 (Fernaldo judice 1797) [*n. et f.*].

- crocearia** *Pseudopanthera* (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 295.—*Phalaena*
croceata *Chama*, Lamarck, An. s. vert. VI (1) 1819, 96. [croceata, 1781.
 [crocei→.]
- croceo-cincta** *Lamia*, W. W. Saunders, Tr. Entom. Soc. Lond. II (3) July 1839, 178.
croceicollis *Calleida*, E. Ménétrié, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (4)
 July 1843, 53.
croccicollis *Lycus*, J. A. Boissudval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 116.
croceicollis *Monolepta*, E. F. Germar, Linnaea Entom. III. Ap. 1848, 243.
croceicollis *Necydalis*, L. Gyllenhal, Ins. Suecica, I (4) 1827, 523.
croceicollis *Oedemera* (Gyll.), W. Schmidt, Linnaea Entom. I. Feb. 1846, 80.—*Necydalis*.
croccicollis *Omoiotelus*, T. Lacordaire, Mon. Erotyl., Sept. 1842, 514.
croceicornis *Atractodes*, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 119.
croceicornis *Macrus*, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 710.
crocefemoratum *Apion*, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839,
croceonotata *Acmaeodera*, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 27. [396.
croceopennis *Labidostomis*, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII.
 1849 (3) 1849, 148.
croceipennis *Psalidophora*, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
 1838], 30.—*Spongiphora*, 1831.
croceipennis *Spongiphora*, J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 31.
croceipes *Capsus*, Herrich-S., Wanzenart. Ins. VIII (1) Sept. 1845, 16.
croceipes *Gorytes*, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 394.
croceipes *Ichneumon*, C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 161.
croceipes *Pentatoma*, Herrich-S., Wanzenart. Ins. VII (5) May 1844, 97.
croceipes *Stenus*, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 710.
croceoplagiatus *Trachymerus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
croceopterus *Lethrinus*, Cuvier & Valenc., H. N. Poiss. VI. 1830, 302. [1844, 267.
croceo signata *Apatura*, Laporte & Gory, H. N. Coléopt. I. 1838, 5. [210.
croceosignatus *Centrinus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
croceoventre *Dicaeum*, Vigers & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 673.
croceiventris *Laphria*, C. R. W. Wiedemann, Dipt. exot. 1821, 234.
croceiventris *Tenthredo* (*Allantus*), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 59.
croceo→ *v. crocei*→.
- Croceothia** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 132.—A.
croceum *Agrion*, H. Burmeister, Handb. Ent. II (2) ii, 1839, 819.
crocea *Alauda*, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 365.
crocea *Altica*, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
croceum *Amphidesma*, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 218.
crocea *Avicula*, Lamarck, An. s. vert. VI (1) 1819, 148.
crocea *Capsa*, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272 [*n. n.*].
crocea *Cicada*, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 182.
croceus *Cinnyris*, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 294.
crocea *Circe*, J. E. Gray, The Analyst, VIII (24) July 1838, 307.
croceus *Crenilabrus*, R. P. Lesson, Mém. Soc. H. N. Paris, IV. Sept. 1828, 407.
crocea *Cyclostoma* (*Dillw.*), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
 VIII. June 1838, 357.—Turbo.
croceum *Cyclostoma*, G. B. Sowerby, I., Thes. Conch. I (3) ante 23 June 1843, 150.
crocea *Cytherea* (Gray), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 103.—
croceum *Eucelium*, A. Risso, H. N. Europe, IV. 1826, 281. [Circe.
croceus *Eupalus*, C. L. Koch, Deutsch. Crust., heft 20, 1838, tab. 21.
croceus *Euplocamus*, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 103.
croceum *Farcimen* (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 29.—*Cyclo-*
crocea *Fringilla*, L. P. Vieillot, Ois. Chanteurs (5) 1808, 51. [stoma.
crocea *Galleruca*, J. Sturm, Catal. Ins. Samml. 1826, 142 [*n. n.*].
croceus *Gamasus* (L.), J. C. Fabricius, Syst. Antliat. 1805, 365.—*Acarus*, 1758.
croceus *Gyrator* (Fab.), C. M. Diesing, Syst. Helminth. I. 1850, 228.—*Planaria*.
crocea *Holothuria* (*Cucumaria*), R. P. Lesson, Cent. Zool. (4-12) ante Mar. 1831, 153.
crocea *Huechys* (Guér.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 252.—*Cicada*.

- crocea** Idalia (Ph.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 105.—Euplocamus.
- croceus** Jassus, Herrich-S. in Panzer, Ins. Germ., heft 144, 1837, tab. 7.
- crocea** Lacerta, J. Wolf in Sturm, Deutsch. Fauna (III. Amph.) (4) 1805, sign. 2.
- crocea** Lacerta, L. J. Fitzinger, Neue Classif. Rept. 1826, 52 [*n. n.*].
- croceus** Leuciscus, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1845), 48. [266.]
- crocea** Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- croceus** Macronyx (Vieill.), G. R. Gray, List Gen. Birds, 1840, 48.—Alauda.
- crocea** Megilla, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *k*.
- crocea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 320, Mar. 1845.
- croceus** Nematus (Fall.), A. G. Dahlbom, Conspect. Tenthred. 1835, 8.—Tenthredo.
- croceus** Nematus (Fall.), A. G. Dahlbom, Clavis Hymenopt. 1835, 24.—Tenthredo.
- crocea** Nereis, S. A. Renier, Tavole [1804] xviii.
- crocea** Ostrea, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 209.
- croceus** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 275.
- crocea** Pentacta, G. F. Jaeger, De Holothur. 1833, 12.
- crocea** Phiale, C. L. Koch, Die Arachniden, XIII (6) June 1846, 194.
- crocea** Planaria, O. Fabricius, Afhandl. K. Danske Vid. Selsk. II. 1826, 34.
- croceum** Prostoma (Fab.), A. S. Orsted, Plattwürm. 1844, 63.—Planaria.
- croceus** Pteroglossus, Jardine & Selby, Ill. Orn., sign. c 2, pl. 6, 1826.
- crocea** Ricania, F. E. Guérin-M., Iconographie, 1844, Ins. 359.
- crocea** Sciaena, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 224.
- croceus** Seps (Wolf), Koch in Sturm, Deutsch. Fauna (III. Amph.) (5) 1828, 8.—Lacerta.
- croceus** Spondylus, Lamarck, An. s. vert. VI (1) 1819, 192.
- croceus** Spondylus, G. B. Sowerby, II. (*ex* Chemn.), Thes. Conch. I (8) *post* May 1847,
- crocea** Spongia, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 170. [419.]
- crocea** Squilla, C. S. Rafinesque-S., Précis Som. 1814, 25.
- crocea** Tenthredo, J. C. Fabricius, Syst. Piezat. 1804, 39.
- crocea** Tridacna, Lamarck, An. s. vert. VI (1) 1819, 106.
- crocea** Turbinella, J. E. Gray, Zool. "Blossom," 1839, 113.
- croceus** Turbo (Gm.), L. W. Dillwyn, Catal. Shells, 1817, 862.—Helix, 1790.
- crocea** Turritella, L. C. Kiener, Spec. Coquilles (Turritella) 1843-44, 24.
- croceus** Tydeus, C. L. Koch, Deutsch. Crust., heft 4, 1836, tab. 12.
- crocea** Zootoca (Wolf), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) I. 1832, 325.—Lacerta.
- Crochiphora** J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 26.—Lep.
- Crocias** C. J. Temminck in T. & Laugier, Pls. color. (100) 1836.—A.
- croceicollis** *v.* **croceicollis**.
- Crocidomera** P. C. Zeller, Isis (Oken), 1848, 865.—Lep.
- Crocidosema** P. C. Zeller, Isis (Oken), 1847, 721.—Lep. [*non* C—soma *apud* Marschall].
- Crocidura** J. Wagler, Isis (Oken), 1832, 275.—M.
- crocinella** Apista (Tengstr.), Zeller, Linnaea Entom. IV. Dec. 1849, 277.—Coleophora.
- crocinus** Coleophora, J. M. J. af Tengström, Not. Sällsk. fauna Fenn. Förh. I. 1848, 140.
- crocinus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 146, May 1847. [363.]
- crocinus** Podoscirtus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- crocipes** Cypra, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 235.
- crocipes** Elater, E. F. Germar, Ins. spec. novae, I. 1824, 41.
- crocipes** Heteropus, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 218.—Elater, 1834.
- crocipes** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 40.
- crocipes** Poecilus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 10.
- Crocisa** L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164; N. Méth. class. Hymenopt. 1807, 239.—Hym.
- crococephalus** Regulus, C. L. Brehm, Beitr. Vögelk. II. 1822, 120. [*binom.*]
- Crocoderus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 160.—Hem. [*non*
- crocodilli** Doras, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 181.
- crocodilinus** Ada (Merr.), J. E. Gray, Ann. Phil. XXVI. 1825, 200.—Teius.
- crocodilina** Dracaena (Merr.), H. R. Schinz in Cuvier, Thierreich, II. 1822, 36.—Teius.
- crocodilinus** Ophisurus, E. T. Bennett, Proc. Zool. Soc. London, I (1-3) May 1833, 32.
- crocodiliinus** Teius, B. Merrem, Tent. Syst. Amph. 1820, 62.

- crocodilocephaloides** Pterodactylus, Ritgen, N. A. Ac. Caes. Leop. Car. XIII (1) 1826,
344.
- crocodiloides** Halilimnosaurus, Ritgen, N. A. Ac. Caes. Leop. Car. XIII (1) 1826, 331.
- crocodilorum** Unio, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 28.
- Crocodilurus** J. B. v. Spix, Lacert. Brasil. 1825, 19.—R. [crocodilinus.
- crocodilurus** Ada (Merr.), J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 278.—Teius
- crocodila** Belona, Péron & Lesueur, J. Acad. Nat. Sci. Philad. II. Nov. 1821, 129.
- crocodilus** Engraulis, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 15.
- crocodilus** [?Gasteropelecus], A. Risso, Ich. Nice, 1810, 357.—v. Serpe.
- crocodilus** Lampanyctus (Risso), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 36.—
- crocodilus** Platycephalus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 256. [Scopelus.
- crocodilus** Scopelus, A. Risso, Mem. R. Acc. Sci. Torino, XXV. 1820, 265.
- crocodilus** Scopelus (Risso), H. Cloquet, Dict. Sci. Nat. XLVIII. 1827, 190.—Serpe.
- crocodilus** Serpe, A. Risso, Ich. Nice, 1810, 357. [Ent. (2) 1835, 492.
- crocogaster** Acanthocinus, Dupont in J. A. Boisduval in d'Urville, Voy. "Astralabe,"
- crocogrammos** Coleophora, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 325.
- croconota** Dasyprocta, J. G. Wagler, Isis (Oken), 1831, 618.
- croconotus** Icterus (Wagl.), G. R. Gray, Genera of Birds, II. Oct. 1844, 343.—Psaro-
- croconotus** Psarocolius, J. G. Wagler, Isis (Oken), 1829, 757. [colius.
- crocopelmus** Baridius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 720.
- crocopelmus** Cylindrocercus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2)
1836, 791.
- crocopelmus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 28.
- Crocopsis** H. G. L. Reichenbach, Avium Syst. Nat., pl. liv (Mar. 1850).—A. [*n. et f.*].
- crocoptera** Urapteryx, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 483.
- crocopus** Calathus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.), Mar. 1828, 99.
- crocopus** Elater, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- crocopus** Ludius, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 63.
- crocorrhous** Pycnonotus, H. E. Strickland, Ann. Mag. N. H. XIII. June 1844, 412.
- crocostoma** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 40, Sept. 1846.
- Crocota** J. Huebner, Verz. bekannt. Schmett. 1825, 295.—Lep.
- crocota** Dysdera, C. L. Koch, Die Arachniden, V (4) Sept. 1838, 81.
- crocotatus** Anguis, J. G. Schneider, Hist. Amph. II. 1801, 340.
- crocotatus** Typhlops (Schn.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
Syn. 77.—Anguis.
- crocotolalis** Epicorsia, J. Huebner, Verz. bekannt. Schmett. 1826, 355.
- Crocotta** J. J. Kaup, Skizz. Europ. Thierw. 1829, 78.—M. [*typus* Hyaena sp.].
- crocro** Pristipoma, Cuvier & Valenc., H. N. Poiss. V. 1830, 264.
- Crocuta** J. J. Kaup, Isis (Oken), XXI. 1828, 1145.—M.
- crocuta** Hyaena, H. D. de Blainville, Ostéogr., Hyaena, 1844, 82.—*varr.* capensis,
- Croesia** J. Huebner, Verz. bekannt. Schmett. 1826, 392.—Lep. [habessynica.
- Croesus** *id. ac.* Craesus, Leach; J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 125.
- croesa** Autographa (Cr.), J. Huebner, Verz. bekannt. Schmett. [1825], 251.—Phalaena
cresus, 1777.
- croesa** Autographa, J. Huebner, Exot. Schmett. II. Tab. [199] [*n. et f.*].
- croesus** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 183.
- croesus** Curculio, E. Donovan, Nat. Repository, III. pl. 95 (Nov. 1824).
- croesus** Democrates (Newm.), H. Burmeister, Handb. Ent. V. 1847, 29.—Scarabaeus.
- croesus** Dichodontus (Fab.), H. Burmeister, Handb. Ent. V. 1847, 219.—Geotrupes.
- cresus** Diophtalma (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
1840, 466.—Papilio, 1777.
- croesus** Epomis, Bon. in Dejean, Catal. Coléopt. 1821, 8 [*n. n.*].
- croesus** Epomis (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 139.—Carabus.
- croesus** Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 581.—Papilio, 1777.
- croesus** Geotrupes, J. C. Fabricius, Syst. Eleuth. I. 1801, 7.
- croesus** Harpalus (Fab.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 44.—Carabus.
- cresus** Laertias (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio cresus,
1777.

- croesus** Platyomus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 17 [*n. n.*].
- croesus** Polybotris, Dupont, Magasin de Zool. III. 1833, pl. 77.
- croesus** Scarabaeus, E. Newman, Entom. Mag. IV (3) Jan. 1837, 256.
- croesus** Sphinx, J. W. Dalman, Anal. Entom. 1823, 48. [1790.]
- croicensis** Erychthys (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 226.—Scarus,
- croizeti** Cervus, Croiz.; H. G. Bronn, Index Pal. 1848, 277 [*n. n.*].
- croizeti** Phaenicopterus, P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 220.
- croizeti** Plesictis, A. Pomel, Bull. Soc. géol. France (sér. 2) IV. 1847, 385.
- croizeti** Scincus, P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 222 [*n. n.*].
- crokeri** Euprepia, W. S. MacLeay (*ex* King MS) in P. P. King, Narr. Surv. Australia, II. 1827 [i.e. Ap. 1826], 465. [1827 [i.e. Ap. 1826], 458.]
- crokeri** Pontia, W. S. MacLeay (*ex* King MS) in P. P. King, Narr. Surv. Australia, II.
- croker** Sciaena, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 309.
- crolos** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 33.—Papilio, 1780.
- crolos** Tmolus (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 76.—Papilio, 1780.
- Cromba** F. P. Jarocki, Zoologia, II. 1821, 42.—A. [*Lypps Cuculus afer*].
- Crombus** H. G. L. Reichenbach, Avium Syst. Nat., pl. xxxiv (Dec. 1849).—A. [*n. et f.*].
- crombus** Leptosomus, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, VI. 1829, 418.
- cromerense** Tachypus, Wilk.; Dejean, Cat. Coléopt. 1821, 18 [*n. n.*].
- Cromileptes** W. Swainson, N. H. Fishes etc. II. July 1839, 168 & 201.—P.
- Cromus** J. Barrande, Sitz. k. Ak. Wiss. (Wien) [V] 1850 (2) Oct. (Nov.), 315.—Cr.
- cromus** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 165.
- cromyodes** Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (118) Feb. 1843, 150.
- cronia** Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1038.
- cronigera** Favosites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 197.
- cronis** Castnia (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 801.—Papilio, 1775.
- cronis** Haemonides (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 101.—Papilio, 1775.
- cronis** Pieris (Cr.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 548.—Papilio, 1775. [1775.]
- cronissa** Pieris (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 814.—Papilio cronis,
- croockewitji** Cybium, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 161.
- crossalis** Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 282.
- crossbeyi** Ammonites, M. Simpson, Mon. Amm. 1843, 22.
- crossotus** *v.* **crossotus**.
- Crossarchus** F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (47) Feb. 1825, Mangué, p. 3.—M.
- Crossaster** J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1840, 102.—Ech.
- Crossaster** Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 368.—Ech.
- crossii** Paradoxurus, J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 67.
- Crossocercus** Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 763.—Hym.
- crossocheilos** Arius, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 172.
- Crossocheilus** *v.* Hasselt, Algem. Konst. Letter-Bode, 1823 (35) Aug. 1823, 132.—P.
- Crossodactylus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 635.—R.
- Crossodera** J. Gould, Icones Avium (1) Aug. 1837, text to pl. 1.—A. [Verm.]
- Crossodera** F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 434.—
- Crossonychus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 98.
- Crossophorus** C. G. Ehrenberg, Sym. Phys., Mam. I (1828), sign. *f.*—Verm. [—Col.]
- Crossoptilon** B. H. Hodgson, J. Asiat. Soc. Bengal, VII. 1838, 864.—A.
- crossoptilon** Phasianus, B. H. Hodgson, J. Asiat. Soc. Bengal, VII. 1838, 864.
- Crossoptilum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crossoptilon,
- Crossopus** J. Wagler, Isis (Oken), 1832, 275.—M. [Hodgs.]
- Crossorhinus** Joh. Mueller & Henle, Ber. Verh. k. pr. Ak. Wiss. 1837, 113; Syst. Plagiost. (1) 1838, 21.—P. [M. & H.]
- Crossorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chrossorhinus,
- Crossostoma** Morris & Lycett, 1850 [*teste* Marschall, 1851 *est*].
- Crossotus** J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 52.—Col.

- crossotus** (*sic*) Ceraurus, J. Loche, Amer. J. Sci. XLIV (2) Ap. 1843, 346.
- Crossurus** J. Wagler, Nat. Syst. Amph. 1830, 141.—R.
- Crossurus** H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 39.—Cr.
- Crostocheilus** v. Hasselt, Alg. Konst. Letterbode, Aug. 1823, no. 35; Bull. des Sci. Nat. II. 1824, 376.—P.
- Crostoma** C. S. Rafinesque, Analyse, 1815, 148.—Asc. [*n. n.*].
- crotalariae** Apion (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 251.—Attelabus.
- crotalariae** Argina (Fab.), J. Huebner, Verz. bekannt. Schmett. [1822], 167.—Bombyx, 1775.
- crotalariae** Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 424.
- crotalariae** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 225.
- crotalariae** Piezotrachelus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 368.—Apion. [Achatina c—ria.
- crotalariae** Subulina (Schum.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 77.—
- crotallaria** Achatina, C. F. Schumacher, Essai Vers test. 1817, 202.
- crotali** Linguatula, H. D. de Blainville, Dict. Sci. Nat. LVII. 1828, 532.
- crotali** Porocephalus, A. Humboldt, Voy. Intér. Amér. (Obs. Zool.) 1809, 402.
- crotali** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 16 [*n. n.*].
- crotali durissi** Distoma, C. A. Rudolphi, Entoz. II. (1) 1809, 433.
- Crotalinus** C. S. Rafinesque, Analyse, 1815, 77.—R. [*n. n.*].
- crotalinus** Cophias, B. Merrem, Tent. Syst. Amph. 1820, 154.
- crotalinus** Lachesis (Merr.), F. Boie, Isis (Oken), 1827, 560.—Cophias.
- crotalinus** Trigonoccephalus, H. R. Schinz in Cuvier, Thierreich, II. 1822, 144.
- crotalina** Vipera (Echidna) (L.), B. Merrem, Tent. Syst. Amph. 1820, 153.—Coluber, 1771.
- Crotalocrinites** T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*]; XI. Mar. 1843, 198 [*non -us, apud Agassiz*].
- Crotalocrinus** J. Morris, Cat. Brit. Foss., July 1843, 50.—Crin.
- crotaloides** Cirrus, S. G. Morton, Syn. Org. Rem. Cret. 1834, 49. [Cirrus.
- crotaloides** Pleurotomaria (Mont.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 225.—
- Crotalophorus** J. E. Gray (*ex Linn.*), Ann. Phil. XXVI. Sept. 1825, 205.—R.
- crotalostomus** Euomphalus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 36.
- crotaphomelas** Lacerta, Lacepède, Ann. Mus. H. N. (Paris) IV (21) May 1804, 209.
- crotaphomelos** Scincus, Lacepède, Ann. Mus. H. N. (Paris) IV (21) May 1804, 209.
- Crotaphopeltis** L. Fitzinger, Syst. Rept. 1843, 27.—R.
- crotaphys** Julis, G. Cuvier, Règne Anim., ed. 2, II. 1829, 258.
- Crotaphytus** J. E. Holbrook, N. Amer. Herpet., ed. 2, II. 1842, 79.—R.
- crotchii** Conus, L. Reeve, Conch. Icon.—Conus, no. 254 (Suppl. pl. vi) June 1849.
- crotiana** Phalaena (Pyalis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 355.
- croton** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 182.
- crotonae** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 123.
- crotonis** Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 412.—Chrysomela, 1792.
- crotope** Euselasia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 24.—Papilio crotopus, 1780. [Berlin, 1820, 5 [*n. n.*].
- crotopezus** Turdus, M. H. C. Lichtenstein, Verz. Vögeln Conch. Ins. Doubl. Zool. Mus. 1800.
- crotophaga** Caracara (Wied), B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 160.
- crotophagus** Falco, Max Wied, Reise Brasil. I. 1820, 297. [—Falco.
- crotopus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 258.
- crotopus** Scoptes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 111.—Papilio, 1780.
- crotus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 252.
- crouanii** Bacillus, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 293.
- crouanii** Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 138.
- croulinensis** Clausina, J. G. Jeffreys, Ann. Mag. N. H. XX. July 1847, 19.
- crowii** Agabus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 20 [*n. n.*].
- crox** Dentalium, A. Keyserling, Beitr. Kenntn. russ. Reichs, XII. 1847, 228.
- crozeti** Buccinum, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 103.
- crucialis** Aglaophenia, J. V. F. Lamouroux, Hist. Polyp. 1816, 169.
- crucialis** Hyla, R. Harlan, Amer. J. Sci. X (1) Oct. 1825, 64.

- crucialis** Plumularia (Lamx.), de Blainville, Dict. Sci. Nat. LX. 1830, 443.—Aglaophenia.
- crucialis** Spirifer, Sowerby & Salter, Proc. Geol. Soc. London, IV. 1843, 220 [*n. n.*].
- crucians** Anopheles, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 12.
- crucians** Chrysops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 211.
- cruciator** Dorcadion, J. Gistel, Nat. Thierr. 1848, 131.
- cruciator** Dorcadion, J. Gistel, Handb. Naturges. 1850 [1847], 431.
- cruciatus** Acanthogenius (Marc), L. Reiche, Ann. Soc. Ent. France, XI (4) Oct. 1843, 335.—Helluo. [Gryllus.]
- cruciatum** Acridium (Charp.), O. G. Costa, Fauna Regno Napoli, Ortott. 37 (ad 1836).—
- cruciata** Altica, A. G. Olivier, Entom. VI. 1808, 674.
- cruciatus** Alurnus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 201.
- cruciatus** Alurnus, J. Sturm, Catal. Ins. Samml. 1826, 90 [*n. n.*].
- cruciata** Amonia, C. L. Koch, Deutsch. Crust., heft 5, 1837, tab. 7.
- cruciatus** Anomoeus, G. Fischer de W., Lettre à Pander, 1821, 10.
- cruciatus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 261.
- cruciata** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 190.
- cruciata** Arca, R. A. Philippi, Abb. Conch. III (6) 1849, 87.
- cruciatus** Arthrodeis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 517.
- cruciata** Bdella (Koch), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 157.—Amonia.
- cruciatum** Bembidium, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 100.
- cruciatum** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 114.—Peryphus, 1821.
- cruciata** Boa, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 73.
- cruciatus** Bombylius, Salzmänn in E. F. Germar, Fauna Ins. Europ. (1) 1812, 25.
- cruciatus** Brachinus, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 231.
- cruciatus** Brachinus, Steven in Dejean, Catal. Coléopt., 1821, 3 [*n. n.*].
- cruciatus** Brachinus, Steven in G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 110.
- cruciatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 407. [1828, 110.]
- cruciatus** Brissus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 14.
- cruciatus** Bruchus, A. D. Hummel, Essais Entom. I (6) 1827, 9.
- cruciatus** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 434.—Curculio, 1775.
- cruciata** Callimorpha, E. Ménétris, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 195.
- cruciata** Cassida, Ol.; Dejean, Catal. Coléopt. 1821, 116 [*n. n.*].
- cruciatus** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 18.
- cruciatus** Chirurus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 135.
- cruciatus** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 634.
- cruciata** Chlamys, F. Klug, Entom. Mon. 1824, 107.
- cruciata** Chlorima, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 55 [*n. n.*].
- cruciata** Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 426.
- cruciata** Clausilia, Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III (11) 1820, 89.
- cruciatus** Clerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 176.
- cruciatus** Clerus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [i. e. Ap. 1826], 442.
- cruciata** Clythra, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 184.
- cruciata** Crioceris, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 63.—Lema, 1840.
- cruciata** Cymindis (Fisch.), Latreille & Dejean, H. N. Icon. Col. Europe (3) 1826, 133.—Anomoeus.
- cruciata** Cypridella, L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 20.
- cruciata** Dachrys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1849, 409.
- cruciatus** Dasypogon, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 52.
- cruciatus** Diacanthus (Fab.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 151.—Elatér, ? L. 1758. [mecus, 1821.]
- cruciatus** Diaprosomus, Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 256.—Tanydorcadion (Fab.), Dejean, Catal. Coléopt. 1821, 108.—Lamia, 1787.
- cruciatus** Echinites, E. F. Schlottheim, Tasch. Min. 1813, 110.
- cruciatus** Echinoneus, L. Agassiz, Mon. Ech. III. 1842, 46.
- cruciatus** Ectrichodia (L. & S.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 7.—Reduvius.

- cruciata Edessa, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
 cruciatus Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [*n. n.*].
 cruciata Engis, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 138.
 cruciata Epeira, C. A. Walckenaer, Tab. Aran. 1805, 57.—Aranea, 1802.
 cruciata Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 708.
 cruciata Episcapha, Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 123 [*n. n.*].
 cruciata Episcapha, T. Lacordaire (*ex* Dej. Cat.), Mon. Erytol., Sept. 1842, 55.
 cruciata Eumenes, D. H. Schneider, Verz. Insectensamml. 1828, 88 [*n. n.*].
 cruciatus Eumorphus, Latr.; Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
 cruciata Fissurella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 156.
 cruciata Fissurella, C. F. F. Krauss, Südafrik. Moll. 1848, 67.
 cruciata Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
 cruciatus Gomphocerus (Charp.), H. Burmeister, Handb. Ent. II. (2) i, 1838, 647.—Gryllus.
 cruciatus Gryllus, T. v. Charpentier, Horae Ent. 1825, 137.
 cruciata Gyriodera (Thunb.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 122.—Clythra.
 cruciata Haltica, J. Sturm, Catal. Ins. Samml. 1826, 146 [*n. n.*].
 cruciata Haltica, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 95 [*n. n.*].
 cruciatus Heilipus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 62.
 cruciata [Helix] (Cochlodina), Venetz in A. E. Férussac, H. N. g. et. p. Moll., Tabl. Limaçons, 1821, 67.
 cruciatus Helluo, Marc, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 113.
 cruciatus Hister, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].
 cruciata Holigoconia (Less.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 191.—Rhizostoma.
 cruciata Hydnocera (Chevr.), A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 41.—Hydrachna, F. v. P. Schrank, F. Boica, III (1) 1803, 218. [Theano.
 cruciatus Leiobatus (Lac.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Raja.
 cruciata Lema, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 41.
 cruciata Leptura, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 23.
 cruciata Lerneia (Les.), J. E. De Kay, N. H. New York (Cr.) 1844, 59.—Lerneocera.
 cruciata Lerneocera, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 286.
 cruciatus Lissonotus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 8.
 cruciatus Lopus, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 89.
 cruciatus Ludius (—), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater, ? L. 1758. [chus, Panz. 1795.
 cruciata Lycoperdina (Fab.), C. J. Schoenherr, Syn. Insect. I (2), 1808, 324.—Endomy-Lycosa, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 185.
 cruciata Megacephala, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.), 1837, 2.
 cruciata Mestyrites, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429 [*n. n.*].
 cruciatus Microgaster, J. T. C. Ratzeburg, Die Ichneum. I (*c.* Mar.) 1844, 67.
 cruciata Monolepta, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 331.
 cruciata Mycetina (Schall.), E. Mulsant, H. N. Coléopt. France (Sulcic.) Sept. 1846, 15.—Chrysomela, 1783.
 cruciatus Naupactus, J. Sturm, Catal. Ins. Samml. 1826, 172 [*n. n.*].
 cruciata Nemoura, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 141.
 cruciatus Nirmus, H. Burmeister, Handb. Ent. II (2) i, 1838, 429.
 cruciatus Notocera (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 536.—Centrotus.
 cruciata Ocyrhoe, R. Templeton, Mag. Nat. Hist. IX. June 1836, 302.
 cruciata Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 192.
 cruciata Oedipoda (Ch.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 92.—Omalisus, J. W. Randall, Boston Journ. N. H. II (1) 1838, 15. [Gryllus.
 cruciatus Onthophagus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 178.
 cruciata Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 153.

- cruciatus** Panagaeus, Buquet in Dejean, Spec. gén. Coléopt. V. 1831, 602.
- cruciatus** Pausus, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 400.
- cruciata** Pentatoma (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 132.—Cimex, 1775.
- cruciatus** Peryphus, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- cruciatus** Petalocheirus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- cruciata** Phaeoxantha (Brullé), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 7.—Megacephala.
- cruciatus** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 350.—Nirmus.
- cruciata** Phorcynia (L.), J. F. Eschscholtz, Syst. Acalephen, 1829, 107.—Medusa, 1758.
- cruciata** Phyllopertha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 496.
- cruciata** Planaria, O. Fabricius, Afhandl. K. Danske Vid. Selsk. II. 1826, 25.
- cruciata** Pontocardia, R. P. Lesson in Férussac, Bull. Sci. XII. 1827, 296.
- cruciata** Pontocardia, R. P. Lesson, Mém. Soc. H. N. Paris, III (3) Oct. 1827, 418.
- cruciatus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 205.
- cruciata** Pterygia (Fab.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 264.—Centrotus.
- cruciata** Raja, Lacepède, Ann. Mus. H. N. (Paris) IV (21) May 1804, 210.
- cruciatus** Reduvius, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 279. [121.]
- cruciata** Rhizostoma, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),
- cruciatus** Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 121.—Curculio, 1775.
- cruciatus** Saprinus (Payk.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 229.—Hister, Fab. 1792. [—Elater, 1758.]
- cruciatus** Selatosomus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 269.
- cruciata** Spongolithis (Ehr.), H. G. Bronn, Index Pal. 1848, 1195.—Spongia, ? Müll. 1776. [—Leptura, 1795.]
- cruciata** Strangalia (Ol.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 263.
- cruciata** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 326.
- cruciata** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 690.
- cruciatus** Tanymecus, Dejean, Catal. Coléopt. 1821, 94 [*n. n.*]. [277.]
- cruciatus** Tetraonyx, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- cruciatus** Theano, A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap. 1843, 33.
- cruciatum** Theridion, N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 275.
- cruciatus** Tomoderus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 3 ["Mon. Anth." *poster. edit.*].
- cruciatum** Tritonium, H. G. Bronn, Zschr. Min. 1827, II (1828), 532.
- cruciatus** Trochoideus (Dalm.), J. O. Westwood, Tr. Linn. Soc. London, XVI (3) 1833, 675.—Pausus.
- cruciatus** Tydeus, C. L. Koch, Deutsch. Crust., heft. 20, 1838, tab. 7.
- cruciatus** Typocephalus, Lacord.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 427.
- cruciata** Urolophus (Lac.), Mueller & Henle, Mag. Nat. Hist., n. s., II. Feb. 1838, 90. —Raja.
- cruciatus** Vertex (Fab.), C. M. Diesing, Syst. Helminth. I. 1850, 231.—Planaria.
- Crucibulum** C. F. Schumacher, Essai Vers test. 1817, 56 & 182.—L.
- crucibulum** Distoma (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 435.—Monostoma.
- crucibulum** Monostoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 83. [585.]
- crucicollis** Cryptocephalus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
- crucicollis** Prionopleura, Boisduval, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 58.
- cruciellus** Adrastus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 120.
- crucifer** Acanthocerus, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 204.
- crucifer** Acanthocinus, Cristofori & Jan, Cat. Mus. (IIA, Coleopt.) 1832, 72 [*n. n.*].
- crucifera** Actinia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I, no. 8, Dec. 1817, 174.
- crucifera** Aelia, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 32.
- cruciferus** Ananchytes, S. G. Morton, Amer. J. Sci. XVIII (2) July 1830, 245.
- crucifer** Anisoplia (Herbst), J. Sturm, Catal. Ins. Samml. 1826, 92.—Melolontha, 1790.
- crucifer** Attus, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 215.

- crucifer** Bufo, Max Wied, Isis (Oken), 1824, 672.
- crucifer** Cerbus, Herrich-S., Wanzenart. Ins. VI (4) June 1841, 60. [Rhynchaenus.
- crucifer** Ceuthorhynchus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 511.—
- crucifera** Chelonia, M. Perty, Del. anim. artic. Brasil. (3) 1833, 160.—Lep.
- crucifera** Chrysomela, Dejean, Catal. Coléopt. 1821, 123 [*n. n.*].
- crucifera** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 166.
- crucifera** Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 61.
- crucifera** Cleothesa, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 555.
- crucifer** Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 540.
- crucifer** Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 482.
- crucifer** Coluber (Natrix), Daudin; B. Merrem, Tent. Syst. Amph. 1820, 106.
- crucifera** Coptodera, Dejean, Spec. gén. Coléopt. V. 1831, 391.
- cruciferus** Dromius, H. Lucas, Explor. Algér. (Artic. II.) 1846, 15.
- crucifera** Epeira, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 42.
- crucifera** Euophrys (Sund.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 33.—Attus.
- crucifer** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- crucifer** Hyla, Max Wied, Reise innere N. Amer. I. 1839—40, 275.
- crucifer** Hymeniphera (Pal.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 43.—Acanthocerus. [1843, 212.—Acanthocerus.
- crucifer** Hymenophora (Pal.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
- crucifera** Mictis, W. E. Leach, Zool. Miscell. I. 1814, 92. [chytes, 1830.
- crucifera** Nucleolites, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 294.—Anan-
- crucifer** Pachycerus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 485. [1840, 477.—Cerambyx, 1795.
- crucifera** Phryneta (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- cruciferus** Phytophilus, Eschscholtz in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 21.
- crucifer** Portunus (Oceanus), W. de Haan in Siebold, F. Japon. (Crust. 1835), 40.
- crucifer** Psammophis, L. J. Fitzinger, Neue Classif. Rept. 1826, 59 [*n. n.*].
- crucifer** Psammophis (Merr.), F. Boie, Isis (Oken) 1827, 525.—Coluber.
- crucifer** Pygorhynchus (Mort.), E. Ravenel, Echinidae, Jan. 1848, 4.—Nucleolites.
- crucifer** Rhynchaenus (Herbst), A. G. Olivier, Entom. V. 1807, 210.—Curculio cruciger,
- crucifer** Scotinus, F. Eschscholtz, Zool. Atlas, IV. 1831, 14. [1784.
- crucifer** Strophosomus (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 882.—
- Cneorhinus. [462.—Portunus.
- crucifera** Thalamita (Fab.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834,
- crucifera** Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 454.
- cruciferarum** Pieris, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 519.
- cruciformis** Avicula, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150,
- cruciformis** Chiton, G. B. Sowerby, II., Gen. Shells (12) 1823. [1841, 54.
- cruciforme** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 23.
- cruciformis** Ptilodictya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 21.
- crucifrons** Cneorhinus, Billberg in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 533.
- crucifrons** Strophosomus (Billb.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 869.
- Cneorhinus. [(8) 1849, 94 ["Mon. Anth." *poster. edit.*].
- cruciger** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
- crucigerus** Attus, C. A. Walckenaer, Tab. Aran. 1805, 25 [*n. n.*].
- crucigerus** Attus, C. A. Walckenaer, Faune Française (11 & 12) Aptères, 1824, 59.
- crucifera** Aurelia (Gm.), Lamarck, An. s. vert. II. 1816, 514.—Medusa, 1790.
- cruciger** Brachinus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- cruciger** Bufo, E. Eichwald, Reise Casp. Kauk. I. 1834, 31 [*n. n.*]. [712.
- cruciger** Bufo, P. Schmidt, Abh. nat. Ver. Hamburg, I. 1846, 169.
- crucifera** Calochroa, F. W. Hope, Coleopt. Manual, II. 1838, 162.
- "**cruciger** Canis, Gesner," R. P. Lesson, Man. Mamm., May 1827, 167.
- cruciger** Caryoborus, J. F. Stephens, Man. Brit. Coleopt. 1839, 265.
- crucifera** Chrysomela, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 75.
- cruciger** Cimex, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 267.
- crucifera** Coccinella, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 182.
- crucifera** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 364.

- cruciger** Crinocer (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 612.—Lygaeus, 1794.
- cruciger** Delphinus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 87.
- cruciger** Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- cruciger** Eumorphus, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 355.
- cruciger** Falciger, Sturm; Dejean, Catal. Coléopt. 1821, 84 [*n. n.*].
- cruciger** Fringilla, C. J. Temminck in T. & Laugier, Pls. color. (45) Ap. 1824.
- cruciger** Gecko, J. B. v. Spix, Lacert. Brasil. 1825, 16.
- crucigerus** Gryllus, P. Rambur, F. Ent. Andal. II (3) Dec. 1838, 86.
- cruciger** Herpyllus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 458.
- cruciger** Hydrochoreutes, C. L. Koch, Deutsch. Crust., heft 11, 1837, tab. 15.
- crucigera** Laodicea, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 18; (Roret's Suite à Buffon), Acalèphes, 1843, 294.
- crucigera** Leia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 861.
- crucigera** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 493.
- crucigera** Locusta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*].
- crucigera** Machtima (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 215.—Lygaeus, 1794.
- crucigera** Medusa (Aurelia), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 165.
- cruciger** Megalotis (Temm.), W. Swainson, Zool. Journ. III (11) Dec. 1827, 347.—Fringilla. [Du T.]
- crucigera** Melicerta, G. A. Goldfuss, Handb. Zool. (1) 1820, 76.—? Rotifer crucigere,
- cruciger** Milesia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 105.
- crucigera** Pales (Walck.), C. L. Koch, Uebers. Arachnidensyst. V. 1850, 65.—Attus.
- crucigerus** Panagaeus, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 69.
- cruciger** Passer (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 41.—Fringilla.
- crucigerus** Peryphus, Kirby; Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- cruciger** Pholas, G. B. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov. 1834, 69.
- cruciger** Plagiocera (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 120.—Milesia.
- crucigera** Polia, S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 40.
- cruciger** Psammophis (Merr.), Boie in Férussac, Bull. Sci. IX. 1826, 238.—Coluber crucifer. [Fringilla.]
- cruciger** Pyrrhulada (Temm.), T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 35.—
- cruciger** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 270. [1813, 385.]
- crucigere** (*sic*) Rotifer, du Trochel, Ann. Mus. H. N. (Paris) XIX (113) *inter* Jan.-July
- cruciger** Stenidius, F. de La Ferté-S., Mon. Anthicus, 1848 [*i. e.* 1849], 333.—Anthicus, 1849.
- cruciger** Stenochorus, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 428.
- cruciger** Stenolophus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 199.—Carabus, 1798.
- cruciger** Strachia, C. W. Hahn, Wanzenart. Ins. I (5) June 1833, 184.
- crucigera** Strix, J. B. v. Spix, Avium Brasil. I. 1824, 22.
- crucigera** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 648.
- crucigera** Tellina, Lamarck, An. s. vert. V. 1818, 522. [1798.]
- cruciger** Trechus (Fab.), J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 85.—Carabus,
- crucigera** Vespa, F. Weber, Obs. Ent. 1801, 101.
- crucigera** Vulpes, C. H. Smith, Dogs, II (Nat. Libr. XXVIII.) June 1840, 244.
- Cruciloculina** A. d'Orbigny in Sagra, Cuba (Foram.), 1839, 182.
- crucirostra** Corax, Sonnini in Ledru, Voy. Teneriffe, II. 1810, 204.
- crucirostra** Loxia, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 244.
- crucirostris** Stomphax, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 160.
- crucis** Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 209.
- crucis** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 307.
- crucis** Sphex (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 129.—Pepsis.
- crucisignatus** Jassus, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 89 [*n. n.*].

- crudelis** Chrysops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1829, 195.
- crudelis** Dromius, E. Newman, Entomologist (3) Jan. 1841, 37.
- crudelis** Leptocorisa, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 18.
- crudelis** Lygaeus, Herrich-S., Wanzenart. Ins. IX (5) Sept. 1850, 198.
- crudelis** Megaera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 95.
- crudelis** Miltogramma (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 235.—Megaera, R.-D.
- crudelis** Misaphidus, C. Rondani, N. Ann. Sci. Nat. [2] IX. 1848 [Feb.], 11.
- crudelis** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 40.
- crudelis** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 269.
- crudelis** Scolopendra, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 170.
- crudelis** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 300.
- crudelis** Tyrannus, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XX (40) Jan. 1826, 657.
- crudella** Myelois, P. C. Zeller, Isis (Oken), 1848, 657. [275.]
- cruda** Clausilia, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 18 [*n. n.*].
- cruda** Clausilia, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 79.
- cruda** Conops, F. Walker, List Dipt. Coll. B. M. (3) 1849, 671.
- crudus** Coreus, E. Newman, Entom. Mag. V (2) Jan. 1838, 174.
- crudus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 76.
- crudus** Hypselomys, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 148.
- crudus** Mandalotus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 194. [1775.]
- cruda** Orrhodia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 231.—Noctua,
- cruda** Orthosia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 230.—Noctua,
- crudus** Sphenophorus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 137. [1775.]
- cruentalis** Uresiphita, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 29.
- cruentana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 52. [Geometra, 1796.]
- cruentaria** Aspitates (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 431.—
- cruentaria** Euchlidon, J. Huebner, Verz. bekannt. Schmett. 1825, 300.—Geometra, 1796.
- cruentator** Alomya, G. W. F. Panzer, Ins. Germ., heft 102, 1806-9, tab. 21.
- cruentator** Cryptus (Mesostenus), F. Klug in J. W. Wiedemann, Reise Tyrol etc. (2) 1835, 89.
- cruentator** Megastylus, G. Schiodte, Rev. Zool. (Soc. Cuv.) July 1838, 139.
- cruentata** Acidota, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 469.
- cruentatum** Acridium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 216.
- cruentata** Actinia, Couthouy in J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 138.
- cruentatus** Anomalon, G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 15.
- cruentatum** Apion, J. Walton, Ann. Mag. N. H. XIII. June 1844, 452.
- cruentatus** Atelecyclus, A. G. Desmarest, Consid. gén. Crust. 1825, 89.
- cruentatus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 463.
- cruentata** Babia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 435.
- cruentata** Bdella, C. L. Koch, Deutsch. Crust., heft 23, 1839, tab. 10.
- cruentatus** Blatta, J. Gistel, Handb. Naturges. 1850 [1847], 448.
- cruentatus** Bufo, J. J. Tschudi, Mém. Soc. Sci. Neuchâtel, II. 1839 (1840), 88.
- cruentata** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 577.
- cruentata** Buprestis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 455.
- cruentata** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 431.—Curculio, 1775.
- cruentatum** Callidium, Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].
- cruentata** Calopteryx, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 228.
- cruentatus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 575.
- cruentata** Cantharis, W. Turton, Linnaeus, Syst. Nat. II. 1802, 367.
- cruentata** Cassida, W. Turton, Linnaeus, Syst. Nat. II. 1802, 117.
- cruentata** Cassida, T. Marsham, Coleopt. Brit., Sept. 1802, 145.
- cruentata** Cassida, A. G. Olivier, Entom. VI. 1808, 929. [1783.]
- cruentatus** Centurus (Bodd.), G. R. Gray, Genera of Birds, III. Ap. 1849, 22.—Picus,
- cruentatus** Cephus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 63.
- cruentatus** Charmon, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 262.

- cruentata** Chrysaora, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 57; (Roret's Suite à Buffon), Acalèphes, 1843, 403.
- cruentata** Cicada (Ol.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 6 (= 42).—Tettigonia, Fab. 1775.
- cruentata** Cinnyris (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 406.—Nectarinia.
- cruentata** Collyris, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 14.
- cruentatus** Coluber, C. Steven, Bull. Soc. Imp. Nat. Moscou, VIII. 1835, 317.
- cruentatus** Conurus (Wied.), G. R. Gray, Genera of Birds, II. Nov. 1845, 413.—Psittacus.
- cruentatus** Cryptus, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 115.
- cruentata** Cyrtanota, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 152.
- cruentata** Diaperis, F. Klug (*ex Dej. lit.*), Insect. Doublet. Z. M. Berlin, 1829, 12.
- cruentata** Dicaeum (L.), Cuvier, Règne Anim. I. 1817, 410.—Certhia, 1758.
- cruentatus** Dictyophorus (Serv.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 39.—Petasia.
- cruentatus** Elater, L. Gyllenhal, Ins. Suecica, I. 1808, 435.
- cruentatum** Enchophyllum (Germ.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 534.—Membracis.
- cruentatus** Eucnemis (Schoen.), C. G. Mannerheim, Eucnemis, 1823, 16.—Elater, Gyll.
- cruentata** Eumena, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 90.
- cruentata** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 46.
- cruentata** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 116.
- cruentatus** Grapsus, P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 70.
- cruentatus** Gyrohyphus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- cruentatus** Helictes, A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 115.—Cryptus, 1838.
- cruentata** Helix (Guild.), Catlow & Reeve, Conch. Nomen. 1845, 123.—Stenopus.
- cruentatus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 137.
- cruentatus** Hydrochares (Mann.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 128.—Eucnemis.
- cruentatus** Ithaginis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- cruentatus** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 452.
- cruentatus** Lanarius, E. Rueppell, Neue Wirbelth. Abyssin. [1835-36], 32.
- cruentata** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 411.
- cruentatus** Leptophryne (Tsch.), L. Fitzinger, Syst. Rept. 1843, 32.—Bufo.
- cruentatus** Malurus, J. Gould, Proc. Zool. Soc. London, VII (82) Mar. 1840, 143.
- cruentata** Melania, C. T. Menke, Syn. meth. Moll. 1828, 80. [Pompilus cruentus.
- cruentatus** Mellinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 318.—
- cruentata** Membracis, E. F. Germar, Revue Entom. III (5) 1835, 226.
- cruentata** Mesomphalia (Erichs.), C. H. Boheman, Mon. Cassid. I. 1850, 382.—Cyrtanota.
- cruentatus** Miris, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 78.
- cruentata** Mitra (L.), G. Fischer, Mus. Démid. III. 1807, 170.—Voluta, 1790.
- cruentata** Mitra, C. T. Menke, Conch.-Samml. Malsburg, 1829, 83.
- cruentata** Mitra, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Volutacea (11) 1839, 44.
- cruentata** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 126, Oct. 1844.
- cruentata** Mylabris, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. a.
- cruentata** Natica, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 290.
- cruentata** Natica (Gm.), Lamarck, An. s. vert. VI (2) 1822, 199.—Nerita, 1790.
- cruentata** Natica, J. E. Gray, Zool. "Blossom" 1839, 137.
- cruentata** Nectarinia, E. Rueppell, Syst. Ueber. Vögel N.-O. Afr. 1845, 26.
- cruentatus** Nomius, E. Mulsant, H. N. Coléopt. France (Sécrip.) Sept. 1846, 214.
- cruentatus** Notoxus, M. Spinola, Ess. mon. Clérites, I. 1844, 225. [1846.
- cruentatus** Novius, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 943.—Nomius,
- cruentata** Oedipoda, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 93.
- cruentatus** Ophion (Panz.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 517.—Anomalon.
- cruentatus** Pagurus, H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 62.

- cruentata** Patella, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. Sept. 1841, 191.
- cruentata** Petasia (Stoll), J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 279.
- cruentata** Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 379.
- cruentatus** Priacanthus (Lac.), Cuvier & Valenc., H. N. Poiss. III. 1829, 102.—Labrus.
- cruentatus** Psittacus, Max Wied, Reise Brasil. I. 1820, 72.
- cruentata** Purpura (Gm.), Lamarck, An. s. Vert. VII. 1822, 244.—Buccinum, 1790.
- cruentata** Pyrrhula, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Ap. 1839, 101.
- cruentata** Rana, Kuhl, Bull. des Sci. Nat. II. 1824, 371. [51.]
- cruentata** Ranella, G. B. Sowerby, II., Proc. Zool. Soc. London, IX (101) Oct. 1841,
- cruentata** Sarcophaga, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 28.
- cruentatus** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 277.
- cruentatus** Scincus (Pall.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 76.
—Lacerta cruenta, 1771.
- cruentata** Sittace (Wied), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 648.—Psittacus.
- cruentatus** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 51.
- cruentatus** Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 516.
- cruentatus** Stenopus, L. Guilding, Zool. Journ. III (12) Ap. 1828, 527.
- cruentata** Stenura, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 64.
- cruentata** Strangalia (Hald.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 332.—Stenura. [1799.]
- cruentata** Thamnotettix (Panz.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 293.—Cicada,
- cruentatus** Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 534. [26.]
- cruentatus** Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838,
- cruentatus** Turbo, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 211.
- cruentatus** Xylophilus (Gyll.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 35.—Elater. [[1843]. 365.]
- cruentella** Ilythia, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- cruentella** Semnia (Dup.), A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 322.
—Ilythia.
- cruenticollis** Paederus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 174.
- cruentipennis** Triplax, T. Lacordaire, Mon. Erotyl., Sept. 1842, 205.
- cruentus** Accipiter (Gould), G. R. Gray, Genera of Birds, I. June 1849, 29.—Astur.
- cruentus** Aceratodes (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 160.—Edessa. [1790.]
- cruenta** Acmaeodera (Ol.), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 2.—Buprestis,
- cruenta** Actinodoris (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 102.—Doris.
- cruentus** Alydus, Herrich-S., Wanzenart. Ins. VIII (5) Oct. 1846, 100.
- cruenta** Anomia, D. Solander, Catal. Portland Mus. 1786, 53 [n. n.].
- cruenta** Anomia, L. W. Dillwyn, Catal. Shells, 1817, 295.
- cruentus** Arpactus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 194.—Pompilus.
- cruentus** Asopus, H. Burmeister, Handb. Ent. II (1) 1835, 380.
- cruenta** Astonotus, J. E. Gray, Figs. Moll. Anim. IV. 1850, 102.
- cruentus** Astur, J. Gould, Birds of Australia (8) Sept. 1842; Proc. Zool. Soc. London, X
- cruentum** Cardium, G. Perry, Conchology, Ap. 1811, pl. 57. [(115) Jan. 1843, 113.]
- cruentum** Cnodalum, Dejean, Catal. Coléopt. 1821, 69 [n. n.].
- cruenta** Darnis, H. Burmeister, Revue Entom. IV (4) 1836, 173.
- cruentus** Dermacentor, C. L. Koch, Arch. f. Naturg. X (1) 1844, 236.
- cruenta** Diaperis, M. Perty, Del. anim. artic. Brasil. (1) 1830, 60.
- cruenta** Doris, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 260.
- cruenta** Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 153.—Cimex, 1794.
- cruentus** Elater, F. de Tigny, s. à Deterville ed. Buffon, Ins. VI. 1801, 224.
- cruenta** Encaustes (Macl.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 38.—Engis.
- cruenta** Engis, W. S. Macleay, Annulosa Javanica, 1825, 42.
- cruentus** Genuchus (Ol.), W. Kirby, Tr. Linn. Soc. London, XIV (3) 1825, 570.—Cetonia,
- cruenta** Glaucoptis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 157. [Fab. 1787.]

- cruenta** Goura (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819, 128.—Columba, 1788.
- cruenta** Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 56, July 1846.
- cruentus** Harpactor (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 230.—Reduvius,
- cruenta** Hispa, D. H. Schneider, Verz. Insectensamm. 1828, 83 [*n. n.*]. [1787.]
- cruentus** Ithaginis (Hardw.), J. G. Wagler, Isis (Oken), 1832, 1228.—Phasianus.
- cruentus** Lanarius (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 360.—Vanga.
- cruentus** Lanius, C. G. Ehrenberg, Sym. Phys., Aves (1833) Plate 1828, text 1833.
- cruentus** Lanius, Drapiez, Dict. Class. H. N. XIII. 1828, 527.
- cruenta** Leptopteryx, J. Wagler, Syst. Avium, I. 1827, sign. 251.
- cruenta** Lophospiza (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 471.—Tiaris.
- cruentus** Lycus, J. C. Fabricius, Syst. Eleuth. II. 1801, 114.
- cruenta** Lystra, H. Burmeister, Gen. Ins. (1) 1837, no. 1.
- cruenta** Oliva (Dillw.), L. Reeve, Conch. Icon. VI.—Oliva, no. 30, Sept. 1850.—Voluta, ? Wood.
- cruentus** Onthophagus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 42.
- cruenta** Peltophora, H. Burmeister, Handb. Ent. II (1) 1835, 393.
- cruenta** Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 148. [Edessa.]
- cruenta** Pentatoma (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 55.—
- cruenta** Perdix (Hardw.), C. J. Temminck in T. & Laugier, Pls. color. (56) Mar. 1825.
- cruenta** Pericopis, J. Huebner, Beiträge z. Exot. Schmett. II. 1823, 24. [—Phasianus.
- cruenta** Phaloe (Huebner), Guérin-M. in Dupery, Voy. “Coquille,” Zool. II (2) 1 (1838), 284.—Pericopis.
- cruenta** Phaneroptera, H. Burmeister, Handb. Ent. II (2) i, 1838, 691.
- cruentus** Phasianus, T. Hardwicke, Tr. Linn. Soc. London, XIII (1) 1821, 237.
- cruentus** Phocides, J. Huebner, Verz. bekannt. Schmett. [1820], 103.
- cruentus** Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 192.—Sphex, 1798.
- cruenta** Purpura (L.), de Blainville, Dict. Sci. Nat. XLIII. 1826, 241.—Buccinum, ? cruentatum, 1790. [1795.]
- cruentus** Quedius (Ol.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 527.—Staphylinus,
- cruenta** Querula (Bodd.), G. R. Gray, Genera of Birds, I. Feb. 1847, 239.—Muscicapa,
- cruenta** Rana, P. S. Pallas, Zoographia, III. 1811, 12. [1783.]
- cruentus** Rhynocoris (Fab.), C. W. Hahn, Wanzenart. Ins. II (1) Nov. 1833, 21.—Reduvius, 1787.
- cruentus** Ripiphorus, E. F. Germar, Ins. spec. novae, I. 1824, 168.
- cruentus** Rogas, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 212.
- cruentus** Sclerostomus, H. Burmeister, Handb. Ent. V. 1847, 425.
- cruenta** Scorpaena, J. Richardson (*ex* Solander MS), Ann. Mag. N. H. IX. May 1842,
- cruentus** Solen, D. Solander, Catal. Portland Mus. 1786, 101 [*n. n.*]. [217.]
- cruentus** Stigmaeus, C. L. Koch, Deutsch. Crust., heft 4, 1836, tab. 9.
- cruenta** Tellina, D. Solander, Catal. Portland Mus. 1786, 10 & 58.
- cruenta** Terebratula, E. Donovan (*ex* Solander MS), Nat. Repository, II. pl. 56 (Oct. Tiaris, R. P. Lesson, Rev. Zool. (Soc. Cuv.) VII. Dec. 1844, 435. [1823].
- cruenta** Trachys, Fab.; Dejean, Catal. Coléopt. 1821, 30 [*n. n.*].
- cruentus** Trichoglossus (Psittacus), R. P. Lesson, Echo Monde Savant, XI. 21 July 1844,
- cruentus** Trochus, R. A. Philippi, Abb. Conch. I (6) 1844, 140. [126.]
- cruenta** Typhlocyba, Herrich-S. in Panzer, Ins. Germ., heft 164, 1838, tab. 15.
- cruenta** Vanga, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 256.
- cruenta** Voluta, D. Solander, Catal. Portland Mus. 1786, 140 [*n. n.*].
- cruenta** Voluta, W. Wood (*ex* Chemn.), Index Test. 1818, 91.
- cruentus** Zelus (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 102.—Reduvius, 1787.
- Crumena** Nitzsch, Ersch & Gruber, Allg. Ency. XVI. 1827, 68.—Inf.
- crumena** Anomites, W. Martin, Petr. Derb. 1809, pl. 36.
- crumena** Cassidaria (Lam.), Actes Soc. Linn. Bordeaux, VI (35) 1834, 197.—Cassis.
- crumena** Cassis (Brug.), Lamarck, Ency. Méth. (Vers) 1816, pl. 406, Liste p. 3.—Cassidea, 1792. [Cercaria, 1786.]
- crumena** Crumena (Müll.), Nitzsch, Ersch & Gruber, Allg. Ency. XVI. 1827, 69.—

- crumena** Furcocerca (Müll.), Lamarck, An. s. vert. I. 1815, 447.—Cercaria, 1786.
- crumena** Furcularia (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 151.—Cercaria, 1786. [1786.]
- crumena** Leiodina (Müll.), Bory de St V., Dict. Class. H. N. IX. 1826, 272.—Cercaria,
- crumena** Lingula, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 453 [*n. n.*].
- crumena** Lingula, J. Phillips, Mem. Geol. Surv. Gt Britain, II (1) 1848, 369.
- crumena** Ranella, Lamarck, Ency. Méth. (Vers) 1816, pl. 412, Liste p. 4 [*n. et f.*].
- crumena** Terebratula (Mart.), J. Sowerby, Min. Conch. I. 1815, 190.—Anomites.
- crumena** Tritonium (Lam.), L. Pfeiffer, Rev. Zool. (Soc. Cuv.) VI. May 1843, 135.—Ranella.
- Crumenaecrinites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 420; P. Amer. Assoc. 1849 (1850), 62.—Crin. [*non -us, apud Scudd.*].
- crumenatus** Birgus, L. Oken, Allg. Naturges. V (2) 1835, 645.
- crumeniferum** Amphistomum, Creplin, Arch. f. Naturg. XIII (1) 1847, 30.
- crumenifera** Ciconia, R. P. Lesson, Traité Orn. 1831, 585.
- crumenifera** Leptoptilos (Cuv.), G. R. Gray, List Birds Coll. B. M. III. 1844, 89.—Ciconia, ?Less.
- crumeniferus** Rhinolophus, Péron & Lesueur, Voy. Aust. (Atlas I. 1807), pl. xxxv.
- crumenoides** Ranella, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 297.
- crumenophthalmus** Caranx (Bl.), Cuvier & Valenc., H. N. Poiss. IX. 1833, 62.—Scomber,
- Crumenula** F. Dujardin, Ann. Sci. Nat. [2] V. 1836, 205.—Inf. [1793.]
- Crumomyia** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 569.—Dipt.
- cruricolis** Anthia, Schoenherr in Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 48.
- Cruphiocera** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 369.—Dipt.
- Cruptus** *err. pro* Cryptus; L. Jurine, N. Méth. class. Hyménopt. 1807, pl. 2.
- cruralis** Calliope, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 933.
- cruralis** Chlaenius, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (11) 1829, 369.
- cruralis** Cincloramphus (V. & H.), J. Gould, Syn. Birds of Australia & adj. islands (Descriptions p. 4, Ap. 1838).—Megalurus.
- cruralis** Dolichopus, Wahlberg, Ofvers. K. Vet. Ac. Förh. VII (8) 1850, 219.
- cruralis** Larvivora (Blyth), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 301.—Calliope.
- cruralis** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 511.
- cruralis** Malurus (Horsf.), P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 270.—
- cruralis** Megalopus, F. Klug, Entom. Mon. 1824, 64. [Megalurus.]
- cruralis** Megalurus, Vigors & Horsfield, Trans. Linn. Soc. Lond. XV. 1826, 228.
- cruralis** Rutcilla (Blyth), G. R. Gray, Genera of Birds, I. May 1846, 180.—Calliope.
- cruralis** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 212.
- crurifolium** Phyllium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 291.
- crusma** Heliases, Cuvier & Valenc., H. N. Poiss. IX. 1833, 510.
- crustaceus** Favites, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 25.
- crustacites** Spirorbis, Denys de Montfort, Conch. II. 1810, 35. [Hym.]
- crustalis** Trigonaspis, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1840, 195.—
- crustatus** Rhynchophorus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2), 1801, 176.
- crustatus** Turbo, G. L. Hartmann, Alpina, II. 1807, 211.
- Crustipora** H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 395.—Polyz.
- crustosa** Thomisoides, H. Nicolet in Gay, Chili, III (Arach.) 1849, 355.
- crustularius** Acardo, Lamarck, Syst. Anim. 1801, 130.—L.
- crustulenta** Cellepora (Pall.), L. Oken, Lehrb. Nat. III (1) 1815, 86.—Eschara, 1766.
- crustulenta** Discopora (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 252.—Cellepora, Ok. [Pall. 1766.]
- crustulenta** Eschara (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 394.—Cellepora,
- crustuloides** Echinocyamus (Mort.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 35.—Scutella.
- crustuloides** Scutella, S. G. Morton, Amer. J. Sci. XXIV (1) Ap. 1833, 131.
- cruvirostra** *v. curvirostra.*

- crux** Aphodius, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 26.
- crux** Balaninus (Herbst), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 296.—Curculio, Fab. 1777.
- crux** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 291.
- crux** Cryptocephalus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 12.
- crux** Cryptocephalus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 47.
- crux** Cryptohypnus, H. C. Kuester, Käfer Europas, XVIII. 1849, 15.
- crux** Dacus, J. C. Fabricius, Syst. Antliat. 1805, 277.—Musca, 1794.
- crux** Deuterocampta, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 157.
- crux** Ectrychotes (Th.), H. Burmeister, Handb. Ent. II (1) 1835, 238.—Cimex, 1783.
- crux** Lamia (Dorcadion), Billberg in C. J. Schoenherr, Syn. Insect. I (3) 1817, 401; & App. 1817, 175.
- crux** Loricerus, C. W. Hahn, Wanzenart. Ins. I (1) Feb. 1831, 30.
- crux** Nedyus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Rhynchaenus.
- crux** Phalaena (Hepialus), W. Turton, Linnaeus, Syst. Nat. III. 1802, 841.
- crux** Physorhynchus (Thunb.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 342.—Cimex, 1783.
- crux** Reduvius, C. P. Thunberg, Hemip. Capen. III. 1822, 5.—Cimex, 1783.
- crux** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 455.—Curculio, 1777.
- crux** Rissoa, E. Eichwald, Paleont. Rossii, 1850, 132.
- crux** Salticus, C. W. Hahn, Die Arachniden, I (3) Dec. 1832, 69.
- crux** Tanypus, C. R. W. Wiedemann, Anal. Entom. 1824, 10.
- crux** Tetragonoderus, Dejean, Spec. gén. Coléopt. IV. 1829, 507.
- crux** Trechus, J. Sturm, Catal. Ins. Samml. 1826, 203 [n. n.]. [Musca, 1794.]
- crux** Trypeta (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 488.—
- crux** Verania (Castr.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 373.—Coccinella, ? Th. 1781.
- crux-andrae** Breynia (Lam.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July
- crux-andreae** Spatangus, Lamarck, An. s. vert. III. 1816, 31. [1847, 12.—Spatangus.
- crux major** Panagaeus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 91.—Carabus, L. 1758.
- crux-minor** Lebia (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 251.—Carabus,
- crux nigra** Lamia, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 64.
- crux-nigra** Prionopleura, W. W. Saunders (ex Hope MS), Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 58.
- Cruziana** A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 30 [incertae sedis].
- cruziana** Columba, Knip (ex d'Orb. MS), Pigeons, II (1838-43), 89, pl. 48.
- cruziana** Peristera (Orb.), G. R. Gray, Genera of Birds, II. June 1845, 476.—Columba.
- Crymodes** Guénéé, Ann. Soc. Ent. France, X. 1841, 238.—Lep.
- Crymodes** J. L. Leconte in Agassiz, Lake Superior, 1850, 232.—Col.
- Crymonessa** W. Macgillivray, Man. Brit. Orn. II. 1842, 185.—A.
- Crymophilus** L. P. Vieillot, Analyse, 1816, 62.—A. [—Col.]
- Cryniphilus** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 32.
- Cryobius** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 11.—Col.
- Cryopus** G. P. Deshayes in Lamarck, H. N. An. s. vert., ed. 2, VII. 1836, 314.—Br.
- Cryphaeus** F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 177.—Col.
- Cryphaeus** J. Green, Amer. J. Sci. XXXII (2) July 1837, 343.—Cr.
- Cryphalus** W. F. Erichson, Arch. f. Naturg. II (1) 1836, 61.—Col.
- Cryphia** J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 14.—Lep.
- Cryphia** J. W. Meigen, Syst. Besch. Schmett. II. 1830, 190.—Lep. [Macq.]
- Cryphiocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—emend. pro Cruphiocera,
- Cryphocricos** V. Signoret, Rev. et Mag. de Zool. (2) II. May 1850, 290.—Hem.
- Crypsirhina** H. E. Strickland, Ann. Mag. N. H. VII (41) Mar. 1841, 30.—emend. pro
- Crypsirina** L. P. Vieillot, Analyse, 1816, 36.—A. [Crypsirina, Vieill.]
- Crypta** "Kirby," J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [n. n.]; & Ill. Brit. Ent. (Mand. III.) Aug. 1830, 103.—Col.
- Crypta** J. E. Gray, Figs. Moll. Anim. IV. 1850, 83.—G.
- Cryptabacia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 71.—Cor.

- Cryptacanthodes** D. H. Storer, Rep. Ichth. Massach. 1839, 27; Boston Journ. N. H. II (3) 1839, 322.—P.
- cryptacanthus** Al[utera], G. Cuvier, Règne Anim., ed. 2, II. 1829, 374.
- Cryptangia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 496.—Cor.
- Cryptanura** A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 242.—
- Cryptarcha** W. E. Shuckard, Elem. Brit. Entom. I. 1839, 165.—Col. [Hym.]
- Cryptarchus** O. Heer, Coleopt. Helvet. (3) 1841, 409.—Col. [v. Cryptarcha].
- cryptarum** Amaurobius, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 15.
- cryptarum** Bombus, J. C. Fabricius, Syst. Piezat. 1804, 344.—Apis, 1775.
- cryptarum** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 235.—Syrphus, 1794.
- cryptarum** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 640.
- cryptarum** Opilio, C. L. Koch, Die Arachniden, III (3) July 1836, 49.
- cryptator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 275.
- Cryptella** Webb & Berthelot, Ann. Sci. Nat. XXVIII (111) Mar. 1833, 310.—G.
- Cryptellus** A. d'Orbigny in R. de la Sagra, H. N. Cuba, Moll. I. 1841, 237, tabl.
- cryptella** Lucina, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 587. [[Cryptella].
- cryptella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 367.
- cryptella** Triloculina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 70.
- Cryptera** *err. pro* Cryptura; L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 103.
- cryptea** Phycis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 493.—Tinea cryptella, Huebn., ?Fab. 1775. [[Cryptohelia in Index, 1854].
- Crypthelia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 69.—Cor.
- crypticola** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 207.
- crypticolens** Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 275.—Aranea crypticola, 1802.
- crypticornis** Aleiodes, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 120.
- Crypticus** P. A. Latreille in Cuvier, R. Anim. III. Mar. 1817, 298.—Col.
- Crypticus** W. Swainson, N. H. Classif. Birds, II. June 1837, 338.—A.
- crypticus** Eumolpus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 449.
- cryptica** Helix, W. J. Broderip, Proc. Zool. Soc. London, IX (98) Oct. 1841, 22.
- crypticus** Odynerus, T. Say, Western Quart. Reporter, II (1) 1823, 81.
- crypticum** Rygchium, T. Say, Boston Journ. N. H. I (4) 1837, 384.—Odynerus, 1823.
- cryptiformis** Xorides, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 106.
- Cryptina** G. P. Deshayes, Mém. Soc. géol. France, II. 1835, 47.—L.
- Cryptobacia** Edw. & Haime, 1848; *teste* Marschall *sed err. pro* Cryptabacia, 1849, *q. v.*
- Cryptobatis** F. Eschscholtz, Zool. Atlas, II. 1829, 7.—Col.
- Cryptobia** J. Leidy, Proc. Acad. Nat. Sci. Philad. III (5) Oct. 1846, 100. [35.—Col.]
- Cryptobias** Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834.
- Cryptobium** Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 452.
- Cryptoblabe** P. C. Zeller, Isis (Oken), 1848, 644.—Lep. [—Col.]
- Cryptoblepharis** *emend. pro* C—us, Wiegman; T. Cocteau, Etudes Scinc. (1) 1836, 8.
- Cryptoblepharus** A. F. A. Wiegmann, Herp. Mex. 1834, 12; N. Acta Ac. Caes. Leop.—Carol. XVII (1) 1835, 203.—R.
- Cryptobranchia** T. v. Middendorff, 1848; *teste* Marschall *sed non comp.*
- Cryptobranchus** S. Leuckart, Isis (Oken), 1821, Litt. Anz., 260.—Rept.
- Cryptocampus** T. Hartig, Adelfl. Deutschl. I. 1837, 222.—Hym. [*typi* Nemati spp.].
- Cryptocentrum** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 260.—Hym.
- Cryptocentrus** C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XII. 1837, 111.—P.
- cryptocentrus** Batrachus, Cuvier & Valenc., H. N. Poiss. XII. 1837, 485.
- cryptocentrus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 550.
- cryptocentrus** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 111. [1848, 315.]
- cryptocephaloides** Aethomorpha, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1833, 161.
- Cryptocephalus** P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (1) 1849, 192.—Verm.
- cryptocephalus** Bagous, Dejean, Catal. Coléopt. 1821, 89 [*n. n.*]. [*n. n.*].
- cryptocephala** Haltica, J. J. Hoffmann, etc., Entom. Hefte, II. 1803, 22. [367.]
- cryptocephalus** Tylomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,

- Cryptoceras** J. Barrande, Not. prélim. Syst. Silur. Trilob. Bohême, 1846, 43.—Ceph.
Cryptoceras A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58 & 114.—Ceph.
cryptoceras Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 106.
cryptoceras Isocardia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 48.
Cryptocerus P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 260.—Hym.
Cryptocerus J. C. Fabricius, Syst. Piezat. 1804, 418.—Hym.
cryptocheilos Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 61.
Cryptocheilus G. W. F. Panzer, Krit. Revis. II. 1806, 120.—Hym.
Cryptochile Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 7; in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 102.—Col.
Cryptochilon *err.* Marschall *pro* Cryptochiton, *g. v.*
Cryptochilus C. J. Billberg, Enum. Ins. 1820, 106.—Hym. [*emend.* C—cheilus, Panz.].
Cryptochiton J. E. Gray, Proc. Zool. Soc. London, XV (173) June 22, 1847, 65.—Moll.
Cryptochiton T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (1 & 2) Feb. 1848, 97.—Moll. [*typus* Chiton stelleri].
Cryptochrostis J. Huebner, Verz. bekannt. Schmett. 1825, 297.—Lep.
Cryptocoenia A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Cor.
Cryptoconchus E. J. Burrows, Elem. Conch. 1815, 190.—Chiton.
Cryptocranium J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 75.—Col.
Cryptocrinites L. v. Buch, Arch. f. Min. XV. 1840, 36.—Crin.
Cryptocrinus v. Buch, Monatsb. k. pr. Ak. Wiss. Berlin, 1840, 60.—Cr.
Cryptodinus W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 11.—Col.
Cryptodon W. Turton, Conch. Insul. Brit. 1822, pp. xxxii & 121.—L.
Cryptodon P. A. Latreille in Dejean, Cat. Coléopt., ed. 2 (2) July 1833, 150.—Col.
Cryptodon T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 235.—L.
Cryptodontes Dejean in H. Burmeister, Handb. Ent. V. 1847, 292.—Col.
Cryptodus W. S. Macleay, Horae Entom. I (1) 1819, 138.—Col.
cryptogamus Coccus, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 357.
Cryptogenius J. O. Westwood, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 457.—Col.
Cryptogenius A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 215 & 249.—Col.
cryptogenys Archibuteo, B. H. Hodgson, Calcutta Journ. Nat. Hist. VIII (29) Ap. 1847 [*i.e.* August], 96.
Cryptoglana C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 150.—Rot.
Cryptoglossa A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 680.—Col.
Cryptognatha E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 497.—Col.
Cryptogonus E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 945.—Col.
cryptogrammus Turbo, L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 453.
Cryptohelia *v.* **Crypthelia**.
Cryptohypnus Eschscholtz, Die Quatember, II (3) 1830, 17.—Col.
Cryptoicus J. Leidy, Proc. Acad. Nat. Sci. Philad. III (10) Aug. 1847, 239.—Verm.
Cryptolites *emend. pro* Cryptolithus, Green; C. S. Rafinesque, Atlantic Journ. (2) 1832, 72.
Cryptolithodes J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VII (11) June 1848, 175.—Cr.
Cryptolithus J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 560.—Cr.
Cryptolopha W. Swainson, N. H. Classif. Birds, II. June 1837, 259.—A.
Cryptomma J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 572.—Col.
Cryptomonas C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 56.—Inf.
Cryptomphalus L. Agassiz in Charpentier, N. D. Allg. Schweiz. Gesellsch. I. 1837, 5.—G.
cryptomphala Rotalina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 371.
Cryptomya T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (6) Dec. 1848, 121.—L.
Cryptonix C. J. Temminck, Fig. et Gallin. III. 1815, 526.—A.
Cryptonychus C. J. Schoenherr, Syn. Ins. I. 1817, App. 3, 7.—Col.
Cryptonymus E. Eichwald, Geogn. Zool. Ingria, 1825, 44.—Cr.
Cryptonyx C. J. Temminck, Fig. et Gallin. III. 1815, 745.—*v.* **Cryptonix**.
Cryptopalpus C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 169.—Dipt.
Cryptopeza C. v. Heyden, Isis (Oken), 1826, 611.—Ar.
Cryptophagus C. S. Rafinesque, Analyse, 1815, 116.—Col. [*n. n.*]=Cis, Latr.

- cryptophagus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 14.
Cryptophasa W. J. Lewin, Prod. Ent. Lep. Ins. N. S. W. 1805, 11.—Lep.
Cryptophthalmus C. S. Rafinesque-S., Précis Som. 1814, 23.—Cr.
Cryptophthalmus C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. *z.*—Nud.
cryptophthalmus Phacops, H. F. Emmrich, Naturg. Trilobiten, 1844, 15.
Cryptoplax H. M. D. de Blainville, Dict. Sci. Nat. XII. 1818, 124.—Chit. [1817, *apud* de Bl.].
Cryptoplectron Streubel, Ersch & Gruber, Allg. Ency. (3) XVI. 1842, 291.—A.
Cryptopleura J. L. Le Conte, Journ. Ac. Nat. Sci. Philad. (2) II. 1850, 6.—Col.
Cryptopleurum E. Mulsant, H. N. Coléopt. Francé (Palp.), May 1844, 188.—Col.
Cryptoplus W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 198.—Col.
Cryptopodia H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 360.—Cr.
cryptopora Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 33.
cryptopora Heteropora (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 382.—Ceriopora.
cryptoportica Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 171.
Cryptoprocta E. T. Bennett, Proc. Zool. Soc. London, I (4) May 1833, 46.—M.
Cryptoprora C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1847, Tab. p. 54.—Prot.
Cryptops W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 408.—Myr.
Cryptops C. J. Schoenherr, Isis (Oken), 1823, 1138; Curc. disp. meth. 1826, 65.—Col.
Cryptopus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 269; P. A. Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 100.—Cr. [*vernac.* in 1825].
Cryptopus Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 499.—R.
Cryptorhina J. G. Wagler, Syst. Avium, I. 1827, sign. 814.—A.
Cryptorhis G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 43.—Col. [n.d. 6, nom. triv. append.]. [42.—Col.
Cryptorhopalum F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838,
Cryptorhynchus K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 330.—Col.
cryptorhynchus Cimex, E. F. Germar, Revue Entom. V (4) 1840, 169.
cryptorius Ichneumon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 365.
cryptorrhaphe Pleurotoma, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xiv.
Cryptosaurus Anon., N. Jahrb. f. Min. 1833, 612.—*err. pro* Cystosaurus, Geoff.
Cryptosaurus Geoff. 1831; Agassiz, Nom. Zool. (Rept.) 1844.—R. [*non comp. in orig.*].
Cryptosoma A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 335.—Col. [*err. pro* Cryptostoma].
Cryptosoma H. M. Edwards in Brullé, H. N. Crust. II. 1837, 110.—Cr. [*n. n.*].
Cryptosoma A. Brullé in Webb & Berthelot, Canaries (Crust.) 1840, 16.—Cr.
Cryptospira R. B. Hinds, Zool. "Sulphur," 1844, 46.—G.
cryptospira Velutina, A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VIII (1 & 2) Mar. 1849, 18.
Cryptostemma Herrich-S. in Panzer, F. Germ., heft 135, 1835, tab. 11.—Hem.
Cryptostemma F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Jan. 1838, 11.—Ar.
Cryptostoma H. D. de Blainville, Dict. Sci. Nat. XII. 1818, 126.—G. [1817, *apud* de Bl.].
Cryptostoma Dejean, Catal. Coléopt. 1821, 34.—Col.
Cryptostoma Col., v. ? *Cryptosoma err.*
Cryptostoma J. B. Robineau-D., Ann. Sci. Observ. III (1) Jan. 1830, 127.—Ar.
Cryptostomum Nitzsch, 1819; *teste* Agassiz, *sed non comp.*
Cryptostomum Nitzsch in Nordmann, Mikrogr. Beitr. Naturg. (1) 1832, 30 & 50.—Verm.
Cryptostomus de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Aug.), 120.—G.
cryptosus Rhombus (Mitch.), Cuvier & Valenc., H. N. Poiss. IX. 1833, 408.—Stromateus.
cryptosus Stromateus (*sic*), S. L. Mitchill, Rept. Fishes N. York, Jan. 1814, 3.
Cryptothelea J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 115.—Lep.
Cryptothyra C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 87.—G. [*gen. caelebs*].
Cryptotis A. Pomel, Arch. Sci. Phys. Nat. IX. Nov. 1848, 249.—M.
Cryptotrophus J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
cryptozona Campylaea (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 25.—Helix.
cryptozona Corneola (Ziegl.), F. Held, Isis (Oken), 1837, 912.—Helix.
cryptozona Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (2) Aug. [1835, 4.
Cryptura L. P. Vieillot, Analyse, 1816, 52.—A.

- Crypturgus** W. F. Erichson, Arch. f. Naturg. II (1) 1836, 60.—Col.
crypturi Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 636.
Crypturus C. Illiger, Prod. 1811, 244.—A.
Crypturus Lamarck, An. s. vert. IV. 1817, 139.—Hym.
Crypturus J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus pp. 64 & 655.—Hym.
Crypturus Erichson in Klug, Jahrb. Ins. I. 1834, 125.—Col.
crypturus Asaphus, J. Green, Trans. Geol. Soc. Pennsylv. I (1) 1834, 37.
crypturus Gymnetis, H. Burmeister, Handb. Ent. III. 1842, 290.
cryptura Talpa, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 928 [*n. n.*].
Cryptus L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 163; N. Méth. class. Hyménopt. 1807, 49.—Hym.
Cryptus J. C. Fabricius, Syst. Piezat. 1804, 70.—Hym.
Cryptus J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus p. 64 & II. 1829, 407 & 432.—Hym.
cryptum Cardium, A. d'Orbigny, Paléont. I. 1849 [Jan. 1850], 279.
crypta Lamia, T. Say, N. sp. N. Amer. Ins. Louisiana, Jan. 1832, 5.
crysantheana *v.* **chrysantheana**.
Crysis *id. ac* Chrysis, L.; M. Spinola, Ins. Liguriae, II. 1808, 26.
Crysochus Redtenbacher, Fauna Austria, 1849, 558.—Col. = Chrysochus, Chev.
crysoleucas *v.* **chrysoleucas**.
crysos *v.* **chrysos**.
Cryptotoma *err. pro* Cryptostoma, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II. (1832), 221.
crystallana Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 347.
crystallarioides Marginulina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 140.
crystallina Actinia (Isacmaea), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 257.
crystallinus Aetheocerus (L.), Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 109.—Podura, Müll. 1776.
crystallinus Anarthrus, W. G. Tilesius, N. Ann. Wetterau. Ges. Nat. I (1) 1818, 7.
crystallinum Aplidium (Ren.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847, 17.—Polycitor.
crystallinus Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 194, July 1848.
chrystallina Clavelina, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 95.
chrystallina Clavellina, H. P. C. Möller, Index Moll. Groenl. 1842, 22.
crystallina Cytherina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 58.
crystallinus Discus (Müll.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 99.—Helix, 1774.
crystallinum Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 100.
crystallina Emarginula, W. Wood, Suppl. Index Test. 1828, 38.—Patella, 1828.
crystallina Emma, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 293.
crystallina Gleba, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 368.
crystallina Gulnaria (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 114.—Helix, ? Müll. 1774. [Helix, 1774.]
crystallina Helicella (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.—
crystallina Helix (Helicella), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 45. [Podura, Müll. 1776.]
crystallina Heterotoma (L.), Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 396.—
crystallinus Lophopus, Dumortier, Bull. Ac. Roy. Brux. II. 1835, 424.
crystallina Ocyroe, P. S. Rang, Bull. H. N. Soc. Linn. Bordeaux, I (6) 1827, 317; ed. 2, 1830, 178. [[1834], 223-
crystallinus Oecistes, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835)
crystallina Orchesella (Müll.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 288.—Podura, 1776.
crystallina Ovula, L. C. Kiener, Spec. Coquilles (Ovula) 1843 *vel* 1844, 14.
crystallina Paludina, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 253.
crystallina Patella, W. Wood, Suppl. Index Test. 1828, 27 [*n. et f.*].
crystallina Physalia, Fréminville, Bull. Sci. Soc. Philom. Paris, 1824 (Mar.), 44.

- crystallina** Pileopsis, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 161.
crystallinus Placostegus (Scacchi), R. A. Philippi, Arch. f. Naturg. X (1) 1844, 192.—
 Serpula. [134.—Tubularia, 1766.
crystallina Plumatella (Pall.), F. L. P. Gervais, Ann. franç. et étrang. Anat. III. 1839,
crystallina Polita (Müll.), F. Held, Isis (Oken), 1837, 916.—Helix, 1774.
crystallinus Polycitor, S. A. Renier, Tavole [1804] xvii.
crystallinus Proteus, F. v. P. Schrank, F. Boica, III (2) 1803, 24.
crystallinus Pyramis, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 76 [*n. et f.*].
crystallina Rissoa, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 13.—Pyramis, 1827.
crystallina Serpula, A. Scacchi, Cat. Conch. Neap. 1836, 18.
crystallina Sida (Müll.), H. E. Strauss, Mémoires Mus. H. N. (Paris) VI [1–3] Aug. 1820,
crystallina Tellina, W. Wood, General Conch. 1815, 149. [157.—Daphne, 1776.
crystallina Tiedemannia, S. d. Chiaje, Descr. An. invert. Sicilia, I. 1841, 98.
crystallina Turritella (Müll.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV.
 1801, 81.—Turbo, 1776.
crystallina Vaginicola, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832)
 [1830], 41 [*n. n.*]; *ibid.* 1831 (1832), 93.
crystallinus Vermetus, P. Calcara, Mon. Gen. Clausilia e Bulimo, 1840, 46.
crystallinus Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 11.
crystallinus Zonites (Drap.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2,
 May 1840, 176.—Helix, Müll. 1774.
crystallisata Clamys, J.-B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 163 [*n. n.*].
crystallisata Epipedonota (Lac.), G. R. Waterhouse, Ann. Mag. N. H. XIII. Jan. 1844,
 41.—Nyctelia.
crystallisatus Nyctelia, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 278.
crystalloдон Lebias, J. J. Heckel in Russegger, Reise, II (3) [1847], 269. [(1838), 64.
crystalloides Plethosoma, R. P. Lesson in Duperry, Voy. “Coquille,” Zool. II (2) 2
crystallum Pupa, A. Morelet, Rev. Zool. (Soc. Cuv.) XI. Dec. 1848, 354.
crystalloides Malacorhynchus, E. Ménétriés, Mémoires. Ac. Imp. Sci. St Pétersb. [6] III (2 =
 Sci. Nat. I.) (5) July 1835, 523.
crystalloides Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 163.
Cryptops *err. pro* Cryptops, Leach; Brullé in Bory, Exp. Morée (Myr.) 1832, 62.
Cryptura [*err. pro* Cryptura]; W. Swainson, N. H. Classif. Birds, II. June 1837, 72.—A.
Cryxus W. E. Leach, Brewster’s Edin. Ency. VII (2) 1814, 407.—Myr.
crystalloides Alcedo, C. J. Temminck in T. & Laugier, Pls. color. (86) Sept. 1830.
Csopula *err. pro* Scopula; J. E. Fischer v. R., Abbild. Schmett. (19) 1842, 276.
cteatus Telenomus, F. Walker, Mon. Chalcid. II. 1839, 60.
Cteisa A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 232 & 242.—Col.
Ctenacanthus J. L. R. Agassiz, Poiss. Foss. II (1), 139 (1835); III., 10 (1837).—P.
ctenacantha Asteropsis, Valenciennes in Joh. Mueller & Troschel, Syst. Asterid. 1842, 63.
Ctenaster L. Agassiz, Mémoires. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 192.—Ast. [*gen.*
caelebs].
Ctenecephalus Hawle & Corda, 1847; *teste* Marschall, *sed non comp.*, v. Ctenocephalus.
Ctenema C. S. Rafinesque, Analyse, 1815, 136.—Verm. [*n. n.*].
Ctenia Lepeletier, Ency. Méth. X (Ins.) 1825, 650.—Lep. [*gen.*].
Ctenicera P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 454.—Col.
Ctenicerus J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 265.—Col.
Ctenidia F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 264.—Col.
 [non 1833 *apud* Agassiz].
Ctenidion Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 104.—Col.
Ctenidium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenidion, Dej.
Ctenionopus A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 245 & 246.—Col.
Ctenioschelus De Romand, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 336.—Hym.
Ctenipus G. Fischer v. W., Entom. Imp. Russ. II. 1823, 176.—Col.
Ctenipus P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 400.—Col.
Cteniscus Haliday in Curtis, Guide, ed. 2, 1836, 98; Ann. Mag. N. H. II (8) Oct. 1838,
 113.—Col.
Ctenistes H. G. L. Reichenbach, Mon. Pselaph. 1816, 75.—Col.

- Cteniurus** C. S. Rafinesque, Specchio d. Sci. II (11) Nov. 1814, 155.—? Nud. [*sine typo*].
- Cteniurus** C. S. Rafinesque, Analyse, 1815, 141.—Pt. [*n. n.*].
- Cteniza** P. A. Latreille, N. Ann. Mus. H. N. (Paris) I (1) May 1832, 72.
- Ctenize** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 298.—Ar. [*vernac.* 1825].
- ctenizoides** Eresus, C. L. Koch, Die Arachniden, III (2) Feb. 1836, 19.
- Ctenoblepharys** J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 158.—R.
- Ctenocephalus** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 26.—Cr.
- Ctenocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenicera, Latr.
- Ctenocercus** L. Fitzinger, Syst. Rept. 1843, 17 & 68.—R. [*typus* Dactyloa bullaris, Wagl.].
- Ctenocerus** A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 456.—Hym.
- ctenocerus** Agrilus, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 247.
- Ctenoconcha** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 135 & 150.—L.
- Ctenocrinites** Steininger, Verst. Uebergangsgeb. Eifel, 1849, 22.—Crin.
- Ctenocrinus** H. G. Bronn, N. Jahrb. f. Min. 1840, 542 & 547.—Ech.
- Ctenodactyla** Dejean, Spec. gén. Coléopt. I. 1825, 226.—Col.
- Ctenodactylus** J. E. Gray, Spicil. Zool. II. Aug. 1830, 10.—M. [D. & B.].
- Ctenodactylus** L. Fitzinger, Syst. Rept. 1843, 20.—R. [*typus* Acanthodactylus vulgaris, ctenodactylus Lacerta, A. Smith, Mag. Nat. Hist., n. s., II. Feb. 1838, 93.
- Ctenodeira** L. Fitzinger, Syst. Rept. 1843, 17 & 66.—R. [*typus* Anolis richardii, D. & B.].
- Ctenodes** A. G. Olivier, Entom. VI. 1808, 779.—Col.
- Ctenodira** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenodeira, Fitz.
- Ctenodiscus** Joh. Mueller & Troschel, Syst. Asterid. 1842, 13 & 76.—Ech.
- Ctenodon** J. Wagler, Nat. Syst. Amph. 1830, 153.—R.
- Ctenodon** C. L. Bonaparte, Giorn. Arcad. LII. 1831, 175.—P.
- Ctenodon** C. G. Ehrenberg, Infusionsth. 1838, 432.—Rot.
- Ctenodon** W. Swainson, N. H. Fishes etc. II. July 1839, 178 & 255.—P.
- ctenodon** Acanthurus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 224.
- Ctenodus** J. L. R. Agassiz, Poiss. Foss. III. 137 (1838).—P. [Pimelodus.
- ctenodus** Calophysus (Ag.), Müller & Troschel, Ber. Verh. k. pr. Ak. Wiss. 1842, 179.—
- ctenodus** Pimelodus, ? Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 21.
- Ctenognathus** L. Fairmaire, Ann. Soc. Ent. France (2) I. 1843, 13.—Col.
- Ctenogyna** J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 46.—Dipt.
- ctenoides** Cervus, F. Nesti, Atti 3 Riun. Sci. Ital. 1841, 159.
- Ctenolabrus** Cuvier & Valenc., H. N. Poiss. XIII. 1839, 223.—P.
- Ctenolepis** J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. II (2), 179 (1844).—P. [*n. n.*].
- Ctenomerus** C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 254.—Col. [Ceramby.].
- Ctenomerus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 408.—
- Ctenomorpha** G. R. Gray, Entom. Austral. I. Phasma, 1833, 16.—Orth. [Col.
- Ctenomys** H. M. D. de Blainville, N. Bull. Sci. Soc. Philom. Paris, 1826 (Ap.), 64.—M.
- Ctenoncus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 366.—
- Ctenonotus** L. Fitzinger, Syst. Rept. 1843, 16 & 64.—R. [Col.
- Ctenonychus** J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 272.—Col.
- Ctenonychus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 87.—Col.
- Ctenophora** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Dipt.
- Ctenophorus** L. Fitzinger, Syst. Rept. 1843, 18 & 83.—R.
- Ctenophyllia** J. D. Dana, Struct. & Classif. Zooph. 1846, 114; in Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 169.—Cor.
- Ctenopoma** Peters, Ber. Verh. k. pr. Ak. Wiss. 1844, 34.—P.
- Ctenops** J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 281.—P.
- Ctenoptychius** J. L. R. Agassiz, Poiss. Foss. III., 99 (1838).—P.
- Ctenopus** G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 174.—Col.
- Ctenopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenipus, F. de W. 1823; Latr. 1829. [Eyton.
- Ctenorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ktinorhynchus,
- Ctenosaura** A. F. A. Wiegmann, Isis (Oken), 1828, 371.—R.
- Ctenoscellis** J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 134.—Col.
- Ctenoscellis** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 391.—Col.

- Ctenosthoma** *err. pro* Ctenostoma, Klug; J. Sturm, Catal. Ins. Samml. 1826, 128.—Col.
- Ctenostoma** F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1820, 302.—Col.
- ctenostomoides** Alleleidea, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (3) July 1839, [194]
- Ctenostylum** Macq. 1850; *teste* Marschall, 1851 *est.*
- Ctenucha** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 305.—Lep.
- Ctenus** C. A. Walckenaer, Tab. Aran. 1805, 18.—Ar.
- Ctesias** J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 124.—Col.
- ctesias** Platygaster, F. Walker, Mon. Chalcid. II. 1839, 57.
- ctesiphon** Eupalamides, J. Huebner, Exot. Schmett. II. Tab. [141] [*n. et f.*].
- Ctimene** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 202.—Lep.
- Cuama** J. E. Gray, Lond. Med. Repos. XV. Ap. 1821, 307.—M.
- cuandu** *v. coendu.*
- cuauensis** Pagurus, W. Thompson, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 267 [*n. n.*].
- Cuaris** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*]. [nomus.]
- cubae** Cephalalgae (Chev.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 469.—Phyto-
- cubae** Corixa, F. E. Guérin-M., Iconographie, 1844, Ins., 353.
- cubae** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 275.
- cubae** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- cubae** Fringilla, F. L. P. Gervais, Magasin de Zool. V. 1835, pl. 44. [342.]
- cubae** Galeodes, H. Lucas, Magasin de Zool. V. 1835, pl. 11.
- cubae** Polytonus, Chevrolat, Rev. Zool. (Soc. Cuv.) Nov. 1838, 281.
- cubae** Polycesta, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 55.
- cubae** Solpuga (Lucas), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 90.—Galeodes. [104.]
- cubae** Strix, C. L. Brehm, Isis, 1828, 1271 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- cubae** Tryphlops, Bibron in J. T. Cocteau & G. Bibron in Sagra, Cuba (Rept.) 1839, 204.
- cubaensis** Locusta (Rhaphidophorus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 218.
- cubanensis** Ortyx, Gould in G. R. Gray, Genera of Birds, III. May 1846, 514.
- cubaniana** Achatina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 166.
- cubaniana** Melania, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 11.
- cubana** Mygale, C. A. Walckenaer (Roret's S. à Buffon), Aptères, I. 1837 [1836], 213.
- cubanus** Trochus (Calcar), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 104. [append.].
- Cubaris** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 137.—Cr. [*n. d.*, 1 nom. triv.]
- Cubaris** J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 189.—Cr.
- cubensis** Ampullaria, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 24.
- cubensis** Ardea, Gundlach in J. Lembeye, Aves Isla Cuba, 1850, 84.
- cubensis** Astacus (Cambarus), W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 100.
- cubensis** Baccha, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 465.
- cubensis** Caryophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap. 1849, 238.
- cubensis** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 102.
- cubensis** Helix, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 250.
- cubensis** Hololepta, W. F. Erichson, Jahrb. Insectenk. I. 1834, 93.
- cubensis** Limnaeus, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 354.
- cubensis** Masicera, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 206.
- cubensis** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cubense** Onchidium, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 250. [1830, 342.]
- cubensis** Physa, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 354. [526.]
- cubensis** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],
- cubensis** Sarcophaga, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 263.
- cubensis** Schizaster, d'Orbigny in Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July
- cubensis** Scotophilus, J. E. Gray, Ann. Nat. Hist. IV. Sept. 1839, 7. [1847, 22.]
- cubensis** Tornatellina, L. Pfeiffer, Symb. Helic. II. 1842, 130.
- cubensis** Tropidurus (Leiolaemus), J. E. Gray, Ann. Nat. Hist. V. Ap. 1840, 110.
- cubentus** *v. cupentus.*
- Cubiceps** R. T. Lowe, Proc. Zool. Soc. London, 1843, 82.—P.
- Cubicodon** G. F. Jaeger, Foss. Rept. Württ. 1828, 23.—R.

- cubicodon** Phytosaurus, G. F. Jaeger, Foss. Rept. Wuertt. 1828, 23. [1775-
cubicularis Athetis (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 209.—Noctua,
cubicularis Caradrina (D. & S.), F. Ochseneimer, Schmett. Europa, IV. 1816, 80.—
 Noctua, 1775. [507.—Psittacus, 1762.
cubicularis Palaeornis (L.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832),
cubicularis Tegenaria, C. L. Koch in Panzer, Ins. Germ., heft 125, 1834, tab. 12.
cubicularius Acarus, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 23.
cubiculata Serpula, DeFrance, Dict. Sci. Nat. XLVIII. 1827, 571.
cubicus Hemiaster, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 18.
cubica Moluris, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 285.
cubiensis Oniticeilus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
cubifrons Lophius (Malthe), J. Richardson, F. Bor.-Amer. (3) 1836, 103. [92-
Cubina J. E. Gray, Cat. Lizards Coll. B. M. 1845, 174.—R.
Cubinia *id. ac* Cubina; J. E. Gray, Cat. Lizards Coll. B. M. 1845, 274.
cubitalis Cothonaspis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 356.
cubitalis Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 9 [*n. n.*].
cubitarius Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 280.
cubitus Mytilus, T. Say, J. Acad. Nat. Sci. Philad. II. Aug. 1822, 263.
cubitus Ostrea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1832, 365.
cubla Dryoscopus (Levaill.), F. Boie, Isis (Oken), 1826, 973.—Lanius, Lath.
cubla Entomovorus (—), R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. July 1839, 197.—
 ?Lanius, Lath.
cubla Hapalophus (Shaw), G. R. Gray, Mag. Nat. Hist., n. s., I. Sept. 1837, 489.—Lanius.
cubla Lanarius (Sh.), G. R. Gray, Genera of Birds, I. Aug. 1845, 299.—Lanius.
cubla Lanius, J. Latham, Index Orn., Suppl. 1801, p. xx.
cubla Lanius, G. Shaw, Gen. Zool. VII (2) 1809, 328.
cubo Cyanurus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 381.
Cubocephalus J. T. C. Ratzeburg, Die Ichneum. II. 1848, 121.—Hym.
cubocephalus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 17.
Cuboides Quoy & Gaimard, Ann. Sci. Nat. X (37) Jan. 1827, 18.—Coel.
cuboides Atrypa, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. to pl. 56.
cuboides Cymba, J. F. Eschscholtz, Syst. Acalephen, 1829, 135. [Atrypa.
cuboides Terebratula (Sow.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 84.—
cuboidea Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 98.
cucercus Porcellio, *v. eucercus*.
Cuchia Buchanan in Taylor, Edinb. Journ. Sci. (2) V (1) July 1831, 42.—P.
cuchia Amphipnous, J. Mueller, Abh. k. pr. Ak. Wiss. 1841, 246.
cuchia Unibranchapertura, F. Hamilton, Fish. Ganges, 1822, 16.
Cuchoa J. E. Gray, Cat. Tort. Coll. B. M. 1844, 61.—R. [285-
cuclus Tringa, *err. pro* cinclus; L. P. Vieillot, Faune Française (15 & 16) Oiseaux 1828,
cucubali Dianthoecia (Huebner), Boisduval, Revue Entom. II (6) 1834, 248.—Noctua,
 D. & S., 1775. [1775-
cucubali Hadena (D. & S.), F. Ochseneimer, Schmett. Europa, IV. 1816, 71.—Noctua,
Cucubalus Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 118.—Coel.
cucubalus Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 94-
Cucujida J. Gistel, Isis (Oken), 1831, 304.—Col.
cucujides Omotes, E. Newman, Entomologist (22) Aug. 1842, 353.
cucuiiforme Callidium, Knoch in F. V. Melsheimer, Ins. Pennsyl. 1806, 37 [*n. n.*].
cucujiforme Callidium, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 277.
cucujiformis Platycantharus, J. Gistel, Isis (Oken), 1831, 308.
cucuiiforme Smodicum (Say), S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) Nov.
 1847, 38.—Callidium.
cucujus Elater, K. Illiger, Ges. Nat. Fr. Berlin, Mag. I. 1807, 152.
cucujus Pyrophorus (Ill.), E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 73.—Elater.
cucularia Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 204.—Musca, 1767.
cucularia Tetanocera, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 169.
cucularia Tetanocera (L.), H. Loew, Dipterologische Beiträge, I. 1845, 44.—Musca, 1767.
cuculatus Corvus, C. T. Wood, Orn. Guide, 1835, 197.

- cuculatus** Eurylaimus, C. J. Temminck in T. & Laugier, Pls. color. (22) May 1822.
- cuculi** Nirmus, H. Denny, Mon. Anoplur. 1842, 120.
- cuculi** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 345.—Nirmus. [Fab. 1775.]
- cuculi** Ricinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 106.—Pediculus, "Cuculides Latr. 1825"; Agassiz, Nom. Zool. (Aves) 1842.—A. [vernac.]
- Cuculina** *emend. pro* Cucullea, Lam.; C. S. Rafinesque, Analyse, 1815, 147.—L. [*n. n.*].
- cuculina** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx 5 (Fernaldo iudice 1802) [*n. et f.*]. [cucullio, 1786.]
- cuculio** Bursaria (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1824, 160.—Kolpoda
- cuculipenella** Argyromiges (Haw.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—Tinea. [Tinea.]
- cuculipenella** Argyromis (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—
- cuculipennella** Tichotropis, J. Huebner, Verz. bekannt. Schmett. 1826, 425.—Tinea.
- cuculipenella** Tinea, J. Huebner, Lepidopt. Zuträge, 1820, 13 [*n. n.*].
- cuculipenella** Tinea, E. Haworth, Lep. Brit. (4) 1828, 579.
- Cuculla** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 523.—
- Cucullaea** Lamarck, Syst. Anim. 1801, 116.—L. [Dipt.]
- cucullaeaeformis** Arca, E. Eichwald, Nat. Lithuæen, 1830, 211. [1837, 31.]
- cucullaeaeformis** Corbula, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith.
- cucullalis** Nola, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B, ed. 2 (Aug. 1849), 14.
- Cucullana** M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 112 [subg. of
- Cucullanus** Müller, 1774; *err. typ.* Ind. Anim. I. *pro* 1777. [Arca.]
- cucullanus** Ascaris, J. G. H. Zeder, Anleit. Nat. Eingeweidewürm. 1803, 92 [*teste* Stiles].
- cucullaris** Arca, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1829, 206.
- cucullare** Liothoe, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 300.
- cucullare** Menopon, H. Burmeister, Handb. Ent. II (2) i, 1838, 439.
- cucullaris** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 219.
- cucullaria** Dictya (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 277.—Musca c—laria, L. 1767. [Musca c—laria, 1767.]
- cucullaria** Elgiva (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 366.—
- cucullaria** Tetanocera (L.), C. F. Fallén, Sciomyz. Sveciæ, 1820, 9.—Musca c—laria, 1767.
- cucullatalis** Nolites (—), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II (Tom. 2, pts. 5 & 6) 1846, 113.—?Pyralis, Haw. [tella, L. 1758.]
- cucullatalis** Pyralis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 387.—Phal. Tin. cucula-
- cucullatana** Roeselia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 397.—Phalaena c—tella, 1758.
- cucullatella** Nola (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena, 1758.
- cucullata** Acentroptera, F. E. Guérin-M., Iconographie, 1844, Ins. 271.
- cucullata** [Aegle] (Gray), L. Oken, Lehrb. Nat. III (1) 1815, 327.—Pneumodermis.
- cucullatus** Aganides (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 59.—Goniatites.
- cucullata** Agaricia (E. & S.), Lamarck, Syst. Anim. 1801, 373.—Madrepora, 1786.
- cucullata** Aglaia, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 7.
- cucullata** Altica, Schup.; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- cucullata** Amadina (Sw.), G. R. Gray, Gen. Birds, II. June 1849, 370.—Spermestes.
- cucullatum** Amorphosoma, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 272.
- cucullata** Ampelis, C. J. Temminck in T. & Laugier, Pls. color. (61) Aug. 1825.
- cucullata** Amphibulima, Lamarck, Ann. Mus. H. N. (Paris) VI (34) Aug. 1805, 305.
- cucullata** Anas, G. Fischer, Bull. Soc. Imp. Nat. Moscou, III. 1831, 279.
- cucullatus** Andigena, J. Gould, Proc. Zool. Soc. 1850, 93.—Pteroglossus, 1846.
- cucullata** Anthopora, J. E. Gray, Proc. Zool. Soc. London, III (30) Sept. 1835, 86.
- cucullata** Arca, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 148.
- cucullata** Ardea, J. G. Wagler, Isis (Oken), 1829, 661.
- cucullatus** Argus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 368.—Micryphantes.
- cucullatus** Barbitistes, T. v. Charpentier, Horae Ent. 1825, 98.
- cucullatus** Boletophagus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 151 [*n. n.*].

- cucullatus** Brachyurus (Hartl.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 255.—Pitta.
- cucullatum** Bradypodion (Gray), L. Fitzinger, *Syst. Rept.* 1843, 43.—Chamaeleo.
- cucullata** Calliste (Sw.), G. R. Gray, *Genera of Birds*, II. July 1844, 366.—Aglaiia.
- cucullatus** Calymnaphorus (Lac.), A. J. J. Solier, *Ann. Soc. Ent. France*, IX (3) *post* Apr. 1841, 246.—Nyctelia.
- cucullatus** Calyptrophorus (Lath.), J. Cabanis, *Arch. f. Naturg.* XIII (1) 1847, 329.—
- cucullatum** Cardium, G. A. Goldfuss, *Petref. German.* II (6) 1837, 218. [Loxia, 1790.
- cucullata** Carduelis, W. Swainson, *Zool. Illust.* (1) I (2) Nov. 1820, pl. 7.
- cucullata** Carpornis (Sw.), G. R. Gray, *Genera of Birds*, I. Dec. 1846, 279.—Procnias.
- cucullata** Ceblepyris, M. H. C. Lichtenstein, *Verz. Säug. Vög. Z. M. Berlin*, 1835, 22
- cucullatus** Cebus, J. B. v. Spix, *Sim. Vesp. Brasil.* 1824, 9. [[*n. n.*]
- cucullata** Cecidomyia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* I. 1818, 96.
- cucullata** Cellaria, A. E. Reuss, *Naturw. Abhandl. (Haidinger)* II. 1848, 60.
- cucullata** Certhia, G. Shaw in Audebert & Vieillot, *Ois. dorés*, II. 1802, pl. 60.
- cucullatus** Chamaeleo, J. E. Gray in Griffith's Cuvier, *Anim. Kingd.*, Rept. 1830, Syn. 54.
- cucullatus** Charadrius, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXVII. 1818, 136.
- cucullata** Chettusia (Temm.), G. R. Gray, *Gen. Birds*, III. Mar. 1847, 541.—Vanellus.
- cucullata** Chlamys, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, V. May 1848, 711.
- cucullata** Chrysomitris (Swains.), Cabanis, *Ersch & Gruber, Allg. Ency. L.* 1849, 217.
—Carduelis.
- cucullata** Columba, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXVI. 1818, 355.
- cucullatus** Colymbus, P. S. Pallas, *Zoographia*, II. 1811, 355. [III.
- cucullatus** Cryptorhynchus, Munck in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (1) 1837,
- cucullata** Cucullaea, Muenster in H. G. Bronn, *Index Pal.* 1848, 357.—Arca, 1837.
- cucullatum** Cyclidium, M. Losana, *Mem. R. Acc. Sci. Torino*, XXXIII. 1829, 31.
- cucullata** Cypricardia (Goldf.), A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 235.
—Cardium.
- cucullata** Dafila (Fisch.), G. R. Gray, *Genera of Birds*, III. Mar. 1845, 615.—Anas.
- cucullata** Discopora, F. A. Roemer, *Verst. Norddeutsch. Kreidegeb.* (1) 1840, 12.
- cucullatus** Elater, T. Say, *Ann. Lyceum N. H. New York*, I (8) June 1825, 264.
- cucullatum** Ennearthron, J. Mellié (*ex Dej. Cat.*), *Ann. Soc. Ent. France* [2] VI (4) May 1849, 372. [166.—Barbitistes.
- cucullata** Ephippigera (Charp.), J. G. Audinet-S., *Ann. Sci. Nat.* XXII (86) Feb. 1831,
- cucullata** Escharina (Roem.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 263.—
- cucullatus** Falco, W. Swainson, *Anim. in Menag.*, Dec. 1837, 340. [Discopora.
- cucullata** Flustra, P. Duchassaing, *Anim. rad. Antilles*, 1850, 23.
- cucullata** Fringilla (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XII. 1817, 231.—
Loxia, Müll. 1776.
- cucullata** Germaria, Laporte, *Ann. Soc. Ent. France*, I (2) c. July 1832, 223.
- cucullatus** Goniatites, L. v. Buch, *Ber. Verh. k. pr. Ak. Wiss.* 1838, 33; *Abh. ph.-Kl.*
K. pr. Ak. Wiss. 1838 (1840) [1839], 156. [[*n. n.*]
- cucullata** Gracula, M. H. C. Lichtenstein, *Verz. Säug. Vög. Z. M. Berlin*, 1835, 12
- cucullatus** Gryllus (Locusta), M. Houttyn in Stoll, *Spoken (Index Locust.* [1813]), 13.
- cucullata** Haltica, K. Illiger, *Mag. f. Insektenk. (Illiger)* VI. 1807, 73.
- cucullata** Helioseris (Lam.), Edwards & Haime, *C. R. Ac. Sci. (Paris)* XXIX. July 1849,
72.—Agaricia.
- cucullata** Hemiptycha, H. Burmeister, *Handb. Ent.* II (1) 1835, 140.
- cucullata** Hyphantornis (Sw.), G. R. Gray, *Gen. Birds*, II. Mar. 1849, 351.—Ploceus.
- cucullatus** Icterus, W. Swainson, *Phil. Mag.*, n. s., I (6) June 1827, 436.
- cucullatus** [Lanius], H. Lichtenstein, *Zool. Mus. Univ. Berlin*, 1816, 39 [*n. n.*].
- cucullatus** Lanius, C. J. Temminck, *Man. Orn.*, ed. 2, IV. Dec. 1839, 600.
- cucullatus** Lenticulina, H. D. de Blainville, *Dict. Sci. Nat.* XXXII. 1824, 182.
- cucullatus** Leptoglossus, W. Swainson, *N. H. Classif. Birds*, II. June 1837, 327.
- cucullatus** Lobivanellus (Temm.), H. E. Strickland, *Proc. Zool. Soc. London*, IX (99)
Oct. 1841, 33.—Vanellus.
- cucullatus** Lorius (Sh.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIV (1) 1826, 132.
- cucullata** Loxia, C. L. Lemaire, *H. N. Ois. exot.* 1836, 135. [—Psittacus.
- cucullatus** Loxodes, F. Dujardin (Roret's Suite à Buffon), *Infusoires*, June 1841, 451.

- cucullatus** Lucanus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 194.
cucullatus Macrodites, Denys de Montfort, Conch. I. 1808, 239.
cucullatus Megalodon, J. De C. Sowerby, Min. Conch. VI. 1827, 132. [—Merops.
cucullatus Meliphaga (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxvii.
cucullatus Melithreptus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 324.
cucullata Membracis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 178. [—Certhia.
cucullatus Merganser (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824,
 168.—Mergus, 1758.
cucullatus Merops, J. Latham, Index Orn., Suppl. 1801, p. xxxiii.
cucullatus Micryphantes, C. L. Koch, Die Arachniden, III (3) July 1836, 45.
cucullata Motacilla, W. Turton, Linnaeus, Syst. Nat. I. 1802, 601.
cucullata Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. li.
cucullata Muscicapa, A. Wilson, Amer. Ornith. VI. 1812, p. xiii.
cucullatum Mycedium, L. Oken, Lehrb. Nat. III (1) 1815, 69.
cucullata Mycetophila, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54 [*n. n.*].
cucullatus Mymar, J. Curtis, Guide Brit. Ins. (4) 1829-30, 112 [*n. n.*].
cucullatus Notoxus, F. de la Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
 (4) 1849, 27 ["Mon. Anth." *poster. edit.*].
cucullatus Nyctelia, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 286.
cucullatus Nycticorax (Wagl.), G. R. Gray, Gen. Birds, III. May 1847, 558.—Ardea.
cucullata Orbulites, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 184.
eucllatus Orthotomus, C. J. Temminck in T. & Laugier, Pls. color. (101) 1836; cucu-
 latus, Tabl. méth., Jan. 1839, p. 28.
cucullatum Paidium, A. Herrich-Schaeffer in Fűrnrrohr, Fauna Ratisbon. III. 1840, 356.
cucullatus Palaeornis, E. Lear, Psittacidae (11) 1831-2.
cucullata Paludina, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 138 [*n. n.*].
cucullatus Pamphagus, H. Burmeister, Handb. Ent. II (2) i, 1838, 616.
cucullata Pardaria (Vieill.), C. L. Bonaparte, Giorn. Arcad. LII. 1831, 206.—Fringilla.
cucullatus Paussus, J. O. Westwood, Proc. Linn. Soc. London (41) Dec. 1849, 59.
cucullatus Pentadulus (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 433.—Icterus.
cucullatus Pentatoma, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 293.
cucullata Petroica (Lath.), H. E. Strickland, Ann. Mag. N. H. XI. May 1843, 337.—
 Muscicapa.
cucullata Phalangista, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815),
cucullata Philedon (Sh.), Cuvier, Règne Anim. I. 1817, 360.—Certhia. [89 [*n. n.*].
cucullatus Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 423.—
 Merops.
cucullata Phoca, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 70
cucullata Pitta, Hartlaub, Rev. Zool. (Soc. Cuv.) VI. Mar. 1843, 65. [[*n. n.*].
cucullatus Ploceus, W. Swainson, Birds W. Africa, II (Nat. Lib. XIX) Sept. 1837, 261.
cucullatum Pneumodermon, J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 39.
cucullata Praocis, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 9.
cucullata Procnias, W. Swainson, Zool. Illust. (1) I (7) Ap. 1821, pl. 37.
cucullatus Psarocolius (Sw.), J. G. Wagler, Isis (Oken), 1829, 755.—Icterus.
cucullatus Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 461.
cucullatus Pteroglossus, J. Gould, Proc. Zool. Soc. London, XIV (162) Oct. 1846, 69.
cucullatus Pteromys, J. B. Fischer, Syn. Mamm. 1829, 365.
cucullata Pyrauga, B. Du Bus, Bull. Ac. Roy. Brux. XIV (2) 1847, 105.
cucullata Pyrgita, C. Dumont, Dict. Sci. Nat. XXXI. 1824, 546. [Carduelis.
cucullata Pyrrhomitris (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 517.—
cucullatus Rhinoceros, J. A. Wagner in Schreber, Säugth. VI. 317 (1834) pl. cccxvii F
 (1834).
cucullata Rimula, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 159.
cucullata Rondania, J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June
cucullatus Scatimus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 110. [1850, 193.
cucullatus Sclerostomus (Blanch.), H. Burmeister, Handb. Ent. V. 1847, 427.—Lucanus.
cucullatus Semnopithecus, I. Geoffroy in C. Bélanger, Voy. Indes Orient. (1) Feb. 1831,
 38 & 72.

- cucullata** Spermestes, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 201. [1776.]
- cucullata** Spiza (Lath.), G. R. Gray, Genera of Birds, II. June 1849, 375.—Loxia, Müll.
- cucullata** Spongia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 8 [n. n.].
- cucullata** Succinea, Lamarck, An. s. vert. VI (2) 1822, 135.—Amphibulima, 1805.
- cucullata** Tanagra, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 17
- cucullata** Tanagra, Jardine & Selby, Ill. Orn., pl. 43, n. s., 1841. [[n. n.].]
- cucullatus** Telophorus (Temm.), G. R. Gray, Gen. Birds, I. Feb. 1847, 292.—Lanius.
- cucullata** Tetricx, H. Burmeister, Handb. Ent. II (2) i, 1838, 658.
- cucullatus** Textor (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 441.—Ploceus.
- cucullata** Thyreocoris, F. v. P. Schrank, F. Boica, II (1) 1801, 68.
- cucullata** Trachelomonas, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 366.
- cucullatum** Uloma, Fischer in E. Ménétries, Cat. Rais. Zool. Caucase, 1832, 204.
- cucullatus** Vanellus, C. J. Temminck in T. & Laugier, Pls. color. (85) July 1830.
- cucullatus** Volvox, S. A. Renier, Tavole [1804] xxvi.
- Cucullia** F. v. P. Schrank, F. Boica, II (2) 1802, 157.—Lep.
- cuculliae** Echinomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 49. [1850, 166.]
- cuculliae** Hubneria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June
- cuculliae** Latreillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 107. [—Latreillia.]
- cuculliae** Metopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 124.
- cuculliae** Phorocera, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June
- cuculliger** Bradypus, J. G. Wagler, Isis (Oken), 1831, 605. [1850, 177.]
- cuculliger** Merops, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 10.
- cuculliger** Philedon, M. H. C. Lichtenstein, Zweites Preisverz. Doubl. Zool. Mus. Berlin, 1820, 3.—Merops, 1818.
- cuculliger** Trochilus, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 1.
- cucullina** Aulopora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 186.
- cucullina** Cellepora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 324.
- cucullina** Lophopteryx (D. & S.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 69.—Bombyx, 1775.
- cucullina** Notodonta (D. & S.), F. Ochsenheimer, Schmett. Europa, III. 1810, 55.—Bombyx, 1775. [byx, 1775.]
- cucullina** Odontosia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 146.—Bom-
- cucullio** Loxodes (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 63.—Kolpoda, 1786.
- cuculoides** Arca, T. A. Conrad, Foss. Shells Tert. N. Amer. (3) Aug. 1833, 37.
- cucullulus** Chilodon (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 287.—Kolpoda, 1786. [[1834], 169.—Kolpoda, 1786.]
- cucullulus** Euodora (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835)
- cucullulus** Loxodes (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 42.—Kolpoda, 1786.
- Cucullus** *err. pro* Cucullanus; Zeder, Einleit. Nat. Eingeweidewürm. 1803, 50 [teste Stiles].
- Cucullus** Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 119.—Coel.
- cucullus** Bulimus, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 9.
- cucullus** Cydippe (Mod.), J. F. Eschscholtz, Syst. Acalephen, 1829, 25.—Beroe, 1790.
- cucullus** Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 92.
- cuculla** Lophopteryx (Borkh.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 27.—Bombyx, ? Esp. [1786.]
- cuculla** Stentorina (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 698.—Vorticella,
- cucullus** Torneutes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 273.
- cuculla** Urceolaria (Müll.), Lamarck, An. s. vert. II. 1816, 42.—Vorticella, 1786.
- Cuculoides** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52.—Col.
- cuculoides** Athene (V. & G.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 313.—Noctua.
- cuculoides** Aviceda, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 104.
- cuculoides** Baza (Sw.), G. R. Gray, List Birds Coll. B. M. I., ed. 2, 1848, 40.—Aviceda.
- cuculoides** Cymindis, W. Swainson, N. H. Classif. Birds, I. Oct. 1836, 311.

- cuculoides** Falco, C. J. Temminck in T. & Laugier, Pls. color. (22) May 1822.
- cuculoides** Noctua, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (1) Jan. 1831, 8.
- cuculopsis** Heterophasia, E. Blyth, J. Asiatic Soc. Bengal, XI. 1842 (*post* Feb.), 187.
- Cuculus** R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 459.—Med.
- cuculus** Glycyphana, H. Burmeister, Handb. Ent. III. 1842, 352.
- cuculus** Raja, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 669.
- cuculus** Trigla, A. Risso, Mém. Soc. Linn. Paris, III. 1825, 27.
- cuculus** Trygon (Lac.), H. Cloquet, Dict. Sci. Nat. XXXVIII. 1825, 61.—Raja.
- Cucumaria** Blainville, Dict. Sci. Nat. IX. 1830, 173.—Ech. [*gen. caelebs*].
- Cucumaria** R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 153.—Ech.
- cucumer** Holothuria, A. Risso, H. N. Europe, V. 1826, 291.
- cucumerina** Clavicula, W. Smith, Strat. Syst. Org. Foss. 1817, 23.
- cucumerinum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 360.
- cucumerina** Fasciola, C. A. Rudolphi, Bemerk. Naturg. I. 1804, 166.
- cucumerina** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 215.
- cucumeris** Galeruca, F. V. Melsheimer, Ins. Pennsylv. 1806, 26 [*n. n.*].
- cucumeris** Haltica, T. W. Harris, Treat. Ins. N. England, 1842, 103.
- cucumerifera** Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 70.
- cucumiforme** Alcyonium, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 68.
- Cucumis** G. B. Sowerby, II. (*ex* Klein), Conch. Man. 1839, 33.—G.
- cucumis** Beroe, H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] II (5) June 1833, 522.
- cucumis** Idya (Fab.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 133.—Beroe, 1780.
- cucumis** Janira (Mert.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 104.—
- cucumoides** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 285. [Beroe.]
- Cucupicus** R. P. Lesson, Man. Orn. II. June 1828, 116.—A.
- cucura** Cobitis, F. Hamilton, Fish. Ganges, 1822, 352.
- cucurbita** Purpura, P. L. Duclos, Ann. Sci. Nat. XXVI (101) May 1832, 112.
- cucurbita** Voluta, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 24.
- cucurbitae** Aegeria, T. W. Harris, New England Farmer, VIII. 1828, 33; Treat. Ins. N. England, 1842, 232.
- cucurbitina** Epeira (L.), C. A. Walckenaer, Tab. Aran. 1805, 63.—Aranea, 1758.
- cucurbitina** Miranda (L.), C. L. Koch, Die Arachniden, V (3) Sept. 1838, 53.—Aranea,
- cucurbitina** Mitra, R. A. Philippi, Zeitschr. f. Malakozool., Feb. [Ap.] 1850, 27. [1758.
- cudonoidea** Phorcynia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810,
- Cudulus** J. E. Gray, 1850; *teste* Scudder, *sed* Cadulus. [333.]
- Cufaea** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268.—Nud. [*n. n.*].
- cuhas** Julus, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 24.
- cuisensis** Tellina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 322.
- cuja** Bola, F. Hamilton, Fish. Ganges, 1822, 18.
- cuja** Corvina (Ham.), G. Cuvier, R. Anim., ed. 2, II. 1829, 173.—Bola.
- cuja** Nasua (Mol.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 109 & 120.—Mustela, 1782.
- cuja** Viverra, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 433.
- culacissi** *v.* coulacissi.
- Culampis** R. P. Lesson, Trochil. 1832, p. vii [=Eulampis, Boie, *teste* Waterhouse].
- Culana** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*].
- culbertsonii** Merycoidodon, J. Leidy, Proc. Acad. Nat. Sci. Philad. IV (2) Ap. 1848, 47.
- culbertsonii** Ornithichnites, A. T. King, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
- Culcita** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 192.—Ast. [176.
- Culeus** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A, *dorso*.—A. [*n. n.*].
- Culicia** J. D. Dana, Struct. & Classif. Zooph., Feb. 1846, 114 [*n. n.*]; Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 376.—Cor.
- culiciformis** Aegeria (L.), G. Samouelle, Entom. Comp., June 1819, 453.—Sphinx, 1758.
- culiciformis** Asilus, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 32.
- culiciformis** Baetis (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26.—Ephemera, 1758.
- culiciformis** Chironomus, J. C. Fabricius, Syst. Antliat. 1805, 47.—Tipula, ?L. 1767.

- culiciformis** Cloe (L.), F. J. Pictet, H. N. Ins. Néuropt. Ephémér. 1845 [*i.e.* Dec. 1845], 270.—Ephemera, 1758. [Tipula, ? L. 1767.]
- culiciformis** Corethra (Deg.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 260.—
- culiciformis** Dasygogon, J. C. Fabricius, Syst. Antliat. 1805, 172.—Asilus, 1775.
- culiciformis** Lepidophora, F. Walker, The Zoologist, VIII. 1850, App. p. xcvii.
- culiciformis** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 66.
- culiciformis** Neides, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 163.
- culiciformis** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 19 (Fernaldo giudice 1802-08) [*n. et f.*].
- culiciformis** Tanypus (Meig.), Lamarck, An. s. vert. III. 1816, 443.—Corethra.
- culiciformis** Tanypus (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 63.—Tipula, ? L. 1767. [Sphinx, 1758.]
- culiciforme** Trochilium (L.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 41.—
- culiciformis** Xestomyza, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 212.
- culicina** Bivonia, A. Cocco, Effem. Sci. Lett. Sicilia, II. June 1832, 208.
- culicina** Empis, C. F. Fallen, Empidiae Sveciae (3) 1816, 28. [—Empis.]
- culicina** Rhamphomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 52.
- culicipennella** Ornix (Huebner.), F. Treitschke, Schmett. Europa, IX (2) 1833, 204.—Tinea, 1796.
- Culicipeta** E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 968.—A.
- culicis** Acarus, Degeer, Mém. Hist. Ins. VII. 1778, 120.
- culicis** Trombidium (Deg.), J. F. Hermann, Mém. Aptér. 1804, 49.—Acarus.
- Culicivora** W. Swainson, Zool. Journ. III (11) Dec. 1827, 359.—A.
- culicivora** Acanthiza (Gould), G. R. Gray, Genera of Birds, I. Feb. 1848, 189.—Psilopus.
- culicivorus** Basileuterus, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 17.
- culicivorus** Gerygone, J. Gould in G. Grey, Journ. 2 Exp. Austral. II. 1841, 417.—Psilopus, 1841.
- culicivorus** Psilopus, J. Gould, Proc. Zool. Soc. London, VIII (95) July 1841, 174.
- culicivora** Sylvia, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 2.
- culicivora** Tetragnatha, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
- Culicoides** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 251.—Dipt. [[1841], 214.]
- culicoides** Ancylos, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 23.
- culik** Pteroglossus, J. Wagler, Syst. Avium, I. 1827, sign. 111.
- culinaris** Cossonus, E. F. Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 130.
- culinaris** Phaleria (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 162.—Tenebrio,
- culinaris** Rhyncolus, Sturm; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*]. [L. 1758.]
- culinaris** Rhyncolus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1066.—Cossonus.
- culinaris** Uloma (Fab.), Dejean, Catal. Coléopt. 1821, 67.—Tenebrio, L. 1758.
- culius** Cheilodipterus, F. Hamilton, Fish. Ganges, 1822, 55.
- cullumana** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 359. [1802.]
- cullumanus** Bombus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 168.—Apis,
- culmalis** Exoria (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 367.—Phalaena culmella,
- culmaria** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 155. [1758.]
- culmea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 485.—Tinea culmella, L. 1758.
- culmellus** Chilo (L.), Zincken, Mag. Entom. (Germar) II. 1817, 70.—Tinea, 1758.
- culmellus** Crambus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Tinea, 1758.
- culmicola** Cecidomyia, M. H. Morris, Proc. Acad. Nat. Sci. Philad. IV (10) Aug. 1849, 194.
- culminaria** Egea (Eversm.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 245.—Idaea. [—Idaea.]
- culminaria** Eremia (Eversm.), Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1847, 35.
- culminaria** Idaea, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 552.
- culminata** Campephaga (Hay), G. R. Gray, Genera of Birds, III. App. 1849, 13.—Cebilepyris.
- culminatus** Ceblepyris, A. Hay, Madras Journ. XIII (31) Dec. 1844, 157. [96.]
- culminatus** Corvus, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, Diomedea, J. Gould, Proc. Zool. Soc. London, XI (126) Dec. 1843, 107.
- culminatus** Rhampastos, J. Gould, Proc. Zool. Soc. London, I (6) Sept. 1833, 70.

- culminella** Chionea, A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 312.
culmineus Buliminus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 69.—Helix.
culmineus Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 288.—Helix, 1835.
culminea Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 13.
culminea Paludestrina, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 386. [408.
culmorum Chelostoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
culmorum Platycephala, C. F. Fallen, Oscinides Sveciae, 1820, 2.
culonii Dasygnathus, H. Burmeister, Handb. Ent. V. 1847, 205.
culpator Bracon, J. C. Fabricius, Syst. Piezat. 1804, 105.
culpator Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 277.
culpatorius Ichneumon, J. C. Fabricius, Syst. Piezat. 1804, 440 (*errata*) non calpatorius.
cultra v. **cultus** -a -um.
cultaria Phrygonis, J. Huebner, Verz. bekannt. Schmett. 1826, 307.
cultellator Atractodes, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 120.
cultellator Banchus, J. C. Fabricius, Syst. Piezat. 1804, 127.—Ichneumon, 1793.
cultellator Cynips (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 286.—Banchus.
cultellator Ibalia (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 307.—Ophion,
 1798.
cultellator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 265.
cultellator Sagaris (Fab.), G. W. F. Panzer, Krit. Revis. II. 1806, 91.—Banchus.
cultellatus Cultellus, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 245 [*n. n.*].
cultellatus Platycephalus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 217.
cultellatus Solen, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 277. [339.
cultelliformis Nucula, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s., V (3) 1835,
cultelliformis Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. V (1) Feb. 1850, 10.
Cultellus C. F. Schumacher, Essai Vers test. 1817, 43 & 130.—L.
Cultellus T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 232.—L.
Cultellus G. B. Sowerby, II., Conch. Man. 1839, 33.—L.
cultellus Ammonites, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 103.
cultellus Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 341.
cultellus Modiola, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 359.
culter Donax, S. Hanley, Proc. Zool. Soc. London, XIII (144) Ap. 1845, 14.
culter Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 69.
culter Scarabaeus, Dejean, Catal. Coléopt. 1821, 57 [*n. n.*].
cultor Stenocrates, H. Burmeister, Handb. Ent. V. 1847, 85.
cultrarius Cephus, T. Hartig, Adelf. Deutschl. I. 1837, 363.
cultraria Platypteryx (Fab.), Lamarck, An. s. vert. III. 1816, 562.—Phalaena, 1775.
cultraria Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 616.
cultratus Aades (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1138.—Curculio, 1775.
cultratus Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 144.
cultratus Aterpus (Fab.), C. J. Schoenherr, Curc. disp. meth. 1826, 157.—Curculio, 1775.
cultratus Bellerophon, A. d'Orbigny, A. E. Férussac & A. d'Orbigny, H. N. Céph.
 acétab. 1840, 208.
cultratus Buceros, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VI (6) 1849, 160.
cultrata Cetonia, Gory & Percheron, Revue Entom. III (3) 1833, 128.
cultrata Cichla, J. G. Schneider, Bloch, Syst. Ichth. 1801, 344.
cultratus Cryptops, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 172.
Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 36.
cultratus Cyprinus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 461.
cultratus Cyrtolites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 72.—Belle-
 rophon, 1840.
cultrata Frondicularia, J. L. Neugeboren, Verh. siebenb. Ver. Nat. (8) 1850, 124.
cultrata Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 172.
cultrata Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 211 & 217.
cultrata Lenticulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
cultratus Leuciscus (Bl.), G. Cuvier, R. Anim. II. 1817, 195.—Cyprinus, L. 1758.
cultrata Membracis, J. C. Fabricius in A. J. Coquebert, Icon. Ins. (2) 1801, 77.
cultrata Monocarya, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 247.

- cultratus** Pagurus, A. White, List Crustacea Coll. B. M. 1847, 60 [*n. n.*].
cultratus Paussus, J. O. Westwood, Proc. Linn. Soc. London (41) Dec. 1849, 59.
cultratus Pelecus (L.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 39.—
 Cyprinus, 1758.
cultratus Planorbis, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 196.
cultrata Pygora (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 564.—Cetonia.
cultratus Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 121.—Curculio, 1775.
cultrata Robulina (Montf.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 287.—
cultratus Robulus, Denys de Montfort, Conch. I. 1808, 215. [Robulus.
cultrata Rotalina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 76.
cultratus Schizaster, L. Agassiz, Cat. Ect. Ech. 1840, 3.
cultrata Sciaena (Schn.), J. R. Forster, Anim. mar. Aust. 1844, 292.—Cichla.
cultrata Seriola (Forst.), Gray & Richardson in Dieffenbach, Trav. N. Z. II. Jan. 1843,
 210.—Sciaena.
cultratus Solenites, E. F. v. Schlotheim, Die Petref. 1820, 181.
cultratus Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 4.
cultratus Xyrichthys, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 37. [1796.
cultra Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 482.—Tinea cultrella, Huebn.
cultrella Harpipteryx (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 41.—Tinea,
 1796. [—Tinea, 1796.
cultrella Pteroxia (Huebn.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 335.
cultrella Theristis, J. Huebner, Verz. bekannt. Schmett. 1826, 406.—Tinea, 1796.
cultricolis Cyphus, E. F. Germar, Ins. spec. novae, I. 1824, 432. [Cyphus.
cultricolis Platyomus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 155.—
Cultridens Croizet & Jobert, Oss. foss. Puy de Dôme, expl. pls. 7 Livr. 1827.—M.
cultridens Crocodilus, R. Owen, Odont. (1841), 287.
cultridens Felis, A. Bravard, Monogr. Mont. Perrier, 1828, 143.
cultridens Lamprima, H. Burmeister, Handb. Ent. V. 1847, 416.
cultridens [Machairodus] (Cuv.), J. J. Kaup, Descr. Oss. foss. (2) 1833, 24.—Ursus.
cultridens Steneodon (Cuv.), Croizet in E. Geoffroy, Rev. Ency. LIX. 1833, 86.—Ursus.
cultridens Suchosaurus, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 67.—Croco-
cultridens [Ursus], G. Cuvier, Oss. Foss., ed. 2, V (2) 1824, 517. [dilus, 1841.
cultridens-arvernensis Ursus, Croizet & Jobert, Oss. foss. Puy de Dôme, 195 (1828).
cultridens issiodorensis Ursus, Croizet & Jobert, Oss. foss. Puy de Dôme, 194 (1828).
Cultrides Pucheran, Rev. Zool. VIII. 1845, 51.—A.
cultrifera Euphyllia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 169.
cultrifera Nereis, A. E. Grube, Actin. Adriat. 1840, 74.
cultriformis Ichneumon, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 327.
cultrifrons Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 101.
cultrijugatus Spirifer, C. F. Roemer, Rheinische Uebergangsggeb. 1844, 70.
cultrimanus Gelasimus, A. White, List Crustacea Coll. B. M. 1847, 35 [*n. n.*].
cultrimanus Gelasimus, A. White, Proc. Zool. Soc. London, XV (175) July 20, 1847, 84.
cultrimanus Xantho, A. White, List Crustacea Coll. B. M. 1847, 17 [*n. n.*].
cultrimanus Xantho, A. White, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 225.
cultripennis Epicaerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 273.
Cultripes J. Mueller, Zeitschr. f. Physiol. IV (2) 1832, 212.—R.
cultripes Heilipus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 130.
cultriostris Scyphius, Michahelles, Isis (Oken), 1830, 252. [951.
cultriostris Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
cultriostris Toxorhinus, Lacord.; Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 280.
cultriventris Torymus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 179.
Cultrunguis B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836, 363.—A.
cultrunguis Ichthyæus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Jan.), 110.
 [cultus -a -um.]
culta Buprestis, F. Weber, Obs. Ent. 1801, 75.
culta Chariptera (Fab.), A. Guénée, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 125.
 —Noctua, D. & S. 1775. [1775.
culta Lamprosticta (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 207.—Noctua

- culta** Miselia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Noctua, 1775.
- culta** Sommeria, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 13.
- Cuma** H. M. Edwards, Ann. Sci. Nat. XIII (51) Mar. 1828, 294.—Cr.
- Cuma** W. Swainson, Treat. Malacol., May 1840, 87 & 307.—G.
- cuma** Helix, G. D. Nardo (*ex* Chierieghini MS), Sin. mod. spec. Lag. Veneto, 1847, 85.
- Cumallia** *err. pro* Eumallia, Burm.; Ann. Soc. Ent. France, VIII (4) *post* Mar. 1840, p. lxxix. [p. 2.]
- cumanensis** Aedicnemus, F. L'Herminier in Magasin de Zool. VII. 1837, text to pl. 84.
- cumanensis** Crotalus, A. Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 6.
- cumanensis** Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 387.
- cumanensis** Notoxus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 18 ["Mon. Anth." *poster. edit.*].
- cumanensis** Psittacus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 6.
- cumanensis** Turbo, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 272.
- cumanus** Carabus, Steven in G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 252.
- cumana** Felis, H. R. Schinz, Syst. Verz. Säug. I. 1844, 453.
- cumana** Psammobia, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 188.
- cumana** Tellina, O. G. Costa, Cat. Test. Sicilié, 1829, pp. xiv & xx.
- cumana** Tellina (Costa), S. Hanley in G. B. Sowerby, II., Thes. Conch. I (6) *ante* 21 Jan. 1846, 298.—Psammobia.
- cumatile** Bembidium, J. C. Schiodte, Gen. Sp. Danmarks Eleuth. I. 1841 [1842], 585.
- cumberland** Salmo, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 695.
- cumberlandensis** Emys, J. E. Holbrook, N. Amer. Herpet. IV. 1840, 55.
- cumberlandiana** Carocolla, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 289.
- cumberlandiana** Helix (Lea), L. Pfeiffer, Mon. Helic. I (1) 1847, 125.—Carocolla.
- cumberlandianus** Unio, I. Lea, Syn. Naiades, 1836, 27 [*n. n.*].
- cumberlandicus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 25.
- Cumerina** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*teste* Scudder *sed* Camerina,
- Cumia** A. Bivona e B., Giorn. Sci. Lett. Sicilia, LXIII. Sept. 1838, 322.—G. [*l. v.*].
- cumiae** Helix, P. Calcara, Descr. Isola Lampedusa, 1847, 37.
- [**cumingi.**]
- cumingii** Amphiperas, O. A. L. Morch, Catal. Conch. Kierulf, 1850, 30. [1832], 344.
- cumingii** Ampullaria, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831 [*i.e.* July
- cumingii** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 30, Mar. 1850.
- cumingii** Asterias, J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 180.
- cumingii** Balanophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 87.
- cumingii** Balanus, J. C. Chenu, Illustr. conch. I (12 & 13) 1843, pl. 4 [*n. et f.*]. [39]
- cumingii** Broderipia, A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850,
- cumingii** Buccinum, W. L. Powys, Proc. Zool. Soc. London, III (30) Sept. 1835, 94.
- cumingii** Bulimus, L. Pfeiffer, Symb. Helic. II. 1842, 44.
- cumingii** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, X (113) Dec. 1842, 88.
- cumingii** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 599.
- cumingii** Cardium, W. J. Broderip, Proc. Zool. Soc. London, I (7) Sept. 1833, 82.
- cumingii** Comatula, J. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1847 (1849), 255.
- cumingii** Conus, L. Reeve, Conch. Icon.—Conus, no. 282, Sup. 1848.
- cumingii** Conus, L. Reeve, Conch. Icon.—Conus, no. 277 (Suppl. pl. viii) June 1849.
- cumingii** Cyclostoma, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 32.
- cumingii** Cyllindrella, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 14.
- cumingii** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (1) 1832, f. 5; Catal. (131) 1837, 9.
- cumingii** Desmidophorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 3.
- cumingii** Desmophyllum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
- cumingii** Dolium, L. Reeve, Conch. Icon. V.—Dolium, no. 13, Jan. 1849. [254.]
- cumingii** Ferdina, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 283.
- cumingii** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 17, Aug. 1849.

- cumingii Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 275.
 cumingii Fusus, L. Reeve (*ex* Jonas MS), Conch. Icon. IV.—Fusus, no. 67, Jan. 1848.
 cumingii Geophilus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 322.—Gonibregmatus.
- cumingii Glandina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 78.
 cumingii Gonibregmatus, G. Newport, Proc. Zool. Soc. London, X (119) Feb. 1843, 181.
 cumingii Helix, L. Pfeiffer, Symb. Helic. II. 1842, 26.
 cumingii Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (113) Dec. 1842, 88.
 cumingii Leucosia, A. White, List Crustacea Coll. B. M. 1847, 48 [*n. n.*].
 cumingii Lima, G. B. Sowerby, II., Thes. Conch. I (3) *ante* 23 June 1843, 87.
 cumingii Lima, G. B. Sowerby, II., Proc. Zool. Soc. London, XI (121) July 1843, 23.
 cumingii Litorina, R. A. Philippi, Abb. Conch. III (1) 1847, 17.—Trochus, 1846.
 cumingii Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 17.
 cumingii Luperosaurus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 163.
 cumingii Menippe, A. White, List Crustacea Coll. B. M. 1847, 19 [*n. n.*].
 cumingii Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 67, Sept. 1844.
 cumingii Mocoa, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 81.
 cumingii Murex (Brod.), L. Reeve, Conch. Syst. II. 1842, 194.—Typhis.
 cumingi Mus (Phleomys), G. R. Waterhouse, Proc. Zool. Soc. London, VII (78) Nov. 1839, 108. [221.]
- cumingii Mycteristes, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841,
 cumingii Mycteristes (Phaedimus), J. O. Westwood, Arcana Entom. (1) May 1841, 5.
 cumingii Nina (Ph.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 78.—Trochus.
 cumingii Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 97. [47.]
 cumingii Octodon, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,
 cummingii Octodon, Benn., *var.* peruana, J. J. Tschudi, Fauna Peru. (Mamm.) 1845, 171.
 cumingii Oliva, L. Reeve, Conch. Icon. VI.—Oliva, no. 19, Sept. 1850.
 cumingii Onychophis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 133.
 cumingii Orbicula, W. J. Broderip, Proc. Zool. Soc. London, I (11) Mar. 1834, 124.
 cumingii Otosaurus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 93.
 cumingii Oxynopterus, F. W. Hope, Proc. Zool. Soc. London, X (113) Dec. 1842, 77.
 cumingii Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841, 218.
- cumingii Paludestrina, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 385.—Paludina, 1835.
 cumingii Paludina, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 30.
 cumingi Parmacella, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847,
 cumingi Pelta, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 100 [*n. n.*]. [109.]
 cumingii Pentaceros, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 276.
 cumingii Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 44.
 cumingii Phlaeomys (Waterh.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 22.—Mus (Phl.).
- cumingii Phoenicophaus, L. Fraser, Proc. Zool. Soc. London, VII (79) Dec. 1839, 112.
 cumingii Placunanomia, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 29.
- cumingii Planorbis, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 120 [*n. n.*].
 cumingii Pleurotoma (Powys), L. Reeve, Conch. Icon.—Pleurotoma, no. 110, June 1843.—Buccinum.
- cumingii Prionus, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 64.
 cummingii Robulina, G. Michelotti, Mem. Soc. Ital. Sci. XXII. 1841, 292.
 cumingii Scorpio (Ischnurus), F. L. P. Gervais, Archives Mus. H. N. (Paris) IV [2] 1844, 236.
- cumingii Septifer, C. A. Récluz, Rev. et Mag. de Zool. (2) I. Mar. 1849, 132.
 cumingii Spondylus, G. B. Sowerby, II., Thes. Conch. I (8) *post* May 1847, 425.
 cumingii Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 59.
 cumingii Thelphusa, A. White, List Crustacea Coll. B. M. 1847, 30 [*n. n.*].
 cumingii Tomigerus, L. Pfeiffer (*ex* Newcomb MS), Zeitschr. f. Malakozool. (May) [Nov.] 1849, 67.
- cumingii Triumphalia, G. B. Sowerby, II., Thes. Conch. II (10) 1849, 502.

- cumingii** Trochus, R. A. Philippi, Proc. Zool. Soc. London, XIII (154) Feb. 1846, 138.
cumingii Truncatella, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 12.
cumingii Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 13, May 1849. [177.
cumingii Typhis, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833,
cumingi Varanus, W. Martin, Proc. Zool. Soc. London, VI (65) July 1838, 69.
cumingii Venus, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 563. [1849, 104.
cumingii Vitrina, L. Pfeiffer (*ex Beck MS*), Proc. Zool. Soc. London, XVI (186) Mar. 13,
cumingii Voluta, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 33.
Cumingia G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 34; Gen. Shells (40) 1833.—L.
- cumingiana** Amphipeplea, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845,
cumingiana Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 22. [68.
cumingianum Aspergillum, J. C. Chenu, Illustr. conch. I. Aspergillum, 1843, 3.
cumingianum Buccinum, W. Dunker, Zeitschr. f. Malakozool., July 1846, 111.
cumingiana Cancellaria, S. Petit, Magasin de Zool. (2) VI. 1844, pl. 112.
cumingiana Chilina, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 109 [*n. n.*].
cumingiana Clausilia, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1845, 158. [122.
cumingianus Conovulus, C. A. Récluz, Proc. Zool. Soc. London, XIII (152) Feb. 1846,
cumingiana Cylindrella, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (2) 1845, 51.
cumingiana Elasmatina, S. Petit de la S., Proc. Zool. Soc. London, XI (120) July 1843, 2. [121.
cumingiana Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (188) Ap. 25, 1849,
cumingiana Helix (Pet.), Catlow & Reeve, Conch. Nomen. 1845, 123.—Elasmatina.
cumingiana Marginella, S. Petit, Rev. Zool. (Soc. Cuv.) IV. June 1841, 185.
cumingiana Narica, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 6.
cumingiana Natica, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 210.
cumingiana Navicella, C. A. Récluz, Proc. Zool. Soc. London, X (118) Feb. 1843, 157.
cumingiana Nerita (Neritina), C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. Mar. 1842, 74.
cumingiana Ostrea, W. Dunker, Zeitschr. f. Malakozool., Mar. 1846, 48.
cumingianus Planorbis, W. B. R. H. Dunker, Proc. Zool. Soc. London, XVI (182) Nov. 14, 1848, 41.
cumingianus Scarabus, S. Petit de la S., Proc. Zool. Soc. London, XI (120) July 1843, 3.
cumingianum Stoastoma, C. B. Adams, Mon. Stoast. 1849, 9.
cumingiana Streptaxis, L. Pfeiffer, Proc. Zool. Soc. London, XVII (197) Jan.—June 1850, 126. [1850, 134.
cumingiana Tornatellina, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June
cumingsii Chiton, J. Fremby, Zool. Journ. III (10) July [*z. e.* Sept.] 1827, 198.
Cuminia J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 27 & 38.—R.
cummingii Cheirolepis, P. Duff, Geol. Moray, 1842, 71 [*n. et f.*].
cummingiae Cheirolepis, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 489 [*n. n.*]; Poiss. F. V. G. R., 34 & 45 (1844).
- cumulans** Phorus (Brong.), H. G. Bronn, Index Pal. 1848, 968.—Trochus.
cumulans Termes, V. Kollar in J. E. Pohl, Reise Brasil. I. 1832, 111.
cumulans Trochus, Al. Brongniart, Mém. terr. Vicentin, 1823, 57.
cumulana Catoptria, A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 189.
cumulata Lichenopora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 319.
Cumulipora G. v. Muenster, N. Jahrb. 1835, 434 [*n. n.*]; H. G. Bronn, Lethaea Geogn. II (9-) 1838, 879.—Polyz.
- cumulus** Tubulipora, E. Eichwald, Nat. Lithuaen, 1830, 191.
cuna Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 166.
Cunaxa C. v. Heyden, Isis (Oken), 1826, 609.—Ar.
cuncalus Syngnathus, F. Hamilton, Fish. Ganges, 1822, 12.
cuncimeris Venus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 24.
cunctans Acalles, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 418.
cunctans Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 178.
cunctans Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 133.
cunctans Lasiops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 324.—Anthomyia, 1826.

- cunctans** Mycetophila, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 68.
- cunctans** Oxyopoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 349.
- cunctans** Scopolia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 252.—Tachina, 1824.
- cunctans** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 419.
- cunctans** Tipula, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 23.
- cunctator** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 433.
- cunctator** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 100.—Ichneumon, 1793.
- cunctator** Bothynus (Mannerh.), H. Burmeister, Handb. Ent. V. 1847, 116.—Scarabaeus.
- cunctator** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 554, Aug. 1849.
- cunctator** Rogas (Clinocentrus), A. H. Haliday, Entom. Mag. IV (2) Oct. 1836, 95.
- cunctator** Scarabaeus, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 48.
- cunctus** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 218.
- cuncta** Zammara, F. Walker, List Homopt. Coll. B. M. (1) 1850, 39.
- Cuncuma** B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 367.—A.
- cundinga** Cyprinodon, F. Hamilton, Fish. Ganges, 1822, 254.
- cundinga** Elops (Ham.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1271.
- cunea** *v.* **cuneus**. [—Cyprinodon.]
- cunealis** Arca, L. Reeve, Conch. Icon. II.—Arca, *errata* (end of Index) ? June 1844.
- cuneata** Actinodonta, J. Phillips, Mem. Geol. Surv. Gt. Britain, II (1) 1848, 366.
- cuneata** Anatina, J. E. Gray, Spec. Zool. 1828, 6.
- cuneata** Anodonta, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 316.
- cuneatum** Apion, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 464.
- cuneatus** Aptychus (Desl.), Voltz, N. Jahrb. f. Min. 1837, 434.—Muensteria.
- cuneata** Arca, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 69.
- cuneata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 37, Feb. 1844.
- cuneata** Astarte, J. Sowerby, Min. Conch. II. 1816, 86 (pl. 137).
- cuneatus** Caprimulgus, B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 147.
- cuneata** Cardinia (St.), J. L. R. Agassiz, Hist. crit. Moll. foss. (3) 1843, 222.—Pachyodon.
- cuneata** Cardinia, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 156.
- cuneata** Caryophyllia, A. Sassi, Giorn. Ligustico, I (5) Sept. 1827, 472.
- cuneatum** Ceratidium, C. G. Ehrenberg, Infusionsthier. 1838, 367. [Gnathodon].
- cuneatus** Clathrodon, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340 [*err. pro*].
- cuneata** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 364.
- cuneata** Columba, J. Latham, Index Orn., Suppl. 1801, p. lxi.
- cuneata** Corbula, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 152.
- cuneata** Corbula, R. B. Hinds, Proc. Zool. Soc. London, XI (124) Nov. 1843, 55.
- cuneata** Crassatella, Lamarck, An. s. vert. V. 1818, 483.
- cuneata** Cunicula (Lam.), W. Swainson, Treat. Malacol., May 1840, 267.—Unio.
- cuneata** Cyclas, J. De C. Sowerby, Edinburgh New Phil. Journ., Oct. 1829, 297 [*n. et f.*].
- cuneata** Cypricardia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 59.
- cuneata** Cyprina, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 341.
- cuneata** Cyrena, J. H. Jonas, Zeitschr. f. Malakozool., Dec. 1844, 186.
- cuneata** Cytherea, Lamarck, An. s. vert. V. 1818, 578.
- cuneata** Cytherea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 131.
- cuneatus** Dendrocolaptes, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 13.
- cuneatum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 358.
- cuneata** Echinella, Bory de St V., Ency. Méth. (Zooph.) 1824, 292.
- cuneata** Erycina (Lam.), J. E. Gray, Ann. Phil. XXV. 1825, 135.—Crassatella.
- cuneata** Flabellina (v. M.), A. E. Reuss, N. Jahrb. f. Min. 1849, 839.—Frondiculina.
- cuneatum** Flabellum (Goldf.), H. Michelin, Icon. Zoophyt. (4) 1842, 45.—Turbinolia.
- cuneatum** Flabellum (Sassi), G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 31.—Caryophyllia.
- cuneata** Formica, M. Perty, Del. anim. artic. Brasil. (3) 1833, 134.
- cuneata** Frondiculina, G. v. Muenster, N. Jahrb. f. Min. 1838, 383.
- cuneata** Geopelia (Lath.), G. R. Gray, List Birds Coll. B. M. III. 1844, 11.—Columba.
- cuneatus** Glyphorhynchus (Licht.), G. R. Gray, Genera of Birds, I. Feb. 1847, 141.—Dendrocolaptes.

- cuneata** Gnathodon, J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 376.
cuneata Grateloupea, J. E. Gray, The Analyst, VIII (24) July 1838, 304.
cuneata Hemiptycha, E. F. Germar, Revue Entom. III (5) 1835, 246.
cuneata Leda (Sow.), A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 546.—Nucula.
cuneata Lima (Limatula), E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 192.
cuneata Lingula, T. A. Conrad, [3 Ann. Rep. N. Y. Geol. Surv.] Assembl. no. 275, 1839, 64. [Lina.]
cuneata Lingulina (v. M.), H. Karsten, Verz. Rostock. Mus. Verst. 1849, 7.—Frondicu-
cuneata Lutraria, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 140; Rep. trav. Soc. stat. Marseille, VI. 212.
cuneata Lycosa (Clerck), C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 187.—
 Araneus, 1757. [183.—Araneus, 1757.]
cuneata Lycosa (Tarantula) (Clerck), C. L. Koch, Die Arachniden, XIV (6) May 1847,
cuneata Lyonsia (Gray), A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 518.—Anatina.
cuneata Mactra, J. Sowerby, Min. Conch. II. 1817, 136.
cuneata Mactra, de Blainville, Dict. Sci. Nat. XXVII. 1823, 547.
cuneata Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 487.
cuneata Megadesmus, J. De C. Sowerby in T. L. Mitchell, Three Exped. Australia, I. 1838, 15. [VI. Mar. 1835, 133.—Crassatella.]
cuneata Mesodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
cuneata Modiola, J. Sowerby, Min. Conch. III. 1818, 19.
cuneata Modiola, J. Sowerby, Min. Conch. III. 1819, 87.
cuneata Muensteria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, V. 1835, 65.
cuneata Myoconcha, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 237.
cuneata Myopsis (Math.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—
cuneatus Mytilus, J. Phillips, Geol. Yorksh. I. 1829, 156 [*n. et f.*]. [Lutraria.]
cuneatus Mytilus (Sow.), G. A. Goldfuss, Petref. German. II (6) 1837, 177.—Modiola.
cuneata Nucula, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 198.
cuneata Nucula, J. Phillips, Geol. Yorksh. II. 1836, 210. [1837, 31.]
cuneata Nucula, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 31.
cuneata Nucula, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 153.
cuneata Nucula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 84.
cuneatus Ornithichnites, J. Barratt, Amer. J. Sci. XXXII (1) Ap. 1837, 175 [*n. n.*].
cuneatus Ornithoidichnites, E. Hitchcock, Final Rep. Geol. Massach. II. 1841, 488.
cuneata Osteodoma (Gray), S. Hanley, Ill. ed. Lamarck's Shells (1) *extremo* 1842, 25. —Anatina.
cuneatus Pachydomus (J. Sow.), J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 272.—Megadesmus.
cuneatus Pachyodon, S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 484.
cuneata Phalaena, E. Donovan, Brit. Ins. XIV. 1810, 52.
cuneata Pholadomya, J. Morris, Cat. Brit. Foss. 1843, 97; J. De C. Sowerby, Min. Conch. VII. 1844, 40.
cuneata Pholadomya, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 232.
cuneata Pholas, J. S. Schroeter, Archiv Zool. (Wiedemann) II (1) 1801, 107.
cuneata Pinna, J. Phillips, Geol. Yorksh. I. 1829, 144 & 150 [*n. et f.*].
cuneata Planularia, S. G. Morton, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 214.
cuneata Pleurobema, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 313.—& *varr.* maculata; sulcata.
cuneata Pterinea, T. A. Conrad, 2 Ann. Rep. geol. Surv. N. York (Assem. 200) 1838,
cuneatus Spatangus (Micraster), F. v. Hagenow, N. Jahrb. f. Min. 1840, 654. [116.]
cuneatus Spirifer, F. A. Roemer, Verst. Harzgeb. 1843, 12. [Terebratula.]
cuneata Spirigerina (Dalm.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 42.—
cuneata Sylvia, Rafinesque, Bull. Sci. Soc. Philom. [Paris], no. 68, 1802, 153.
cuneata Terebratula, A. Risso, H. N. Europe, IV. 1826, 388.
cuneata Terebratula, Dalman, K. Vet. Ac. Handl. 1827, 141.
cuneatus Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
cuneata Turbinolia, A. Risso, H. N. Europe, V. 1826, 358. [470.]
cuneata Turbinolia, G. A. Goldfuss, Petref. German. I (1) 1826, 53; I (2) 1829, 108.

- cuneata** Turbinolia, Goldf. *z. anceps* & *angusta*, H. G. Bronn, Zschr. Min. 1827, II (1828), 544.
- cuneata** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 313.
- cuneatus** Unio, D. H. Barnes, Amer. J. Sci. VI (2) *post* Ap. 1823, 263.
- cuneatus** Unio, W. Swainson, Phil. Mag. LXII (308) Dec. 1823, 402.
- cuneata** Venus (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 422.—Cytharea.
- cuneata** Vespa, J. C. Fabricius, Syst. Piezat. 1804, 258.
- cuneicauda** Eudynamys, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 139.
- cuneicauda** Glareola, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 244.
- cuneicaudata** Aquila, C. L. Brehm, Isis (Oken), 1845, 356.
- cuneicaudatus** Cracticus, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 356.
- cuneiceps** Chelone, R. Owen, Rept. London Clay (Pal. Soc. II.) July 1849, 33.
- cuneiceps** Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 344.—Alyselm. 1800.
- cuneiceps** Taenia (Z.), C. A. Rudolphi, Entoz. II (2) 1810, 143.—Alyselminthus, 1800.
- cuneicornis** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 682.
- cuneicornis** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1532.—Anthomyza, 1838.
- cuneicornis** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1080.
- cuneifer** Battus, J. Barrande, Not. préf. Silur. 1846, 18.
- cuneifer** Mesospheniscus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 46.
- cuneiformis** Anthaxia, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 290.
- cuneiformis** Apocrytus, G. R. Waterhouse, Ann. Mag. N. H. IX. June 1842, 310.
- cuneiformis** Aptychus, L. Rousseau in Démidoff, Voy. Russie, II. 1842, 788.
- cuneiformis** Ascaris (Z.), C. A. Rudolphi, Entoz. II (1) 1809, 177.—Fusaria, 1800.
- cuneiformis** Astarte, T. A. Conrad, Foss. Med. Tert. U. S. (2) May 1840, 42.
- cuneiformis** Avicula, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, Blennius, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 359. [473-]
- cuneiformis** Buprestis, Dejean, Catal. Coléopt. 1821, 29 [*n. n.*].
- cuneiformis** Cyclas, J. Sowerby, Min. Conch. II. 1817, 140.
- cuneiformis** Cyclas (Fér.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 304.—Cyrena.
- cuneiformis** Cyrena, A. E. Férussac, H. N. g. et p. Moll., wrapper of livr. 19, 1822 [*n. et f.*].
- cuneiformis** Cyrena (Sow.), G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 122.—Cyclas.
- cuneiformis** Fistulana (Lam.), Deshayes, Dict. Class. H. N. VI. 1824, 522.—Gastrochaena.
- cuneiforme** Flabellum, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 512.
- cuneiformis** Galaxaura, P. Duchassaing, Anim. rad. Antilles (1850), 30.
- cuneiformis** Gastrochaena, Lamarck, An. s. vert. V. 1818, 447.
- cuneiformis** Inoceramus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 512.
- cuneiformis** Megathiris, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 147.
- cuneiformis** Menoetius, Dejean, Catal. Coléopt. 1821, 94 [*n. n.*].
- cuneiformis** Modiola, S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 237.
- cuneiformis** Nucula, J. De C. Sowerby, Tr. Geol. Soc. London (2) V. 1840, expl. pl. xxii.
- cuneiformis** Nucula, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 432.
- cuneiformis** Nuculites, T. A. Conrad, [5 Ann. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841, 50.
- cuneiformis** Otiorhynchus, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 38.
- cuneiformis** Pholas, T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1822, 322.
- cuneiformis** Pholas (Lam.), W. Wood, Suppl. Index Test. 1828, 39.—Gastrochaena.
- cuneiformis** Placosmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848, 234.
- cuneiformis** Sphenoptera, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 314.
- cuneiformis** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 263 [*n. n.*].
- cuneiformis** Textularia, T. R. Jones in W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, Toxaster, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 341. [18.]
- cunifrons** Phyllosoma, Latreille, N. Dict. H. N., ed. 2, XXVI. 1818, 36.
- cuneigera** Agrotis, J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Ap. 1829, 123.
- cuneipennis** Styphlus, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 341.
- cuneiventris** Cordylura, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2020.
- Cuneolaria** Chamisso & E., N. Acta Ac. Caes. Leop. Carol. X. 1821, 369.—Med.
- Cuneolina** A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 150.—Rh.

- cuneolus** Conus, L. Reeve, Conch. Icon.—Conus, no. 205, Dec. 1843.
- cuneolus** Ellipsosmilia (E. & H.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 202.—Trochosmilia.
- cuneola** Mactra, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 216.
- cuneolus** Terebratula, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [z. n.].
- cuneolus** Trochosmilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848, 237.—Turbinolia.
- cuneolus** Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 287.
- cuneolus** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 286.
- cuneolus** Xysticus, C. L. Koch in Panzer, Ins. Germ., heft 134, 1835, tab. 24.
- Cuneus** Megerle, Ges. nat. Fr. Berlin, Mag. V. 1811, 50.—L.
- cunea** Cynia (Dru.), J. Huebner, Verz. bekannt. Schmett. [1822], 184.—Phalaena, 1770.
- cuneus** Lithoderma, G. Cuvier, R. Anim., ed. 2, III. 1830, 242.
- cuneus** Pectunculus, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 342.
- cuneus** Pleurorhynchus, T. A. Conrad, [4 Ann. Rep. N. Y. Geol. Surv.] Assembl. no. 50, 1840, 206.
- cunea** Spilosoma (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 34.—Phalaena,
- cuneus** Unio, T. A. Conrad, Mon. Unionidae N. Amer. 1836, 105. [1770.]
- cuneus** Vaginaria, F. v. P. Schrank, F. Boica, III (2) 1803, 142.
- cunex** Trichoda, A. Pritchard, N. H. Animalcules, 1834, 135.
- cunica** Geometra, P. Cramer, Utitl. Kapellen, pl. 257 G (? 1779).
- cunicaria** Euchera (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 305.—Phalaena cunina,
- Cunicula** W. Swainson, Treat. Malacol., May 1840, 267 & 378.—L. [1779.]
- cunicularis** Athene (Mol.), T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 77.—Strix c—aria, 1782.
- cunicularis** Thelphusa, J. O. Westwood, Tr. Entom. Soc. Lond. I (3) Jan. 1837, 183.
- cunicularia** Alauda, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 369.
- cunicularia** Andrena (L.), J. C. Fabricius, Syst. Piezat. 1804, 323.—Apis, 1761.
- cunicularius** Arvicola, Jules Ray, Rev. Zool. (Soc. Cuv.) X. Oct. 1847, 302 & 306.
- cunicularius** Astacus (Engaeus), W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 102.
- cunicularia** Athene (Mol.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 6.—Strix, 1782.
- cunicularius** Cercomys, F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (60) Sept. 1829, Cerc. du Brésil, p. 2.
- cunicularia** Certhilauda (Vieill.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 71.—Alauda.
- cunicularia** Cixia (L.), H. Burmeister, Handb. Ent. II (1) 1835, 157.—Cicada, 1767.
- cunicularius** Cixius (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66.—Cicada, 1767.
- cunicularia** Colletes (L.), W. Nylander, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 207.—Apis, 1761.
- cunicularius** Crabro, F. v. P. Schrank, F. Boica, II (2) 1802, 334.
- cunicularia** Cunistrix (L.), R. P. Lesson, Echo Monde Savant, X. 21 Sept. 1843, 540.—Strix, Mol. 1782.
- cunicularia** Flata (L.), J. C. Fabricius, Syst. Rhyng. 1803, 55.—Cicada, 1767.
- cunicularius** Furnarius (Vieill.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1839), 65.—Alauda.
- cunicularia** Geositta (Vieill.), G. R. Gray, List Gen. Birds, 1840, 16.—Alauda.
- cunicularius** Hylesinus, Kn.; W. F. Erichson, Arch. f. Naturg. II (1) 1836, 49.
- cunicularia** Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 56.—Cicada, L. 1767.
- cunicularia** Melitta (L.), W. Kirby, Mon. Apum Angl. II. 1802, 106.—Apis, 1761.
- cunicularia** Mygale, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 86.
- cunicularia** Noctua (Mol.), A. d'Orbigny, Amér. Mérid. (Ois.) 1837, 128.—Strix, 1782.
- cunicularia** Nyctipetes (Mol.), W. Swainson, N. H. Classif. Birds, II. June 1837, 218.—Strix, 1782. [metra cunica, Cr.
- cunicularia** Phalaena Geometra, E. J. C. Esper, Die Schmett. V (9) 1803, 239.—? Geo-
- cunicularius** Sorex, [E. A.], Compend. Bibliothek, XXI (Zoologie, V.—VIII. 1797), 25.
- cunicularia** [Speotyto] (Mol.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 226.
- cunicularia** Strix, L. P. Vieillot, Ois. Amér. sept. I. 1807, 48. [—Strix, 1782.]
- cunicularia** Surnia (Gm.), J. J. Audubon, Synopsis, 1839, 22.—Strix, Mol. 1782.

- cuniculator** Anostostoma, C. Coquerel, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 282.
- cuniculi** Cuterebra (Fab.), B. Clark, Essay Bots, 1815, 70. = Oestrus, Clark, 1797.
- cuniculi** Trypoderma (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 256. — Oestrus, Clark, 1797.
- cuniculina** Amara, Andersch in Dejean, Spec. gén. Coléopt. V. 1831, 798.
- cuniculinus** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 87.
- cuniculina** Eucera, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *l*.
- cuniculinus** Harpalus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 61. — Carabus.
- cuniculina** Leiocnemis (And.), C. Zimmermann, Faunus, I (1) 1832, 39. — Amara.
- cuniculina** Oxyptoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 348. [30.]
- cuniculoides** Reithrodon, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837,
- cuniculorum** Blepharoptera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 413. — Leria. [370. — Blepharoptera.]
- cuniculorum** Helomyza (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838,
- cuniculorum** Leria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cuniculosus** Murex, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836, 176. [1830, 655.]
- cuniculosa** Spongia, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 345.
- cuniculosus** Typhis (Nyst), H. G. Bronn, Index Pal. 1848, 1340. — Murex.
- Cuniculus** J. Wagler, Nat. Syst. Amph. 1830, 21. — M. [Microtinae].
- Cuniculus** S. D. W., The Analyst, IV (15) Ap. 1836, 72. — M. [prymnus.]
- cuniculus** Bettongia (Og.), J. Gould, Mon. Macropidae (2) May 1842, pl. 29. — Hypsi-
- cuniculus** Bothynus (Fab.), W. Kirby in F. W. Hope, Coleopt. Manual, I. 1837, 95. —
- cuniculus** Geotrupes, J. C. Fabricius, Syst. Eleuth. I. 1801, 20. [Geotrupes.]
- cuniculus** Hypsiprymnus, W. Ogilby, Proc. Zool. Soc. London, VI (65) July 1838, 63.
- cuniculus** Hyracotherium, R. Owen, Ann. Mag. N. H. VIII. Sept. 1841, 1.
- cuniculus** Larinus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 145. — Lixus.
- cuniculus** Lixus, A. G. Olivier, Entom. V. 1807, 282.
- cuniculus** Podalgus, H. Burmeister (*ex* Dej. Cat.), Handb. Ent. V. 1847, 119.
- cuniculus** Scarabaeus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 193. — Geotrupes.
- cuniferus** Aulacocheilus, *err. pro* luniferus, Guér.; T. Lacordaire, Mon. Erotyl., Sept. 1842, 249.
- cunifrons** *v.* **cuneifrons**. [1842, 249.]
- cunigunda** Epantheria (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 183. — Phalaena,
- Cunina** J. F. Eschscholtz, Syst. Acalephen, 1829, 117. — Coel. [1781.]
- cuning** Caesio (Bl.), Cuvier & Valenc., H. N. Poiss. VI. 1830, 444. — Sparus, 1791.
- cuning** Cichla (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 336. — Sparus, 1791.
- cunipes** Mesites, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1046.
- Cunistrix** R. P. Lesson, Echo Monde Savant, X. 21 Sept. 1843, 540. — A.
- cunliffei** Ammonites, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 109.
- cunliffeii** Arca, J. McClelland, Calcutta Journ. Nat. Hist. II (6) July 1841, 242.
- cunliffei** Cypraea, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 134.
- cunliffei** Ophiura, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 158.
- cunliffei** Palaeocoma (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 274. — Ophiura. [(1827) *err. pro* canna.]
- cunna** Damalis, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. plate only
- cunnesius** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 114.
- cunninghami** Buprestis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
- cunninghamii** Chiton, L. Reeve, Conch. Icon. IV. — Chiton, no. 181, Oct. 1847. [81.]
- cunninghami** Egernia, J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 288. — Tiliqua, 1832.
- cunninghami** Gubernetes, G. Such, Zool. Journ. II (5) Ap. 1825, 114.
- cunninghamii** Haliotis, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 494.
- cunninghami** Helix, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. &c. 1834, 597.
- cuninghami** Macrocyclus (Gray), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 24. — Helix cunninghami. [Australia, II. 1827 [*i.e.* Ap. 1826], 468.]
- cunninghamii** Nephila, W. S. MacLeay (*ex* King MS) in P. P. King, Narr. Surv.
- cunninghamii** Pamborus, F. L. de Laporte, Etudes Entom. (2) 1835, 156. [40.]
- cunninghami** Tiliqua, J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,

- cunninghami** Trochus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. &c. 1834, 600.
- Cunolites** DeFrance, Dict. Sci. Nat. XXII. 1821, 402.—? Br.
- Cuon** B. H. Hodgson, Ann. Nat. Hist. I (2) Ap. 1838, 152.—M.
- cupa** Pupa, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 3.
- cupa** Pupilla (C. & J.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Pupa.
- cupai** Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 245.
- cupani** Helix, P. Calcara, Cenzo Topog. Termini, 1842, 32.
- cupanus** Polyacanthus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 357.
- cupavia** Aterica (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 287.—Papilio, 1779.
- cupavia** Catonephele (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 40.—Papilio, 1779.
- cupavius** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 382.—Papilio, Cr. 1779.
- Cupellaecrinites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 419; P. Amer. Assoc. 1849 (1850), 61.—Ech.
- cupentia** Coenipeta (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 261.—Phalaena, 1779. [1784.]
- cupentus** Bithys (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 75.—Papilio cupentus,
- cupentus** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 631.—Papilio, 1784.
- cupentus** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 34.—Papilio,
- Cupes** J. C. Fabricius, Syst. Eleuth. II. 1801, 66.—Col. [1784.]
- Cupesius** *emend. pro* Cupes, Fab.; C. S. Rafinesque, Analyse, 1815, 110.—Col. [*n. n.*].
- cupestrata** Ctesias, C. F. Freyer, Beitr. Gesch. europ. Schmett. (18) 1829, 49.
- cupestrata** Geometra, C. F. Freyer, Beitr. Gesch. europ. Schmett. (18) 1829, 49.
- Cupha** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 79.—Lep. [*n. d.*, 1 nom. triv. append.]. [—Sciaphila.]
- cuphana** Eriopsela (Fisch.), A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 163.
- cuphana** Grapholitha, Tischer, Isis (Oken), 1846, 245.
- cuphana** Sciaphila, Fischer v. R. in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 150.
- Cuphanao** J. Huebner, Verz. bekannt. Schmett. [1822], 230.—Lep.
- Cuphocera** Macquart, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 267.—Dipt.
- Cuphorhynchus** Megerle in Dahl, Cat. Coléopt. 1823, 58.—Col.
- cuphulana** Syndemis, Herrich-S., Syst. Bearb. Schmett. Europ. IV (48) 1851, 276.
- Cuphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kuphus, Guett. 1770.
- cupidina** Hexuroptera, J. Huebner, Verz. bekannt. Schmett. 1818, 22.
- Cupido** F. v. P. Schrank, F. Boica, II (1) 1801, 153.—Lep.
- Cupido** J. Huebner, Verz. bekannt. Schmett. 1818, 77.—Lep.
- cupido** Argus (Fab.), Lamarck, An. s. vert. IV. 1817, 23.—Hesperia, 1793.
- cupido** Bonasa (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 299.—Tetrao, 1758.
- cupido** Erycina (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 563.—Papilio, 1758.
- cupido** Geophagus, J. Heckel, Ann. Wiener Mus. II [3] 1840, 399.
- cupido** Helicopsis (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 285.—Hesperia, 1793.
- cupido** Julis, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 170.
- cupido** Polypteryx, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [*n. n.*].
- cupido** Psilopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 643.
- cupido** Rusticus, J. Huebner, Exot. Schmett., Tab. Rusticus [*n. et f.*].
- cupido** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 227.
- cupido** Tympanuchus (L.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 396.—[cupidus -a -um.] [Tetrao, 1758.]
- cupida** Acanthobrama, J. J. Heckel in Russegger, Reise, II (3) [1847], 235.
- cupida** Ephemera, T. Say, Western Quart. Reporter, II (2) 1823, 163.
- cuppigera** Cydonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 442.
- cuppula** Calyptraea, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 121.
- cuppula** Helcion (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 272.—Caly-
- cuprariella** Coleophora, P. C. Zeller, Isis (Oken), 1847, 36. [ptraea.]

- cuprarius** *Amarygmus* (Fab.), E. Desmarest in Vaillant, Voy. "Bonite," Zool. I. 1842, 308.—*Helops*.
- cupraria** *Chrysogaster*, J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 194.
- cupraria** *Doryphora*, E. F. Germar, Ins. spec. novae, I. 1824, 577.
- cuprarius** *Helops*, F. Weber, Obs. Ent. 1801, 40.
- cupraria** *Oxycera* (Fab.), Lamarck, An. s. vert. III. 1816, 388.—*Sargus*, 1798.
- cupraria** *Sphenoptera*, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 96.
- cuprasens** *Melolontha*, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 89.
- cupratum** *Agonum*, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 218.
- cuprata** *Buprestis*, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. b.
- cupratus** *Centrinus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 785.
- cupratus** *Eurhin*, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 309.
- cupratus** *Gyropleurus*, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 9 [n. n.].
- cupratus** *Saprinus*, F. A. Kolenati, Melet. Entom. (5) June 1846, 62.
- cupratus** *Torymus*, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 375.
- cuprea** *v.* **cupreus** -a -um.
- cuprealis** *Aglossa* (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1832, 67.—*Pyralis*.
- cuprealis** *Hypsopygia*, J. Huebner, Verz. bekannt. Schmett. 1826, 348.—*Pyralis*.
- cuprealis** *Pyralis*, J. Huebner, Samml. europ. Schmett. (Pyral.) pl. 23, f. 153 [Fernaldo judice 1800–11].
- cuprearia** *Larentia*, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 174.
- cupreata** *Buprestis*, Laporte & Gory, H. N. Coléopt. I. 1837, 32.
- cupreata** *Haltica*, Megerle in K. Duftschmid, Fauna Austriaca, III. 1825, 282.
- cupreata** *Larentia*, Herrich-S. in Panzer, Ins. Germ., heft 163, 1838, tab. 8.
- cupreata** *Talpa*, C. S. Rafinesque-S., Précis Som. 1814, 14.
- cupreoaenea** *Buprestis*, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 91.
- cupreo-aenea** *Chrysothris*, Laporte & Gory, H. N. Coléopt. II. 1835–36, 39.
- cupreo-aeneus** *Polydrusus*, Ill.; Dejean, Catal. Coléopt. 1821, 93 [n. n.].
- cupreocauda** *Mellisuga* (Gould), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—*Trochilus*.
- cupreocauda** *Metallura*, J. Gould, Proc. Zool. Soc. London, XV (175) July 20, 1847, 94.—*Trochilus*, 1846.
- cupreicauda** *Trochilus*, J. Gould, Proc. Zool. Soc. London, 1846, 87.
- cupreiceps** *Strigoderma*, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 203. [1848, 83.]
- cupreocincta** *Calleida*, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
- cupreo cinctus** *Chlaenius*, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 266.
- cupreicollis** *Apogonia*, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 229.
- cupreicollis** *Gnorimus*, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 533.
- cupreicolle** *Hyboma*, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 157.
- cupreicollis** *Staphylinus*, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 34.
- cupreifrons** *Dialyta*, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 966.
- cupreomicans** *Harpalus*, J. Sturm, Catal. Ins. Samml. 1826, 148 [n. n.].
- cupreoniger** *Canthon*, J. Sturm, Catal. Ins. Samml. 1826, 109 [n. n.].
- cupreonitens** *Elater*, J. Sturm, Catal. Ins. Samml. 1826, 136 [n. n.].
- cupreonitens** *Harpalus*, Sturm in Dejean, Spec. gén. Coléopt. IV. 1829, 287.
- cupreonotata** *Buprestis*, Laporte & Gory, H. N. Coléopt. I. 1838, 67.
- cupreipennis** *Buprestis*, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 65.
- cupreopennis** *Demetrias*, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 130.
- cupreopunctata** *Buprestis*, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 248.
- cupreosignata** *Buprestis*, Laporte & Gory, H. N. Coléopt. I. 1838, 63.
- cupreo-splendens** *Evagora*, Laporte & Gory, H. N. Coléopt. II. 1839, 4.
- cupreovertris** *Eriopus* (Fras.), J. Gould, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 17.—*Trochilus*.
- cupreovertris** *Hylocharis* (Fras.), G. R. Gray, Gen. Birds, I. Dec. 1848, 114.—*Trochilus*.
- cupreo-ventris** *Trochilus*, L. Fraser, Proc. Zool. Soc. London, VIII (86) July 1840, 15.

- cupreoviridis** Chrysomela, Kollar; J. Sturm, Catal. Ins. Samml. 1826, 116.
- cuprella** Adela (Fab.), Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 652.—
Alucita, 1787.
- cuprella** Nemotois (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 417.—Tinea, 1775.
- cupreoaeneus** *v.* **cuprei**→.
- cupreocauda** *v.* **cuprei**→.
- cupreocinctus** *v.* **cuprei**→.
- cupreoides** Helops, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].
- cupreolus** Agabus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 23 [*n. n.*].
- cupreola** Agra, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 109.
- cupreola** Cicindela, J. O. Westwood, Ann. Mag. N. H. VIII. Nov. 1841, 203.
- cupreola** Halticoptera, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148
[[*n. n.*].
- cupreomicans** *v.* **cuprei**→.
- cupreoniger** *v.* **cuprei**→.
- cupreonitens** *v.* **cuprei**→.
- cupreonotatus** *v.* **cuprei**→.
- cupreopennis** *v.* **cuprei**→.
- cupreopunctatus** *v.* **cuprei**→.
- cupreosignatus** *v.* **cuprei**→.
- cupreosplendens** *v.* **cuprei**→.
- cupreovertris** *v.* **cuprei**→.
- cupreoviridis** *v.* **cuprei**→. [158.—Buprestis.
- cuprescens** Agrilus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835,
- cuprescens** Amorphosoma, Laporte & Gory, H. N. Coléopt. II. 1839, 9.
- cuprescens** Apion, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 289.
- cuprescens** Apogonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
1850 [*incunte* 1851], 228.
- cuprescens** Buprestis, E. Ménétris, Cat. Rais. Zool. Caucase, 1832, 154. [1850, 127.
- cuprescens** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- cuprescens** Uroxys, J. O. Westwood, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 61.
- cupressana** Retinia (Dup.), A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 181.
—Tortrix. [495.
- cupressana** Tortrix, Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1836,
- cupressaria** Corythea (B.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 257.
—?Geometra cupressata, Huebn.
- cupressata** Ctesias (Huebn.), Donzel in Duponchel in J. B. Godart, H. N. Lépid. France,
VIII (1) (Noct. 5, pt. 1) 1831, 511.—Geometra.
- cupressata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 107 (Fernaldo judice
1828-33) [*n. et f.*].
- cupressi** Ancylochira (Dej.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis.
- cupressi** Buprestis, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 104.
- cupressi** Buprestis, Dejean in E. F. Germar, Fauna Ins. Europ. (17) [1831-35], 2.
- cupressina** Aglaophenia, J. V. F. Lamouroux, Hist. Polyp. 1816, 169.
- cupressina** Antipathes, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, III. 1801, 40.
- cupressino** Cancellaria (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 214.
- cupressina** Corallina, E. J. C. Esper, Pflanzenth., Cor. Tab. vii [1810?]. [—Voluta.
- cupressina** Mitra (Broc.), Defrance, Dict. Sci. Nat. XXXI. 1824, 493.—Voluta.
- cupressinum** Nigellastrum (L.), L. Oken, Lehrb. Nat. III (1) 1815, 93.—Sertularia, 1758.
- cupressina** Plumularia (Lamx.), de Blainville, Dict. Sci. Nat. LX. 1830, 443.—Aglaophenia.
- cupressina** Voluta, G. Brocchi, Conch. Subap. 1814, 319. [phenia.
- Cupressocrinites** G. A. Goldfuss, Petref. German. I (3) 1831, 212.—Ech.
- Cupressocrinus** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 198.—Crin.
- cupreus** Ablepharus, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 335. [233.
- cupreus** Acanthopus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- cupreum** Adeliium, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 22.
- cupreus** Adelus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 329.
- cupreum** Agonum, Dejean, Spec. gén. Coléopt. V. 1831, 735.
- cuprea** Agra, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 291.

- cupreus Agrilus, L. Redtenbacher, F. Austr., Käfer, 1849, 286.
- cuprea Altica, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 21 [*n. n.*].
- cupreus Amarygmus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 272.
- cupreus Amaurus, Herrich-S., Wanzenart. Ins. V (4) Jan. 1840, 61.
- cupraea Andrena, F. de Tigny, s. à Deterville ed. Buffon, Ins. III. 1801, 314.
- cuprea Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1839, 5.
- cuprea Apamea (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 76.—Tinea cuprella, 1775.
- cupreum Apion, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 53 [*n. n.*].
- cupreus Apogon, Ehrenberg in Cuvier & V., H. N. Poiss. II. 1828, 158.
- cuprea Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 245.
- cupreus Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 59.—Scarab. 1775.
- cupreus Attus, C. A. Walckenaer, Tab. Aran. 1805, 24.—Aranea, 1802.
- cupreus Baridius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [*n. n.*].
- cuprea Baris, Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- cupreum Bembidion, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 246.
- cuprea Buprestis, F. V. Melsheimer, Ins. Pennsylv. 1806, 45 [*n. n.*].
- cuprea Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 43.
- cuprea Bura, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 419.
- cupreum Callisoma, V. v. Mochulski, Kaeferrussl., post May 1850, 89.
- cuprea Callithrix, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 23.
- cuprea Capillaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 521.—Alucita cuprella, Fab. 1787.
- cuprea Carpophaga, T. C. Jerdon, Madras Journ. XII (28) July 1840, 12. [1787.
- cuprea Certhia, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 201.
- cuprea Cetonia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 554.
- cupreum Chaeridium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 169.
- cupreus Chalconotus, Fab.; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 136.
- cuprea Chlamys, F. Klug, Entom. Mon. 1824, 94.
- cuprea Chlorota, H. Burmeister, Handb. Ent. IV (1) 1844, 365.
- cuprea Chortophila, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 324.
- cuprea Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 40.
- cupreus Chrysococcyx (Lath.), F. Boie, Isis (Oken), 1826, 977.—Cuculus, Shaw, 1792.
- cupreus Chrysogaster, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 425 [*n. n.*].
- cupreus Chrysotus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 232.
- cupreum Cinnyris (Viell.), Cuvier, Règne Anim. I. 1817, 412.—Certhia, Shaw.
- cupreus Clenicerus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 266.— [1775.
- cupreus Elater, 1775.
- cupreus Cleniocerus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Elater, 1775.
- cuprea Clitellaria, F. Walker, List Dipt. Coll. B. M. (3) 1849, 524.
- cupreum Cnodulon, J. C. Fabricius, Syst. Eleuth. II. 1801, 12.—Erotylus, 1775.
- cuprea Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 414.
- cuprea Colaspis, A. G. Olivier, Entom. VI. 1808, 888.—Cryptoccephalus, 1787.
- cupreus Colaspoides, F. L. de Laporte, Revue Entom. I (1) Mar. 1833, 20.
- cupreus Coluber, P. S. Pallas, Zoographia, III. 1811, 45.
- cuprea Columba, J. Wagler, Syst. Avium, I. 1827, sign. 1615.
- cupreus Corymbites (Fab.), P. A. Latreille, Ann. Soc. Ent. France, III (1) post Mar. 1834, 150.—Elater, 1775.
- cuprea Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 458.
- cuprea Ctenicera (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 454.—Elater, 1775.
- cupreus Dasytes (Th.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 15.—Cantharis, 1784.
- cuprea Diplolepis, M. Spinola, Ins. Liguria, II. 1808, 212.
- cupreus Dolichopus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 86.
- cupreus Dolichopus, C. F. Fallen, Mon. Dolichop. Sveciae (2) 1823, 15.
- cuprea Donacia, F. V. Melsheimer, Ins. Pennsylv. 1806, 39 [*n. n.*].
- cuprea Donacia, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 225.
- cuprea Donacia, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 158.
- cuprea Doris, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. g.

- cuprea** Doryphora, Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].
- cupreus cupreus** Drassus, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser., V (25) July 1834, 50.
- cupreus** Dromius, J. Walth, Reise Tyrol etc. (2) 1835, 52.
- cupreus** Elachestus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 39.
- cupreus** Elaphrus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 194.
- cupreus** Elaphrus, Dufts.; Dejean, Catal. Coléopt. 1821, 18 [*n. n.*].
- cupreus** Elaphrus, Baudet-L., Ann. Sci. Auvergne, X. 1837, 168.
- cupreus** Elmis (Muell.), J. Sturm, Catal. Ins. Samml. 1826, 138.—Linnius.
- cuprea** Empecta, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 153.
- cupreus** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 105.
- cuprea** Euchlora, F. W. Hope (*ex* Siebold MS), Proc. Zool. Soc. London, VII (77) Oct. 1839, 72. [longicornis, F. V. M. [*n. n.*].
- cupreus** Eumolpus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 22 [*n. n.*]; & *var.*
- cupreus** Eumolpus, A. G. Olivier, Entom. VI. 1808, 897.
- cuprea** Ferdinandea (Scop.), C. Rondani, N. Ann. Sci. Nat. [2] II. 1844 [Oct.], 199.—Conops, 1763.
- cuprea** Feronia (Fab.), Dejean, Spec. gén. Coléopt. III. 1828, 207.—Carabus, L. 1758.
- cuprea** Graptodera, J. L. Leconte in Agassiz, Lake Superior, 1850, 238 [*n. n.*].
- cuprea** Haltica, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 28.
- cupreus** Harpalus (L.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 115.—Carabus, 1758.
- cupreus** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- cupreus** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 281.
- cupreum** Hedychrum, A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 3.
- cupreus** Heliophanus (Walck.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 30.—
- cupreus** Helops, Dejean, Catal. Coléopt. 1821, 70 [*n. n.*] [Attus.
- cupreum** Himatidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, 1787.
- cupreus** Homonyx, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 300.
- cupreus** Hymenophorus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 427.
- cuprea** Ibis, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 1018.
- cuprea** Ischiopachys (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848,
- cupreus** Labrus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 527. [471.—Clythra, 1798.
- cupraea** Lamprima, Lamarck, An. s. vert. IV. 1817, 601. [Adelus.
- cupreus** Lathiphronus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 192.—
- cuprea** Latipalpis (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 289.—
- cuprea** Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 477. [Buprestis, L. 1758.
- cuprea** Leptura, F. Weber, Obs. Ent. 1801, 90.
- cupreus** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 361.
- cupreus** Linnius, P. W. J. Mueller, Mag. f. Insektenk. (Illiger) V. 1806, 205.
- cuprea** Lucilia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 459. [—Elater, 1775.
- cupreus** Ludius (Fab.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.
- cuprea** Lycophotia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 215.—Noctua, 1775. [125.
- cuprea** Lydina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- cupreus** Macroductylus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 91. [1784.
- cupreus** Malachius, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 37.—Cantharis,
- cupreus** Medeterus, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 107.
- cupreum** Megymenum, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 172.
- cuprea** Melasoma (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 351.—Chrysomela, 1775.
- cuprea** Melolontha, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VIII. May 1821, 275.
- cuprea** Moccoa, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 83.—Ablepharus.
- cupreus** Monodontomerus (Nees), F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 101.—Torymus.
- cuprea** Musca (Desv.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 268.—
- cuprea** Nebria, J. Sturm, Catal. Ins. Samml. 1826, 173 [*n. n.*] [Lucilia.

- cuprea** Nectarinia (Shaw), W. Jardine, Nectariniadae (Nat. Libr. XXXVI.) 1843, 254.—*Certhia*.
- cuprea** Nereis, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 142. [304.]
- cuprea** Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820,
- cupreus** Ocybus (Rossi), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 443.—*Staphy-*
- cuprea** Omphalina, Rafinesque, Enum. obj. Cab., Nov. 1831, 3. [Linus, 1790.]
- cuprea** Onesia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 368.
- cupreus** Onitis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 90.
- cupreus** Oodes, M. de Chadoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 761.
- cuprea** Pelidnota, M. Perty, Del. anim. artic. Brasil. (1) 1830, 49.
- cuprea** Peristera (Wagl.), G. R. Gray, Genera of Birds, II. June 1845, 476.—*Columba*.
- cuprea** Perotis (Fab.), M. Spinola, Ann. Soc. Ent. France, VI (1) *post* Mar. 1837, 110.—*Buprestis*, L. 1758. [Nov. 1844, 247.]
- cupreus** Peryphus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)
- cupreus** Pezodontus (Fab.), Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 203.—*Tenebrio*, 1792.
- cupreus** Philonthus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 13.
- cuprea** Phormia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 467. [Ohiensis [Dec.] 1820, 65.—*Silurus*, 1820.]
- cupreus** Pimelodus, C. S. Rafinesque, Western Review, II (6) July 1820, 359; *Ichth.*
- cupreus** Platynus (Dej.), J. L. Leconte in Agassiz, Lake Superior, 1850, 205.—*Agonum*.
- cuprea** Platysma (Fab.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 94.—*Carabus*, L. 1758.
- cuprea** Pleurotoma, L. Reeve, Conch. Icon.—*Pleurotoma*, no. 140, Nov. 1843.
- cupreus** Poecilus (Fab.), Dejean, Catal. Coléopt. 1821, 11.—*Carabus*, L. 1758.
- cuprea** Poropleura (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 870.—*Chlamys*. [—*Rhaphium*.]
- cupreus** Porphyrops (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 151.
- cupreus** Psilogaster, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
- cupreus** Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 102. [260.]
- cupreus** Pterostichus (L.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 67.—*Carabus*, 1758. [1830, 464.]
- cuprea** Pyrellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cuprea** Pyrellia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 299.—*Lucilia*.
- cupreum** Rhaphium, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 264.
- cupreus** Rynchites (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 117.—*Curculio*, 1758.
- cupreus** Rhynchites, J. Walton, Ann. Mag. N. H. XIII. Feb. 1844, 87.
- cupraea** Rutela, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 310.
- cuprea** Rutela, E. F. Germar, Ins. spec. novae, I. 1824, 120.
- cupreus** Salticus (Walk.), C. W. Hahn, Die Arachniden, II (4) Oct. 1834, 42.—*Aranea*.
- cupreus** Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 182.
- cupreus** Scytalus, C. S. Rafinesque, Amer. J. Sci. I (1) 1818, 85.
- cupreus** Selenophorus, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 238. [51.]
- cupreus** Silurus, C. S. Rafinesque, Q. Journ. Sci. (R. Inst. Gt Brit.) IX (17) Ap. 1820,
- cupraea** Smidtia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] V (4) June 1848, 595.
- cupreus** Staphylinus, F. de Tigny, s. à Deterville ed. Buffon, Ins. VII. 1801, 88.
- cupreus** Stenus, F. L. de Laporte, Etudes Entom. (2) 1835, 124.
- cuprea** Strigidia (Germ.), H. Burmeister, Handb. Ent. IV (1) 1844, 389.—*Rutela*.
- cupreus** Tenebrio (Pezodontus), Fab.; J. C. F. Klug in Erman, Reise Erde, Atlas, 1835,
- cuprea** Tesseratoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 27. [40.]
- cuprea** Tisiphone, L. J. Fitzinger, Neue Classif. Rept. 1826, 63 [*n. n.*]. [Iepis.]
- cupreus** Torymus (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 67.—*Diplo-*
- cuprea** Toxophora (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 178.—*Bombylius*,
- cupreus** Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 414. [1787.]
- cuprea** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) IV. Sept. 1820, 304.

- cuprea** Upis (Fab.), W. E. Leach in T. E. Bowdich, Miss. Ashanti, 1819, 495.—Tenebrio,
cuprea Usia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 383. [1792.
cupriacella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 67 (Fernaldo judice 1818–22)
 [n. et f.].
- cupricauda** Trochilus, J. Gould, Proc. Zool. Soc. London, XIV (164) Nov. 1846, 87.
cupriceps Buprestis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 457.
cupricollis Agrilus, Gory (ex Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 240.
cupricollis Anomala, Dupont in L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 46.
cupricollis Ateuchus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 261 [n. n.].
cupricollis Chlamys, F. Klug, Entom. Mon. 1824, 131.
cupricollis Cicindela, V. Kollar, Ann. Wiener Mus. I [2] 1836, 329.
cupricolle Cnodulon, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 359.
cupricolle Ethon, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 64.
cupricolle Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 586.
cupricollis Popillia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
cupricollis Rhopalophora, F. E. Guérin-M., Iconographie, 1844, Ins. 235.
cupricollis Tetratoma, J. Sturm, Catal. Ins. Samml. 1826, 202 [n. n.].
cupricollis Zemina, Laporte & Gory, H. N. Coléopt. II. 1838, 2.
cupricrus Cordylura, F. Walker (ex Barnston MS), List Dipt. Coll. B. M. (4) 1849, 974.
cuprifera Acmaeodera, Laporte & Gory, H. N. Coléopt. I. 1835–1836, 25.
cuprifer Aspongopus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 25.
cuprifer Ateuchus, J. Sturm, Catal. Ins. Samml. 1826, 98 [n. n.].
cuprifer Brius, Dahl; Dejean, Catal. Coléopt. 1821, 92 [n. n.].
cuprifera Buprestis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 457.
cuprifera Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 59.
cuprifera Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 119.
cuprifer Loborhynchus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 164.
cuprifer Mecinus, Meg.; Dejean, Catal. Coléopt. 1821, 98 [n. n.].
cuprifer Miccotrogus (Germ.), C. J. Schoenherr, Isis (Oken), 1825, 583.—Sibiria.
cuprifer Phytobius, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
 1845, 100.
- cuprifera** Sibiria, Ziegl.; Dejean, Catal. Coléopt. 1821, 83 [n. n.].
cuprifera Sibiria (Panz.), E. F. Germar, Ins. spec. novae, I. 1824, 291.—Curculio, 1799.
cuprifer Tychius (Panz.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 422.—
cuprifrons Pelidnota, J. Sturm, Catal. Ins. Samml. 1826, 182 [n. n.]. [Curculio, 1799.
cuprifrons Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 96.
cuprifrons Sphenoptera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 153.
cuprifulgens Cetonia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 563.
cuprina Acmaeodera, Chevrolat in Spinola, Ann. Soc. Ent. France, VII (3) post Nov.
 1838, 367. [Nov. 1844, 138.
- cuprinum** Agonum, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1–3)
cuprinus Anchomenus (Motsh.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII.
 1850 (3) 1850, 123.—Agonum.
- cuprinus** Bubastes, A. White, Nomen. Coleopt. Coll. B. M. (3) 1848, 11 [n. n.].
cuprina Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. d.
cuprina Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 18 [n. n.].
cuprina Chrysomela, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 177.
cuprinus Coraeus, Laporte & Gory, H. N. Coléopt. II. 1839, 11.
cuprinus Dolichopus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 230.
cuprina Macraspis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
cuprina Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 654. [117.
cuprina Nerita, C. A. Récluz, Proc. Zool. Soc. London, XI (124) Nov. 1843, 72.
cuprina Olisthoena, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 451.
cuprinus Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 489.
cuprinus Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 96.
cuprina Stratiomys, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 69.
cuprinus Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 94. [Trochilus.
cupripennis Aglaeactis (B. & M.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 73.—

- cupripenne Agonom (Say), Dejean, Spec. gén. Coléopt. III. 1828, 139.—Feronia.
- cupripennis Agra, Dejean, Spec. gén. Coléopt. V. 1831, 305. [Cnodulon.]
- cupripennis Amarygmus (Hope), E. F. Germar, Linnaea Entom. III. Ap. 1848, 200.—
- cupripennis Amphicomma, L. Redtenbacher in Russeger, Reise, I (2) 1843, 986.
- cupripennis Anthaxia, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 77.
- cupripennis Attelabus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 68.
- cupripennis Buprestis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 87.
- cupripennis Cisseis (Guérin.), Laporte & Gory, H. N. Coléopt. II. 1839, 5.—Buprestis, Boisd.
- cupripennis Cnodulon, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 359.
- cupripennis Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*].
- cupripennis Dyscolus, F. L. de Laporte, Etudes Entom. (1) 1834, 57.
- cupripennis Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [*n. n.*].
- cupripennis Feronia, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 50.
- cupripennis Harpalus (Germ.), Dejean, Spec. gén. Coléopt. IV. 1829, 284.—Poecilus.
- cupripennis Lebia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 75. [Trochilus.]
- cupripennis Mellisuga (B. & M.), G. R. Gray, Genera of Birds, I. Dec. 1848, 112.—
- cupripennis Philonthus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 15.
- cupripennis Platynus (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 205.—Feronia.
- cupripennis Poecilus, E. F. Germar, Ins. spec. novae, I. 1824, 16.
- cupripennis Prionus, J. Sturm, Catal. Ins. Samml. 1826, 187 [*n. n.*].
- cupripennis Selenophorus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 239.
- cupripennis Trochilus, J. Bourcier, Rev. Zool. (Soc. Cuv.) VI. Mar. 1843, 71.
- cupripes Cetonia, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 146.
- cupripes Euchlora, F. W. Hope, Proc. Zool. Soc. London, VII (77) Oct. 1839, 68.
- cupripes Lomaptera, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841, 221.
- cupripes Pelidnota, J. Sturm, Catal. Ins. Samml. 1826, 182 [*n. n.*].
- cupripes Pelidnota, M. Perty, Del. anim. artic. Brasil. (1) 1830, 48.
- cupripes Protaetia (Wied.), H. Burmeister, Handb. Ent. III. 1842, 483.—Cetonia.
- cupripes Stenochia, Imhoff, Ber. nat. Ges. Basel, V. 1840-42 (1843), 175.
- cuprirostris Baridius (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 706.—
Attelabus, 1792.
- cuprirostris Baridius (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 355.—Attelabus, 1792.
- cuprirostris Baris (Ol.), E. F. Germar, Ins. spec. novae, I. 1824, 199.—Rhynchaenus.
- cuprirostris Curculio, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 132.
- cuprirostris Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 149.—Curculio, 1787.
- cupriventris Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 23.
- cupriventris Cicindela, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Aug. 1842, 240.
- cupriventris Raphirhinus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 414.
- cupriventris Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 18.
- cupriventre Thyridium, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 207. [1813], 49.
- cuproaenea Buprestis, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
- cuproeus Chrysogaster, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 462.
- cupronitens Psylliodes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 37.
- cupro-vittatus Eristalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 190.
- cupula Ierea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 286.
- cupula Turbinaria, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 305.
- cupula Turbinolia, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 461.
- Cupularia C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], Tab. facing p. 120.—Polyz.
- Cupularia F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 15.—Polyz.
- Cupularia Lamx. 1821 ; L. Agassiz, Nom. Zool. (Polypti) 1844-45.—[Lamx. *vernac. est.*]
- cupularia Cyclolites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.
- cupulifer Cancer, P. A. Latreille in J. Milbert, Voy. Ile de France, II. 1812, 273.
- cupulifer Pilumnus, P. A. Latreille, Ency. Méth. X (Ins.) 1825, 124.

- cupulifer** Polydectus (Latr.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 146.—Pilumnus.
- cupuliformis** Coscinopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 283.
- cupuliformis** Cupulospongia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 181.
- cupuliformis** Millericrinus, A. d'Orbigny, H. N. Crinoides (2) Nov. 1840, 51.
- cupuliformis** Ocellaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 284.
- cupulina** Confusastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 322.
- Cupulita** Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 33.—Coel.
- cupulites** Physophora, R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 508.
- Cupulites** Lamouroux, 1821; *teste* Sherborn, Index Foram. 1893 *vernac. est.*, v. Cupulita.
- Cupulites** A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 397.—Rh.
- Cupulocrinus** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 23.—Crin.
- cupuloidea** Patella, O. G. Costa, Atti 7 Riun. Sci. Ital. 1846, 838.
- Cupulospongia** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 550.—Sp.
- cura** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 284.
- curaeus** Agelaius (Mol.), G. R. Gray, Genera of Birds, II. Dec. 1844, 347.—Turdus, 1782.
- curaeus** Psarocolius (Mol.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 425.—Turdus, 1782. [curacao, 1787.]
- curassao** Glyphisodon (Bl.), Cuvier & Valenc., H. N. Poiss. V. 1830, 471.—Chaetodon
- curator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 256.
- curata** Acidalia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 597.
- curchius** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 289.
- curchius** [Labeo] (Ham.), J. M'Clelland, Asiat. Researches, XIX (2) 1839, 268.—Cyprinus.
- curculio** Acteon (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 219.—Tornatella.
- curculio** Tanaïs, H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 184.
- curculio** Tornatella, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 135.
- Curculioides** W. Buckland, Geol. & Min. II. 1836, 76.—Col.
- curculioides** Cyrtoderes, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 248.
- curculioides** Mycterus (Fab.), A. G. Olivier, Entom. V. 1807, 450.—Rhinomacer, 1781.
- curculioides** Trachynotus, Dej.; P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829,
- Curculionites** O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 199.—Col. [14.]
- curculionoides** Chyphus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 124.
- curculionoides** Diplolepis, P. F. Bouché, Nat. Ins. 1834, 169. [222.]
- curculionoides** Doliops, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841,
- curculionoides** Eubrachiis, Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 414.—Atte-
labus, 1767. [Rhynchites, 1797.]
- curculionoides** Ithycerus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 246.—
- curculionoides** Lamia, Fab.; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- curculionoides** Mesosa (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 44.—Lamia, 1775.
- curculionoides** Mesosa (L.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 466.—Cerambyx, 1761.
- curculionoides** Metopias, Gory, Magasin de Zool. II. 1832, pl. 42.
- curculionoides** Mycterus (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 106.—Rhinomacer, 1781.
- curculionoides** Pachycoris, Herrich-S., Wanzenart. Ins. III (6) Dec. 1836, 106.
- curculionoides** Rhynchostomis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 15.
- curculionoides** Scelodonta, J. O. Westwood, Proc. Zool. Soc. London, V (59) June 1838,
- curculionoides** Tentyria, Herbst; Dejean, Catal. Coléopt. 1821, 64 [*n. n.*]. [129.]
- curema** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 87.
- Curetis** J. Huebner, Verz. bekannt. Schmett. [1820], 102.—Lep.
- Cureus** F. Boie, Isis (Oken), 1831, 541.—A. [Eyprepia.]
- curialis** Arctia (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830, 32.—
- curialis** Eyprepia (Borkh.), F. Ochseneimer, Schmett. Europa, III. 1810, 326.—Bombyx,
- curialis** Homophoeta, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 172. [1790.]
- curialis** Leptocerus, E. F. Germar, Ins. spec. novae, I. 1824, 423. [cerus.]
- curialis** Naupactus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 571.—Lepto-

- curialis** Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 287.
- curianensis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 390, Jan. 1849.
- curiatus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 432.
- curiatus** Diacanthus (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 228.—Elater.
- curiatus** Elater, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 173.
- curiensis** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 410.
- curilus** Salmo, P. S. Pallas, Zoographia, III. 1814, 351.
- curimata** Characinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 271.
- Curimates** *id. ac* Curimata, Cuv. [Walb.]; F. P. Jarocki, Zoologia, IV. 1822, 36.
- Curimates** H. R. Schinz in Cuvier, Thierreich, II. 1822, 278.—P. [*non* Cuvier, *vernac.*].
- Curimatus** Oken, Isis, 1817 [1818 a].—P. [Curimata, 1792].
- Curimus** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 472.—Col.
- curionii** Sigaretus, T. Catullo [Letter on Sigaretus curionii] 1843.
- Curis** Laporte & Gory, H. N. Coléopt. II. 1837, Stigmodera, p. 47.—Col.
- curis** Pelamis, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 434.
- Curius** E. Newman, Entomologist (2) Dec. 1840, 17.—Col.
- curius** Erycina, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 564.
- curius** Erycine (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 827.—Papilio, 1787.
- curius** Iphiclides (Fab.), C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 15.—Papilio, 1787.
- curius** Leptocircus (Fab.), W. Swainson, Zool. Illust. (2) III (23) 1833, pl. 106.—Papilio.
- Curlirius** C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*]. [1787-]
- curmuca** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 294.
- curmuca** [Gobio] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 276.—Cyprinus.
- curmuca** Isocephalus (Buchan.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1029.—Cyprinus.
- curnonense** Cainotherium, Bravard in H. D. de Blainville, Ostéogr., Anoploth. 1849, 81.
- curona** Mycetophila, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (3) 1846, 60. [Gm. 1788.]
- curonica** Hiaticula (Bes.), G. R. Gray, List Birds Coll. B. M. III. 1844, 68.—Charadrius.
- currens** Feronia (Melanias *vel* Omaseus), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.)
- currens** Hydrometra, J. C. Fabricius, Syst. Rhyng. 1803, 259.—Gerris, 1794. [1838, 28.]
- currens** Ocys, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 10.
- currens** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 183.
- currens** Velia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 270.—Gerris, 1794.
- Curretis** J. Gistel, Nat. Thierr. 1848, pp. ix & xi.—Col.
- curreyiana** Margaritana, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 288.
- curreyana** Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 13.
- curriculus** Leuciscus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 299.
- currori** Atella, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 167
- currori** Feylinia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 129. [[*n. n.*].]
- Curruca** Bechstein, Orn. Taschenb. 1802, 165.—A.
- curruca** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 677.
- curruca** Celia, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 239.
- curruca** Philomela (Bechst.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806,
- curruca** Sylvia, J. M. Bechstein, Naturg. Stubenvogel, ed. 4, 1840, 343. [32.—Sylvia.]
- currucaria** Arachnechthera (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 105.—Certhia, 1766.
- currucaria** Cinnryis (L.), Cuvier, Règne Anim. I. 1817, 412.—Certhia, 1766.
- currucipennella** Apista, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 286.—Coleophora,
- currucipennella** Coleophora, Fischer v. R. in Zeller, Isis (Oken), 1839, 207. [1839-]
- cursa** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 290.
- cursa** Labeo (Buch.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 361.—Cyprinus.
- cursis** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 292.
- cursis** [Labeo] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 268.—Cyprinus.
- cursis** Rohita (Ham.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 265.—Cyprinus.
- cursitans** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 267 [*n. n.*].

- cursitans** Anthocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 69.—Lygaeus, 1807.
- cursitans** Calliceras, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 284.
- cursitans** Celia, C. Zimmermann, Faunus, I (1) 1832, 22.
- cursitans** Ceraphron, J. Curtis, Guide Brit. Ins. (4) 1829-30, 111 [*n. n.*].
- cursitans** Cisticola (Frankl.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843), 884.—
- cursitans** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 91.—Ichneumon, 1775. [Prinia.
- cursitans** Empis, J. V. Zetterstedt, K. Vet. Ac. Handl. 1819 (1) 1819, 82.
- cursitans** Gelis (Fab.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 200.—
Ichneumon, 1775.
- cursitans** Hydrometra, J. C. Fabricius, Syst. Rhyng. 1803, 259.—Gerris, 1794.
- cursitans** Hylophila (Fall.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus.
- cursitans** Isotoma, Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 403.
- cursitans** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 74.
- cursitans** Nepa, W. Turton, Linnaeus, Syst. Nat. II. 1802, 608.
- cursitans** Pezomachus (Fab.), J. L. C. Gravenhorst, Ichneumon. Europ. II. 1829, 923.—
Ichneumon, 1775.
- cursitans** Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- cursitans** Platypalpus (Meig.), J. Macquart, Ins. dipt. N. France (3) 1827, 99.—Tachy-
- cursitans** Podura, Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 118. [dromia.
- cursitans** Prinia, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 118.
- cursitans** Sargus (Fab.), G. F. Hentsch, Epit. Ent. Fab. 1804, 209.—Musca, 1775.
- cursitans** Tachydromia (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 269.
—Musca, 1775.
- cursitans** Tachypeza, J. W. Zetterstedt, Dipt. Scand. I. 1842, 322.—Empis, 1819.
- cursitans** Xylocoris (Fall.), R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 81.—Anthocoris.
- cursitans** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 284.
- cursor** Agonum, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Feb. 1828, 91.
- cursor** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*];
& Ill. Brit. Ent. (Mand. V.) Ap. 1832, 155. [—A.
- Cursor** *emend. pro* Cursorius, Latham; F. Meisner, Syst. Verz. Vögel Schweiz, 1804, 55.
- cursor** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*];
& Ill. Brit. Ent. (Mand. V.) Ap. 1832, 159.
- cursor** Amara, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 57.
- cursor** Anthia, Olivier in Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]. [—Toxotus.
- cursor** Argaleus (—), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 319.
- cursor** Argutor, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- cursor** Bembidion (Fab.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 204.—Carabus,
- cursor** Bufo, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 164. [1792.
- cursor** Callichroma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 70 [*n. n.*].
- cursor** Calophis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 26.—Herpetodryas.
- cursor** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*].
- cursor** Ceratophthalma (Herbst), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838,
64.—Cancer, L. 1758.
- cursor** Chlaenius, L. A. A. Chevrolat, Coléopt. Mex. (7) July 1835, no. 168.
- cursor** Cinetus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 109 [*n. n.*].
- cursor** Cinetus, J. Curtis, Brit. Entom. VIII (95) Nov. 1831, no. 380.
- cursor** Coluber, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 125.
- cursor** Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 113.
- cursor** Docophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 426.
- cursor** Dromicus (Shaw), J. T. Cocteau & G. Biron in Sagra, Cuba (Rept.) 1843, 225.—
Coluber, Lac. 1789.
- cursor** Dryinus, J. Curtis (*ex* Hal. MS), Brit. Entom. V (51) Mar. 1828, no. 206.
- cursor** Formica, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] IV (1) July 1846, 41.
- cursor** Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
(7) 1849, 10 [“Mon. Anth.” *poster. edit.*].
- cursor** Gonatopus (Hal.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Dryinus.
- cursor** Herpetodryas, H. Schlegel, Essai phys. Serp. 1837, I. 153; II. 199.
- cursor** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 256.

- cursor** Leptura (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 308.—Cerambyx,
cursor Lestignathus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 134. [1758].
cursor Lycosa, C. W. Hahn, Die Arachniden, I (1) Mar. 1831, 17.
cursor Motacilla, J. Wilkes, Ency. Londin. XVI (1095) 1818, 86.
cursor Ocyopode, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 416.
cursor Omalium, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 208.
cursor Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 339.—Docophorus.
cursor Pimelia, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 192. [329].
cursor Rallus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
cursor Salpingus (L.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 716.—Tenebrio, 1758.
cursor Staphylinus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 32.
cursor Tarantula, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 34.—Lycosa, 1831.
cursor Tetragonoderus, Th. Lacordaire, N. Ann. Mus. H. N. (Paris) II [1] 1833, 62 [*n. n.*].
cursor Toxotus, Fab.; Dejean, Catal. Coléopt. 1821, 112 [*n. n.*]. [1775].
cursor Toxotus (Payk.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 374.—Rhagium, Fab.
cursor Toxotus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 16.—Cerambyx, 1758.
cursor Xystus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 200.
cursor Zophosis, Ol.; Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
Cursoria J. E. Gray, Cat. Snakes Coll. B. M. 1849, 84 & 107.—R.
cursoriella Nepticula, P. C. Zeller (*ex* Heyd. litt.), Linnaea Entom. III. Ap. 1848, 326.
cursoria Agrotis (View.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 67.—Noctua,
 1790.
cursoria Anthia (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 234.—Carabus
 cursor, 1795. [1799 [1802], 342].
cursorius Charadrius, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
cursorium Cylindronotum, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
 1848, 88. [Sylvia, ? Oenanthe].
cursoria Dromolaea (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 302.—
cursorius Falcinellus, C. J. Temminck in T. & Laugier, Pls. color. (86) Sept. 1830.
cursoria Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 210.
cursoria Fluvicola, W. Swainson, Zool. Illust. (2) II (11) — 1831, pl. 46.
cursoria Georyx (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1822], 227.—Noctua,
cursorius Ichneumon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 365. [Huebner].
cursoria Lycosa (Pardosa), C. L. Koch, Die Arachniden, XV (2) July 1847, 49.
cursoria Noctua, J. Huebner, Samml. europ. Schmett. (Noctua), pl. 116, f. 540 [Fer-
 naldo giudice 1808-18].
cursoria Oenanthe, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 431.
cursorius Poecilus (Dej.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 57.—Feronia.
cursoria Saxicola (Vieill.), V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826,
 274.—Sylvia, ? Oenanthe.
cursorius Selenophorus, Dejean, Spec. gén. Coléopt. V. 1831, 827.
cursorium Trombidium, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
curta *v.* **curtus** -a -um. [III. 1844, 187].
curtalis Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 282.
curtalis Synaphe (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis,
curtansata Corbula, J. Phillips, Geol. Yorksh. I. 1829, 128 & 140 [*n. et f.*]. [1775].
curtansata Corburella (Phil.), J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 422.—
 Corbula.
curtatus Hister, J. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 186; Boston Journ.
 N. H. V (1) 1845, 54.
curtatus Philonthus, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
curticaudus Cyclops, J. D. Dana, P. Amer. Ac. I. 1848, 151.
curticeps Tyrannula, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 54.
curticollis Corticaria, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 47.
curticollis Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 118.
curticorne Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 572.
curtifilis Megalops, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 310.

- curtilabris** Cicindela, F. Klug, Jahrb. Insectenk. I. 1834, 14.
curtilabris [Phyllodroma] (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843 [Separata 1842], 109.—Cicindela.
- Curtilla** L. Oken, Lehrb. Nat. III (1) 1815, 445.—Orth. [1847, 169.
curtipennis Eumolpus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb.
curtipennis Hydnocera, E. Newman, Mag. Nat. Hist., n. s., IV. July 1840, 364.
curtipennis Locusta (Chlœlatis), T. W. Harris, Rep. Insects Massach. 1841, 149.
curtipennis Proctotrupes, J. Curtis, Guide Brit. Ins. (4) 1829–30, 109 [*n. n.*].
curtipes Hectarthrum, E. Newman, Entom. Mag. V (4) Ap. [*i. e.* July] 1838, 398.
curtipes Lithobius, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 150.
curtipes Phasma (Necroscia), J. O. Westwood, Cab. Orient. Entom. 1848, 79.
curtipes Trombidium, J. F. Hermann, Mém. Aptér. 1804, 26.
curtisella Apis, W. Kirby, Mon. Apum Angl. II. 1802, 324.
curtisellus Bombus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 164.—Apis.
curtisella Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ante* Nov. 1840], 546.
curtisella Telea (Don.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 245.—Phalaena, 1793.
curtisella Yponomeuta (Don.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena, 1793.
curtisii Apion, J. Curtis (*ex* Kirby MS), Brit. Entom. V (53) May 1828, no. 211 [*n. n.*].
curtisii Bracon, J. T. C. Ratzeburg, Die Ichneumon. II. 1848, 32.
curtisii Bythinus, W. E. Leach, Zool. Miscell. III. 1817, 83.
curtisii Calomela (Kirby), F. W. Hope, Coleopt. Manual, III. 1840, 166.—Chrysomela.
curtisii Calosoma, F. W. Hope, Ann. Mag. Nat. Hist. XI (70) Ap. 1843, 318.
curtisii Cetonia, N. A. Vigors, Zool. Journ. II (6) July 1825, 237.
curtisii Chrysomela, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 473.
curtisi Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me* *judice* 1836], 49.
curtisii Cnemida, W. Kirby, Zool. Journ. III (10) July [*i. e.* Sept.] 1827, 148.
curtisii Cordulia, Dale, Mag. Nat. Hist. VII. Jan. 1834, 60.
curtisii Cteniscus, A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 113.—Tryphon, 1838.
curtisii Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 514.—Phal. curtisella, Don. 1793.
curtisii Haemonia, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 214.
curtisii Halictophagus, Dale in J. Curtis, Brit. Entom. IX (108) Dec. 1832, no. 433.
curtisii Hyponotus, Sahlberg in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 148.
curtisii Labidus (Typhlopone), W. E. Shuckard, Ann. Nat. Hist. V. June 1840, 265.
curtisi Necrodes, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 89.
curtisii Odontoscelis, G. R. Waterhouse, Mag. Nat. Hist., n. s., IV. July 1840, 357.
curtisii Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 973.
curtisi Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 61.
curtisii Telephorus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 247.
curtisii Tryphon, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 113.
Curtisia A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 440.—Dipt.
curtisianus Bythinus, W. E. Leach, Zool. Journ. II (8) Jan. [*i. e.* Ap.] 1826, 446.—curtisii, [1817.
Curtocera J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 182.—Dipt.
curtocerus Cervus, J. J. Kaup in H. v. Meyer, Palaeologica, 1832, 94 [*n. n.*].
curtocerus Cervus, J. J. Kaup, Arch. f. Min. VI. 1833, 222.
curtoides Zabrus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 34.
Curtomerus J. F. Stephens, Man. Brit. Coleopt. 1839, 275.—Col.
Curtonevra J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 147.—Dipt.
Curtonotum J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 350.—Dipt.
Curtonotus J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 138.—Col.
Curtonotus W. de Haan in Siebold, F. Japon. (Crust. 1833), 20.—Cr.
curtorius Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 280.
Curtos V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 36.—Col.
curtulus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 147.

- curtula** Blethisa, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 93.
- curtula**, Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 22 (Fernaldo judice 1802)
- curtulus** Bostrichus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 87. [[*n. et f.*].]
- curtula** Cantharis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 84.
- curtula** Cymindis, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 125.
- curtula** Ichthyura (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 162.—Phalaena, 1758.
- curtula** Laria (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 151.—Phalaena, 1758.
- curtula** Lithocharis, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 618.
- curtulus** Lucanus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- curtula** Melalopha, J. Huebner, Tentamen (me judice 1806), 1 [*n. n.*]. [1845, 60.
- curtula** Melipona, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 158 [*n. n.*].
- curtula** Oxypoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 350.
- curtulus** Pristonychus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 44.
- curtula** Pygaera (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 232.—Bombyx,
- curtulus** Senionotus, O. G. Costa, Atti Accad. Pontan. V (5) 1850, 294. [1758.
- curtulus** Sunius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 645.
- curtula** Symmela, W. F. Erichson, Arch. f. Naturg. I (1) 1835, 266.
- Curtus** C. Duméril, Consid. gén. Ins. 1823, 229 [=Cyrthus, Latr.].
- curta** Actinia, Drayton in J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 148.
- curta** Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (26) 1831, 400; Ins. Fenn. I.
- curta** Amara, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*]. [1834, 400.
- curta** Amara, Dejean, Spec. gén. Coléopt. III. 1828, 468.
- curtus** Amblytelus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 130.
- curta** Apate, J. T. Lacordaire, Ann. Sci. Nat. XXI (82) Oct. 1830, 169 [*n. n.*].
- curtus** Aphodius, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 105.
- curta** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 22.
- curta** Astraea (Orbicella), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 209.
- curtus** Bagous, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 81.
- curtus** Belemnites, A. D. d'Orbigny, Moll. viv. et foss. [1846], 495.
- curtus** Bembras, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 42.
- curtus** Brairdia (*sic*), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 22 [*n. n.*];
emend. Bairdia in Syn. Carb. Lst. foss. Ireland, 1844, 164.
- curtum** Buccinum, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 300.
- curtus** Bulimus, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (6) 1844, 158.
- curta** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 582.
- curtus** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 131.
- curtus** Calybus, L. Oken, Lehrb. Nat. III (1) 1815, 359.
- curtus** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 340.
- curtus** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 202.
- curtum** Cerithium, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer.
Phil. Soc., n. s., IX (3) Dec. 1846, 268.
- curtus** Ceutorhynchus, T. Say, Descr. N. Amer. Curcul., July 1831, 29.
- curta** Chelidoura, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou,
VIII. 1846, 49.
- curta** Chemnitzia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 263.
- curtus** Chirolepis, F. M'Coy, Ann. Mag. N. H. (2) II. Nov. 1848, 302.
- curta** Clausilia, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept. 1836, 19.
- curta** Clausilia (Pupa), H. E. Anton, Verz. Conch. 1839, 47.
- curtus** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 34.
- curta** Cobitis, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 223.
- curtus** Coeliodes (Say), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 287.—Ceuto-
rhynchus.
- curtus** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 205.
- curta** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (77 & 78) 1848, pl. 27 [*n. et f.*].
- curta** Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 14.
- curtum** Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 573.

- curtus** Cryptohypnus, F. E. Germar, Zeitschr. f. d. Entom. V. 1844, 141.
- curtus** Cydnus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 81.
- curta** Cypricardia (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 32.—
Orthonota. [1841, 53.]
- curta** Cypricardites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150,
- curta** Cypricardites, L. Vanuxem, N. H. New York (Geol. 3 dist.) 1842, 65.
- curtus** Cyrtonus, L. Fairmaire, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 547.
- curta** Cythere (Bairdia), McCoy, W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850,
61.—Bairdia, 1844.
- curtus** Dasyopogon, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 6.
- curtus** Dasytes, Dejean, Catal. Coléopt. 1821, 39 [*n. n.*].
- curtus** Dinornis, R. Owen, Proc. Zool. Soc. London, XIV (158) July 1846, 47.
- curta** Ecnopochile, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 131.
- curtus** Echinolampas, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 164.
- curta** Echiopsis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 28.—Naja.
- curtum** Ennearthron, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 367.
- curta** Eolis, J. Alder & A. Hancock, Ann. Mag. N. H. XII. Oct. 1843, 234.
- curtus** Erodium, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 63.
- curta** Eurytoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 24.
- curtus** Fusus (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 353.—Murex.
- curtus** Gamasus, C. L. Koch, Deutsch. Crust., heft 26, 1839, tab. 10.
- curta** Glaucanome, L. Reeve, Proc. Zool. Soc. London, XII (132) July 1844, 20.
- curta** Gnophota, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 238.
- curtus** Goniocotes, H. Burmeister, Handb. Ent. II (2) i, 1838, 432.
- curtus** Harpalus (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 33.—Zabrus.
- curtus** Harpalus, Dejean, Catal. Coléopt. 1821, 15 [*n. n.*].
- curta** Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (97) Sept. 1841, 20.
- curtus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 785.
- curtus** Hybodius, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368 [*n. n.*]; Poiss. Foss. III.
49 (1837).
- curta** Hydraena, H. v. Kiesenwetter, Linnaea Entom. IV. Dec. 1849, 425.
- curtus** Hydrus, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 562.
- curtus** Hydrus (Enhydrid), Shaw; B. Merrem, Tent. Syst. Amph. 1820, 140.
- curtus** Hypomeces, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 209.
- curtus** Isodon, H. Burmeister, Handb. Ent. V. 1847, 107.
- curtus** Lapedem (Sh.), J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 60.—Hydrus.
- curtus** Lindenius, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post*
Mar. 1835, 799.
- curta** Lingula, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 266.
- curta** Lymnea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 33. [lopsis.]
- curta** Lyonsia (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 11.—Modio-
- curta** Marginella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (18) July
1832, 105.
- curta** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 297.
- curta** Melania, C. T. Menke, Syn. meth. Moll. 1828, 81.
- curta** Melania, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (3) July 1841 [3].
- curta** Modiolopsis, J. Hall, N. H. New York (Pal. I.) 1847, 297.
- curtus** Mugil, W. Yarrell, Hist. Brit. Fishes, I. 1836, 210.
- curtus** Murex, J. Sowerby, Min. Conch. II. 1818, 227.
- curta** Mylabriss, A. Chevrolat, Revue Entom. V (5) 1840, 277.
- curta** Myopsis, J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 260.
- curta** Naja, H. Schlegel, Essai phys. Serp. 1837, I. 185; II. 486.
- curta** Nassa, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 153.
- curtus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 570.
- curtum** Opatrum, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 290 [*n. n.*].
- curta** Orthonota, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 76.
- curtus** Pachycormus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 118 (1839); II (2), 112
- curtus** Pagellus, J. Couch, 25 Ann. Rep. R. Inst. Cornwall, 1843 (1844), 29. [(1844).]

- curtus** Pagellus, J. Couch, The Zoologist, II (1) 1844, 395.
- curtum** Palaeotherium, G. Cuvier, Oss. Foss. III. 1812, 6 Mém., p. 59. [III.]
- curtum** Pentodon, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849,
- curta** Phaneroptera, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- curta** Phila, V. v. Mochulski, Kaefer Russl., *post* May 1850, 14 [n. n.]. [417-]
- curtus** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, III. 1844, 359.—Goniocotes. [Sanguinolites.]
- curta** Pholadomya (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 128.—
- curta** Pholas, G. B. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov. 1834, 71.
- curtus** Phytonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 365.
- curtus** Podabrus, J. L. Leconte in Agassiz, Lake Superior, 1850, 229.
- curtus** Pompilus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 438.
- curta** Praocis, A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 226.
- curtus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 490.
- curta** Ptinella (All.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2)
1848, 568, Table.—Trichopt.
- curta** Pupa, Ziegler in Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 164.
- curta** Pustulipora, E. Eichwald, Paleont. Rossii, 1850, 28.
- curtus** Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 534.
- curtus** Rhytirhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 432.
- curta** Rissoa, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 279.
- curta** Rostellaria, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 22.
- curta** Sabella, G. Montagu, Test. Brit. II. 1803, 554.
- curtus** Sanguinolites, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 48.
- curtus** Saprinus, W. G. Rosenhauer, Beitr. Ins.-Faun. Europ. 1847, 26.
- curtus** Scarabaeus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 81.
- curta** Schizostoma, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 189.
- curta** Scutellera, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 233.
- curtus** Serpulites, J. W. Salter, Mem. Geol. Surv. Gt Britain, II (1) 1848, 333.
- curta** Siphonotreta, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 685.
- curtus** Solen, C. Des Moulins, Actes Soc. Linn. Bordeaux, V (26) 1832, 113.
- curtus** Solen, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 433.
- curtum** Sphaeroma, W. E. Leach, Dict. Sci. Nat. XII. 1818, 345.
- curta** Tentyria, C. Steven, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 92.
- curta** Terebella (Mont.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 8.—Sabella.
- curta** Thracia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 248.
- curta** Torquilla (Zieg.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 86.
- curta** Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 52.
- curta** Trichopteryx, C. J. F. Gillmeister, Trichopterygia, 1845, 92.
- curtus** Trissodon, W. F. Erichson; *v.* *curtus* Isodon, Burm.
- curta** Vertigo, F. Held, Isis (Oken), 1837, 304.
- curtus** Zabrus, Latr.; Dejean, Catal. Coléopt. 1821, 13 [n. n.].
- curtus** Zabrus, Latreille in Dejean, Spec. gén. Coléopt. III. 1828, 445.
- curta** Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 611.
- curucu** Pipa, J. B. v. Spix, Ranar. Brasil. 1824, 29.
- curucui** Trogon, J. B. v. Spix, Avium Brasil. I. 1824, 49.
- Curucus** C. S. Rafinesque, Analyse, 1815, 65.—A. [n. n.]. [Wien] II. 1832, 83.
- curvana** Grapholitha, V. Kollar, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch.
- curvatinnervis** Trioza, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 83.
- curvator** Andricus, T. Hartig; E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 191.
- curvator** Anomalon (Fab.), J. J. Trentepohl, Isis (Oken), 1829, 956.—Ichneumon, 1793.
- curvator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 88.—Ichneumon, 1793.
- curvator** Exochus (Fab.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 335.—Ichneu-
- curvatorius** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 96. [mon, 1793-]
- curvatula** Phalaena (Bombyx), Borkhausen, Samml. europ. Schmett. III. 1790, 460.
- curvatula** Platypteryx (Borkh.), J. H. Laspeyres, N. Schrift. Berlin Ges. Nat. Freunde,
IV. 1803, 36.—Phal. (Bombyx) 1790.
- curvatum** Allorisma, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 270.

- curvatus** Ammonites, G. A. Mantell, Foss. South Downs, May 1822, 118.
- curvatus** Balaninus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- curvata** Bombyx, E. Donovan, Epit. N. H. Ins. New Holland, 1805. [1845, 15.]
- curvatus** Carabus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- curvata** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 7.
- curvata** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 29.
- curvatus** Clytus, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 171.
- curvata** Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 22.
- curvata** Cryptomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 57.
- curvata** Cryptomonas (Eucryptomonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850,
- curvatus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 287. [52.]
- curvatus** Encrinus, A. Eaton, Amer. J. Sci. XXI (1) Oct. 1831, 135.
- curvata** Falcaria, A. H. Haworth, Lepidopt. Brit. (2) 1809, 154.
- curvata** Gregarina (Hamm.), A. de Frantzius, De Gregarinis, 1846, 26.—Rhizinia.
- curvata** Helcion (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 127.—Patella.
- curvatus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 139.
- curvatus** Mastostethus (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 627.—Clythra.
- curvatus** Megalopus (Fab.), F. Klug, Entom. Mon. 1824, 82.—Clythra.
- curvata** Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 243.
- curvata** Motacilla, J. Wilkes, Ency. Londin. XVI (1096) 1818, 103.
- curvata** Myadora, L. Reeve, Conch. Icon. II.—Myadora, no. 9, May 1844.
- curvatus** Mytilus, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 208.
- curvata** Ostrea, A. A. Risso, H. N. Europe, IV. 1826, 288.
- curvata** Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 157.
- curvata** Patella, J. Phillips, Geol. Yorksh. II. 1836, 223.
- curvatus** Pecten, H. B. Geinitz, Verst. Kieslingswalda, 1843, 16.
- curvata** Pholadomya (Homomya), (Morris), J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 688.—Allorisma.
- curvata** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 74.
- curvata** Rhizinia, K. E. Hammschmidt, Isis (Oken), 1838, 356.
- curvata** Sesarma, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 75.
- curvatus** Spirifer (Schl.), J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 34.—Terebrat.
- curvatus** Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 280.
- curvatus** Turbo, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 83. [Tinea, 1761.]
- curvella** Argyresthia (L.), H. T. Stainton, The Zoologist, VII. 1849, App. p. xiv.—
- curvella** Ederesa (L.), J. Curtis, Brit. Entom. XV (180) Dec. 1838, 719.—Tinea, 1761.
- curvella** Ismene (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 250.—Phalaena, 1761.
- curvella** Yponomeuta (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena,
- curvi** Pteropsis, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 166. [1761.]
- curvicauda** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1618.
- curvicauda** Coenia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 530.—Ephydra.
- curvicauda** Epeira, C. Vauthier, Ann. Sci. Nat. I (3) Mar. 1824, 261.
- curvicauda** Ephydra, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 116.
- curvicauda** Fusus, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 140.
- curvicauda** Gasteracantha (Vauth.), H. Lucas, H. N. Anim. artic. (Annél. etc.) 1840, 430.—Epeira. [1831, 159.—Locusta, 1773.]
- curvicauda** Phaneroptera (De G.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb.
- curvicauda** Phania (Fall.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 234.—Tachina. [1837 [1841], 175.—Epeira.]
- curvicauda** Plectana (Vauth.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II.
- curvicauda** Pteroceras (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 250.—
- curvicauda** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (2) 1820, 17. [Fusus.]
- curvicauda** Trichosomum, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 16.

- curvicaudus** Uloborus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 492.
- curvicauda** Uromyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 202.—Tachina. [Aptères, IV. 1847, 195.—Spirostreptus.
- curvicaudatus** Iulus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
curvicaudatus Spirostreptus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 269.
- curvicaudis** Spathius, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 49.
- curvicinctus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 109.
- curvicollis** Chrysobothris, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 158.
- cervicollis** Cyphoderus (Bourl.), H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 382.—Lepidocyrtus.
- curvicollis** Lepidocyrtus, Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 392.
- curvicornis** Aegopsis (Westw.), H. Burmeister, Handb. Ent. V. 1847, 282.—Agaocephala. [sed non comp.
- curvicornis** Agaocephala, Westwood, *dict.* in Partington, Brit. Cyclop. N. H. III. 1837,
curvicornis Anuraea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 197.
- curvicornis** Apis (Scop.), F. v. P. Schrank, F. Boica, II (2) 1802, 398.—Eucera, 1770.
- curvicornis** Callionymus, Cuvier & Valenc., H. N. Poiss. XII. 1837, 298.
- curvicornis** Cerastoma, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 30.
- curvicornis** Curculio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 274.
- curvicornis** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 401.
- curvicornis** Jaera, H. Nicolet in Gay, Chili (Crust.) 1849, 263.
- curvicornis** Myllocerus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1144.—Curculio.
- curvicornis** Onthophagus, P. A. Latreille in A. Humboldt, Voy. Intér. Amér. (Obs. Zool.)
- curvicornis** Pausus, Chevrolat, Rev. Zool. (Soc. Cuv.) Feb. 1838, 21. [1809, 365.
- curvicornis** Phyllognathus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 379.
- curvicornis** Roeselia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 254.
- curvicornis** Tipula, J. S. Presl, Delic. Prag. 1822, 200.
- curvicorne** Toxicum, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 119.
- curvicosta** Cicada, E. F. Germar, Revue Entom. II (2) 1834, 66.
- curvicosta** Melania, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 149.
- curvi-costa** Murex, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [vero *propius* 1847] Ranelles, pl. ii.
- curvicosta** Pleurotoma, Lamarck, Ann. Mus. H. N. (Paris) III (15) Jan. 1804, 169.
- curvicosta** Pleurotoma, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 183.
- curvicostatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 311.
- curvicostata** Chemnitzia, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 79.—Turbonilla, 1842.
- curvicostatus** Fusus, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 154.
- curvicostata** Melania, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 94.
- curvicostata** Turbonilla, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 536 [*n. n.*].
- curvidens** Belorhynchus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 341.—
- curvidens** Brentus, J. C. Fabricius, Syst. Eleuth. II. 1801, 545. [Brentus.
- curvidens** Centrotus, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 515.
- curvidens** Chimaera, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1843, 154.
- curvidens** Chimaera (Ganodus), P. de M. G. Egerton in J. L. R. Agassiz, Poiss. Foss.
- curvidens** Cicindela, Dejean, Catal. Coléopt. 1821, 2 [*n. n.*]. [III. 348 (1843).
- curvidens** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 27.
- curvidens** Clivina, Laferté-S., Rev. et Mag. de Zool. (2) II. July 1850, 390.
- curvidens** Congrus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 111.
- curvidens** Lucanus, F. W. Hope, Proc. Linn. Soc. London (9) Nov. 1840, 78.
- curvidens** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 149.
- curvidens** Podops, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 108.
- curvidens** Pupa, A. A. Gould, Rep. Invert. Massach. 1841, 189.
- curvidens** Tomicus, E. F. Germar, Ins. spec. novae, I. 1824, 462.
- curvidens** Tychaeus (Fab.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 267 & 310.—Brentus. [I. 1836 [1835], 179.—Formica.
- curvidentatum** Eciton (Latr.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.

- curvidentata** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 269.
- curvidigitatus** Scorpio (Androctonus), F. L. P. Gervais, Archives Mus. H. N. (Paris) IV [2] 1844, 214.
- curvidorsata** Ostrea, H. B. Geinitz, Verst. Kieslingswalda, 1843, 17.
- curvifasciana** Cnephasia, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 130.
- curvifrons** Schizopyge, J. J. Heckel in Russegger, Reise, II (3) [1847], 286 [n. n.].
- curvifrons** Schizothorax, J. J. Heckel, Fische Casch. 1838, 25.
- curvigaster** Helophilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 122.
- curvilabris** Glandina, L. Pfeiffer, Proc. Zool. Soc. London, XIII (154) Feb. 1846, 137.
- curvilabrum** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 59.
- curvilineatus** Bellerophon, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 269. [1834, 6.]
- curvilineatus** Gyriosomus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV.
- curvilineata** Pachyta, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 239.
- curvilineata** Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) *ante* 11 Apr. 1844, 94.
- curvilineum** Buccinum, J. Phillips, Geol. Yorksh. II. 1836, 230.
- curvilinea** Chemnitzia (Ph.), L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 467.—Buccinum. [19.—Buccinum.]
- curvilineus** Chrysodomus (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 1844, 28.—Buccinum.
- curvilinea** Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 812.
- curvilineus** Macrocheilus (Phil.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 28.—Buccinum.
- curvilineus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 63.
- curvilirata** Terebra, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 327.
- curvinervis** Anthophilina, J. W. Zetterstedt, Ins. Lapp. §descr. 1838, 785.
- curvinervis** Orillia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 475.
- curvinervis** Oscinis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2620. [19.—Buccinum.]
- curvinervis** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1018.
- curvinervis** Tachydromia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 301.
- curvinodus** Ammonites, J. Phillips, Geol. Yorksh., I. 1829, 123 [n. et f.].
- curvipalpis** Agromyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2782.
- curvipennis** Drosophila, C. F. Fallen, 1823, 4.
- curvipennis** Oscinis, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 383.
- curvipennis** Trochilus, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 1.
- curvipes** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [n. n.]; & Ill. Brit. Ent. (Mand. V.), Ap. 1832, 147.
- curvipes** Anisocelis (Fab.), Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 197.—Lygaeus, 1794. [1841, 167.]
- curvipes** Anisotoma, Kunze; W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III.
- curvipes** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 137.—[Musca.]
- curvipes** Anthribus, E. F. Germar, Ins. spec. novae, I. 1824, 176. [Musca.]
- curvipes** Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 542.
- curvipes** Aricia (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1433.—Musca.
- curvipes** Borborus (Latr.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62.—Musca.
- curvipes** Brentus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VIII. May 1821, 278.
- curvipes** Bruchus, P. A. Latreille in A. Humboldt, Voy. Intér. Amér. (Obs. Zool.) 1809, 234. [Lampetis.]
- curvipes** Buprestis (Chevr.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 104.—
- curvipes** Calosoma, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 380.
- curvipes** Capsus, L. R. Meyer, Verz. Schweiz. Rhynchoten, 1843, 98.
- curvipes** Chrysobothris, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 179.
- curvipes** Cistela, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 226.
- curvipes** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 29.
- curvipes** Curtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 148.
- curvipes** Damalis, J. C. Fabricius, Syst. Antliat. 1805, 147.
- curvipes** Diabasis (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 208.—Tabanus.
- curvipes** Dolichopus, C. F. Fallen, Mon. Dolichop. Sveciae (3) 1823, 20.

- curvipes** Engis, Dejean, Catal. Coléopt. 1821, 44 [*n. n.*].
- curvipes** Erodus, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 567.
- curvipes** Gonyleptes, Guérin in Dict. pittoresque H. N. VII. 1838, 350; N. Dict. class. H. N., ed. 2, XXXIV. 1846, 148.
- curvipes** Gonyleptes, Kollar in C. L. Koch, Die Arachniden, VII (2) *post* July 1839, 36.
- curvipes** Haematopota, J. C. Fabricius, Syst. Antliat. 1805, 106.
- curvipes** Helops, Dejean, Catal. Coléopt. 1821, 71 [*n. n.*] [—Musca.]
- curvipes** Hydrotaea (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 305.
- curvipes** Lampetis, A. Chevrolat, Revue Entom. V (1) *c.* Sept. 1838, 60.
- curvipes** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 25. [Dolichopus.]
- curvipes** Medeterus (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 65.—
- curvipes** Megalopus (Fab.), F. Klug, Entom. Mon. 1824, 79.—Clythra.
- curvipes** Megilla, J. C. Fabricius, Syst. Piezat. 1804, 330.—Andrena, 1793.
- curvipes** Megischia (Dej.), A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 247.—Cistela, ? Br.
- curvipes** Menoetius (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 170.—Curculio, 1787.
- curvipes** Merodon, J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 274.
- curvipes** Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 90.
- curvipes** Myscelus, C. v. Heyden, Isis (Oken), 1826, 612.
- curvipes** Necrophorus, Meg.; Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
- curvipes** Necrophorus, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 112.
- curvipes** Nomia (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 182.—Andrena, 1793.
- curvipes** Omophlus, Dejean in H. C. Kuester, Käfer Europas, XIX. 1849, 58 (2).
- curvipes** Orthogonius, Dejean & Boisduval, Icon. Coléopt. I. 1830, 148.
- curvipes** Phasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 76.
- curvipes** Platycrana (Stoll), G. R. Gray, Syn. Phasmidæ, 1835, 37.—Phasma.
- curvipes** Pselaphaeus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. May 1841, 157.
- curvipes** Pseudoblaps, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 29.
- curvipes** Ptilopus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 42.—Curculio, 1787.
- curvipes** Rhyssa, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 265.
- curvipes** Sphaerocera, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 394.
- curvipes** Sphaerotus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 417.
- curvipes** Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 285.
- curvipes** Stephanorhynchus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 17.
- curvipes** Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 90.
- curvipes** Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 75.
- curvipes** Tenthredo (Macrophya), B. A. Gimmerthal, Arbeit. nat. Ver. Riga, I (1) 1847,
- curvipes** Uloma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 149 [*n. n.*] [56.]
- curvipunctata** Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 490.
- curvipunctosa** Depressaria, A. H. Haworth, Lepidopt. Brit. (3) 1811, 511.
- curvipustulata** Coccinella, A. H. Haworth, Tr. Entom. Soc. Lond. I (3) 1812, 287.
- curviradiata** Lucina, P. H. Nyst, Coq. Foss. Anvers, 1835, 6.
- Curvirostra** C. L. Brehm, Beitr. Vögelk. I. 1820, 604.—A.
- curvirostra** Cerithium, G. Perry, Conchology, Ap. 1811, pl. 35.
- curvirostra** Gallinula, W. Swainson, Anim. in Menag., Dec. 1837, 337.
- curvirostra** Loxia, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 90.
- curvirostra rubrifasciata** Loxia, Bonaparte & Schlegel, Mon. Loxiens, 1850, 5.
- cruvirostra** Loxorynchus, F. O. Morris, The Naturalist, II (9) June 1837, 124.
- curvirostrum** Nucula, G. B. Sowerby, I. (*ex* Humphrey MS), Conch. Illustr. (15) Jan. 1833, f. 5; Catal. (200) 1841, 3.
- curvirostra** Rostellaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 411, Liste p. 4 [*n. et f.*].
- curvirostrum** Rostellaria, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 22.
- curvirostra** Trigonia, W. Smith, Strat. Syst. org. foss. 1817, 44.
- curvirostra** Vinago (Gm.), C. Ranzani, Elem. Zool. III (1) 1821, 237.—Columba, 1788.
- curvirostrae** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 172.

- curvirostratus** Typhis, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 285. [116.]
- curvirostratus** Typhis, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848,
- curvirostris** Acallopiustus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 455. [—Daphne, 1776.]
- curvirostris** Acanthocercus (Müll.), J. E. Schoedler, Arch. f. Naturg. XII (1) 1846, 307.
- curvirostris** Alauda, J. Hermann, Tabl. Aff. Anim. 1783, 216 [*teste* Stresemann].
- curvirostre** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 264.
- curvirostris** Astarte, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 114.
- curvirostris** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 144.
- curvirostris** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 185.
- curvirostris** Centrinus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 161.
- curvirostris** Centrophorus, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 181. [516.]
- curvirostris** Ceocephalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- curvirostris** Chloropsis, W. Swainson, Anim. in Menag., Dec. 1837, 345.
- curvirostris** Cleopus, Dejean, Catal. Coléopt. 1821, 83 [*n. n.*].
- curvirostris** Coluber, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 51.
- curvirostris** Conotrachelus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- curvirostris** Corvus, J. Gould, Proc. Zool. Soc. London, IV (38) May 1836, 18. [411.]
- curvirostris** Cucullus, G. Shaw, Nat. Misc. XXI. 1810, pl. 905.
- curvirostris** Drymoica, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 104.
- curvirostris** Emarginula, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 111 (*o**).
- curvirostris** Fusus, W. Wood, Suppl. Index Test. 1828, 39.—Murex, 1828.
- curvirostris** Fusus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 541 [*n. n.*].
- curvirostris** Harporhynchus (Sw.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 81.—
- curvirostris** Kölga, G. v. Muenster, Beitr. zur Petref. (2) 1839, 63. [Orpheus.]
- curvirostris** Lemur, G. A. Goldfuss, Vergl. Naturb. Säugeth. (1) 1809, 81. •
- curvirostris** Limnornis, J. Gould, Zool. "Beagle" (Bird. 1839), 81.
- curvirostris** Loxorynchus (L.), F. O. Morris, The Naturalist, II (9) June 1837, 124.—
Loxia curvirostra, 1758. [Trigonellites.]
- curvirostris** Lyrodon (Schloth.), G. A. Goldfuss, Petref. German. II (6) 1837, 198.
- curvirostris** Mimus (Sw.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 273.—
- curvirostris** Murex, W. Wood (*ex* Chemn.), Index Test. 1818, 131. [Orpheus.]
- curvirostris** Myophoria (Schl.), H. G. Bronn, Lethaea Geogn. I (2) 1835, 171.—Trigo-
- curvirostris** Orpheus, W. Swainson, Phil. Mag., n. s., I (5) May 1827, 369. [nellites.]
- curvirostris** Ostrea, S. Nilsson, Petrif. Suec. 1827, 30. [677.—Tetrao.]
- curvirostris** Perdix (Raffl.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830,
- curvirostris** Phoenicophaus (Sh.), G. R. Gray, Genera of Birds, II. May 1845, 459.—
Cuculus.
- curvirostris** Pleurotoma, W. Wood, Suppl. Index Test. 1828, 49.—Murex, 1818.
- curvirostris** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 446.—Curculio, 1781.
- curvirostris** Sitta, J. Hermann, Tabl. Aff. Anim. 1783, 204 [*teste* Stresemann].
- curvirostris** Spirifer, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 172.
- curvirostris** Strombus (Lam.), W. Wood, Suppl. Index Test. 1828, 51.—Rostellaria.
- curvirostris** Terebratula, S. Nilsson, Petrif. Suec. 1827, 33.
- curvirostris** Tetrao, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 323.
- curvirostris** Thamnophilus (L.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth.,
Jan. 1839, p. 18.—Lanius, 1766.
- curvirostris** Toxostoma (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 277.—Orpheus.
- curvirostris** Trigonellites, E. F. v. Schlotheim, Die Petref. 1820, 192.
- curvirostris** Trigonia (Schl.), G. G. Pusch, Geogn. Besch. Polen, I. 1833, 254.—Trigo-
- curvirostris** Tringa, J. Hermann, Obs. Zool. 1804, 188. [nellites.]
- curvirostris** Tyrannus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
1799 [1802], 227. [150.—Lanius, ? L. 1766.]
- curvirostris** Vanga (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
- curvirostris** Zosterops, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 563.

- curvispina** Caelopygus (Perty), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 18.—
Gonyleptes. [—Gonyleptes.]
- curvispina** Caelopygus (Perty), C. L. Koch, Die Arachniden, VII (4) *post* July 1839, 78.
- curvispinus** Dyschirius, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 561.
- curvispina** Epeira, F. E. Guérin-M., Iconographie, 1844, Arach. 8.
- curvispina** Gonyleptes, M. Perty, Del. anim. artic. Brasil. (3) 1833, 202.
- curvispina** Phoracantha, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 19 [*n. n.*].
- curvispina** Plectana (Guér.), C. A. Walckenaer (Roret's Suite à Buffon, Aptères, II.
1837 [1841], 154.—Epeira. [413 & 477.]
- curvospira** Nummulina, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850,
- curvitarus** Crossocerus, Herrich-S. in Panzer, Ins. Germ., heft 179, 1841, tab. 19.
- curviventris** Astomella, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 210.
- curvo** → *v. curvi* →
- Curvula** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427.—L.
- Curvulites** Rafinesque, Enum. obj. Cab., Nov. 1831, 4.—L.
- curvula** Oxyuris, K. A. Rudolphi, Archiv Zool. (Wiedemann), III (2) 1803, 6.
- curvus** Ceratodus, J. L. R. Agassiz, Poiss. Foss. III. 131 (1838).
- curva** Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 516.—Phal. Tin. curvella,
- curva** Hippurites, Lamarck, An. s. vert. VII. 1822, 598. [L. 1761.]
- curvus** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 282. [Ichneumon.]
- curvus** Phygadeuon (Schr.), J. L. C. Gravenhorst, Ichneumon. Europ. II. 1829, 679.—
- curvus** Tetrodon, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 472.
- Curynorhynchus** *err. pro* Euryno → Nils.; Temminck, Man. Orn., ed. 2, I. 1820, p. civ.
- cusanensis** Malachius, A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 105. [—A.]
- cusanus** Cervulus (Croiz.), P. M. T. de Serres, Ann. Soc. Agric. Lyon, 1838, 411.—
Cervus.
- cusanus** Cervus, Croizet & Jobert, Oss. foss. Puy de Dôme, expl. pls. 8 Livr. 1828.
- Cuscus** R. P. Lesson in Duperry, Voy. "Coquille" (Zool.) I (1) 1826, 150.—M. [= Coes-
Cuscutaria H. M. de Blainville, Dict. Sci. Nat. LX. 1830, 461.—Polyz. [coes, 1799].
- cuscuta** Sertularia (Peripyxis) (Müll.); C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss.
1832 (1834), 298. [1758.]
- cuscuta** Vesicularia (L.), J. V. Thompson, Zool. Res. (V.) Dec. 1830, 97.—Sertularia,
- cuscuta** Walkeria (L.), J. Fleming, Mem. Werner. N. H. Soc. IV (2) May 1823, 490.—
- Cusoria** J. E. Gray, Cat. Snakes Coll. B. M. 1849, 107.—R. [Sertularia, 1758.]
- cuspicauda** Aluterus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 338.—Balistes.
- cuspicauda** Balistes, S. L. Mitchill, Amer. Monthly Mag. II (5) Mar. 1818, 326.
- cuspidana** Anchylopera (Tr.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 113.
—Phoxopteris.
- cuspidana** Phoxopteris, F. Treitschke, Schmett. Europa, VIII. 1830, 236.
- cuspidana** Steganoptycha (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—
- cuspidana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 451. [Tortrix.]
- Cuspidaria** G. D. Nardo, Atti Riun. Sci. Ital. I. 1839 (1840), 175; Ann. Sci. Lomb.-Ven.,
X. 1840, 50.—L. †
- cuspidaria** Donatia, G. D. Nardo, Isis (Oken), 1833, 522 [*n. n.*].
- cuspidata** Achatina, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 280.
- cuspidatus** Acteon, J. De C. Sowerby, Min. Conch. V. 1824, 77.
- cuspidata** Amphiroa (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 300.—Coral-
Ancyclus, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 261. [lina, 1786.]
- cuspidatus** Anomites, W. Martin, Petr. Derb. 1809, pl. 46.
- cuspidatum** Anthophyllum (Esp.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar.
1848, 402.—Madrepora, 1789.
- cuspidata** Ascaris, K. A. Rudolphi, Ges. Nat. Fr. Berlin, Mag. VI (2) 1812, 93.
- cuspidata** Asterias, Lamarck, An. s. vert. II. 1816, 553. [Goniaster.]
- cuspidatum** Astrogonium (Gray), Joh. Mueller & Troschel, Syst. Asterid. 1842, 56.—
- cuspidata** Atrypa, J. Hall, N. H. New York (Pal. I.) 1847, 138.
- cuspidatus** Berosus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 228.
- cuspidata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. c.
- cuspidatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 373.

- cuspidata** Clausilia, F. Held, Isis (Oken), 1836, 276.
cuspidata Cleodora (Bosc), S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 83.—Hyalaea.
cuspidata Cleodora (Bosc), Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 384.—Hyalaea.
cuspidata Clerodora, L. Oken, Lehrb. Nat. III (1) 1815, 326.
cuspidata Clio (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 122.—Cleodora.
cuspidata Clio (Bosc), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 13.—Hyalaea.
cuspidatus Coccosteus, L. Agassiz, 12 Rept. Brit. Assoc. (Manch. 1842) 1843, 87 [*n. n.*].
cuspidatus Coccosteus, J. L. R. Agassiz, Poiss. Foss. V. G. R., 28 (1844), 137 (1845).
cuspidata Corbula, J. Sowerby, Min. Conch. IV. 1822, 85. [1792.
cuspidata Corbula (Olivi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 599.—Tellina,
cuspidatus Ctenoptychius, J. L. R. Agassiz, Poiss. Foss. III. 173 (1843) [*n. n.*].
cuspidata Cyrtia (Martin), F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 17.—Anomia.
cuspidata Delthyris, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 270.
cuspidatus Dichodon, R. Owen, Q. J. Geol. Soc. London, IV. 1848, 42.
cuspidatus Elater (Conoderus), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 154. [1841], 154.—Gasteracantha.
cuspidata Epeira (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
cuspidata Erycina (Olivi), A. Risso, H. N. Europe, IV. 1826, 366.—Tellina, 1792.
cuspidatus Eucamptus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 35.
cuspidata Eupelix (Fab.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 94.—Cicada,
cuspidatus Eusirus, H. Krøyer, Naturhist. Tidsskrift [2] I (5) 1845, 501. [1775.
cuspidata Gasteracantha, C. L. Koch, Die Arachniden, IV (1) May 1837, 22.
cuspidatus Goniaster, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 280.
cuspidatus Gonioliscus (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 60.—
cuspidatus Hemiramphus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 56. [Asterias.
cuspidata Hyalaea, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 241.
cuspidatus Hybodus, J. L. R. Agassiz, Poiss. Foss. III. 194 (1843).
cuspidatus Hydroporus, Germ.; Dejean, Catal. Coléopt. 1821, 20 [*n. n.*].
cuspidatus Hyphydrus, G. Kunze, N. Schr. Nat. Ges. Halle, II (4) 1818, 68.
cuspidata Ischnostoma (Fab.), H. Burmeister, Handb. Ent. III. 1842, 607.—Cetonia, 1787.
cuspidata Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 215.
cuspidata Lamna, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*]; Poiss. Foss. III. 290 (1843).
cuspidatus Leiophron (Ancyclus), A. H. Haliday, Entom. Mag. II (5) Jan. 1835, 462.
cuspidata Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 233.
cuspidatus Lyriodon (Sow.), H. G. Bronn, Index Pal. 1848, 686.—Trigonia.
cuspidata Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 485.
cuspidata Melanophila (K. & E.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 76.—Buprestis.
cuspidata Modiola, L. v. Buch, Ber. Verh. k. pr. Ak. Wiss. 1838, 34; Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 164.
cuspidatus Mytilus (Buch), G. v. Muenster, Beitr. zur Petref. (3) 1840, 55.—Modiola.
cuspidata Neaera (Ol.), R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 76.—Tellina, 1792.
cuspidatus Nirmus (Scop.), H. Denny, Mon. Anoplur. 1842, 130.—Pediculus, 1763.
cuspidata Nucula, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 47.
cuspidata Paludina, H. Nyst, Messager des Sci. XIV. 1836, 163.
cuspidatum Paramaecium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 45.
cuspidata Pardalisca, H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 153.
cuspidata Patella, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 26 [*n. n.*].
cuspidatus Philopterus (Scop.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 346.—Pediculus, 1763. [[*n. n.*].
cuspidatus Platymus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 17
cuspidatus Pristobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.

- cuspidatus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 196.
cuspidata Purpura, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 33.
cuspidata Ranella, L. Reeve, Conch. Icon. II.—Ranella, no. 48, July 1844.
cuspidatus Siderodactylus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 260.
cuspidatus Spirifer (Mart.), J. Sowerby, Min. Conch. II. 1816, 42.—Anomites.
cuspidata Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 22.
 —Buccinum, Gm. 1790.
cuspidata Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 157.
cuspidata Terebratula (Sow.), G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 34.—
 Spirifer. [Cicada, 1775.
cuspidata Tettigonia (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 261.—
cuspidatus Thyropterus, F. Klug, Arch. f. Naturg. I (1) 1835, 387.
cuspidatus Tornatella (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 336.—Acteon.
cuspidata Tornatella, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 136.
cuspidata Trigonina, J. De C. Sowerby, Min. Conch. VI. 1826, 8.
cuspidata Trypeta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 328.
cuspidata Urophora (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 457.—Trypeta. [Aug. 1833, 108.
cuspidata Walckenaeria, J. Blackwall, Lond. & Edinb. Phil. Mag., III (14)
cuspidella Adela (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 301.—Tinea,
 D. & S. 1775.
cuspidella Lita (D. & S.), F. Treitschke, Schmett. Europa, IX (2) 1833, 110.—Tinea, 1775.
cuspidella Oxybelia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 408.—Tinea,
cuspidella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 373. [1775.
cuspidata Drasteria, J. Huebner, Beiträge z. Exot. Schmett. I. 1818, 16.
cuspidiferum Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [2] ante Sept. 1815, 168.
cuspidifera Ophiura, Lamarck, An. s. vert. II. 1816, 547.
cuspidiusculus Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 128.
cuspis Acronicta (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 62.—Noctua.
cuspis Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 157. [[n. et f.].
cuspis Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 108 (Fernaldo judice 1808–18)
cuspis Nodosaria, H. D. de Blainville, Faune Française (18) Malac. 1828, 27.
cuspis Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 72.
cuspis Triaena, J. Huebner, Verz. bekannt. Schmett. [1822], 200.
Custa J. Fleming, Phil. Zool. II. 1822, 274.—A.
custator Cimex, J. C. Fabricius, Syst. Rhyng. 1803, 164.
Custodiella C. F. A. Morren, Tent. Biozoogen. generalis, 1829, 27.—? Diatom.
custos Arma (Fab.); C. W. Hahn, Wanzenart. Ins. I (3) Nov. 1832, 95.—Cimex, 1794.
custos Asopus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 379.—Cimex, 1794.
custos Jalla (Fab.), M. Spinola, Ess. Ins. Hémipt. 1837, 336.—Cimex, 1794.
custos Palaemon, P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 337.
custos Pentatoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 188.—Cimex,
custos Phronima, A. Risso, H. N. Crust. 1816, 121. [1794.
custos Pontonia, F. E. Guérin in Bory de St V., Exp. Morée (Crust.) 1832, 36.
custos Stiretrus (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
 153.—Cimex, 1794.
custugensis Cytherea, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 361.
custugensis Venus (Leym.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 322.—Cytherea.
cuta Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 139.
cutaceus Aquillus (L.), Denys de Montfort, Conch. II. 1810, 579.—Murex, 1767.
cutaceus Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 427, Liste p. 6 [n. et f.].
cutaceum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 414, Liste p. 4 [n. et f.].
cutaceum Tritonium (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 122.
cutberti Anas, P. S. Pallas, Zoographia, II. 1811, 235. [—Murex, 1767.
cutcutia Tetrodon, F. Hamilton, Fish. Ganges, 1822, 8.
Cuterebra B. Clark, Essay Bots, 1815, 64.—Dipt.
Cutia B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 772.—A. [stomum.
cuticola Diplostomum (Nordm.), C. M. Diesing, Syst. Helminth. I. 1850, 306.—Holo-

- cuticola** Holostomum, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (1) 1832, 49.
- cuticularis** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 189. [1838], 523.
- cuticulare** Orchelimum, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 523.
- cutilia** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 954.
- cutipora** Phrynoderma (D. & B.), L. Fitzinger, Syst. Rept. 1843, 31.—Rana.
- cutipora** Rana, Duméril & Bibron (Roret's Suite à Buffon), Expér. VIII. Jan. 1841, 338.
- Cutiterebra** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuterebra, Clark.
- cutleri** Cavia, E. T. Bennett (*ex* King MS), Proc. Zool. Soc. London, III (36) Ap. 1836,
- cutleriana** Skenea, W. Clark, Ann. Mag. N. H. (2) IV. Dec. 1849, 424. [191.
- cutora** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 172.
- cutta** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 486.
- cutteri** Cavia, Bennett in G. R. Waterhouse, Nat. Hist. Mamm. II. 1847, 192.
- cuvera** Coryphocera (Hope), H. Burmeister, Handb. Ent. III. 1842, 222.—Dicheros.
- cuvera** Dicheros, E. Newman, Entom. Mag. V (4) Ap. (*z.e.* July) 1838, 384.
- cuvera** Heterorhina, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 139.
- cuvera** Odontolabris, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 127.
- cuveriae** Alabes, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 221.
- Cuveriana** F. W. Hoeninghaus, Jahrb. f. Min. 1830, 472.—L. [*z. n.*].
- Cuviera** Rang, "Bull. Soc. Philom. Paris, 1827"; *err.* Scuderi *pro* Cuviera, *q. v.*
- Cuvierana** *emend. pro* Cuveriana, Hoen.; H. G. Bronn, Index Pal. 1848, 363.—L.
- cuvieri** Abrocoma, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 32.
- cuvieri** Acanthion, J. E. Gray, Proc. Zool. Soc. London, XV (176) Aug. 5, 1847, 102.
- cuvieri** Actinoceras (Troost), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 3.—
- cuvieri** Adapis, J. B. Fischer, Syn. Mamm. 1829, 428. [Conotubularia.
- cuvieri** Aëllo, W. E. Leach, Tr. Linn. Soc. London, XIII (1) 1821, 71.
- cuvieri** Algira, J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 283.
- cuvieri** Alligator (Leach), Bory de St V., Dict. Class. H. N. V. 1824, 104.—Crocodylus.
- cuvierii** Ammonites, G. Fischer v. W., Oryct. Moscou, 1830, sign. a³.
- cuvier** Anampses, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 276.
- cuvieri** Anilocra, W. E. Leach, Dict. Sci. Nat. XII. 1818, 350.
- cuvieri** Anolis, B. Merrem, Tent. Syst. Amph. 1820, 45.
- cuvieri** Anolius, H. R. Schinz in Cuvier, Thierreich, II. 1822, 67.
- cuvieri** Antilope, W. Ogilby, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 35.
- cuvieri** Aplysia, S. della Chiaje, Atti R. Ist. Incoragg. Napoli, IV. 1828, 71.
- cuvieri** Argentina, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 413.
- cuvierii** Aricia, Audouin & Edwards, Ann. Sci. Nat. XXIX (116) Aug. 1833, 397.
- cuvieri** Ascidia, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 15.
- cuvierii** Asteria, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 79.
- cuvieri** Ateuchus (MacLeay), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 32.—
- cuvieri** Ausonia, A. Risso, H. N. Europe, III. 1826, 342. [Scarabaeus.
- cuvierii** Balaenoptera, Balsamo-Crivelli, Giorn. R. Ist. Lomb. e Bibl. Ital. III. 1842, 306.
- cuvieri** Belosaepia, Voltz, Mém. Soc. H. N. Strasbourg, I. 1830, 23. [Sepia.
- cuvieri** Belosepia (Desh.), F. E. Edwards, Eoc. Moll. (Pal. Soc. II.) July 1849, 31.—
- cuviera** Berenix, Péron in R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 20; (Roret's Suite à Buffon), Acalèphes, 1843, 297.
- cuvier** Bodian (*sic*), J. W. Bennett, Fishes Ceylon (3) *ante* Nov. 1829, no. 13; **cuvieri**
- cuvieri** Brachypus, L. J. Fitzinger, N. classific. Rept. 1826, 50. [in ed. 3, 1841.
- cuvierii** Buccinum, B. C. Payraudeau, Cat. Moll. Corse, 1826, 163.
- cuvieri** Calyptraea, G. P. Deshayes in Cuvier, Règne Anim., disciples' ed., Moll., descr. to pl. 48 (1839). [Trochilus.
- cuvieri** Campylopterus (Delatt.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 71.—
- cuvieri** Caranx, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 183.
- cuvieri** Carassius, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 194.
- cuvieri** Cardita, §W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 56.
- cuvieri** Catillus (Sow.), Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 386.—Inoceramus.
- cuvieri** Cerithium (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 318.—Melania.

- cuvieri** Chaeropotamus, R. Owen, Tr. Geol. Soc. London [2]VI. 1841, 41.
cuvieri Chalcides (Fitz.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 453.—Brachypus.
- cuvieri** Chalcis (Fitz.), J. Wagler, Nat. Syst. Amph. 1830, 196.—Brachypus.
cuvieri Chelonia, J. E. Gray, Syn. Rept. 1831, 54.
cuvierii Cirrhinus, T. C. Jerdon, Madras Journ. XV (35) 1849, 304.
cuvierii Clypeaster, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 133.
cuvieri Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 100.
cuvierii Conotubularia, G. Troost, Trans. Geol. Soc. Pennsylv. I (2) 1835, 248 [*n. n.*].
cuvieri Corallina, J. V. F. Lamouroux, Hist. Polyp. 1816, 287.
cuvieri Crocodilus, W. E. Leach, Zool. Miscell. II. 1815, 117.
cuvieri Crocodilus, J. E. Gray, Syn. Rept. 1831, 61.
cuvierii Ctenodon, W. Swainson, N. H. Fishes etc. II. July 1839, 256.
cuvieri Ctenonotus (Merr.), L. Fitzinger, Syst. Rept. 1843, 64.—Anolis.
cuvieri Cynthia, Philippi, Arch. Anat. Phys. Med. 1843, 50.
cuvieri Cyrene (Val.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1025.—Dangila.
cuvieri Dactyloa (Merr.), J. Wagler, Nat. Syst. Amph. 1830, 148.—Anolis.
cuvieri Dangila, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 230.
cuvieri Delphinus (Gray), J. A. Wagner in Schreiber, Säugth. VII. 292 (1846-7) pl. cccxlv
cuvieri Didelphys, J. B. Fischer, Syn. Mamm. 1829, 268. [(1846-7).—Grampus.
cuvieri Dimadon, J. J. Kaup, Class. Säugth. Vögel, 1844, 91.
cuvieri Dinotherium, J. J. Kaup, Descr. Oss. foss. (1) 1832, 14.
cuvierii Diphyllidia, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 199.
cuvieri Dorippe, A. Risso, H. N. Crust. 1816, 35. [(1836), 186.—Clypeaster.
cuvieri Echinolampus (Muenst.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835
cuvieri Emarginula, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.), 1826, 21.
cuvieri Emys, J. E. Gray, Syn. Rept. 1831, 33.
cuvieri Emys, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 45.
cuvierii Eolidia (Lam.), H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 277.—Eolis.
cuvieri Eolis, Lamarck, An. s. vert. VI (1) 1819, 302.
cuvieri Eryon, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 512.
cuvieri Eulabeornis (Puch.), G. R. Gray, Genera of Birds, III. Nov. 1846, 595.—Rallus.
cuvieri Eupholus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 363.
cuvieri Euplocomus, K. Tyzenhaus, Orn. powsz. III. 1846, 20.
cuvieri Falcinellus, C. L. Bonaparte, List Birds Eur. (4) Amer. 1838, 50.
cuvierii Falco, A. Smith, S. African Quart. Journ. I (4) Sept. 1830, 392.
cuvieri Flabellina (Johnst.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolis, Lam.
cuvieri Galeus, J. L. R. Agassiz, Poiss. Foss. IV. 33 (1835). [phorus.
cuvieri Gallophasis (Temm.), G. R. Gray, Genera of Birds, III. Jan. 1845, 498.—Lopho-
cuvieri Gallus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 83.
cuvieri Gasterosteus, Girard, Boston Journ. N. H. VI (2) 1850, 254.
cuvieri Gennaeus (Temm.), Cabanis, Ersch & Gruber, Allg. Ency. (3) XXII. 1846, 148.
 —Lophophorus.
- cuvieri** Gerbillus, G. R. Waterhouse, Proc. Zool. Soc. London, VI (64) July 1838, 56.
cuvieri Grampus, J. E. Gray, Ann. Mag. N. H. XVII. Feb. 1846, 85.
cuvieri Gymnolepas, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 374.
cuvieri Gyrodus, J. L. R. Agassiz, Poiss. Foss. II (1) 16 (1833); II (2) 230 (1844).
cuvieri Halianassa (Christ.), H. G. Bronn, Index Pal. 1848, 562.—Halicore.
cuvierii Halicore, J. de Christol, Ann. Sci. Ind. Midi France, II (8) Aug. 1832, 244.
cuvieri Haminæa, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
cuvieri Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 82.
cuvieri Helixarion, A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 24.
cuvieri Hologoetonia (P. & L.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24)
 Jan. 1837, 191.—Rhizostoma.
cuvieri Homarus, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849,
cuvieri Homola, A. Risso, H. N. Europe, V. 1826, 34.—Dorippe, 1816. [117.
cuvieri Hyaena, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 233.
cuvieri Hydnohora, G. Fischer de W., Not. foss. Gouv. Moscou, II. 1810, 11.

- cuvieri** Hydrophora (Lam.), C. D. E. König, Icones foss. 1825, 1.—Monticularia.
cuvieri Inoceramus, J. Sowerby in Parkinson, Tr. Geol. Soc. V. 1819, 55.
cuvieri Julis, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 128.
cuvieri Julis (Halichoeres), P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 160. [35.]
- cuvieri** Lacerta (Algyra), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn.
cuvieri Lagidium (Benn.), J. A. Wagner in Schreber, Säughth., Suppl. III. 1842, 306.—Lagotis.
- cuvieri** Lagotis, E. T. Bennett, Proc. Zool. Soc. London, I (5) July 1833, 58.
cuvieri Lebia, F. P. Jarocki, Zoologia, IV. 1822, 98.
cuvieri Lemantina, A. Risso, H. N. Europe, IV. 1826, 114.
cuvieri Lepas (Leach), W. Wood, Suppl. Index Test. 1828, 46.—Otion.
cuvieri Libythea, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 171.
cuvieri Lophophorus, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. xci [n. n.].
cuvieri Lophophorus, C. J. Temminck in T. & Laugier, Pls. color. (1) Ap. 1822.
cuvieri Lophura, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 60.
cuvieri Lunulites, Defrance, Dict. Sci. Nat. XXVII. 1823, 361.
cuvieri Macropus, G. Fischer de W., Comm. Soc. phys.-med. Mosq. I (1) 1808, 63.
cuvieri Manatus, H. D. de Blainville, Ostéogr., Manatus, 1843, 122.
cuvieri Mastodon, J. Hays, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 334.
cuvieri Megalonyx, Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 219.
cuvieri Megatherium, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 365.
cuvieri Melania, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1825, 104.
cuvieri Meriones (Waterh.), J. A. Wagner in Schreber, Säughth., Suppl. III. 1843, 473.—Gerbillus.
- cuvieri** Merops, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 13.
cuvieri Merops, G. Cuvier, Règne Anim., ed. 2, I. 1829, 442.
cuvieri Metaxytherium, H. D. de Blainville, Ostéogr., Manatus, 1843, 123.
cuvieri Monticularia (Fisch.), Lamarck, An. s. vert. II. 1816, 251.—Hydrophora.
cuvieri Myoxus, C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 81.
cuvieri Myscelia (God.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 223.—Libythea. [stat. Marseille, VI. 251.]
- cuvieri** Mytilus, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 179; Rep. trav. Soc.
cuvieri Nautilus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [n. n.].
cuvieri Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 255.
cuvieri Notarchus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 266.
cuvieri Numenius, J. C. Savigny, Hist. Nat. Ibis, 1805, 25.
cuvieri Oello, de Blainville, C. R. Acad. Sci. (Paris) V. 1837, 822 [n. n.]. [225.]
cuvieri Ommatolampus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
cuvieri Ophiura (Chiaje), F. Dujardin in Lamarck, H. N. Anim. s. Vert., ed. 2, III. Feb. 1840, 228.—Asteria.
- cuvieri** Opisthognathus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 504.
cuvieri Oplocephalus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn.
cuvieri Orestias, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 225. [84 [n. n.].]
cuvieri Orthoceras, Kolenati, K.-B. zool.-min. Ver. Regensburg, III. 1849, 122.
cuvieri Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 27 [n. n.].
cuvieri Otion, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 170.
cuvieri Pachyramphus (Sw.), G. R. Gray, List Gen. Birds, 1840, 31.—Pсарis.
cuvieri Pachyrhynchus (Swains.), J. B. v. Spix, Avium Brasil. II. 1825, 33.—Pсарis.
cuvieri Pelors, J. E. Gray, Ill. Indian Zool. II (19, 20) Feb. 1835 (pl. 90).
cuvieri Phalangista, J. E. Gray in Waterhouse, Marsupials (Nat. Libr. XXX.) Aug. 1841,
cuvieri Phyllurus, Bory de St V., Dict. Class. H. N. VII. 1825, 183. [268.]
cuvieri Physalaemus, L. J. Fitzinger, Neue Classif. Rept. 1826, 65 [n. n.].
cuvieri Platydactylus, J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 199 [n. n.]. [1839.]
cuvieri Platonyx, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 311.—Megalonyx,
cuvieri Podargus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) Mar. 1827, 200.
cuvieri Polytmus (L. & L.), G. R. Gray, Genera of Birds, I. Dec. 1848, 107.—? Trochilus,
cuvieri Pomatomus, A. Cocco, Giorn. Sci. Lett. Sicilia, XXVI. 1829, 143. [D. & B.]

- cuvieri** Proetus, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 29.
- cuvierii** Psaris, W. Swainson, Zool. Illustr. (1) I (6) Mar. 1821, pl. 32.
- cuvierii** Pterotrachea (Pér.), Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 346.—Firola [*non comp.*].
- cuvieri** Pygorhynchus (Goldf.), L. Agassiz, Cat. Ect. Ech. 1840, 5.—Clypeaster.
- cuvieri** Rallus, Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 279.
- cuvieri** Ramphastos, J. Wagler, Syst. Avium, I. 1827, sign. 13.
- cuvierii** Regulus, J. J. Audubon, Birds of Amer., pl. 55 (1829); Orn. Biogr. I. 1831, 288.
- cuvieri** Rhinoceros, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 402.
- cuvieri** Rhinoceros, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (9) 1829, 282.
- cuvierii** Rhizostoma, Lamarck, Syst. Anim. 1801, 354.
- cuvieri** Rhizostoma, C. A. Rudolphi, Bemerk. Naturg. I. 1804, 170.
- cuvieri** Rhizostoma, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 362.
- cuvieri** Rhynchonella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 39.
- cuvieri** Rostellaria, I. Lea, Contrib. to Geol. 1833, 160.
- cuvieri** Salanx, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 360.
- cuvieri** Salminus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 56.
- cuvieri** Sargus, J. L. R. Agassiz, Poiss. Foss. IV. 11 (1838), 168 (1839).
- cuvieri** Scaphites, S. G. Morton, J. Acad. Nat. Sci. Philad. VI. July 1829, 109.
- cuvieri** Scarabaeus, W. S. Macleay, Horae Entom. I (2) 1821, 499.
- cuvieri** Scrofaria (Risso), J. Gisl, Nat. Thierr. 1848, p. viii.—Ausonia.
- cuvieri** Sepia, A. d'Orbigny, Ann. Sci. Nat. VII (26) Feb. 1826, 157.
- cuvieri** Sepia, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 758.
- cuvierii** Serranus, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 20.
- cuvieri** Silurus (Acanthototus), J. E. Gray, Ill. Indian Zool. I (1) Jan. 1830 (pl. 85).
- cuvieri** Simia, J. B. Fischer, Syn. Mamm. 1829, 30. [(1844).]
- cuvieri** Sphenolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 144 (1843); V (2), 89
- cuvier** Squalus, Péron & Lesueur, J. Acad. Nat. Sci. Philad. II. Nov. 1822, 351.
- cuvieri** Streptospondylus, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 88.
- cuvierii** Succinea, L. Guilding, Zool. Journ. II (8) Jan. [*z. e. Ap.*] 1826, 443.
- cuvieri** Tægalla, R. P. Lesson, Man. Orn. II. June 1828, 186.
- cuvieri** Telegallus, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 716.
- cuvieri** Testudo, L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 123.
- cuvieri** Tetragonurus, A. Risso, Ich. Nice, 1810, 347.
- cuvieri** Thoracoceras (Troost), G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 770.—Conotubularia.
- cuvierii** Tityra (Sw.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 136.—
- cuvieri** Tityra (Sw.), Jardine & Selby, Ill. Orn., sign. D 3, 1826.—Pсарis. [Pсарis.
- cuvieri** Trionyx, J. E. Gray, Syn. Rept. 1831, 50. [Syn. 19.
- cuvieri** Trionyx (Tetraonyx), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
- cuvierii** Trochilus, De Lattre & Bourcier, Rev. Zool. (Soc. Cuv.) IX. Sept. [Nov.] 1846,
- cuvieri** Typhline, A. F. A. Wiegmann, Herpet. Mex. 1834, 11. [310.
- cuvieri** Typhlomorphus (Wieg.), L. Fitzinger, Syst. Rept. 1843, 23.—Typhline.
- cuvierii** Unio, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 169; Rep. trav. Soc. stat. Marseille, VI. 241.
- cuvieri** Vastres, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 441.
- cuvieri** Vitrina (Fér.), G. B. Sowerby, II., Gen. Shells (11) 1822.—Helixarion.
- cuvieri** Xiphostoma, J. B. v. Spix, Pisc. Brasil. 1829, 79.
- cuvieri** Xiphosurus (Merr.), L. J. Fitzinger, Neue Classif. Rept. 1826, 48.—Anolis.
- cuvieri** Zygaena, Boisdual, Essai Zygén. 1829 [1828], 53.
- Cuvieria** Péron & Lesueur, Voy. Terr. Austr. (Atlas I. 1807), pl. xxx.—Med.
- Cuvieria** W. E. Leach, Edinb. Ency. VII. 1814, 435.—Cr.
- Cuvieria** Péron (Cuv. Règn. anim. IV. 1817, 58); L. Agassiz, Nom. Zool. (Ech.) 1842 [= Medusae, 1807].
- Cuvieria** P. S. Rang, Ann. Sci. Nat. XII (47) Nov. 1827, 322.—Pt.
- cuvieria** Berenice, Péron in H. D. de Blainville, Man. Actin. 1834, 276.
- cuvieria** Cuvieria, G. F. Jaeger, De Holothur. 1833, 20.
- cuvieria** Raja, J. G. Schneider, Bloch, Syst. Ichth. 1801, 367.

- cuvieria** Spongia, A. Risso, H. N. Europe, V. 1826, 371.
- cuvieriana** Cyclostoma, S. Petit, Rev. Zool. (Soc. Cuv.) IV. June 1841, 184.
- cuvieriana** Helix, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 175.
- cuvieriana** Ibla, J. E. Gray, Ann. Phil. XXVI. Aug. 1825, 101.
- cuvieriana** Narica, C. A. Récluz, Magasin de Zool. (2) VII. 1845 [1846], pl. 134.
- cuvieriana** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 338.
- cuvierianus** Otion, W. E. Leach, Zool. Journ. II (6) July 1825, 211 [=cuvieri, 1818].
- cuvieriana** Quinqueloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 190.
- cuvierianus** Sigaretus, C. A. Récluz in J. C. Chenu, Illustr. conch. I. Sigaretus, 1843, 18.
- cuvierianum** Tropicodora (Petit), F. H. Troschel, Zeitschr. f. Malakozool., Mar. 1847, 44.—Cyclostoma.
- cuyoensis** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, X (118) Feb. 1843, 152.
- cuzcoensis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 514, July 1849.
- cyamites** Satyrus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 152.
- Cyamium** R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 50.—L.
- Cyamobolus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 177.—Col.
- cyamon** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 176.
- cyana** *v.* **cyanus**.
- Cyanaea** Cuvier, R. Anim. IV. 1817, 56.—Med. [1782.]
- cyanalsios** Conurus (Mol.), O. Des Murs in Gay, Chili (Aves) 1847, 367.—Psittacus,
- cyanaria** Phaesyle (B.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 254.—
? Geometra cyanata, Huebn.
- cyanator** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 442.
- cyanator** Dacnis, R. P. Lesson, Traité Ornith. (6) Feb. 1831, 458.
- cyanator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 272.
- cyanata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 62 (Fernaldo judice 1800-08)
[*n. et f.*].
- cyanata** Glaucopteryx, J. Huebner, Verz. bekannt. Schmett. 1826, 332.—Geometra.
- cyanata** Larentia (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geometra.
- cyanauchen** Psittacus, S. Müller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-
en Volkenk.) (3 & 4) 1841, 107. [(1850), 304.—Nymphalis.
- cyane** Apatura (Latr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
- cyane** Cethosia (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 247.—Papilio, Dru.
1770.
- cyane** Dysphania (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 175.—Phalaena, 1780.
- cyane** Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1841 (1) 1841, 23.
- cyane** Nymphalis, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813),
- cyane** Sylvia, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1841 (1) 1841, 163. [82.]
- cyane** Thamnotettix, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. II (6) 1845, 158.
- Cyanea** Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 363.—Med.
- Cyanea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyanaea, Cuv.
- cyanea** *v.* **cyaneus** -a -um.
- cyaneae** Hyperia (Sab.), H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 387.—
Talitrus.
- cyaneae** Talitrus, E. Sabine, App. Parry's Voy. 1819-20, 1824, p. cccxxxiv.
- Cyanecula** C. L. Brehm (*ex* Brisson), Isis, 1828, 1280 [*n. n.*]; Handb. Nat. Vogel
Deutschl. 1831, 349.—A.
- Cyanecula** J. J. Kaup, Skizz. Europ. Thierw. 1829, 157.—A. [*typus* Sylvia suecica].
- cyanecula** Erithacus (M. & W.), C. D. Degland, Orn. Europ. I. 1849, 510.—Sylvia, Meisn.
- cyanecula** Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848,
- cyanecula** Motacilla, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 16. [207.]
- cianecula** Pandicilla, C. T. Wood, Orn. Guide, 1835, 191.
- cyanecula** [Phaenicura], S. Palmer, The Analyst, IV (16) July 1836, 276.
- cyanecula** Rucicilla, W. Macgillivray, Hist. Brit. Birds, II. 1839, 300.
- cyanecula** Sylvia, F. Meisner, Syst. Verz. Vogel Schweiz, 1804, 30.
- cyanei** → *v.* **cyano** →.
- cyanella** Adela, J. Mann in Zeller, Entom. Zeitung, Stettin, XI (4) Ap. 1850, 134.
- cyanella** Anthaxia, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 285.

- cyanellum** Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- cyanella** Auchenia (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 215.—Chrysomela, Brachys, Laporte & Gory, H. N. Coléopt. II. 1840, 8. [1758.]
- cyanella** Cassida, D. H. Schneider, Verz. Insectensamml. 1828, 83 [*n. n.*].
- cyanellus** Catascopus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
- cyanellus** Cerambyx, W. Klug, Linnaeus, Syst. Nat. II. 1802, 328. [1848, 113.]
- cyanella** Chlamys, F. Klug, Entom. Mon. 1824, 108.
- cyanella** Chrysomela, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 213.
- cyanellus** Corynetes, And.; Dejean, Catal. Coléopt. 1821, 42 [*n. n.*]. [276.—Musca.]
- cyanella** Curtonevra (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- cyanella** Dianaea (Pér.), Lamarck, An. s. vert. II. 1816, 507.—Pelagia. [698.]
- cyanella** Drypta, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- cyanellus** Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 387.
- cyanellus** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 168.
- cyanellus** Entedon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 431.
- cyanellus** Eumolpus, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
- cyanella** Evagora, L. Oken, Lehrb. Nat. III (1) 1815, 123. [1835, 583.]
- cyanella** Haltica, L. Redtenbacher, F. Austr., Käfer, 1849, 531.
- cyanella** Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 231.
- cyanella** Ichthelis, C. S. Rafinesque, Western Review, I (6) Jan. 1820, 376; Ichth. Ohiensis [Dec.] 1820, 28.
- cyanella** Lema (Fab.), Dejean, Catal. Coléopt. 1821, 115.—Crioceris, 1775.
- cyanellus** Lepomis, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 420.
- cyanella** Medusa (Pelagia), F. S. Voigt in Cuvier, Thierrreich, VI. 1843, 163.
- cyanella** Meloe, Ziegl.; Dejean, Catal. Coléopt. 1821, 75 [*n. n.*].
- cyanella** Meloe, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 229.
- cyanella** Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 77.
- cyanella** Pelagia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 349.
- cyanella** Saperda, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 437; & App.
- cyanelytrius** Staphylinus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 31. [1817, 190.]
- cyanemus** Styrius, C. S. Rafinesque, Specchio d. Sci. II (11) Nov. 1814, 132.
- cyaneo**→ *v.* **cyaño**→.
- Cyaneopsis** J. F. Brandt, Prod. anim. Mertens. I. 1835, 24.—Med.
- Cyaneopsis** J. F. Brandt, Bull. Sci. Ac. Sci. St Pétersb. I. 1838, 189.—Scyphoz. [*teste*
- cyanerythrus** Dasytes, M. Perty, Del. anim. artic. Brasil. (1) 1830, 29. [Stechow].
- cyanescens** Acmaeodera, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 46.
- cyanescens** Andrena, A. H. Haliday, Tr. Linn. Soc. London, XVII (3) 1836, 321.
- cyanescens** Anthaxia, Gory (*ex Dej.*) in Laporte & G., H. N. Coléopt. IV. 1841, 284.
- cyanescens** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 306.
- cyanescens** Athyreus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 30.
- cyanescens** Atomosia, C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 92.
- cyanescens** Bembidion, C. Wesmael, Bull. Ac. Roy. Brux. II. 1835, 48.
- cyanescens** Boxaodon, A. Guichenot in Gay, Chili (Peces) 1849, 209.
- cyanescens** Calleida, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 14.
- cyanescens** Carabus, J. Sturm, Deutschl. Fauna (Insecten) III. 1815, 93.
- cyanescens** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- cyanescens** Cleonymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 33. [*n. n.*].
- cyanescens** Corvus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 13
- cyanescens** Crepidodera, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 471 [*n. n.*].
- cyanescens** Cylas, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 371.
- cyanescens** Erpeinus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 25.—Harpalus, 1844.
- cyanescens** Falco, A. Sparrman, Svenske Orn. (—) ["1806, pl. 3"].
- cyanescens** Galbula, E. Deville, Rev. et Mag. de Zool. (2) I. Feb. 1849, 56.
- cyanescens** Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 101. [(1 & 2) Oct. 1837, 159.]
- cyanescens** Gymnurus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV

- cyanescens** Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 274.
cyanescens Harpalus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.
cyanescens Harpalus, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 209.
cyanescens Helophilus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 511.
cyanescens Helops, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].
cyanescens Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 155.
cyanescens Hydrocera, J. L. Le Conte, Ann. Lyceum N. H. New York, V (1) May 1849,
cyanescens Idia, H. Loew, Entom. Zeitung, Stettin, V (1) Jan. 1844, 24. [28.
cyanescens Lacerta, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 420.
cyanescens Leucothyreus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 238.
cyanescens Myas, Dejean, Spec. gén. Coléopt. III. 1828, 425.
cyanescens Mylabris, Illiger in Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
cyanescens Oedemera, Dejean, Catal. Coléopt. 1821, 77 [*n. n.*].
cyanescens Oedemera, W. Schmidt (*ex* Dej. Cat.), Linnaea Entom. I. Feb. 1846, 72.
cyanescens Pachycarus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 445. [485.
cyanescens Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
cyanescens Philonthus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 14.
cyanescens Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 356.
cyanescens Pogonostoma, F. Klug, Arch. f. Naturg. I (1) 1835, 383.
cyanescens Pollenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 414.
cyanescens Rhinodes, J. Sturm, Catal. Ins. Samml. 1826, 190 [*n. n.*].
cyanescens Ricania, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 261.
cyanescens Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 254.
cyanescens Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 993.
cyanescens Taenodema (Nordm.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 680.—Gymnurus.
cyanescens Trochus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 36.
cyanescens Volucella, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 84.
cyanescens Xylocopa, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 339.
cyanesthis Lema, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 533.
cyanea Aequorea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 337.
cyaneus Agrilus (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 305.—Buprestis, 1775.
cyaneus Agrio, E. de Selys-L. in P. v. d. Maelen, Dict. géogr. Liège, 1831, App. p. 58.
cyanea Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 401.
cyanea Altica, F. Weber, Obs. Ent. 1801, 57.
cyaneus Alumus, Brême, Ann. Soc. Ent. France [2] II (3) Jan. 1845, 312.
cyanea Anas, T. L. Mitchell, Three Exped. Australia, I. 1838, p. xviii.
cyaneus Anchomenus, Dejean, Spec. gén. Coléopt. III. 1828, 106. [446.
cyaneus Anoplius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
cyaneus Anthicus, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 63.
cyanea Anthomyia, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 356.
cyanea Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 381.—Andrena, 1793.
cyaneum Apion (Fab.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 45.—? Clerus, 1787.
cyanea Apis, W. Kirby, Mon. Apum Angl. II. 1802, 308.
cyanea Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 542.
cyaneus Apoderus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
cyaneus Apoderus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 286.
cyanea Arbelorhina (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 675.—Certhia, 1766.
cyaneus Arrenga (Horsf.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 258.—Turdus.
cyaneus Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 56.—Copriss, 1798.
cyaneus Attelabus, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 453.
cyaneus Attelabus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 358.

- cyaneus* Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 365.
cyaneus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 137.
cyaneus Baris, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 99.
cyaneus Baris, J. Curtis, Guide Brit. Ins. (2) 1829-30, 45 [*n. n.*].
cyaneum Bembidium, M. de Chadoir, Enum. Carab. 1846, 203. [1830, 731.
cyanea Boisduvalia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
cyanea Brachys, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 344.
cyaneum Buccinum, Beck, Naturhist. Tidsskrift, IV (1) 1842, 84.
cyaneum Buccinum, A. Hancock (*ex* Chemn.), Ann. Mag. N. H. XVIII. Nov. 1846, 328.
cyaneum Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 69, Dec. 1846.
cyaneus Buteo (L.), C. Dumont, Dict. Sci. Nat. (ed. 1) V. 1806, 466.—Falco, 1766.
cyaneus Buthus, C. L. Koch, Die Arachniden, III (5) Dec. 1836, 75.
cyanea Calamita (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 64.—Hyla.
cyaneus Calicurgus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1846,
cyanea Calleida, V. v. Mochulski, Kaefer Russl., *post* May 1850, 39. [405.
cyaneus Callimome (Boh.), F. Walker, List Hyménopt. Coll. B. M. (1) 1846, 19.—
 Torymus.
cyaneus Callimome (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Ichn. 1798.
cyaneus Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].
cyaneum Carenum (Fab.), F. A. Bonelli, Mém. Ac. Sci. Turin, 1811-12 (1813), 480.—
 Scarites, 1775.
cyanea Ceyx, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 241.
cyaneus Chalcas, L. Buquet, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, p. lxviii
cyaneus Chalcas, L. Buquet, Rev. Zool. (Soc. Cuv.) X. Dec. 1847, 408. [*n. n.*].
cyanea Chalcis, J. C. Fabricius, Syst. Piezat. 1804, 164. [1758.
cyaneum Chalybion (L.), A. G. Dahlbom, Hyménopt. Europaea (1) 1844, 22.—Sphex,
cyaneus Charactes, Hoffmannsegg in W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 81.
cyanea Chariea, Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, I (2) *c.* July 1832,
cyanea Chlamys, V. Kollar, Mon. Chlamydom, 1824, 46. [198.
cyaneus Chrysolampus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 37.
cyanea Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 196.
cyanea Chrysomela, F. V. Melsheimer, Ins. Pennsylv. 1806, 21 [*n. n.*].
cyanea Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 178. [122.
cyanea Cicindela, Audouin & Brullé, Archives Mus. H. N. (Paris) I [2] *post* Mar. 1839,
cyaneus Circus (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 221.—Falco, 1766.
cyaneus Cleonymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 34.
cyaneus Cnemacanthus, A. Brullé, H. N. Ins. IV (2) (Col.) *excutie* 1834, 376.
cyaneus Cnemalobus (Br.), A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 194.—Cnema-
cyaneus Cocalus, C. L. Koch, Die Arachniden, XIII (5) May 1846, 181. [canthus.
cyanea Coccinella, Dejean, Catal. Coléopt. 1821, 130 [*n. n.*].
cyanea Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 522.—
 Loxia, L. 1758. [L. 1766.
cyanea Coereba (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 44.—Certhia,
cyanea Colaspidea, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 19 [*n. n.*].
cyanea Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
cyaneus Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 115.
cyaneus Colymbetes, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 17 [*n. n.*]; &
 Ill. Brit. Ent. (Mand. V.) Mar. 1835, 394.
cyaneus Coriphilus (Sparrm.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec.
 1832), 564.—Psittacus, 1787.
cyanea Corydia, H. Burmeister, Handb. Ent. II (2) i, 1838, 492.
cyaneus Corynodes (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 162.—Eumolpus.
cyaneus Cricetus (Mol.), P. Boitard, Jardin d. Plantes 1842 [*z.* 1841], 331.—Mus cyanus,
cyaneus Culex, J. C. Fabricius, Syst. Antliat. 1805, 35. [1782.
cyaneus Curculio, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 390.
cyanea Curtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 314. [cyane.
cyanea Cyanecula (Eversm.), G. R. Gray, Genera of Birds, III. App. 1849, 8.—Sylvia

- cyaneus** Cyanistes (Pall.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 99.—Parus cyanus, 1770. [1758.]
- cyanea** Cyanoloxia (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 502.—Loxia,
- cyaneus** Cyanopica (Pall.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 382.—Corvus cyaneus, 1776. [Trichodes.]
- cyaneus** Cyllidrus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 476.—
- cyaneus** Cyllidrus (Fab.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 262.—Clerus, 1787. [263.]
- cyaneus** Cylindrocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- cyanea** Cinips (Fab.), Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 288.—Diplolepis. [57.—Stratiomys, 1794.]
- cyanea** Cyphomyia (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- cyanea** Cyrtonera, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1358.
- cyanea** Cyrtanota (L.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 575.—Cassida, 1758.
- cyaneum** Dasyte, F. E. Guérin-M., Voy. "Favorite" (Zool.) V (2) 1839, 119.
- cyaneus** Dasytes, D. H. Schneider, Verz. Insectensamml. 1828, 75 [n. n.].
- cyaneus** Dasytes, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838, 39.
- cyaneus** Desmocerus (Fab.), Dejean, Catal. Coléopt. 1821, 111.—Stenocorus, 1775.
- cyaneus** Dicaelus, Dejean, Spec. gén. Coléopt. V. 1831, 686.
- cyanea** Diglossa (Laf.), G. R. Gray, Genera of Birds, I. Feb. 1846, 137.—Uncirostrum.
- cyanea** Dioctria, J. C. Fabricius, Syst. Antliat. 1805, 150.—Asilus, 1781.
- cyanea** Diplolepis, J. C. Fabricius, Syst. Piezat. 1804, 151.—Ichneumon, 1798.
- cyaneus** Ditomus, Olivier in Dejean & Boisduval, Icon. Coléopt. I. 1830, 244.
- cyaneus** Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 78.
- cyanea** Dreissena, P. J. van Beneden, Bull. Ac. Roy. Brux. IV. 1838, 41.
- cyaneus** Dromius, Dejean, Ann. Sci. Nat. XX (78) June 1830, 223 [n. n.].
- cyaneus** Dromius, Dejean, Spec. gén. Coléopt. V. 1831, 355.
- cyaneus** Dromius, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 139.
- cyanea** Drypta, F. L. de Laporte, Etudes Entom. (2) 1835, 141.
- cyanea** Drypta, Buquet, Rev. et Mag. de Zool. (2) I. July 1849, 347.
- cyanea** Dymusia (Ol.), H. Burmeister, Handb. Ent. III. 1842, 210.—Cetonia, 1789.
- cyaneus** Elachestus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 40.
- cyaneus** Elater, T. Marsham, Coleopt. Brit., Sept. 1802, 388.
- cyaneus** Elater, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 136.
- cyaneus** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 160.
- cyaneum** Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist. 181.
- cyaneus** Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825, 60.
- cyaneus** Eumolpus, J. C. Fabricius, Syst. Eleuth. I. 1801, 419.—Chrysomela, 1792.
- cyanea** Euphonia (Sw.), G. R. Gray, Genera of Birds, III. App. 1849, 17.—Pipraeidea.
- cyaneus** Eurhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 814.
- cyaneus** Eurygaster, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 111.
- cyaneus** Falciger, J. Sturm, Catal. Ins. Samml. 1826, 141 [n. n.].
- cyaneus** Falcinellus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 163.
- cyanea** Fringilla, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 250.
- cyanea** Fringilla (L.), A. Wilson, Amer. Ornith. I. 1808, 100.—Tanagra, 1766.
- cyaneus** Galgalus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 868.
- cyanea** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 497.
- cyaneus** Garrulus, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 476.
- cyanea** Gastrophya, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847,
- cyaneus** Glyphisodon, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 392. [175-]
- cyaneus** Goerius (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Staphylinus, ? Payk. 1789.
- cyaneus** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- cyaneus** Gymnopleurus (Hoffm.), Illiger, Mag. f. Insektenk. (Illiger) II. 1803, 200.—Ateuchus, ? Fab.

- cyanea** Gynandrophthalma (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 300.—Clythra, 1798. [1835, 280.]
- cyanea** Gynoplistia, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (34) Ap.
- cyanea** Hadrus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 208.
- cyanea** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca.
- cyanea** Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 274.
- cyanea** Haltica (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18.—Chrysomela.
- cyaneus** Harpalus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 153.
- cyaneum** Hedychrum, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- cyanea** Hesperia, G. Osculati, Explor. Reg. Equat. 1850, 125 [*n. n.*]. [1846, 52.]
- cyaneum** Himatidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, L. 1758.
- cyanea** Hispa, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 433.
- cyaneus** Hydrophilus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 257 [*n. n.*].
- cyanea** Hyla, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 43.
- cyanea** Hylocharis (Viell.), G. R. Gray, Genera of Birds, I. Dec. 1848, 114.—Trochilus
- cyaneum** Imatidium (T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 435. [cyanus.]
- cyanea** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 277.
- cyanea** Lacerta, J. Hermann, Obs. Zool. 1804, 255.
- cyaneus** Laius, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 78.
- cyanea** Lamprosoma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 78 [*n. n.*].
- cyaneum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 603.
- cyaneus** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Misco-gaster, 1833.
- cyanea** Languria, F. W. Hope, Tr. Zool. Soc. London, I (2) July 1834, 94.
- cyanea** Laphria, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 286.
- cyanea** Larvivora, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- cyanea** Lauxania, J. C. Fabricius, Syst. Antliat. 1805, 213.
- cyanea** Lebia, Dejean, Spec. gén. Coléopt. V. 1831, 386.
- cyaneus** Leptura (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 219.—Stenocorus,
- cyanea** Leptura, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 70. [1775.]
- cyanea** Lucilia (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 302.—Musca,
- cyaneus** Luperus, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*]. [1781.]
- cyanea** Lyda, F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 281.
- cyanea** Lyda, Schummel, Uebers. Arb. schles. Ges. 1831 (1832), 74 [*n. n.*].
- cyaneus** Malachius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 24 [*n. n.*].
- cyaneus** Malachius, Laporte, Revue Entom. IV (1) 1836, 29. [1790.]
- cyaneus** Malurus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 215.—Sylvia.
- cyanea** Megachile (Fab.), C. A. Walckenaer, Faune Paris. II. 1802, 141.—Andrena, 1793.
- cyanea** Megapoda, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 288.
- cyanea** Meloe, J. C. Fabricius, Syst. Eleuth. II. 1801, 589.
- cyaneus** Melyris, F. de Tigny, s. à Deterville ed. Buffon, Ins. VI. 1801, 109.
- cyanea** Merula, H. Bouteille, Orn. Dauphiné, I. 1843, 173.
- cyanea** Mesomphalia (L.), C. H. Boheman, Mon. Cassid. I. 1850, 325.—Cassida, 1758.
- cyaneus** Microdon, M. Perty, Del. anim. artic. Brasil. (3) 1833, 186.
- cyaneus** Micronyx, C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 20.
- cyaneus** Micronyx, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 424.
- cyanea** Minyas, G. Cuvier, R. Anim. IV. 1817, 24.
- cyanea** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 463.
- cyanea** Motacilla, W. Ellis, Narr. Voy. Cook, II. 1782, 156.
- cyanea** Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 447.
- cyanea** Muscicapa, P. J. Begbie, Malayan penin. 1834, 517.
- cyanea** Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 600.
- cyaneus** Myiophonus (Horsf.), G. R. Gray, Genera of Birds, I. Dec. 1846, 214.—Turdus.
- cyaneus** Myophonus (Horsf.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 187.—Turdus.
- cyaneus** Mytilus (Bened.), Catlow & Reeve, Conch. Nomen. 1845, 74.—Dreissena.
- cyanea** Nectarinia (L.), M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 12.—Certhia, 1766.

- cyaneus** Nerius, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 301.
cyanea Octopus, J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 15. [Linus, 1792.
cyaneus Ocypus (Fab.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 440.—Staphy-
cyanea Odontomyia (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 432.—
 Stratiomys, 1794.
cyaneus Odontopus (Fab.), G. Silbermann, Revue Entom. I (—) 1833, Descr. d'esp.
 nouv., no. 6.—Tenebrio, 1789.
cyaneus Odontoscelis (Brullé), G. R. Waterhouse, Mag. Nat. Hist., n. s., IV. July 1840,
 356.—Cnemocanthus.
cyanea Oedemera (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 10.—Necydalis,
 1792.
cyanea Oliva, L. Reeve, Conch. Icon. VI.—Oliva, *errata*, ? Nov. 1850. [113.
cyanea Omalosoma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
cyanea Onesia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
 370. [199.
cyanea Ormismya, R. P. Lesson, H. N. Oiseaux-Mouches (14 & 15) Ap. *vel* May 1830,
cyaneus Orobitis (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio, 1758.
cyanea Pallosoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 493.
cyaneus Pamphilus (Klug), P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 686.—
 Lyda. [riza, Gm. 1788.
cyanea Passerina (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 7.—Embe-
cyanea Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 417.
cyaneus Pelopaeus (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 35.—Pepsis.
cyanea Pepsis (L.), J. C. Fabricius, Syst. Piezat. 1804, 211.—Sphex, 1758.
cyaneus Perilampus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
 1846, 573.
cyanea Petrocincla, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
cyaneus Petrocossyphus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 297.—
 Turdus, Muell. 1776. [1850 [*ineunte* 1851], 203.
cyanea Phoenomeris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
cyanea Phryssopoda, Le Guillou, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 315.
cyanea Physa, E. Pirajno de M., Giorn. Sci. Lett. Sicilia, LXXVII. Feb. 1842, 161 ;
 Nota Moll. terr. Sicilia, 1842, 8.
cyaneus Pica (Pall.), G. Cuvier, R. Anim. I. 1817, 398.—Corvus cyaneus, 1776.
cyanea Pipra, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 284.
cyanea Pipraeidea, W. Swainson, Zool. Journ. III (10) July [*z. e.* Sept.] 1827, 174.
cyanea Pitta, Blyth; G. R. Gray, Genera of Birds, I. Dec. 1846, 213.
cyanea Pitta, J. Gould, Birds of Asia, V (1) 1850, pl. 80.
cyaneus Pitylus (Gm.), G. R. Gray, Gen. Birds, II. July 1844, 362.—? Tanagra, L. 1766.
cyanea Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 392.
cyaneus Poecilus, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 234.
cyaneus Poecilus, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. 1841, 371.
cyaneus Poecilus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
cyaneus Pogonocherus, Dejean, Catal. Coléopt. 1821, 107 [*n. n.*]. [231.
cyanea Polistes, J. C. Fabricius, Syst. Piezat. 1804, 279.—Vespa, 1775.
cyanea Popillia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
cyanea Poria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 885.
cyaneus Psecas, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 50.—Cocalus, 1846.
cyaneus Pterygophorus, W. E. Leach, Zool. Miscell. III. 1817, 119.
cyaneum Rhagium, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 148.
cyanea Rhipicera, Guérin in Laporte, Ann. Soc. Ent. France, III (2) *post* June 1834, 237.
cyaneus Rhynchites, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
cyaneus Rhynchites (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 238.—Atte-
 labus; ? Clerus, 1787.
cyanea Sagra, J. W. Dalman, Anal. Entom. 1823, 72.
cyanea Salpa, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1826, 63.
cyaneus Saprinus (Fab.), W. F. Erichson, Jahrb. Insectenk. 1834, 178.—Hister, 1775.
cyaneus Sargus, J. C. Fabricius, Syst. Antliat. 1805, 258.

- cyaneus** Scarabaeus (Fab.), W. S. Macleay, Horae Entom. I (2) 1821, 515.—Copriss, 1798.
- cyaneum** Sceliphron (L.), F. Klug, N. Schrift. Berlin Ges. Nat. Freunde, III. 1801, 566.
—Sphex, 1758.
- cyanea** Scolia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 525.
- cyaneus** Smicronyx (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 314.—
Micronyx. [II (3) 1838, 2.]
- cyaneus** Sorex, G. L. Duvernoy, L'Institut, Ap. 1838, 111; Mém. Soc. H. N. Strasbourg,
- cyanea** Spiza (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 35.—Tanagra, 1766.
- cyanea** Spiza (Wils.), J. J. Audubon, Synopsis, 1839, 108.—Fringilla.
- cyaneus** Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 521.
- cyanea** Stenidia, de la Ferté-S., Rev. et Mag. de Zool. (2) I. July 1849, 346.
- cyaneus** Stenocorus, Fab.; F. V. Melsheimer, Ins. Pennsylv. 1806, 35, *var. sambuci*,
F. V. M. [*n. n.*].
- cyanea** Stenura, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 151.
- cyaneus** Stenus, E. Truqui in Baudi & Truqui, Studi Ent. I. 1848, 142.
- cyanea** Sternoptyx, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 131.
- cyanea** Stichophora, J. F. Brandt, Prod. anim. Mertens. I. 1835, 17.—Cor.
- cyanea** Storena, C. A. Walckenaer, Tab. Aran. 1805, 83 [*n. et f.*].
- cyaneus** Strigiceps (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 35.—Falco, 1766.
- cyaneus** Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 152.
- cyaneus** Teius, B. Merrem, Tent. Syst. Amph. 1820, 61.
- cyaneus** Tejus, T. Cocteau in Dict. pittoresque H. N. I (17) Jan. 1834, 132; N. Dict.
class. H. N., ed. 2, II. Mar. 1844, 48.
- cyaneus** Telephorus, J. Curtis, Brit. Entom. V (54) June 1828, no. 215.
- cyaneus** Thaumantias (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 78.—Tro-
chilus cyanus. [1846, 151.]
- cyaneus** Thyreodon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- cyaneus** Tormus (Fab.), C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 366.—
Ichneumon, 1798.
- cyanea** Tragopa, Klug in H. Burmeister, Revue Entom. IV (5) 1836, 189.
- cyaneus** Trichodes, J. C. Fabricius, Syst. Eleuth. I. 1801, 285.—Clerus, 1787.
- cyanea** Tricondyla, Dejean, Spec. gén. Coléopt. I. 1825, 161.
- cyaneus** Trochilus (Less.), W. Jardine, Humming Birds, I (Nat. Libr. I.) 1833, 139.—
Ornismya.
- cyanea** Trogosita, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 68 [*n. n.*].
- cyaneus** Turdus, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 149.
- cyaneus** Turdus, J. F. Blumenbach, Handb. Naturg., ed. 11, 1825, 152.
- cyaneum** Uncirostrum, de Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 102.
- cyanea** Velella, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 54.
- cyanea** Voluta, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- cyani**→ *v. cyano*→. [47.]
- cyaniceps** *v. cyanoceps*.
- Cyanicterus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 240.—A.
- cyanicterus** Pyrauga, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 290.
- cyaninus** Callimome (Boh.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 19.—
Torymus.
- cyaninus** Torymus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 367.
- cyanipennis** Ceutorhynchus, Illiger in E. F. Germar, Ins. spec. novae, I. 1824, 235.
- Cyanippa** H. Lucas, H. N. Anim. artic. (Annél. etc.) 1840, 7.—Ann.
- cyanippe** Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 414.
- Cyanippeus** F. L. de Laporte, H. N. Ins. II. 1840, 323.—Col.
- Cyaniris** J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 63.—Lep.
- Cyaniris** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420.—Col. [*sine*
typo].
- Cyaniris** Kuester, Käfer Europas, V. 1846, 99.—Col.
- cyaniris** Myscelia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 222
- Cyanistes** J. J. Kaup, Skizz. Europ. Thierw. 1829, 99.—A. [*n. et f.*].
- cyanites** Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].
- cyanobrancha** Notothenia, J. Richardson, Zool. "Ereb. Terr." (Fish. 1844), 7.

- cyanobranchiata** Tritonia, E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere (—) 1830 *vel* 1831, 16.
- cyanocapillus** Cyanocorax, J. Cabanis in J. J. Tschudi, Fauna Peru. (Orn.) 1846, 233.
- cyanocapilla** Pipra, C. W. Hahn, Voegel aus Asien etc. (15) 1826, pl. 3.
- cyaueocapillus** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1373.
- Cyanocephalus** C. L. Bonaparte, Oss. stat. Zool. Europ. 1840-41, 17.—A.
- cianocephalus** Achorutes (Nic.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 438.—Podura.
- cianocephala** Aglaia, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 5.
- cianocephala** Aglaia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 32.
- cianocephala** Alcedo, G. Shaw, Gen. Zool. (Aves), VIII (1) 1812, 100.
- cianocephalus** Ampedus, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 365.
- cianocephalus** Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 179.
- cianocephalus** Baryphonus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 315.
- cianocephalus** Brachinus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 38.—Carabus, L. 1758.
- cianocephala** Casnonia, Latreille & Dejean, H. N. Icon. Col. Europe (3) 1826, 130.
- cianocephala** Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 192.
- cianocephala** Certhia, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 203.
- cianocephalus** Chrysotis, W. Swainson, N. H. Classif. Birds, II. June 1837, 301.
- cianocephala** Cinnyris (Gm.), G. Cuvier, R. Anim. I. 1817, 412.—Certhia, ?Bech.
- cianocephala** Clythra, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 359.
- cianocephala** Coptocephala, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 348.
- cianocephala** Cosnania, Fab.; Dejean, Catal. Coléopt. 1821, 2 [*n. n.*].
- cianocephalus** Cuculus, J. Latham, Index Orn., Suppl. 1801, p. xxx. [Gm. 1788.
- cianocephalus** Dacnis (L.), A. d'Orbigny, Amér. Mérid. (Ois.) 1838, 221.—Motacilla,
- cianocephalus** Diaphorus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 33.
- cianocephala** Dubusia (Orb.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 424. —Aglaia. [—Carabus, 1758.
- cianocephalus** Echimuthus (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 81.
- cianocephalus** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (2) 1821, 344.
- cianocephalus** Encyrtus, Goureau, Ann. Soc. Ent. France [2] V (2) Aug. 1847, 244.
- cianocephala** Galbula, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 32.
- cianocephalus** Geophilus (L.), P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, 216.—Columba, 1758. [125.—Columba, 1758.
- cianocephala** Goura (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819,
- cianocephala** Gymnokitta (Wied), C. L. Bonaparte, Consp. gen. Avium. I. 1850, 382. —Gymnorhinus, 1840.
- cianocephalus** Gymnorhinus, Max Wied, Reise innere N. Amer. II. 1840-41, 22.
- cianocephala** Hydrocharis (Mol.), G. R. Gray, Genera of Birds, I. Dec. 1848, 115.—Trochilus, 1782.
- cianocephalus** Icterus (Wagl.), A. v. Nordmann in Erman, Reise Erde, Atlas, 1835, 9. —Psarocolius.
- cianocephalus** Icthyacallus, W. Swainson, N. H. Fishes etc. II. July 1839, 232.
- cianocephalus** Julis (Bl.), G. Cuvier, R. Anim. II. 1817, 262.—Labrus, 1791.
- cianocephalus** Lamprias (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) July 1827, 29.—Carabus, 1758. [Carabus, L. 1758.
- cianocephalus** Lebia (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 85.—
- cianocephala** Nectarinia, W. Swainson, Zool. Illust. (1) II (24) Sept. 1822, pl. 117.
- cianocephala** Nectarinia (Shaw), W. Jardine, Nectariniadae (Nat. Libr. XXXVI.) 1843, 189.—Certhia.
- cianocephala** Odacantha, J. C. Fabricius, Syst. Eleuth. I. 1801, 229.—Cicindela, 1798.
- cianocephala** Ophionea (Fab.), F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 300. —Cicindela, 1798.
- cianocephalus** Orcus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 467.
- cianocephalus** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (11-13) *inter* Jan. & Ap. 1830, p. xlv.

- cyanocephalus Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 662.
 cyanocephalus Palaeornis (Gm.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30
 (Dec. 1832), 517.—Psittacus, L. 1766.
- cyanocephala Petrophila, W. Swainson, N. H. Classif. Birds, II. June 1837, 232.
 cyanocephala Phyllopertha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 499.
 cyanocephala Pipra, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 165.
 cyanocephala Podura, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 56.
 cyanocephalus Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 28.
 cyanocephalus Psarocolius, J. G. Wagler, Isis (Oken), 1829, 758.
 cyanocephalus Psilorhinus (Wied), G. R. Gray, Genera of Birds, III. App. 1849, 14.—
 Gymnorhinus.
- cyanocephalus Pteromalus, P. F. Bouché, Nat. Ins. 1834, 167. [Columba.
 cyanocephala Starnoenas (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 41.—
 cyanocephala Syzygonia, F. Klug, Entom. Mon. 1824, 180.
 cyanocephala Tanagra, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 23.
 cyanocephalus Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 318.
 cyanocephala Thraupis (Orb.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 29.—Aglaia.
 cyanocephalus Todus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830,
 cyanocephalus Tropicidonotus, Boie in Férussac, Bull. Sci. IX. 1826, 237 [n. n.]. [227.
 cyanocephalus Turdus, J. Latham, Index Orn., Suppl. 1801, p. xliii.
- cyaniceps Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 197.
 cyaniceps Lychnophaes, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 573.
 cyano-chloris Cheilio, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 346.
 cyanochloris Oecypus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1)
 1849, 118. [168.
- cyanochloros Pimelodus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846,
 cyanochlorus Garrulus, J. Kaleniczenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3) 1839, 352.
 cyanochlora Pica, J. Wagler, Syst. Avium, I. 1827, sig. 218.
 cyanocinctus Enhydris (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 166.—Hydrophis.
 cyanocinctus Hydrophis, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 383.
 cyanocinctus Hydrus (Enhydris) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 141.—
 Hydrophis.
- cyanocincta Leioselasma (Daud.), L. J. Fitzinger, Isis (Oken), 1827, 739.—Hydrophis.
 Cyanocitta H. E. Strickland, Ann. Mag. N. H. XV. Ap. 1845, 260.—A.
 cyanoclavus Gobius, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1167.
 cyanicollis Aglaia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
 Zool. VII. 1837, 33.
- cyanicollis Ampedus, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 365.
 cyanicollis Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 179.
 cyanicollis Anchomenus, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap.
 cyanicollis Anomala, Villa & Villa, Coleopt. Europ. 1833, 34. [1841, 371.
 cyanocollis Bucco (Vieill.), C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831.
 —Capito. [1835, 91.
- cyanicollis Buprestis, MacLeay in Boisduval in d'Urville, Voy. "Astrolabe" (Ent.) II.
 cyanicollis Callospiza (Orb.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 286.—Aglaia.
 cyanocollis Capito, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 498.
 cyanicollis Chlaenius, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 33.
 cyanicollis Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–36, 5.
 cyanicollis Chrysomela, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
 cyanicollis Clythra, Dahl; Dejean, Catal. Coléopt. 1821, 126 [n. n.].
 cyanicollis Colaris (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 710.—Eurystomus.
 cyanicollis Cybister, Dupont in Dejean, Cat. Coléopt., ed. 3, 1837, 67 [n. n.].
 cyanicollis Dyscolus, A. Brullé, H. N. Ins. IV (2) (Col.) *exeunte* 1834, 324.
 cyanicollis Eumolpus, A. G. Olivier, Entom. VI. 1808, 902.—Cryptocephalus, 1791.
 cyanicollis Eurystomus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 425.
 cyanicollis Geoffroyus, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 137; Consp.
 gen. Avium, I. 1850, 6.—Psittacus.
- cyanicollis Helops, F. Weber, Obs. Ent. 1801, 41.

- cyanicollis** Helops, J. C. Fabricius, Syst. Eleuth. I. 1801, 158.
- cyanicollis** Homalonotus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 590.—Rhynchaenus.
- cyanicollis** Orectochilus, C. Aubé, Spec. gén. Hydroc. 1838, 736.—Cybister, Dejean, 1837.
- cyaueicollis** Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 28.
- cyanicollis** Psittacula, M. & S.; G. R. Gray, Genera of Birds, II. Feb. 1846, 423.
- cyanicollis** Psittacus, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (3 & 4) 1841, 108.
- cyanicollis** Psittacus (Psittacula), S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (6 & 7) 1843, 182.
- cyanicollis** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 458.—Curculio, ? L. 1758.
- cyanicollis** Sphaenothecus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 59.
- cyanicollis** Staphylinus, F. L. de Laporte, Etudes Entom. (2) 1835, 115.
- cyanicollis** Stigmodera (Boisd.), Laporte & Gory, H. N. Coléopt. II. 1837, 34.—Buprestis.
- cyanicollis** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 177.
- cyanicollis** Tanagra, A. d'Orbigny, Amér. Mérid. (Ois.) 1839, 271.—Aglaia, d'O. & Lafr.
- cyanicolor** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
- cyanicolor** Pyrellia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1323. [335.]
- cyanicolor** Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 229.
- Cyanocorax** F. Boie, Isis (Oken), 1826, 975.—A.
- cyanicornis** Anthaxia (? Ol.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, 1790.
- cyanicornis** Aromia, F. E. Guérin-M., Iconographie, 1844, Ins. 222.
- cyanicornis** Buprestis, Koy & Böhm, Naturforscher, XXIX. 1802, 108.
- cyanicornis** Callichroma (Fab.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 342.—Cerambyx, 1798.
- cyanicornis** Clythra, Dahl; Dejean, Catal. Coléopt. 1821, 126 [*n. n.*].
- cyanicornis** Clytra, Dahl in E. F. Germar, Fauna Ins. Europ. (7) [1822–25], 7.
- cyanicornis** Cratomerus (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 296.—Buprestis, ? Ol. 1790. [1775.]
- cyanicornis** Phyllocharis (Fab.), J. W. Dalman, Ephem. Entom. 1824, 21.—Chrysomela,
- cyanicornis** Staphylinus, Harris in Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 441.
- cyanicornis** Stenochia, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 121.
- cyaneo-crocea** Hylotoma (Forst.); J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29.—†*Tenthredo cyanocrocea*, 1770.
- Cyanocyclus** de Blainville, Dict. Sci. Nat. XII. 1818, 280.—L.
- cyanodactylus** Gecus, C. S. Rafinesque-S., Car. n. gen. 1810, 9.
- cyanidens** Phidippus, C. L. Koch, Die Arachniden, XIII (5) May 1846, 156.
- cyanodus** Cossyphus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 131.—Labrus, 1843.
- cyanodus** Labrus, J. Richardson, Ann. Mag. N. H. XI. May 1843, 355.
- cyanodus** Lachnolaimus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 131.—Labrus,
- cyaueifer** Eristalis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 621. [1843.]
- cyanifrons** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 159.
- cyanifrons** Polytmus (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Trochilus. [chilus.]
- cyanifrons** Thalurania (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 77.—Trochilus,
- cyanifrons** Trochilus, J. Bourcier, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 100.
- cyanifrons** Trochilus, Bourcier & Mulsant, Ann. Sci. Soc. Agric. Lyon, VI. 1843, 42.
- cyanifrons** Xyrichthys, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 46.
- Cyanogarrulus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 376.—A.
- Cyanogaster** L. Oken, Isis, 1823, Litt. Anz., 460.—G. [gaster, Oken].
- Cyanogaster** Rud.; *teste* H. M. de Blainville, Man. Malac. 1825, 471.—Nud. [*v.* Cyano-]
- cyanogaster** Acanthocercus (Ruepp.), L. Fitzinger, Syst. Rept. 1843, 84.—Stellio.
- cyanogaster** Baryphonus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 317.
- cyanogaster** Chrysotis (Vieill.), G. R. Gray, Genera of Birds, II. Feb. 1846, 422.—Psittacus. [—Certhia, 1790.]
- cyanogastra** Coereba (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxiv.
- cyanogaster** Coracias, G. Cuvier, Règne Anim. I. 1817, 401.

- cyanogaster** Erythrostromus, W. Swainson, Anim. in Menag., Dec. 1837, 344.
- cyanogaster** Euprepis (Less.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 114.—Scincus.
- cyanogaster** Garrulus (Cuv.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 436.—Coracias.
- cyanogastra** Irena, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (8) Aug. 1831, 97.
- cyanogaster** Irenula, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 444.
- cyanogaster** Laphria, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 180.
- cyanogaster** Liolaemus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 74.—Proctotretus.
- cyanogaster** Merops, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 80.
- cyanogaster** Prionites, L. Muirhead, Brewster's Edin. Ency. XVI (1) 1823, 38.
- cyanogaster** Proctotretus, Duméril & Bibron (Roret's Suite à Buffon), Expét. IV. Oct. 1837,
- cyanogaster** Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 413. [273.]
- cyanogaster** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 328.
- cyanogaster** Psittacus, Max Wied, Isis (Oken), 1820, Litt. Anz., 982.
- cyanogaster** Salpa, Péron & Lesueur, Voy. Aust. (Atlas I. 1807), pl. xxx.
- cyanogaster** Scincus, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 47.
- cyanogaster** Stellio, E. Rueppell, Neue Wirbelth. Abyssin. (3) 1835, 10.
- cyanogastra** Triclaria (Vieill.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 632.—Psittacus.
- cyanogaster** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 499.
- cyanogenia** Eos, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 135.
- cyanogenia** Eos, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 4. [chilus.]
- cyanogenys** Hylocharis (Wied), G. R. Gray, Genera of Birds, I. Dec. 1848, 115.—Tro-
- cyanogenys** Lamprocolius, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (5) 1850, 125. [165.]
- cyanogenys** Saucerottia (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 77.—
- cyanogenys** Trochilus, M. Wied, Beitr. Nat. Brasil. IV. 1833, 70. [Trochilus.]
- cyanognathos** Scarus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846,
- cyanogramma** Aequorea, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 563. [165.]
- cyanogramma** Julis, J. Richardson, Proc. Zool. Soc. London, XVIII (205) Nov. 12, 1850, 73.
- cyanogrammus** Trichoglossus, J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 554.
- cyanogularis** Aratinga, J. B. v. Spix, Avium Brasil. I. 1824, 33. [1832], 554.
- cyanogularis** Merops, T. C. Jerdon, Madras Journ. XI (27) Apr. 1840, 229.
- cyanoides** Coccoborus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) X. Mar. 1847, 74.
- cyanoides** Cyanoloxia (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 502.—Coccoborus.
- cyanoleuca** Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 401.
- cyanoleuca** Atticora (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 47.—Hirundo.
- cyanoleucus** Coluber, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 401.
- cyanoleucus** Corvus, J. Latham, Index Orn., Suppl. 1801, p. xxv.
- cyanoleucus** Corvus, Max Wied, Reise Brasil. II. 1821, 190. [Corvus.]
- cyanoleucus** Cracticus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 356.—
- cyanoleucus** Cyanocorax (Wied), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Corvus. [Corvus.]
- cyanoleuca** Grallina (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 190.—
- cyanoleuca** Halcyon (Vieill.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Alcedo.
- cyanoleuca** Herse (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 341.—Hirundo.
- cyanoleuca** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 509.
- cyanoleucus** Hylophilus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 734.
- cyanoleuca** Motacilla, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 15.
- cyanoleucos** Platyrhynchos, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 11.
- cyanoleucos** Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 27.
- cyanoleuca** Uroleuca (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 379.—
- Cyanoloxia** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 502.—A. [Corvus.]
- cyanolyseos** Conurus (Mol.), G. R. Gray, Genera of Birds, II. Nov. 1845, 413.—Psittacus, 1782. [123.]
- Cyanoma** = Cyanea, Péron & Lesueur; C. S. Rafinesque, Specchio d. Sci. II (10) Oct. 1814,
- cyaneomaculatum** Enoplium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 94.

- cyanomelanura** Cyanoptila, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 125.
- cyanomelana** Hypothymis (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 320.
—Muscicapa.
- cyanomelana** Muscicapa, C. J. Temminck in T. & Laugier, Pls. color. (79) Aug. 1829.
- cyanomelana** Niltava (Temm.), G. R. Gray, Genera of Birds, I. Aug. 1846, 264.—Muscicapa.
- cyanomelas** Chrysolampis (Gm.), F. Boie, Isis (Oken), 1831, 546.—Trochilus, 1788.
- cyanomelas** Cyanocorax (Vieill.), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Pica.
- cyanomalas** Dacnis (Gm.); J. Cabanis, Mus. Heineanum (1) 1850 [1851], 95.—Motacilla [non comp.].
- cyanomelas** Epimachus (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 87.—Falcinellus.
- cyanomelas** Falcinellus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 165.
- cyanomelas** Irrisor (Vieill.), G. R. Gray, Genera of Birds, I. July 1846, 90.—Falcinellus.
- cyanomelas** Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 473.
- cyanomelas** Olishops, J. Richardson, Proc. Zool. Soc. London, XVIII (205) Nov. 12, 1850, 75. [Muscicapa.]
- cyanomelas** Philentoma (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 324.—
- cyanomelas** Pica, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 127.
- cyanomelas** Psittacus, H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 53.
- cyanomelas** Rhinopomastus (Vieill.), R. P. Lesson, Traité Ornith. (3) July 1830, 239.—Falcinellus.
- cyanomelas** Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 392.
- cyanomelas** Sylvia, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 269.
- cyanomelas** Tanagra, Max Wied, Beitr. Naturges. Brasil. III (1) 1830, 453.
- cyanomelas** Tchitrea (Vieill.), G. R. Gray, Genera of Birds, I. Aug. 1846, 260.—Muscicapa.
- cyanomelas** Tejus, Max Wied, Abb. Naturges. Brasil. (5) 1824. [capa.]
- cyanomelas** Telephorus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 28. [Muscicapa.]
- cyanomelas** Trochocercus (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 58.—
- cyanomelas** Vanessa, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 201 [n. et f.]. [Moluk.], 25.
- cyanomos** Gobius, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid. Soenda-
Cyanomu emend. pro Cyanea, Pér.; C. S. Rafinesque, Analyse, 1815, 154.—Coel. [n. n.].
- cyanonothus** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 334.
- cyanonoton** Alosa, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1847), 242.
- cyanonotus** Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 386.
- cyanopareja** Cyrene, J. J. Heckel in Russegger, Reise, I (2) 1843, 1025.
- cyanipectus** Alcyone (Laf.) ; C. L. Bonaparte, Consp. gen. Avium, I. 1850, 158.—Ceyx.
- ciano-pectus** Alcyone (Laf.), W. Jardine, Contrib. Ornith. III. 1850, "82-11" = 83.—
- ciano-pectus** Ceyx, de Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 33. [Ceyx.]
- cianopectus** Lampornis (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 72.—Trochilus.
- cianopectus** Polytmus (Gould), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—
- cianopectus** Trochilus (Lampornis), J. Gould, Proc. Zool. Soc. London, XIV (164) Nov.
- cyanipennis** Acmaeodera, H. Lucas, Explor. Algér. (Artic. II.) 1846, 144. [1846, 88.]
- cyanipennis** Aegythus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 120.
- cyanipenne** Aenigma, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 426.
- cyanipennis** Agrilus, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 92.
- cyanipennis** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 18.
- cyanipennis** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 676.—Galleruca, 1798.
- cyanipennis** Alurnus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 99. [1845, 370.]
- cyanipennis** Ammophila, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
- cyanipennis** Anodonta, W. W. Saunders (ex Hope MS), Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 67.
- cyanipennis** Anthaxia, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 286.
- cyanipennis** Anthypna (Fab.), Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 473.—Melolontha.

- cyanipenne Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 307.
 cyanipennis Atteabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 420.
 cyanipennis Beleoapterus, F. Klug, Arch. f. Naturg. I (1) 1835, 384.
 cyanipennis Brachinus, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 143.
 cyanipennis Buprestis, Dejean, Catal. Coléopt. 1821, 30 [*n. n.*].
 cyanipennis Calleida, M. Perty, Del. anim. artic. Brasil. (1) 1830, 5. [1844, 467.
 cyanipennis Calleida, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3).
 cyanipennis Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 329.
 cyanipennis Cantharis, Ziegl.; Dejean, Catal. Coléopt. 1821, 36 [*n. n.*]. [1835, 191.
 cyanipennis Cantharis, Ziegler in F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV.
 cyanipennis Carabus, J. F. Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 456.
 cyanipennis Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 155.
 cyanipennis Clerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 307.
 cyanipennis Cnodulus, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
 cyanipennis Colaspis, Ill.; Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
 cyanipennis Colaspis, Ziegl.; Dejean, Catal. Coléopt. 1821, 125 [*n. n.*].
 cyanipennis Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 451.
 cyanipennis Cryptus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
 cyanopennis Culex, Anon., Notizen (Froriep) III. 1822, 99. [1846, 188.
 cyanipennis Dendroides, Latreille, N. Dict. H. N., ed. 2, IX. 1817, 251.
 cyanipennis Dromius, A. Brullé, H. N. Ins. IV (1) (Col.) July 1834, 195.
 cyanipennis Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 12.
 cyanipennis Dyscolus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 72. [68.
 cyanipennis Elaphidion, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,
 cyanipennis Eumenes (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 361.—
 Vespa, 1793.
 cyanipennis Euplynes, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 52.
 cyanipennis Galerita, Dejean, Spec. gén. Coléopt. V. 1831, 293. [35.
 cyanipennis Galerita, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
 cyanipennis Gaurotes (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan.
 1850, 325.—Rhagium.
 cyanipennis Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 317.—Galleruca,
 cyanipenne Himatidium, C. H. Boheman, Mon. Cassid. I. 1850, 72. [1798.
 cyanipennis Hispa, J. C. Fabricius, Syst. Eleuth. II. 1801, 65.
 cyanipennis Idioccephala, W. W. Saunders, Tr. Entom. Soc. Lond. IV (2) Nov. 1845,
 144.—Anodonta, 1843.
 cyanipennis Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
 cyanipennis Lebia, Eschscholtz in Dejean, Spec. gén. Coléopt. V. 1831, 385. [276.
 cyanipennis Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 472.
 cyanipennis Luperus, H. C. Kuester, Käfer Europas, XIV. 1848, 98.
 cyanipennis Malachius, Dejean, Catal. Coléopt. 1821, 38 [*n. n.*].
 cyanipennis Malachius, W. F. Erichson, Entomographien, 1840, 86.
 cyanipennis Megachile, F. E. Guérin-M., Iconographie, 1844, Ins. 450.
 cyanipennis Melolontha, J. C. Fabricius, Syst. Eleuth. II. 1801, 184. [264.
 cyanipennis Odynerus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
 cyanipennis Oedicerus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 557.
 cyanipennis Paederus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 62.
 cyanipennis Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 933.
 cyanipennis Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 209.—Sphex, 1793.
 cyanipennis Philonthus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) July 1832, 230.
 —Staph. 1792.
 cyanipennis Phyllotrupes (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 170.—Crioceris.
 cyanipennis Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
 1846, 101.
 cyanipennis Polistes, J. C. Fabricius, Syst. Piezat. 1804, 275.—Vespa, 1793.
 cyanipennis Pristonychus, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 57.
 cyanipennis Quedius (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staphy-
 linus, 1792.

- cyanipenne** Rhagium, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 423.
- cyanipennis** Rhynchaenus (Germ.), L. Gyllenhal, Ins. Suecica I (4) 1827, 594.—Ceutorhynchus.
- cyaueopennis** Rhynchites, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 199.
- cyaueipennis** Rhyzophagus, J. Hardy, Ann. Mag. N. H. XIX. June 1847, 379.
- cyanipennis** Scolia, J. C. Fabricius, Syst. Piezat. 1804, 244.
- cyanipennis** Sphaerion, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 68.—Elaphidion, 1834.
- cyanipennis** Staphylinus, Grav.; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
- cyanipennis** Staphylinus, W. H. Runde, Brachelytr. 1835, 7.
- cyanipennis** Tenebrio, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
- cyanipennis** Xantholinus, Dahl; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*].
- cyanipennis** Zethus (F.), Lamarck, An. s. vert. IV. 1817, 84.—Vespa, 1793.
- cyanipes** Buprestis, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 164.
- cyanipes** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 767.
- cyanipes** Chlorima, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 70.
- cyanipes** Chlorion, J. O. Westwood, Ann. Mag. Nat. Hist. VII. no. 42, Ap. 1841, 152.
- cyanipes** Coptorhynchus, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 227.
- cyanipes** Crioceris, F. Weber, Obs. Ent. 1801, 58.
- cyanipes** Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 450. [[*Dej. non comp.*].
- cyanipes** Cryptocephalus, E. Suffrian (*ex* Dej. Cat.), Linnaea Entom. II. July 1847, 146
- cyanipes** Cyphus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 630.—Curculio, 1787.
- cyanipes** Eurymorpha, F. W. Hope, Coleopt. Manual, II. 1838, 15 & 160 [*n. n.*].
- cyanipes** Galleruca, Fab.; Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- cyanipes** Helops, J. C. Fabricius, Syst. Eleuth. I. 1801, 158.
- cyanipes** Hispa, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 270.
- cyanipes** Hydrachna, H. Lucas, Explor. Algér. (Artic. I.) 1846, 314.
- cyanipes** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 6.
- cyanipes** Limnesia, C. L. Koch, Deutsch. Crust., heft 6, 1837, tab. 19.
- cyanipes** Mimela (Newm.), H. Burmeister, Handb. Ent. IV (1) 1844, 289.—Paracrusis.
- cyanipes** Nocarodes, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 269.
- cyanipes** Paracrusis, E. Newman, Mag. Nat. Hist., n. s., III. July 1839, 366.
- cyanipes** Pelecium, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 378.
- cyanipes** Pelidnota, N. A. Vigors, Zool. Journ. I (4) Jan. 1825, 541.
- cyanipes** Phyllocharis (Fab.), J. W. Dalman, Ephem. Entom. 1824, 22.—Chrysomela.
- cyanipes** Rutela, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 406.
- cyanipes** Scutellera (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 70.—Tetyra.
- cyanipes** Stenochia, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 424.
- cyanipes** Tectocoris (Fab.), C. W. Hahn, Wanzenart. Ins. II (2) Feb. 1834, 34.—Tetyra.
- cyanipes** Tenebrio, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 176.
- cyanipes** Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 133.
- cyanipes** Tricondyla, F. Eschscholtz, Zool. Atlas, I. 1829, 6.—Col.
- cyanipes** Tricondyla, Eschscholtz in Dejean & Boisduval, Icon. Coléopt. I. 1829, 57.
- cyanophlyctis** Bufo (Schn.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 132.—Rana, 1799.
- cyanophrys** Naucrates, W. Swainson, N. H. Fishes etc. II. July 1839, 412.
- cyanophrys** Psenes, Cuvier & Valenc., H. N. Poiss. IX. 1833, 260.
- cyanophthalmus** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 657.
- cyanophthalmus** Portunus, Péron & Lesueur, Voy. Aust. I. 1807, 322.
- Cyanopica** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 382.—A.
- cyanopis** Fringilla (Lath.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 47.—Emberiza, Gm. 1788. [246.]
- cyanopis** Loxia, F. M. Audin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- cyanopis** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 325.
- cyanipoda** Scutellera, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 622.

- cyanopodus** Serranus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 233.
- cyanopogon** Calothorax (Less.), G. R. Gray, List Gen. Birds, 1840, 13.—Ornismya.
- cyanopogon** Chloropsis (Temm.), Jardine & Selby, Ill. Orn., sign. F. 3, 1830.—Phyllornis.
- cyanopogon** Corvus, Max Wied, Reise Brasil. II. 1821, 137.
- cyanopogon** Cyanocorax (Wied), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Corvus.
- cyanopogon** Cyanurus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831, 495.
- cyanopogon** Garrulus (Wied), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 67.—Corvus.
- cyanopogos** Nectarinia, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 15.
- cyanopogon** Ornisma, R. P. Lesson, H. N. Oiseaux-Mouches (3) Ap. 1829, 50.
- cyanopogon** Ornismya, R. P. Lesson, H. N. Colibris, Jan. 1832, 117.
- cyanopogon** Phyllornis, C. J. Temminck in T. & Laugier, Pls. color. (81) Oct. 1829.
- cyanopogon** Pica (Wied), J. Wagler, Syst. Avium, I. 1827, sign. 21₁₄.—Corvus.
- cyanopogon** Trochilus, W. Swainson, Selection Birds Brazil & Mexico, 1841, pl. 77.
- cyanopogon** Trochilus, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 13.
- cyanopogos** Trochilus, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 14.
- cyanopogon** Uroleuca (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 379.—
- Cyanopolius** C. L. Bonaparte, Proc. Zool. Soc. London, 1850, 86.—A. [Corvus.]
- cyanops** Baetis, F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*i.e.* Dec. 1844], 171.
- cyanops** Bucco, G. Cuvier, Règne Anim. I. 1817, 428.
- cyanops** Dysporus, C. J. Sundevall, Phys. Sällsk. Tidsk. I (3) 1838, 218.
- cyanops** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 207.
- cyanops** Meliphaga (Lath.), J. W. Lewin, Birds of N. Holland, 1808, 8.—Merops.
- cyanops** Merops, J. Latham, Index Orn., Suppl. 1801, p. xxxiv.
- cyanops** Philedon (Lath.), Desmarest, Dict. Sci. Nat. XXXIX. 1826, 489.—Merops.
- cyanops** Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 427.—Merops.
- cyanops** Sula (Sund.), G. R. Gray, Genera of Birds, III. Jan. 1845, 666.—? Dysporus.
- cyanopsis** Coccothraustes (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 87.—Emberiza cyanopsis, 1788.
- Cyanopterus** A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 22.—Hym.
- Cyanopterus** T. C. Eyton, Mon. Anatidae, 1838, 38.—A.
- Cyanopterus** B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 896.—M. [*n. n.*] [*err. pro* Cynopterus].
- cyanopterus** Agapornis, W. Swainson, Anim. in Menag., Dec. 1837, 320.
- cyanopterus** Agathomerus, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845,
- cyanoptera** Aglaia, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 8. [677.]
- cyanopterus** Amarygmus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 32.
- cyanoptera** Anas, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 104.
- cyanoptera** Anas, B. Merrem, Ersch & Gruber, Allg. Ency. XXXV. 1841, 33.
- cyanoptera** Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. 1830, 638.
- cyanoptera** Aspasia, Dejean, Spec. gén. Coléopt. V. 1831, 364.—Lebia, 1825.
- cyanoptera** Bernicla, E. Rueppell, Syst. Ueber. Vögel N.-O. Afr. 1845, 129. [49.]
- cyanopterus** Brachinus, J. L. Le Conte, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844,
- cyanoptera** Brachyurus (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 254.—
- cyanoptera** Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 212. [Pitta.]
- cyanoptera** Calleida, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 137.
- cyanoptera** Callispiza (Sw.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 27.—Aglaia.
- cyanoptera** Calliste (Sw.), G. R. Gray, Genera of Birds, II. July 1844, 366.—Aglaia.
- cyanopterus** Centrarchus, W. Jardine in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr. XXXVIII.) 1843, 165.
- cyanopterus** Ceuthorhynchus, L. Redtenbacher, F. Austr., Käfer, 1849, 380.
- cyanopterus** Cheilodipterus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 540.
- cyanopterus** Chloropsis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- cyanoptera** Chrysophrys, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846) & p. 330 (? 1855).

- cyanopterus** Conurus (Bodd.), G. R. Gray, Genera of Birds, II. Nov. 1845, 413.—Psit-
cyanopterus Coryphistes, T. de Charpentier, Orthopt. (10) 1844, tab. 59. [tacus, 1783.
cyanoptera Cryptobatis (Dejean), F. Eschscholtz, Zool. Atlas, II. 1829, 7.—Lebia.
cyanopterus Elater, F. W. Hope in J. F. Royle, Ill. Bot. Himalay. (11) 1840, p. lv.
cyanopterus Exocoetus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 97.
cyanopterus Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim.
 artic. (7) 1849, 5 [“Mon. Anth.” *poster. edit.*].
cyanopterus Galissus, H. Dupont, Suppl. Mon. Trachyd. in Magasin de Zool. (2) II.
 1840, pl. 28.
cyanoptera Galleruca, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, V. 1832, 166.
cyanoptera Galleruca, d’Urville in J. A. Boisduval in d’Urville, Voy. “Astrolabe,” Ent.
 (2) 1835, 547.
cyanopterus Gryllus, T. v. Charpentier, Horae Ent. 1825, 143.
cyanoptera Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 77.
cyanoptera Harmonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 82.
cyanopterus Ischyrus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 180.
cyanopterus Labrus (Lac.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 513.—Cheilo-
cyanoptera Lebia, Dejean, Spec. gén. Coléopt. I. 1825, 258. [dipterus.
cyanopterus Leiosomus, L. Redtenbacher, F. Austr., Käfer, 1849, 440.
cyanoptera Leiothrix (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 184.—Siva
 cyanouroptera.
cyanoptera Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 369.
cyanoptera Loxia, J. Latham, Index Orn., Suppl. 1801, p. xlvii.
cyanopterus Luperus, J. Sturm, Catal. Ins. Samml. 1826, 165 [*n. n.*].
cyanopterus Mesopriion, Cuvier & Valenc., H. N. Poiss. II. 1828, 472.
cyanopterus Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 179.
cyanopterus Nycticeus (Raf.), R. P. Lesson, H. N. Mamm. Ois. depuis 1788, V. 1836,
 114.—Vespertilio.
cyanoptera Ocnoscelis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 174.
cyanoptermum Ommexecha, E. Blanchard, Ann. Soc. Ent. France, V (4) *post* Jan. 1837,
cyanopterus Phaedon, F. E. Guérin-M., Iconographie, 1844, Ins. 302. [608.
cyanoptera Pica, S. Palmer, The Analyst, IV (16) July 1836, 271.
cyanoptera Pitta, C. J. Temminck in T. & Laugier, Pls. color. (37) Aug. 1823.
cyanoptera Pitta, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
cyanoptera Popillia, F. W. Hope, Ann. Mag. N. H. IX. Aug. 1842, 495.
cyanopterus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 27.
cyanopterus Psittacus, G. Fischer de W., Nat. Mus. Paris, II. 1803, 157.
cyanopterus Saltator, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 104.
cyanopterus Staphylinus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 57 [*n. n.*].
cyanopterus Staphylinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 15 [*n. n.*].
cyanoptera Syzygonia, F. Klug, Entom. Mon. 1824, 179.
cyanopterus Tenerus, M. Spinola, Ess. mon. Clérites, I. 1844, 165. [Saltator.
cyanoptera Thraupis (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 29.—
cyanopterus Trochilus, L. Fraser (*ex* Loddiges MS), Proc. Zool. Soc. London, VIII (86)
 July 1840, 17.
cyanopterus Vespertilio, C. S. Rafinesque, Amer. Monthly Mag. III (6) Oct. 1818, 445.
cyanopterus Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 311.
Cyanoptila E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 124.—A.
cyanopunctatus Chiton, C. F. F. Krauss, Südafrik. Moll. 1848, 40.
cyanopus Agelaius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 552.
cyanopus Asilus, H. Loew, Linnaea Entom. IV. Dec. 1849, 53.
cyanopus Asturina, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 41.
cyanopus Numenius, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 306.
cyanopus Psarocolius (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 426.—
cyanopygius Merops, R. P. Lesson, Traité Ornith. (3) July 1830, 238. [Agelaius.
cyanopygius Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 339.
cyanopygos Nectarinia, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 11
 ① **yanopyrra** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 510. [[*n. n.*]

- cyanorhynchus** Larus, B. Meyer in Meyer & J. Wolf, *Tasch. Deutsch. Vögelk.* II. 1810, 480. [1837, 164.]
- cyanorhynchus** Spermophaga, W. Swainson, *Birds W. Africa*, I (Nat. Libr. XVII.) May
- cyanirostris** Ada (Vieill.), A. d'Orbigny, *Amér. Mérid. (Ois.)* 1840, 340.—Muscipapa.
- cyanorostris** Anas, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, V. 1816, 165.
- cyanirostris** Fluvicola (Vieill.), A. d'Orbigny & Lafresnaye, *Syn. Av. Amér. mérid. in Magasin de Zool.* VII. 1837, 59.—Muscipapa.
- cyanirostris** Fulgora, F. E. Guérin-M., *Rev. Zool. (Soc. Cuv.)* VIII. Nov. 1845, 439.
- cyaenirostris** Knipolegus (Vieill.), F. Boie, *Isis (Oken)*, 1828, 317.—Muscipapa **cyaeni-**
- cyanirostris** Muscipapa, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXI. 1818, 447. [rostris.]
- cyanorrhos** Merops, H. Boie, *N. Staatsburg. Mag. (Schleswik)* I (2) 1832, 473 [*n. n.*].
- cyanospina** Epeira, H. Lucas, *Dict. pittor. H. N.* III (169) 1835, 70.
- cyanospina** Plectana (Lucas), C. A. Walckenaer (Roret's Suite à Buffon), *Aptères*, II. 1837 [1841], 178.—Epeira.
- cyanosticta** Agra, F. Klug, *Jahrb. Insectenk.* I. 1834, 57.
- cyanostigma** Alcedo, E. Rueppell, *Neue Wirbelth. Abyssin. (10)* 1837, 70.
- cyanostigma** Julis, Cuvier & Valenc., *H. N. Poiss.* XIII. 1839, 391.
- cyanostigma** Pristotis, E. Rueppell, *Neue Wirbelth. Abyssin. (12)* 1838, 128.
- cyanostigma** Salarias, P. Bleeker, *Verh. Batav. Genootsch. XXII.* 1849 (Blennioid. Soenda-Moluk.), 18.
- cyanostigma** Serranus, Kuhl & v. Hasselt in Cuvier & Valenc., *H. N. Poiss.* II. 1828, 359.
- cyanostigmatoides** Serranus, P. Bleeker, *Verh. Batav. Genootsch. XXII.* 1849 (Percoid. Malayo-Moluk.), 31.
- cyanostola** Callicore, E. Doubleday in D. & Westwood, *Gen. diurn. Lepidopt.* I (1849), 239 [*n. n.*].
- cyanostolus** Cossyphus, J. Richardson, *15 Rept. Brit. Assoc. (Cambr. 1845)* 1846, 256.
- cyanostoma** Achatina, Rueppell in L. Pfeiffer, *Symb. Helic.* II. 1842, 58.
- cyanostoma** Glandina (Ruepp.), R. A. Philippi, *Abb. Conch. I (6)* 1844, 134.—Achatina.
- cyanostoma** Subulina (Ruepp.), H. Beck, *Index Moll. Mus. Ch. Fred. (1)* 1837, 76.—Achatina.
- cyanostriata** Eos, G. R. Gray, *Genera of Birds*, II. Oct. 1845, 417 [*vide fig.*].
- cyanostyla** Aequorea (Esch.), H. D. de Blainville, *Man. Actin.* 1834, 278.—Polyxenina.
- cyanostylis** Polyxenina, J. F. Eschscholtz, *Syst. Acalephen*, 1829, 119.
- Cyano-sylvia** C. L. Brehm, *Isis*, XXI (8-9) 1828, 920.—A.
- cyanotaenia** Leuciscus, P. Bleeker, *Verh. Batav. Genootsch. XXIII.* 1850 (Ichth. fauna
- cyaeno-taeniatus** Maenoides, J. Richardson, *Icones Piscium*, 1843, 8. [Java], 21.
- cyanitarsis** Cicindela, V. Kollar, *Ann. Wiener Mus.* I [2] 1836, 332.
- cyanitarsis** Colobogaster, Laporte & Gory, *H. N. Coléopt.* II. 1835-1836, 6.
- cyanitarsis** Julodis, Dejean, *Cat. Coléopt.*, ed. 2 (1) Jan. 1833, 74 [*n. n.*].
- cyanitarsis** Julodis, Solier (*ex Dej.* Cat.), *Ann. Soc. Ent. France*, II (2) c. July 1833, 273.
- cyanitarsis** Pelidnota (Lap.), H. Burmeister, *Handb. Ent.* IV (1) 1844, 407.—Rutela.
- cyanitarsis** Rutela, H. L. Gory, *Ann. Soc. Ent. France*, II (1) c. Ap. 1833, 67.
- cyanitarse** Thyridium, [E. Blanchard], *Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.* I (2) 1850 [*ineunte* 1851], 207.
- Cyanotis** W. Swainson, *N. H. Classif. Birds*, II. June 1837, 243.—A.
- cyanotis** Alcedo (Sw.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 159.—Halcyon.
- cyanotis** Bucco, E. Blyth, *Journ. Asiat. Soc. Bengal*, XVI. 1847, 465.
- cyanotis** Buceros, E. Blyth, *J. Asiat. Soc. Bengal*, XVI. 1847, 465.
- cyanotis** Chrysotis, W. Swainson, *N. H. Classif. Birds*, II. June 1837, 301.
- cyanotis** Colibri (Bourc.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 69.—Trochilus.
- cyanotis** Dacelo, C. J. Temminck in T. & Laugier, *Pls. color.* (44) Mar. 1824.
- cyanotis** Dendrocolaptes, M. H. K. Lichtenstein, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1818-1819 (1820), 201.
- cyanotis** Entomiza, W. Swainson, *N. H. Classif. Birds*, II. June 1837, 130 & 328.
- cyanotis** Gracula, Latham, *Ind. Orn.*, Suppl. 1801, p. xxix.
- cyanotis** Gymnops (Lath.), G. Cuvier, *R. Anim.*, ed. 2, I. 1829, 381.—Gracula.
- cyanotis** Halcyon, W. Swainson, *Birds W. Africa*, II (Nat. Libr. XIX.) Sept. 1837, 103.
- cyanotis** Juida (Sw.), G. R. Gray, *Genera of Birds*, II. Ap. 1846, 327.—Lamprotornis.

- cyanotis** Lamprocolius (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 415.—
Lamprotornis. [146.]
- cyanotis** Lamprotornis, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837,
- cyanotis** Megalaima (Blyth), G. R. Gray, Genera of Birds, III. App. 1849, 21.—Bucco.
- cyanotis** Merops, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 10.
- cyanotis** Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 426.—
Gracula. [59.]
- cyanotis** Psittacus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839,
- cyanotis** Tropicodrhynchus (Lath.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1)
1826, 325.—Gracula.
- cyanotropus** Hylocharis, Wied; F. Boie, Isis (Oken), 1831, 546. [1820, 187.]
- cyanotropus** Procnias, Max Wied, Isis (Oken), 1820, Litt. Anz., 972; Reise Brasil. I.
- cyanotus** Petasophora (Bourc.), J. Gould, Proc. Zool. Soc. London, XV (168) Mar. 29,
1847, 8.—Trochilus.
- cyanota** Petrocincla, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- cyanotus** Polytmus (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Trochilus.
- cyanotus** Trochilus, J. Bourcier, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 101.
- cyanotus** Trochilus, Bourcier & Mulsant, Ann. Sci. Soc. Agric. Lyon, VI. 1843, 41.
- cyanotus** Turdus, Jardine & Selby, Ill. Orn., sign. E 3, pl. 46, 1828. [1838.]
- cyanouropterus** Joropus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84.—Siva,
- cyanouroptera** Leiothrix (Hodgs.), G. R. Gray, Genera of Birds, I. Jan. 1845, 269.—
- cyanouroptera** Siva, B. H. Hodgson, India Rev. II. 1838, 88. [Siva.]
- cyanous** Turdus, J. Latham, Index Orn., Suppl. 1801, p. xlii.
- cyanovenstris** Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 412.
- cyaniventris** Ammophila, F. E. Guérin-M., Magasin de Zool. (2) V. 1843, text to
pl. 114, 9.
- cyaneiventris** Aphritis, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 249.
- cyaneiventris** Blepharipeza, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 285.
- cyanovenstris** Calliste, G. R. Gray, Genera of Birds, II. July 1844, 366.
- cyaneiventris** Calobata, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 343.
- cyaneiventris** Chrysomyia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 156.
- cyaniventris** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 3.
- cyanovenstris** Cuterebra, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 180.
- cyanovenstris** Euphonia (Vieill.), G. R. Gray, Genera of Birds, II. July 1844, 367.—
Tanagra. [1842.]
- cyaniventris** Ixodia, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845, 578.—Pycnonotus,
- cyaneiventris** Megapoda, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 199.
- cyaniventer** Oligura, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 25.
- cyaniventer** Oligura (Tesia), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82
[*n. n.*]. [263.]
- cyaniventris** Pelopaeus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
- cyanovenstris** Pycnonotus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* July), 792.
- cyaniventris** Reduvius, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
- cyanovenstris** Tanagra, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 426. [179.]
- cyaniventer** Tesia, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 101.
- cyaneo-violaceus** Carabus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V
(1-3) Nov. 1844, 99.
- cyanovirens** Columba, Lesson & Garnot, Dict. Sci. Nat. XL. 1826, 343.
- cyaneovirens** Geospiza, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 117.
- cyano-virens** Ptilonopus (Less.), P. J. Selby, Pigeons (Nat. Lib. IX.) 1835, 109.—
Columba.
- cyaneo-viridis** Tabanus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 335.
- cyanoxanthus** Lethrinus, J. Richardson, Icones Piscium, 1843, 7.
- cyanuroides** Pitta, Less.; G. R. Gray, Genera of Birds, I. Dec. 1846, 214.
- Cyanurus** W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i. e.* Feb. 1832],
- cyanura** Actenodes, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 72. [495.—A.]
- cyanura** Ardea, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 421.
- cyanurus** Asilus, H. Loew, Linnaea Entom. IV. Dec. 1849, 84.

- cyanura** Auchenia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
- cyanura** Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 196.
- cyanurus** Coluber, C. S. Rafinesque, Amer. Monthly Mag. III (6) Oct. 1818, 446.
- cyanurus** Corvus (Lath.), G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 384.—Turdus, Gm. 1788.
- cyanurus** Crotalinus, C. S. Rafinesque, Amer. Monthly Mag. IV (1) Nov. 1818, 41.
- cyanurus** Dascyllus, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 127.
- cyanura** Hydrophis, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 432.
- cyanurus** Itamus, H. Loew, Linnaea Entom. IV. Dec. 1849, 84.—Asilus, 1849.
- cyanurus** Lorius (Forst.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 132.—Psittacus, 1795. [1773.]
- cyanura** Lusciola (Pall.), J. F. Brandt in Tchihatcheff, Voy. Altai, 1845, 443.—Motacilla,
- cyanura** Mabouya (Less.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 96.—Scincus.
- cyanura** Melitta, W. Kirby, Mon. Apum Angl. I. 1802, 212.
- cyanura** Mellisuga (Steph.), G. R. Gray, Genera of Birds, I. Dec. 1848, 113.—Trochilus.
- cyanura** Myiothera (Gm.), M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Dobl. Zool. Mus. Berlin] 1842, 7.—Turdus, 1788.
- cyanura** Nemura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [n. n.].
- cyanura** Nemura, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 27.
- cyanurus** Ostracion, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (10) 1828, 4.
- cyanurus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 226.
- cyanura** Pitta (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 356.—Turdus, Gm. 1788.
- cyanura** Pitta, Mueller & Schlegel in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Aves) 1840, 3.
- cyanurus** Polytmus (L.), F. Boie, Isis (Oken), 1831, 545.—Trochilus, Gm. 1788.
- cyanura** Prosopis (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 45.—Melitta.
- cyanurus** Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 538.
- cyanurus** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 261.
- cyanurus** Scincus, R. P. Lesson, Ann. Sci. Nat. XIII (52) Ap. 1828, 388.
- cyanura** Stigmodera, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 62.
- cyanurus** Telephorus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- cyanura** Tiliqua (Less.), J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 289.—Scincus.
- cyanurus** Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 369.
- cyanurus** Trochilus [non Gm.], L. P. Vieillot, Ency. Méth. (Orn.) 1822, 568.
- cyanurus** Trochilus, J. F. Stephens in Shaw, Gen. Zool. XIV. 1826, 339.
- cyanurus** Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 21.
- cyana** Calliope (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843), 883.—Larviva-
- cyana** Dacnis (Gm.), Cuvier, Règne Anim. I. 1817, 395.—Motacilla, 1773. [vora.]
- cyanus** Hylocharis (Vieill.), F. Boie, Isis (Oken), 1831, 546.—Trochilus.
- cyanus** Hypudaeus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804—1811 (1815),
- cyana** Larviva, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 102. [1808 [n. n.].]
- cyanus** Lemmus (Mol.), F. Tiedemann, Zool. 1808, 475.—Mus, 1782.
- cyanus** Monticola (L.), F. Boie, Isis (Oken), 1822, 552.—Turdus, 1766.
- cyanus** Onthophagus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 177.
- cyanus** Pepliphorus (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 71.—Papilio, 1781.
- cyanus** Petrocossyphus (Gm.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. June 1840, 165. —Turdus, L. 1766. [Pall. 1776.]
- cyana** Pica (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 127.—Corvus,
- cyanus** Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 642.—Papilio, 1781.
- cyana** Ruticilla (Hodgs.), G. R. Gray, Genera of Birds, I. May 1846, 180.—Larviva.
- cyanus** Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 426.
- cyana** Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1031.
- Cyathaxonia** H. Michelin, Icon. Zooph. (1846), 257.—Cor.
- Cyathelia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 68.—Cor.
- Cyathella** Steenstrup, 1846; teste Marschall, *sed non comp.*, ?Cyathidium, *q. v.*

- cyathellus** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIV (1858) July 1846, 41.
- cyathicollis** Cnemalobus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 194.
- Cyathidium** Steenstrup, Amtl. Ber. 24 Vers. deutsch. Naturf. Aerzte (Kiel) 1846, 150.—
- cyathifera** Amphiroa, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 50. [Ech.]
- cyathifera** Antennularia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 687.
- cyathifera** Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10.
- cyathiformis** Echinorhynchus, C. A. Rudolphi, Entozoorum, II (1) 1809, 287.
- cyathiformis** Epilus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 376.
- cyathiformis** Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 289.
- cyathiformis** Gemmipora, de Blainville, Dict. Sci. Nat. L.X. 1830, 353 [n. n.].
- cyathiformis** [Gen. non det.], J. Hall, N. H. New York (Pal. I.) 1847, 72.
- cyathiformis** Palaeospongia (Hall), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547 [Gen. non det.].
- cyathiformis** Retepora, G. A. Goldfuss, Petref. German. I (1) 1826, 28.
- cyathigerum** Agrion, T. de Charpentier, Libell. Europ. 1840, 163.
- cyathigera** Lebia (Rossi), Dejean, Catal. Coléopt. 1821, 3.—Carabus, 1790.
- Cyathina** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 300.—Cor.
- cyathina** Noctua, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [i. e. Ap. 1826], 466.
- cyathina** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 386.
- Cyathocrinites** J. S. Miller, N. H. Crinoidea, 1821, 85.—Crin.
- Cyathocrinites** G. Troost, P. Amer. Assoc. 1849 (1850), 61.—Crin.
- Cyathocrinus** Phillips, Geol. Yorksh. II. 1836, 206.—Crin.
- Cyathocrinus** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 197.—Crin.
- Cyathodera** E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 130.—Col.
- Cyathodonta** T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 155.—L.
- cyathoides** Podabacia, Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 71.
- cyathoides** Spongites, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 8
- cyathoides** Turbinolia, Lamarck, An. s. vert. II. 1816, 231. [[n. n.].
- Cyathophora** H. Michelin, Icon. Zoophyt. (8) 1843, 104.—Cor.
- Cyathophyllum** G. A. Goldfuss, Petref. German. I (1) 1826, 54.—Cor.
- Cyathopora** D. D. Owen, Rep. Geol. Expl. Iowa, 1839 (U. S. Senate 28 Congr., Sess. 1, 407) 1844, 69.—Cor.
- Cyathopsis** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.—Cor.
- Cyathoseris** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 72.—Cor.
- Cyathostoma** E. Blanchard, Ann. Sci. Nat. [3] (Zool.) XI. Mar. 1849, 182.—Verm.
- cyathostoma** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 114, Aug. 1850.
- cyathula** Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806, 163.
- cyathus** Anthophyllea (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 162.—Madrepora, E. & S. 1786. [pora, E. & S. 1786.]
- cyathus** Anthophyllum (Esp.), A. F. Schweigger, Handb. Naturges. 1828, 417.—Madre
- cyathus** Caryophyllia (L.), Lamarck, Syst. Anim. 1801, 370.—Madrepora, E. & S. 1786.
- cyathus** Creseis, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 1.
- cyathus** Cyathina (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 300.—C₅, yophyllia.
- cyathus** Cyathina (E. & S.), R. A. Philippi, Arch. f. Naturg. VIII (1) 1842, 40.—Madre-
- cyathus** Eschara, A. Risso, H. N. Europe, V. 1826, 343. [pora, 1786.]
- cyathus** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 123.
- cyathus** Hippurites, H. G. Bronn, Jahrb. f. Min. 1832, 173.
- cyathus** Turbinolia, A. Risso, H. N. Europe, V. 1826, 357.
- cyathus** Vorticella, G. Shaw, Nat. Misc. XVIII. 1807, pl. 771.
- Cyatocrinus** L. Agassiz, Cat. Ect. Ech. 1840, 13.—Crin.
- Cyathophyllum** Morren in Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 189.—Cor.
- Cybdelis** Boisduval, s. à Buffon (Lép.) I. 1836, expl. pl. ix.—Lep.
- Cybebus** C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 447.—Col.
- Cybele** S. Loven, Ofvers. K. Vet. Ac. Förh. II (4) 1845, 110.—Cr.
- cybele** Acidalia (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 31.—Papilio, 1775.

- cybele** Argynnis (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 263.—Papilio, 1775.
- cybele** Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 39.—Terebracybele
- cybele** Cardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 310. [tula.]
- cybele** Heliconia (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 104.—Papilio, 1777.
- cybele** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 222.
- cybele** Terebratula, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 453.
- cybele** Trigonia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- Cybernetes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Gubernetes, Such.
- Cybicodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cubicodon, Jaeg.
- cybioides** Phalacrus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].
- cybira** Stomoxys, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1159.
- Cybister** J. Curtis, Brit. Entom. IV (38) Feb. 1827, no. 151.—Col.
- Cybister** Eschscholtz in Dejean, Cat. Coléopt., ed. 2 (1) 1833, 59.—Col.
- Cybistes** A. White (*ex* Spinola, MS), List Crust. B. M. 1847, 106.—Cr.
- Cybium** G. Cuvier, R. Anim., ed. 2, II. 1829, 199.—P.
- Cybocephalus** W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844, 441.—Col.
- Cyboides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuboides, Q. & G.
- Cybosia** J. Huebner, Verz. bekannt. Schmett. [1822], 167.—Lep.
- cycacea** Clotho, C. L. Koch, Die Arachniden, X (5) 1843, 85.
- cycadis** Rhynchophorus, Hoffmannsegg in W. F. Erichson, Arch. f. Naturg. XIII (1) 1847,
- Cychla** *id. ac* Cichla, Bl.; J. B. v. Spix, Pisc. Brasil. 1831, 99. [136.]
- cychla** *v.* cichla.
- cychlura** *v.* cichlura.
- Cychreus** C. S. Rafinesque, Analyse, 1815, 101.—Cr. [*n. n.*].
- cychreus** Urolepis, F. Walker, Ann. Mag. N. H. (2) V. Feb. 1850, 131.
- Cyclacantha** Herrmannsen, Ind. gen. Malac. I. 1847, 347.—G. [*v.* Cycloc→].
- Cycladea** *emend. pro* Cyclas, Lam.; C. S. Rafinesque, Analyse, 1815, 146.—L. [*n. n.*].
- cycladensis** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 289, Dec. 1845.
- cycladea** Crassatella, Lamarck, An. s. vert. V. 1818, 483.
- cycladia** Kellia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247 [*n. n.*].
- cycladea** Mesodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VI. Mar. 1835, 133.—Crassatella.
- cycladiformis** Cyclas (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 381.—Cyrena.
- cycladiformis** Cyrena, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 121.
- cycladiformis** Cytherea, H. G. Bronn, Zschr. Min. 1827, II (1828), 539.
- cycladiformis** Erycina, G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 736.
- cycladiformis** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 70.
- cycladiformis** Venus (Bronn), P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 171.—Cytherea.
- Cycladina** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 209.—L. [*vernac.* 1825].
- Cycladina** F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 399.—L.
- cycladis rivicolae** Cercaria, C. M. Diesing, Syst. Helminth. I. 1850, 298.
- Cycladites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 469.—L.
- cycladoides** Isaura, Joly, C. R. Acad. Sci. (Paris) XIII. 1841, 1068.
- Cycladopora** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1846 (Jan. 1847) Tab. p. 385.
- Cyclarhis** W. Swainson, Zool. Journ. I (3) Oct. 1824, 294.—A. [—P.]
- Cyclaris** W. Swainson in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829 [1830], 679.—A.
- Cyclarthrus** J. L. R. Agassiz, Poiss. Foss., Feuilleton, 95 (1836); III. 382 (1843).—P.
- Cyclas** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 196.—Col.
- Cyclas** H. F. Link, Beschr. Nat. Samml. Rostock, III. 1807, 150.—L.
- cyclas** Astartila, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 155.
- cyclastra** Astraea, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 251.
- Cyclatella** P. J. van Beneden, Bull. Ac. Roy. Brux. VI (2) 1839, 277.—Polyz.
- Cyclemis** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 424.—G.
- Cyclemys** T. Bell, Proc. Zool. Soc. London, II (15) June 1834, 17.—R.
- Cyclepите** C. S. Rafinesque, Atlantic Journ. (2) 1832, 68.—? [*n. n.*].

- Cycleptus** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 421.—P.
cyclica Helicogena, G. Jan, Consp. méth. Testac. 1830, 3 [*n. n.*].
Cyclidium M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 23.—Prot.
cyclidium Acomia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 382.
cyclidium Mystacodella, Bory de St V., Dict. Class. H. N. XI. 1827, 411.
cicydium Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 195.
cyclidium Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 97.
Cyclidium W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 17.—Col.
Cyclina G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 623.—L.
Cyclinus W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 78.—Col.
cyclioides Enchelis, Bory de St V., Dict. Class. H. N. VI. 1824, 158.
Cyclopleurus F. W. Hope, Trans. Zool. Soc. Lond. I (2) 1834, 107.—Col.
cyclips Toxolasma, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.
cyclips Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.
Cycliscus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 185.—Col.
cyclobates Haliotis, Péron & Lesueur, Voy. Aust. II. 1816, 80.
Cyclobatis P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 442.—P.
Cyclobostryx L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyclocirra, Muell.
Cyclocantha W. Swainson, Treat. Malacol., May 1840, 215 & 348.—G.
Cyclocarcinus Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 11.—Cr.
Cyclocephala P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 552.—Col.
 [*vernac.* 1825].
Cyclocephalus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 361.—Col.
cyclocephalus Acrossus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 270.
Cycloceras F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 10.—Ceph.
cycloceros Ovis, T. Hutton, Calcutta Journ. Nat. Hist. II (8) Jan. 1842, 514.
cyclochalis Trochus, Lamarck, Ency. Méth. (Vers) 1816, pl. 445, Liste p. 10 [*n. et f.*].
Cyclochila Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 470.—Hem.
Cyclochilus L. Agassiz, Nom. Zool. (Moll.) 1845, 26.—G.
Cyclocirra J. Mueller, Arch. f. Naturg. 1841 (1), 147.—Verm.
Cyclocoenia A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Cor.
Cycloconus N. Da Rio, Oritt. Eugen. 1836, 79 & 80.—Cor.
Cycloconus Hombres-Firmas, Bull. Soc. géol. France, XIV. 1842, 72.—Cor.
Cyclocotyla A. G. Otto, Consp. anim. (1) 1821, 19.—Verm.
Cyclocotyle H. Burmeister, Handb. Naturg. 1837, 530 [= Cyclocotyla; *teste* Stiles].
Cyclocrinites E. Eichwald, Silur. Estland, 1840, 192.—Crin.
Cyclocrinus A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 291.—Crin.
Cyclocyathus Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. xiv.
 —Cor.
Cyclocyrtia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyclonassa, Swains.
Cyclodactyla J. F. Brandt, Rec. des Actes Ac. Imp. Sci. St Pétersb. 1834 (1835), 214.—
 Cor. [*teste* Agassiz *sed ?fam. non gen.*].
Cyclodema F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 68.—Col.
Cyclodera Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 408.—Col. [*n. n.*].
Cyclodera A. White in J. L. Stokes, Discov. in Australia, I. 1846, 510.—Col.
Cycloderes Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 21.—Col.
Cyclodiscus C. G. Ehrenberg, Abh. k. pr. Ak. Wiss. Berlin, 1839; *sic* Agassiz, *sed non*
Cyclodoma W. Swainson, Treat. Malacol., May 1840, 193.—G. [*comp.*]
Cyclodomorphus L. Fitzinger, Syst. Rept. 1843, 23.—R.
cyclodon Helix, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 65.
cyclodonta Oxyrhina, P. M. Pédroni, Actes Soc. Linn. Bordeaux, XIII. 1843 (1844), 288.
Cyclodontina H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 88.—G.
Cyclodus J. Wagler, Descr. Icon. Amph. (1) 1828, tab. 6; Nat. Syst. Amph. 1830, 162.—R.
Cycloës W. de Haan in Siebold, F. Japon. (Crust. 1837), 68.—Cr.
Cyclogaster J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 256.—Dipt.
Cyclogaster J. O. Westwood, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 20.—Hem.
cyclogaster Eulophus, J. T. C. Ratzeburg, Die Ichneum. I. (c. Mar.) 1844, 167.
Cyclogasterus H. Cloquet, Dict. Sci. Nat. XII. 1818, 285.—P.

- Cycloglena** C. G. Ehrenberg, *Sym. Phys.*, Phyt. 1831 (pls. 1828), sign. *b*.
- Cyclognathus** E. Geoffroy St H., *Rev. Ency.* LIX. 1833, 79.—M.
- Cyclognathus** Croiz. ; H. G. Bronn, *Index Pal.* 1848, 373 [= Anthracotherium].
- Cyclognathus** Croizet; v. Trouessart, *Cat. Mamm.* II. 1898, 804 [= Hyopotamus, *sed non comp.*].
- cyclognathum** Anthracotherium, A. Bravard, *Ann. Sci. Auvergne*, XVI. 1843, 432 [*n. n.*].
- Cyclognatus** E. Geoffroy St H., *Etudes progr.* 1835, 90.—M. [Anoplotherium laticurvatum]. [2] 1850, 378.
- cyclogonus** Diaphoronus, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XXIII. 1850
- cyclogonus** Harpalus, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XVII. 1844 (3) 1844, 449.
- Cyclogramma** E. Doubleday, *Gen. diurn. Lepid.* I (—) Ap. 1849, 217; pl. 27 (1847).—
- Cyclogramma** M. Perty, *Mitth. Nat. Ges. Bern*, 1849, 39.—Inf. [Lep.]
- Cyclograpsus** H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, II. 1837, 77.—Cr.
- Cyclogyra** S. V. Wood, I., *Ann. Mag. N. H.* IX. Aug. 1842, 458.—Verm.
- cycloides** Ammonites, A. d'Orbigny, *Pal. Franç.*, *Jurass. I.* (Céph.) 1846, 370.
- cicloides** Cyclidium, M. Losana, *Mem. R. Acc. Sci. Torino*, XXXIII. 1829, 34.
- cycloides** Trebratulata, G. Fischer v. W., *Progr. Séance Publ. Soc. Imp. Nat. Moscou*,
- cycloides** Venus, A. d'Orbigny, *Amér. Mérid.* (Moll.) 1846, 562. [1809, 29.
- Cyclois** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Cycloës, Haan.
- cyclolabris** Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. *Moll. I.* 1839, 32.
- Cyclolina** A. d'Orbigny, *Foram. foss. Vienne*, Sept. 1846, 139.—Rh.
- Cyclolites** Lamarck, *Syst. Anim.* 1801, 369.—Cor.
- cyclolites** Cycloseris (Lam.), Edwards & Haime, *C. R. Ac. Sci. (Paris)* XXIX. July 1849, 72.—Fungia.
- cyclolites** Fungia, Lamarck, *An. s. vert.* II. 1816, 236.
- Cyclolithas** *emend. pro* Cyclolites, Lam. ; C. G. Ehrenberg, *Abh. k. pr. Ak. Wiss. Berlin*,
- Cyclolithes** H. G. Bronn, *Index Pal.* 1848, 374.—Cor. [1832, 276.
- Cyclolithus** C. D. E. Koenig, *Icones foss.* 1825, pl. 19.—Cor.
- cyclolitoides** Aplocyathus (E. & H.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 333.—Trochocyathus.
- cyclolitoides** Thecophyllia, Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) XI. Ap. 1849, 242. [May 1848, 315.—Turbinolia.
- cyclolitoides** Trochocyathus (Mich.), Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) IX.
- cyclolitoides** Turbinolia, Bellardi in H. Michelin, *Icon. Zoophyt.* (24-27) 1847, 268.
- Cycloloba** M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XXIII. 1850 (1) 1850, 43.—Col.
- cyclolobus** Aganides (Ph.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 115.—
- cyclolobus** Goniatites, J. Phillips, *Geol. Yorksh.* II. 1836, 237. [Goniatites.
- Cyclomorphus** F. W. Hope, *Rev. Zool. (Soc. Cuv.)* IV. Ap. 1841, 114.—Col.
- Cyclomus** C. S. Rafinesque, *Analyse*, 1815, 153.—Ech. [*n. n.*]
- Cyclomus** C. J. Schoenherr, *Isis* (Oken), 1823, 1144; *Curc. disp. meth.* 1826, 198.—Col.
- Cyclomus** M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, 1838 (1) 1838, 14.—Col.
- Cyclonassa** W. Swainson, *Treat. Malacol.*, May 1840, 69 & 300.—G.
- Cyclonotum** Dejean, *Catal. Coléopt.*, ed. 2 (2) July 1833, 134.—Col. [*sine typo*].
- Cyclonotum** Mulsant, *Ann. Sci. Soc. Agric. Lyon*, VII. 1844, 167.—Col.
- cyclonota** Cephea, L. Oken, *Lehrb. Nat.* III (1) 1815, 117.
- cyclonota** Chrysaora, Péron & Lesueur, *Ann. Mus. H. N.* (Paris) XIV (83) Jan. 1810, 365.
- cyclonota** Cyanea (Pér.), Lamarck, *An. s. vert.* II. 1816, 520.—Chrysaora.
- cyclonotus** Oribata, P. Gervais in Gay, *Chili*, IV (Acar.) 1849, 48.
- Cyclope** A. Risso, *H. N. Europe*, IV. 1826, 169.—G.
- Cyclopeplus** Dejean, *Catal. Coléopt.*, ed. 2 (4) Aug. 1835, 335.—Col. [*n. n.*].
- Cycloperta** Amyot & Serville (Roret's Suite à Buffon), *Hémiptères*, 1843, 172.—Hem.
- Cyclopes** J. E. Gray, *London Med. Repos.* XV. Ap. 1821, 305.—M.
- cyclopea** Cleophana, A. Graslin, *Ann. Soc. Ent. France*, V (4) *post* Jan. 1837, 570.
- cyclopea** Cypriocardia, Al. Brongniart, *Mém. terr. Vicentin*, 1823, 82.
- cyclopea** Madrepora, J. D. Dana, Wilkes, *U. S. Exped., Zooph.*, c. Mar. 1848, 439.
- cyclopeus** Solecurtus (Brong.), A. d'Orbigny, *Prodr. Paléont.* II. [Nov.] 1850, 321.—Cypriocardia.

- Cyclophora** J. Huebner, Tentamen (me judice, 1806), 2.—Lep. [*n. n.*].
- Cyclophora** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Lep.
- Cyclophora** W. Swainson, Treat. Malac. 1840, 185 & 336.—G. [= Cyclophorus, Montf.].
- Cyclophorus** Denys de Montfort, Conch. II. 1810, 290.—G.
- Cyclophorus** L. Pfeiffer, Zeitschr. f. Malacoz. 1847, 47.—G.
- cyclophorus** Byrrhus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 117.
- cyclophora** Cephea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 360.
- cyclophora** Lerneae, H. D. de Blainville, Journ. de Phys. XCV (12) Dec. 1822, 438.
- Cyclophthalmus** A. J. C. Corda, Verh. Gesellsch. Vat. Mus. Böhmen, 1835, 37.—Ar.
- Cyclophthalmus** F. W. Hope, Cat. Lucanoid Coleopt. 1845, 5.—Col.
- cyclophthalmus** Cichlops, Joh. Mueller & Troschel, Horae Ichthyol. (3) 1849, 24.
- Cyclophylla** J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 187.—
Med. [334.]
- cyclophylla** Eulimenes, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810,
- cyclophylla** Phorcynia (P. & L.), L. Oken, Lehrb. Nat. III (1) 1815, 121.—Eulimenes.
- Cyclophyllia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Cor.
- Cyclophyllum** d'Orbigny, Prodr. I. 1850 [*teste* Scudder, *sed non comp.*].
- Cyclops** J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 59.—M.
- Cyclopides** J. Huebner, Verz. bekannt. Schmett. [1820], 111.—Lep.
- Cyclopina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyclopsina, Müll. 1785; M. Edwards, 1840.
- cyclopina** Silurella, Bory de St V., Ency. Méth. (Zooph.) 1827, 684.
- Cyclopis** J. Huebner, Index exot. Lepid. 1821, 2.—Lep.
- Cyclopis** J. Huebner, Verz. bekannt. Schmett. 1825, 274.—Lep.
- Cyclopium** W. Swainson, N. H. Fishes etc. I. Oct. 1838, 343.—P.
- cyclopius** Hipparchia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
- Cyclopoma** J. L. R. Agassiz, Poiss. Foss. IV. 17 (1833).—P. [1844, 590.]
- Cyclopoma** Troschel, Arch. f. Naturg. 1847 (2), 381.—G.
- Cyclopora** C. S. Rafinesque, Analyse, 1815, 157.—Coel. [*n. n.*].
- cyclopora** Encope, L. Agassiz, Mon. Ech. II. 1841, 52.
- Cyclops** Denys de Montfort, Conch. II. 1810, 370.—G.
- cyclops** Cassida, J. C. Fabricius, Syst. Eleuth. I. 1801, 394.
- cyclops** Cophosus, Koll.; J. Sturm, Catal. Ins. Samml. 1826, 125.
- cyclops** Corynoscelis, H. Burmeister, Handb. Ent. V. 1847, 127.
- cyclops** Coscinum, A. Keyserling, Wiss. Beob. Petschora, 1846, 192.
- cyclops** Darnis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 479.
- cyclops** Erpichtys (Ruepp.), W. Swainson, N. H. Fishes etc. II. July 1839, 275.—Salariae.
- cyclops** Isotelus, J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 560.
- cyclops** Phytoecia, Handschuch in H. C. Kuester, Käfer Europas, XIII. 1848, 88.
- cyclops** Platessa (Don.), J. Fleming, Hist. Brit. Anim. 1828, 199.—Pleuronectes.
- cyclops** Pleuronectes, E. Donovan, N. H. British Fishes, IV. pl. 90 (1806).
- cyclops** Proporus, E. D. Schmidt, N. Beitr. Naturg. Würmer, 1848, 9.
- cyclops** Salariae, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (—) 1830 or 1831, 113.
- cyclops** Strix, J. Gould, Proc. Zool. Soc. London, IV (48) June 1837, 140.
- cyclops** Syzygops, C. J. Schoenherr, Isis (Oken), 1823, 1145 [*n. n.*]; Curc. disp.-meth. 1826, 94.
- Cyclopsina** H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 427.—Cr.
- Cyclopsine** C. Vogt, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 17.—Cr.
- Cycloptera** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 439.—
- cyclopteri** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 438. [Orth.]
- cycloptestina** Lerneocera (Müll.), de Blainville, Dict. Sci. Nat. XXVI. 1823, 117.—
Lerneae, 1776. [1776.]
- cyclopterinus** Schisturus (Müll.); L. Oken, Lehrb. Nat. III (1) 1815, 183.—Lerneae.
- cyclopteronum** Lerneae, *id.* ac cycloptestina, Müll.; W. Turton, Linnaeus, Syst. Nat. IV. 1802, 116. [bezitt., Zool. (Ins.) 1842, 164.]
- cyclopteronum** Acridium (Mastax), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- cycloptera** Avicula, J. Phillips, Geol. Yorksh. II. 1836, 211.

- cyclopterus** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 59.
- Cyclopus** Dejean, Catal. Coléopt. 1821, 96.—Col. [*n. n.*].
- cyclopus** Arges (Humb.), Cuvier & Valenc., H. N. Poiss. XV. 1840, 340.—Pimelodus.
- cyclopus** Ophthalmoplanis, Bory de St V., Ency. Méth. (Zooph.) 1827, 584.
- cyclopus** Pimelodes, J. Minding, Lehrb. Naturg. Fische, 1832, 116.
- cyclopus** Pimelodus, Humboldt, Voy. Intér. Amér. (Obs. Zool.) I (1) 1805, 44.
- cyclopus** Prenadilla (Humb.), F. P. Jarocki, Zoologia, I. 1822, 82.—Pimelodus.
- cyclopus** Purpura, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 219.
- cyclopus** Urceolaria, Bory de St V., Ency. Méth. (Zooph.) 1827, 764.
- Cyclopyge** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 63.—Cr.
- Cyclora** J. Hall, Amer. J. Sci. XLVIII (2) Ap. 1845, 294.—G.
- Cycloramphos** J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 41 & 81 (-us).—R.
- Cycloramphus** J. J. Tschudi, Fauna Peru. (Herp.) 1846, 67.—Amph.
- Cyclorhamphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cycloramphos; Cycloramphus, Tsch. [1824].
- Cyclorhis** W. Swainson, Zool. Journ. III (10) July [*z. e.* Sept.] 1827, 162.—A. [Cyclarhis,
- Cyclorhynchus** C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 83.—A.
- Cyclorhynchus** J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 392.—Dipt.
- Cyclorhynchus** W. de Haan in Siebold, F. Japon. (Crust. 1849), 174.—Cr.
- Cyclorites** Rafinesque, 1819; *teste* Scudder, *v.* Cycloritytes.
- Cyclorrhynchus** J. J. Kaup, Skizz. Europ. Thierw. 1829, 155.—A. [*typus* Alca psittacula].
- Cycloritytes** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 428.—Coel.
- Cyclosalpa** H. M. de Blainville, Dict. Sci. Nat. XLVII. 1827, 108.—Moll.
- Cyclosaurus** J. Wagler, Isis (Oken), 1833, 894.—R.
- Cycloseris** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 72.—Cor.
- Cyclosia** J. Huebner, Verz. bekannt. Schmett. [1822], 177.—Lep.
- Cyclosites** C. S. Rafinesque, 1811 [*teste* Bronn *et alii*, *sed non comp.*].
- Cyclosmilia** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 6.—Cor.
- Cyclosomus** P. A. Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 394.—Col.
- Cyclosterna** de Blainville, Dict. Sci. Nat. XII. [?1818], 297 [*err. pro* Cyclostrema].
- Cyclostoma** A. W. Otto, N. Acta Ac. Caes. XI (2) 1823, 302.—Verm.
- Cyclostoma** S. Nilsson, Prodr. Ichth. Scand. 1832, 121.—P. [*teste* Scudder *sed ordo non*
- Cyclostoma** W. Kirby, Introd. Entom. III (ed. 5) 1838, 631.—Hym. [*gen.*].
- cyclostoma** Ampullaria, J. B. v. Spix, Testac. Brasil. 1827, 4.
- cyclostoma** Biloculina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 382.
- cyclostoma** Bodianus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 282.
- cyclostoma** Buccinum, H. D. de Blainville, Faune Française (23) Malac. 1829, 185.
- cyclostoma** Bulimus, Lamarck, Ann. Mus. H. N. (Paris) IV (22) June 1804, 294.
- cyclostoma** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 459, May 1849.
- cyclostoma** Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June
- cyclostoma** Echinanaus, J. E. Gray, Ann. Phil. XXVI. 1825, 429. [1850, 135.
- cyclostoma** Eschara, J. P. C. Moll, Esch. Zooph. 1803, 56 & no. ix.
- cyclostoma** Eschara, J. P. C. Moll, Die Seerinde, 1803, 63.
- cyclostoma** Eschara, Goldfuss, Petref. German. I. 1826, 23.
- cyclostoma** Escharina (Moll), H. M. Edwards in Lamarck, H. N. An. s. vert., ed. 2, II. Aug. 1836, 232.—Eschara.
- cyclostoma** Helix, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 126.
- cyclostoma** Hydnochora, J. Phillips, Geol. Yorksh. II. 1836, 202. [—Eschara
- cyclostoma** Membranipora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 261.
- cyclostoma** Menticularia (Ph.), J. Morris, Cat. Brit. Foss. 1843, 42.—Hydnochora.
- cyclostomus** Mullus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 383.
- cyclostoma** Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841,
- cyclostomus** Nautilus, J. Phillips, Geol. Yorksh. II. 1836, 232. [146.
- cyclostoma** Paludina, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 13 [*n. n.*].
- cyclostoma** Paludina, L. Rousseau in Démidoff, Voy. Russie, II. 1842, 794.
- cyclostomus** Plectropomus (Lac.), H. Cloquet, Dict. Sci. Nat. XLI. 1826, 359.—Bodianus.

- cyclostoma** Pupa, L. Pfeiffer in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Pupa
cyclostoma Scalaria, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 17. [(30) 1841, 6.
cyclostomum Solarium, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 142.
cyclostomum Solarium, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 22.
cyclostoma Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 3.
cyclostomus Trochus, C. T. Menke, Conch. Samml. Malsburg, 1829, 22.
cyclostoma Trochus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 237.
cyclostoma Turbo, Benz in C. H. v. Zieten, Pétrif. Wurt. (6) 1832, 45.
cyclostomus Upeneus (Lac.), Cuvier & Valenc., H. N. Poiss. III. 1829, 472.—Mullus.
cyclostomaeformis Paludina, C. d'Orbigny in Magasin de Zool. VII. 1837, pl. 79.
cyclostomaformis Paludina, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83.
cyclostomatiformis Paludina, I. Lea, Tr. Amer. Phil. Soc., n. s., IX (1) 1844, 23
 [= cyclostomaformis, 1841].
cyclostomata Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 141.
cyclostomata Rissoa, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 104.
cyclostomoides Helix, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 251.
cyclostomoides Turbo, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837,
cyclostomopsis Helix, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 53. [27.
Cyclostomus Denys de Montfort, Conch. Syst. II. 1810, 286.—G.
cyclostomus *v.* **cyclostoma**.
Cyclostrema F. Marryat, Tr. Linn. Soc. London, XII (2) 1819, 338.—G.
cyclosytes C. S. Rafinesque, 1811 [*teste* Agassiz, *sed non comp.*].
Cyclotelus F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 4.—Dipt.
Cycloterus C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 383.—Col.
cyclothorax Anatolica, G. Fischer de W., Cat. Col. Sibir. [1842], 14.
cyclothorax Nirmus, H. Burmeister, Handb. Ent. II (2) i, 1838, 429.
cyclothorax Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 349.—Nirmus. [21 & 22.—M.
Cyclothurus J. E. Gray, Ann. Phil. X. 1825, 343; Syn. Cont. Brit. Mus., ed. 44, 1842,
Cyclothyris M'Coy, Syn. Carb. Foss. Ireland, 1844, 103 [“Cyclothyridae,” Phill. 1841].
Cyclotrachelus M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 27.—Col.
Cyclotrema *err. pro* Cyclostrema, Marr.; J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840,
 148.—G. [*n. n.*].
Cycloturus J. E. Gray, 1825; *v.* Cyclothurus.
Cyclotus Guilding in W. Swainson, Treat. Malacol., May 1840, 186 & 336.—G.
Cyclotus J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149.—G. [*n. n.*].
Cycloum A. H. Hassall, Ann. Mag. N. H. VII. Aug. 1841, 483.—Polyz.
Cyclous Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 58.—Col.
Cyclous F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 29.—Col.
Cycloxanthus H. M. Edwards in Archiac, Hist. progr. géol. 1834-49, III. 1850, 304 *l.*—
 Cr. [*teste* M. J. Rathbun].
Cyclura R. Harlan, J. Acad. Nat. Sci. Philad. IV. Feb. 1825, 250.—R.
cycluroides Ctenosaura, A. F. A. Wiegmann, Isis (Oken), 1828, 371.
cycluroides Iguana (Ctenosaurus) (Wiegmann), J. E. Gray in Griffith's Cuvier, Anim. Kingd.,
 Rept. 1830, Syn. 37.—Ctenosaura.
Cyclurus J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368.—P. [*n. n.*].
Cyclurus J. L. R. Agassiz, Poiss. Foss. V (2), 43 (1839).—P. [*non* Cyclurus, 1836].
Cyclurus J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 41.—R. [*n. n.*].
cyclura Agama, B. Merrem, Ersch & Gruber, Allg. Ency. II. 1819, 165.
cyclurus Agama, J. B. v. Spix, Lacert. Brasil. 1825, 14.
cyclura Coronella, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 50.
cyclura Leachia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 90.
cyclura Lologopsis (Les.), A. Férussac, Dict. Class. H. N. III. 1823, 68.—Leachia.
cyclurus Myliobatis, *v.* Hasselt, Alg. Konst. Letterbode, May 1823, 316; Bull. des Sci.
 Nat. II. 1824, 90.
cyclurus Nileus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 52.
cyclurus Tropidurus (Sp.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
 Syn. 42.—Agama.

- cyclurus** Tropicidurus (Wied), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 225.—Uromastix.
- cyclurus** Uromastix, B. Merrem, Tent. Syst. Amph. 1820, 56.
- Cyclus** *err. pro* Cyclas, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 107.—Col.
- Cyclus** *err. pro* Cyclas, Lam.; Jurine, Helvet. Almanac, 1817, 37.—L.
- Cyclus** H. E. Anton, Arch. f. Naturg. III (1) 1837, 284.—L.
- Cyclus** L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 13.—Cr.
- cyclus** Ctenolepis, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. II (2), 180 (1844) [*n. n.*].
- Cychnia** J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 7.—Lep.
- Cycnoderus** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 101.—Col.
- Cycnopsis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cygnopsis, Brandt.
- Cycnorhinus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 235.—Col. [*n. n.*].
- cychns** Libellula, De Selys, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 15.
- Cychnus** J. Huebner, Verz. bekannt. Schmett. [1820], 81.—Lep.
- Cychnus** J. Brookes, Catal. Mus. Brookes (2) July 1828, 102.—A. = Cygnus [C. W. R.].
- Cychnus** H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 495.—Cr.
- cychnus** Phialina, Bory de St V., Dict. Class. H. N. XIII. 1828, 364.
- Cycria** J. E. Gray (*ex* Leach MS), Cat. Moll. Coll. B. M. (Ceph. antep.) 1849, 62.—Ceph.
- Cydalesia** R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 106.—Zooph.
- Cydaris** C. S. Rafinesque, Analyse, 1815, 153.—Ech. [*n. n.*] [= Echinoneus, Lam.].
- Cydia** J. Huebner, Verz. bekannt. Schmett. 1826, 375.—Lep.
- Cyodianerus** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 737.—Col.
- Cyodianirus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cydianerus, Schoenh.
- Cydimon** J. W. Dalman, K. Vet. Ac. Handl. 1824 (2) 1825, 407.—Lep.
- Cydippe** C. S. Rafinesque, Analyse, 1815, 142.—G. [*n. n.*].
- Cydippe** J. F. Eschscholtz, Syst. Acalephen, 1829, 24.—Coel.
- cydippe** Alazonia (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 46.—Papilio, 1763.
- cydippe** Cethosia (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Papilio, 1763.
- cydippe** Chloroperla, E. Newman, Mag. Nat. Hist., n. s., III. Feb. 1839, 88.
- cydippe** Najas, J. Huebner, Exot. Schmett., Tab. Najas [*n. et f.*].
- cydippe** Palaemon, A. White, List Crustacea Coll. B. M. 1847, 78 [*n. n.*].
- cydippe** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- cydno** Heliconia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 103
- cydno** Leptalis, E. Doubleday, Zool. Miscell. (Gray) (5) June 1842, 75. [*n. et f.*].
- Cydnus** J. C. Fabricius, Syst. Rhyng. 1803, 184.—Hem.
- cydon** Entedon, F. Walker, Mon. Chalcid. I. 1839, 58.
- cydonea** Amiba, Bory de St V., Ency. Méth. (Zooph.) 1824, 48.
- Cydonia** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 430.—Col.
- cydoniaria** Brotis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 303.—Phalaena ?cydonia, 1775.
- cydoniata** Larentia (Borkh.), F. Treitschke, Schmett. Europa, VI (2) 1828, 101.—Geom. 1794. [Tinea, D. & S. 1775.]
- cydoniella** Argyromiges (Fab.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—
- cydoniella** Argyromis (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea, D. & S. 1775.
- cydoniella** Chrysoesthia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 422.—Tinea, 1775.
- cydoniella** Elachista (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ante* Nov. 1840], 528.—Tinea, D. & S. 1775.
- cydoniella** Oecophora (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—?Tinea, D. & S. 1775.
- cydoniella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 376.
- cydonifera** Cidaris, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 329.
- Cydonium** J. Fleming, Hist. Brit. Anim. 1828, 516.—Coel.
- Alcyonium**, Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 77.
- cydonium** Donatia, G. D. Nardo, Isis (Oken), 1833, 522 [*n. n.*].
- cydonium** Geodia (Lam.), J. E. Gray, List Brit. Anim. [Spong.] B. M. 1848, 2.—Alcyonium

- cydonium** Tethya (L.), O. G. Costa, Fauna Regno Napoli, Zoofiti, Tethya, 17 (May 1844).
- Cydonus** C. W. Hahn, Wanzenart. Ins. II (5) Oct. 1834, 115.—Hem. [—Alcyonium.]
- Cydosia** J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 193.—Lep.
- Cydrus** Dalman in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 81.—Lep. [n. d., 1 nom. triv. append.].
- Cyglas** *err. pro* Cycclas, Lam.; L. Oken, Allg. Naturges. V (1) 1835, 303.
- cygnaei** Dendrophagus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2) 1846,
- cygnella** Adela, F. Treitschke, Schmett. Europa, IX (2) 1833, 117. [1515.]
- cygnella** Elachista (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [ante Nov. 1840], 543.—Adela.
- cygneola** Systropha, J. Huebner, Verz. bekannt. Schmett. [1822], 166 [*n. n.*].
- cygneum** Anodon, L. Oken, Lehrb. Nat. III (1) 1815, 238.
- cygneus** Anodon, *var.* contorta; T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 81.
- cygnea** Anodonta, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 145.
- cygnaea** Anodonties (L.), J. L. M. Poiret, Coq. Aisne, 1801, 109.—Mytilus, 1758.
- cygneus** Apoderus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 190.—Attelabus.
- cygneus** Aquila, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1189.
- cygneus** Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 417.
- cygnea** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 210.
- cygnea** Mactra, L. Spengler, Skr. nat. Selsk. [Copen.] V (2) 1802, 111.
- cygnea** Mactra, R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 161.
- cygnea** Symphynota (L.), I. Lea, Tr. Amer. Phil. Soc., n. s., III (4) 1829, 456.—
- cygni** Docophorus, H. Denny, Mon. Anoplur. 1842, 95. [Mytilus, 1758.]
- cygni** Filaria (Gm.), C. A. Rudolphi, Entoz. II (1) 1809, 71.—Ascaris, 1790.
- cygni** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 119.
- cygni** Ornithobius (L.), H. Denny, Mon. Anoplur. 1842, 183.—Pediculus, 1758.
- cygni** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 338.—Docophorus. [1758.]
- cygni** Ricinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 106.—Pediculus,
- cygnipennella** Apheloesetia (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 288.—Tinea, 1796.
- cygnipennella** Haploptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 428.—Tinea, 1796.
- cygnipennella** Oecophora (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—Tinea, 1796. [pennella, Huebner. 1796.]
- cygnipennis** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 536.—Tinea cygnipennis
- cygnipes** Avicula, J. Phillips, Geol. Yorksh. I. 1829, 162 [*n. et f.*].
- cygnipes** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 235. [L. 1758.]
- cygnoides** Anser (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 337.—Anas,
- cygnoides** Ateledera, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 608.
- cygnoides** Cygnopsis (L.), J. F. Brandt, Anim. ross. nov. 1836, 5.—Anas, 1758.
- cygnoides** Fasciola, F. v. P. Schrank, F. Boica, III (2) 1803, 212.
- Cygnopsis** J. F. Brandt, Anim. ross. nov. 1836, 5.—A. [cygni, 1758.]
- cygnorum** Ornithobius (L.), H. Lucas, Explor. Algér. (Artic. I.) 1846, 363.—Pediculus
- cygnorum** Philopterus (L.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 359.—Pediculus cygni, 1758.
- Cygnus** Bartram, Trav. Carol. 1791, 492 [*i. e.* 294]; ed. London, 1792, 292.—A.
- Cygnus** J. M. Bechstein, Orn. Taschenb. (2) 1803, 404.—A.
- cygnus** Amiba, Bory de St V., Ency. Méth. (Zooph.) 1824, 47.
- cygnus** Crassatella, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 117.
- cygnus** Cytherea, Lamarck, An. s. vert. V 1818, 580.
- cygnus** Mactra, de Blainville, Dict. Sci. Nat. XXVII. 1823, 547.
- cygnus** Phialina, Bory de St V., Ency. Méth. (Zooph.) 1827, 617.
- cygnus** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (138) Dec. 1844, 144.
- cygnus** Trachelius (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 56.—Vibrio, 1773.
- Cyinnyris** *err. pro* Cinnyris, Cuv.; L. P. Vieillot, Ency. Méth. (Orn.) 1822, 584.
- Cylanus** C. S. Rafinesque, Analyse, 1815, 115.—Col. [*n. n.*] = Cylas, Latr.
- Cylapus** T. Say, Descr. Heter. Hem. N. Amer. 1831, 792.—Hem. [*nihil non visum*].
- Cylas** P. A. Latreille, Mag. f. Insektenk. (Illiger) III. 1804, 101.—Col.

- Cylichna** S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 142.—G.
Cylichnus H. Burmeister, Handb. Ent. IV (1) 1844, 171.—Col.
Cylicopora J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 17.—Cor.
Cylicosmia Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848, 232.—Cor.
Cylidria J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 678.—Dipt. [96 [*non comp.*].
 “**Cylidrochinus** (=Cylindrorhinus.) Col. Agassiz.” *Teste* Scudder, Nom. Zool. (1) 1882,
Cylidrus P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 476.—Col.
Cylogramma J. A. Boisduval, F. Ent. Madagas. (7) 1833, 109.—Lep. [Lep.
Cylogramma J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 257.—
 cylinde Lycaena, J. A. Boisduval in d’Urville, Voy. “Astrolabe,” Ent. (1) 1832, 78.
Cylinder Denys de Montfort, Conch. II. 1810, 390.
Cylinder O. Fabricius, Fort. over Fabr. Nat. 1823, 73.—G.
Cylinder J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 124.—G. [*n. n.*].
Cylinder L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cylindes, Ag.
 cylinder Artemon, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 49 [*n. n.*].
Cylindera E. Newman, Entom. Mag. I (5) Oct. 1833, 509.—Col.
Cylindera J. O. Westwood in F. W. Hope, Coleopt. Manual, II. 1838, 21.—Col.
Cylindes Montf. 1810; *err.* Agass. *pro* Cylinder, *q. v.*
Cylindra Illiger, Mag. f. Insektenk. (Illiger) I (3 & 4) 1802, 303.—Col.
Cylindra C. F. Schumacher, Ess. Vers test. 1817, 71 & 236.—G.
Cylindra Duftschmid, F. Austr. III. 1823, 87.—Col.
 cylindra *v.* cylindrus.
 cylindracea Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XIV (157) May 1846, 31.
 cylindracea Acteonina (Corn.), A. d’Orbigny, Prodr. Paléont. II (Nov.) 1850, 58.—
 Melania.
 cylindraceus Agrilus (Dej.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 302.—
 Buprestis cylindrica.
 cylindracea Anodonta, I. Lea, Syn. Naiades, 1836, 54; Tr. Amer. Phil. Soc., n. s.,
 VI (1) 1838, 45.
 cylindraceus Anthophyllum, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 61.
 cylindracea Arca, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1829, 202.
 cylindracea Baculites, Defrance, Dict. Sci. Nat. (ed. 2) III (Suppl.) 1816, 160.
 cylindraceus Balanus, Lamarck, An. s. vert. V. 1818, 391.
 cylindraceus Bothriocephalus, Rudolphi in F. S. Leuckart, Zool. Bruchst. I. 1819, 65.
 cylindraceus Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 140.
 cylindraceus Brachylaemus (Zed.), E. Blanchard, Ann. Sci. Nat. [3] (Zool.) VIII. Nov.
 1847, 295.—Distoma, 1800.
 cylindraceus Bulimus, P. Calcara, Mon. gen. Clausilia e Bulimo, 1840, 33.
 cylindracea Bulla, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto,
 1847, 43.
 cylindracea Bullina, Grateloup, Actes Soc. Linn. Bordeaux, IX (49 *bis*) 1837, 406.
 cylindracea Bullina (Penn.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 191.—Bulla,
 Chaetetes, E. Eichwald, Zool. Spec. I. 1829, 197. [1777-
 Chenendopora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 214.
 cylindracea Conchula, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 30.
 cylindracea Conilera (Mont.), A. White, List Crustacea Coll. B. M. 1847, 107.—Oniscus.
 cylindraceus Conus, Broderip & G. B. Sowerby, I., Zool. Journ. V (17) Feb. 1830, 51.
 cylindraceus Conus, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3) 1842, 72.
 cylindraceus Coraeus, Laporte & Gory, H. N. Coléopt. II. 1839, 14.
 cylindraceus Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
 1837, 132. [Anthophyllum.
 cylindracea Cyathina (Reuss), A. d’Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.—
 Cylichna (Penn.), S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 142.
 cylindracea Dactylopora, Lamarck, An. s. vert. II. 1816, 189. [—Bulla, 1777.
 cylindracea Defrancia, H. P. C. Möller, Index Moll. Groenl. 1842, 13.
 cylindracea Defrancia, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 86.
 cylindraceus Deinopis, C. L. Koch, Die Arachniden, XIII (1) Jan. 1846, 17.

- cylindraceum** Farcimen (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 28.—
Megalomastoma.
- cylindracea** Fasciola (Zed.), K. A. Rudolphi, Archiv. Zool. (Wiedemann), III (1) 1802,
83.—Distoma, 1800. [June 1846, 67.
- cylindracea** Glandina (Achatina), J. S. Phillips, Proc. Acad. Nat. Sci. Philad. III (3)
- cylindracea** Glandulina (Rss.), H. G. Bronn, Index Pal. 1848, 531.—Nodosaria.
- cylindraceus** Hamites (Defr.), A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 551.—
- cylindraceus** Ischnotes, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 18. [Baculites.
- cylindracea** Leptis, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 84.
- cylindracea** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 57.
- cylindracea** Loligo, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 54.
- cylindraceum** Manon, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 69.
- cylindraceum** Megalomastoma, L. Pfeiffer, Zeitschr. f. Malacoz. 1847, 109 [n. n.].
- cylindracea** Melania, T. A. Conrad, New F. W. Shells U. S. 1834, 55.
- cylindracea** Melania, J. Cornuel, Mém. Soc. géol. France, IV (2) 1841, 289.
- cylindracea** Melania, A. Mousson, Land-Mollusk. Java, 1849, 72.
- cylindracea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 97, Sept. 1844.
- cylindraceus** Mytilus, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 30.
- cylindracea** Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 25.
- cylindracea** Oliva, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 203.
- cylindraceus** Ommastrephes, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 54.
- cylindraceus** Oniscus, G. Montagu, Tr. Linn. Soc. London, VII. 1804, 71.
- cylindracea** Orthocera, J. Fleming, Ann. Phil. V. Mar. 1815, 202.
- cylindraceum** Orthoceras, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl.
- cylindraceus** Passalus, M. Perty, Obs. Coleopt. Ind. 1831, p. xxxvi. [pl. 52.
- cylindraceus** Passalus, A. Percheron, Magasin de Zool. (2) III. 1841, pl. 79.
- cylindracea** Peritricha, Bory de St V., Dict. Class. H. N. XIII. 1828, 234.
- cylindracea** Peritrola, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 358.
- cylindraceum** Pinnotheres, T. Say, J. Acad. Nat. Sci. Philad. I (16) Dec. 1818, 452.
- cylindraceus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 19.
- cylindracea** Pupa, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 &
6) July 1837, 12. [Sphaerulites.
- cylindracea** Radiolites (Desm.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 260.—
- cylindracea** Salamandra, R. Harlan, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 156.
- cylindraceus** Saphanus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 475.
- cylindracea** Schizostoma, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 189.
- cylindracea** Septaria, Marcel de Serres, Actes Soc. Linn. Bordeaux, V (26) 1832, 79.
- cylindraceus** Sipalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 212.
- cylindraceum** Solarium (Gm.), G. P. Deshayes in Lamarck, Anim. s. vert., ed. 2, IX.
Nov. 1843, 101.—Trochus, ? cylindricus, 1790.
- cylindraceus** Solen, L. Reeve, Proc. Zool. Soc. London, XI (126) Dec. 1843, 101.
- cylindracea** Sphaerulites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827,
254; ed. 2, 1830, 107.
- cylindracea** Spirolina, Lamarck, Ency. Méth. (Vers) 1816, pl. 465, Liste p. 13 [n. et f.].
- cylindracea** Spirolinites, Lamarck, Ann. Mus. H. N. (Paris) V (28) Dec. 1804, 245.
- cylindraceum** Strongylosoma, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, IV. 1847, 117.
- cylindracea** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1067.
- cylindraceum** Tetrabothrium (Rud.), C. M. Diesing, Syst. Helminth. I. 1850, 600.—
Bothriocephalus.
- cylindracea** Torquilla (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 86.—
- cylindrarium** Terebellum, Denys de Montfort, Conch. II. 1810, 11. [Pupa.
- Cylindraspis** L. J. Fitzinger, Ann. Wiener Mus. I. 1835, 112 [teste Agassiz, 1826, *sed non*
comp.].—R.
- Cylindraspis** G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 32.—Cr.
- cylindrator** Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 292.
- cylindrator** Lampronota (Vill.), J. Curtis, Brit. Entom. IX (102) June 1832, no. 407.—
Ichneumon, Fab. 1787.

- cylindrator** Lissonota (Vill.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 102.—
Ichneumon, Fab. 1787.
- cylindrator** Pimpla, J. C. Fabricius, Syst. Piezat. 1804, 117.—Ichneumon, 1787.
- cylindratus** Spongites, F. A. Quenstedt, Floezgeb. Wuerttemb. 1843, 418.
- cylindrea** Gracillaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 529.—Tinea cylindrella,
Fab. 1777.
- Cylindrella** W. Swainson, Treat. Malacol., May 1840, 135 & 326.—G. [Ovulidae].
- Cylindrella** W. Swainson, Treat. Malacol., May 1840, 311.—G. [Conidae].
- Cylindrella** L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 38.—G. [Heliceorum].
- cylindrella** Amara, J. Schiodte, Naturhist. Tidsskrift, I. 1837, 245. [—Tinea, 1777.
- cylindrella** Astyages (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 280.
- cylindrella** Pegasia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 341.
- cylindrella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 370.
- cylindrella** Tenthredo (Selandria), A. G. Dahlbom, Conspect. Tenthred. 1835, 11 [n. n.].
- cylindrella** Turbonilla, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 536 [n. n.].
- Cylindria** *err. pro* Gylidria, Desv.; Zetterstedt, Dipt. Scand. VIII. 1849, 3340.
- Cylindricodon** G. F. Jaeger, Foss. Rept. Württ. 1828, 23.—R.
- cylindricodon** Phytosaurus, G. F. Jaeger, Foss. Rept. Wuertt. 1828, 23. [55-
- cylindricoides** Sphaerodus, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839,
- cylindricollis** Allecua, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
(2) 1835, 283.
- cylindricolle** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 380.
- cylindricollis** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 637.
- cylindricollis** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 34.
- cylindricolle** Criodion, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 173 [n. n.].
- cylindricollis** Cymatodera, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 41.
- cylindricollis** Cymatodera, M. Spinola, Ess. mon. Clérites, I. 1844, 148.
- cylindricollis** Drypta, J. C. Fabricius, Syst. Eleuth. I. 1801, 231.—Cicindela, 1798.
- cylindricollis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [n. n.].
- cylindricollis** Eucnemis, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 188.
- cylindricollis** Gnoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 316.
- cylindricollis** Lema, Buquet in T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov.
- cylindricollis** Leptura, J. C. Fabricius, Syst. Eleuth. II. 1801, 366. [1845, 348.
- cylindricollis** Metallites, C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 459.
- cylindricollis** Oxytelus, Dejean, Catal. Coléopt. 1821, 25 [n. n.]. [458.
- cylindricollis** Phyllobius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
- cylindricollis** [Phyllodroma] (Dej.), T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843
[separata 1842], 108.—Cicindela.
- cylindricollis** Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 269.
- cylindricollis** Tillus (Chevr.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 271.
—Cymatodera. [Gnoma.]
- cylindricollis** Xenocerus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 238.—
- cylindricornis** Asirica (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830,
56.—Delphax.
- cylindricornis** Attagenus (Melsh.), T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 185.
—Dermestes.
- cylindricornis** Coelosternus (Germ.), C. J. Schoenherr, Isis (Oken), 1825, 585.—Crypto-
- cylindricornis** Cryptorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 270. [rhynchus.
- cylindricornis** Delphax, J. C. Fabricius, Syst. Rhyng. 1803, 83.
- cilindricornis** Dermestes, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 7 [n. n.].
- cylindricornis** Lauxania (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 196.
—Musca, 1794. [III (1) Jan. 1842, 28.
- cylindricornis** Macrocephalus (Hemithyreus), J. O. Westwood, Tr. Entom. Soc. Lond.
- cylindricum ranae** Distoma, Mayer, Beitr. Anat. Entoz. 1841, 18 [teste Stiles & H.].
- cylindricus** Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 [n. n.].
- cylindrica** Acanthoptera, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 70 [n. n.].
- cylindrica** Acmaeodera (Fab.), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 24.—
Buprestis, 1775.

- cylindrica* Actinia, S. A. Renier, Tavole [1804] xxiii.
cylindrica Actinia, J. Reid, Ann. Mag. N. H. (2) I. Jan. 1848, 34.
cylindricus Aesalus, J. Sturm, Catal. Ins. Samml. 1826, 88 [*n. n.*].
cylindrica Alaea (Fér.), J. G. Jeffreys, Tr. Linn. Soc. London, XVI (2) 1830, 359.—Vertigo.
cylindricum Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 77.
cylindrica Alicula, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. 7.
cylindrica Alindria (Ol.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844, 452.—Trogosita, 1792. [440.—Tenthredo, ? Panz. 1799.
cylindricus Allantus (Fab.), B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, IX. 1836,
cylindrica Allecula, E. F. Germar, Linnaea Entom. III. Apr. 1848, 202.
cylindrica Alveolina, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850, 481.
cylindricus Ammonites, J. De C. Sowerby in De la Beche, Geol. Man. 1831, 318.
cylindricum Amphistoma, C. M. Diesing, Ann. Wiener Mus. I [2] 1836, 249.
cilindrica Andrena (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 230.—Hylaesus,
cylindricum Anobium, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 472. [1793].
cylindrica Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 122 [*n. n.*].
cylindricus Anthribus, Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
cylindrica Apaté, A. Costa, Bull. Accad. Aspir. Nat. I. 1842, 125.
cylindricus Aphodius, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
cylindrica Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 539.
cylindrica Arca, W. Wood, Suppl. Index Test. 1828, 6 [*n. et f.*].
cylindrica Arca, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 428.
cylindrica Ascaris, J. Leidy, Proc. Acad. Nat. Sci. Philad. IV (11) Oct. 1849, 229.
cylindrica Asterias, Lamarck, An. s. vert. II. 1816, 567.
cylindrica Astraea, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 333.
cylindrica Astrea, DeFrance, Dict. Sci. Nat. XLII. 1826, 379.
cylindrica Atherina, Cuvier & Valenc., H. N. Poiss. X. 1835, 453. [Tachina.
cylindrica Athricia (Fall.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 276.—
cylindricus Attagenus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 113.
cylindricus Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
464.
cylindrica Axia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849,
cylindrica Baccha, J. C. Fabricius, Syst. Antliat. 1805, 199.—Syrphus, 1781. [136.
cylindricum Bacterium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832)
cylindrica Baculites, Lamarck, An. s. vert. VII. 1822, 648. [[1839], 61 [*n. n.*].
cylindrica Balanophyllia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug.
1848, 85.—Turbinolia. [1790.
cylindricus Balanus (L.), C. Ranzani, Opusc. Sci. (Bologna) II. 1818, 78.—Lepas, Gm.
cylindricus Belemnites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819],
cylindricus Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 94. [80.
cylindricus Beroe, Lamarck, An. s. vert. II. 1816, 469.
cylindrica Blatta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 279.
cylindrica Bodo (Cercomonas) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 47.—
Cercomonas.
cylindricus Bothynoderes, F. Gebler, Bull. Soc. Imp. Nat. Moscou, 1841 (4) 1841, 601.
cylindricus Bourgeticrinus, F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 404.
cylindricus Brachypus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2)
1847, 536.
cylindricus Brissus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 14.
cylindricus Buceros, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831; (89)
Feb. 1832.
cylindricus Bucorvus (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 89.—
cylindrica Bulimina, F. A. Roemer, N. Jahrb. f. Min. 1838, 387. [Buceros.
cylindricus Bulimus, J. E. Gray, Ann. Phil. XXV. June 1825, 414.
cylindricus Bulimus, C. T. Menke, Syn. meth. Moll. 1828, 77.
cylindrica Bulla, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 47.
cylindricus Bullacites (Lam.), E. F. v. Schlotheim, Die Petref. 1820.—Bulla, ? Br. 1792

- cylindrica** Buprestis, Dejean, Cat. Coléopt. 1821, 29.
cylindricus Calamopleurus, L. Agassiz, Edinburgh N. Phil. Journ. XXX (5) Jan. 1841, 84; C. R. Acad. Sci. (Paris) XVIII. 1844, 1012; Poiss. Foss. V (1), 122 (1844).
- cylindrica** Calobata, J. C. Fabricius, Syst. Antliat. 1805, 263.—Musca, 1794.
cylindrica Caryophyllia, J. Phillips, Geol. Yorksh. I. 1829, 126 [*n. et f.*].
cylindricus Catopogus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 158.
cylindrica Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 80.
cylindrica Cercomonas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 291.
cylindrica Ceriopora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 33.
cylindricus Cetus, G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 38.
cylindrica Chaetetes, G. Fischer v. W., Oryct. Mosc. 1830, sign. d⁴.
cylindrica Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 186.
cylindrica Chenendopora, Michelin, Icon. Zooph. (20-23) 1846, 214. [—Turritella.
cylindrica Cicindela, Dejean, Catal. Coléopt. 1821, 2 [*n. n.*].
cylindrica Cicindela, Dejean. Spec. gén. Coléopt. I. 1825, 26.
cylindrica Clausilia, Gray; L. Pfeiffer, Symb. Helic. III. 1846, 93.
cylindrica Clavulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 268 [*n. n.*].
cylindrica Clivina, Dejean, Spec. gén. Coléopt. I. 1825, 423.
cylindrica Clytia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 288.
- cylindricus** Coenocythasus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848,
cylindrica Collyris, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 15. [298.
cylindricum Colydidium, J. C. Fabricius, Syst. Eleuth. II. 1801, 557.
cylindrica Conops, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 275.
cylindricus Cophosus, Dufts.; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
cylindricus Cophosus, Herbst; J. Sturm, Catal. Ins. Samml. 1826, 125.
cylindrica Corticaria, Kunze in Germar, Zeitschr. f. d. Entom. V. 1844, 35.
cylindrica Coscinopora (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.—
cylindricus Cossonus, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*]. [Retepora.
cylindrica Crioceris, F. E. Guérin-M., Iconographie, 1844, Ins. 263.
cylindrica Cryptomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832),
cylindrica Cucullaea, J. Phillips, Geol. Yorksh. I. 1829, 150 [*n. et f.*]. [57.
cylindricus Curculio, J. C. Fabricius, Ent. Syst. I. 1792, 417.
cylindricus Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 28 [*n. n.*].
cylindrica Cyathina, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850,
cylindricum Cyclostoma, H. E. Anton, Verz. Conch. 1839, 54. [45.
cylindricus Cylistus, Payk.; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 129.—Hister.
cylindrica Cypraea, Dufresne, Dict. Sci. Nat. XLIII. 1826, 26.
cylindrica Cypricardia, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 60.
- cylindrica** Cypris, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 47.
cylindricum Cyrtoceras, A. Fahrenkohl, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 779.
- cylindrica** Cyrtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 328.
cylindricum Cystiphyllum, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 691. [Asterias.
- cylindricus** Dactylosaster (Lam.), J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 283.—
cylindricus Dasypogon, J. C. Fabricius, Syst. Antliat. 1805, 165.—Asilus, 1794.
cylindricus Dasytes, Dejean, Catal. Coléopt. 1821, 39 [*n. n.*].
cylindricum Dentalium, J. Sowerby, Min. Conch. I. 1815, 179.
cylindrica Desoria, Nicolet, Bibl. Univ. (Genève) XXXII. Ap. 1841, 385; Echo Monde Savant, VIII. 30 June 1841, 371. [1840, 500.
- cylindrica** Diazona, F. Dujardin in Lamarck, H. N. Anim. s. Vert., ed. 2, III. Feb.
cylindrica Dichotomaria (S. & E.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 201.—Corallina, 1786.
cylindrica Dila (Herbst), G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 115.—Blaps, 1799.

- cylindrica** Dinera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 308. [—Galerites.
- cylindrica** Discoidea (Lam.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 92.
- cylindricus** Dyschirius (Dej.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Aug. 1827, 41.—Clivina. [1837, 192.—Galerites.
- cylindrica** Echinolampas (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49)
- cylindrica** Eginia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cylindricus** Elater, Payk.; Dejean, Catal. Coléopt. 1821, 31 [n. n.]. [1830, 503.
- cylindrica** Elis, J. C. Fabricius, Syst. Piezat. 1804, 249.—Scolia, 1793.
- cylindricum** Emathion, Laporte, Revue Entom. III (4) 1835, 171.
- cylindrica** Eteone, A. S. Orsted, Naturhist. Tidsskrift, IV (2) 1842, 122.
- cylindrica** Eudea (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.—Chenen-
- cylindricus** Eumolpus, Hoff.; Dejean, Catal. Coléopt. 1821, 125 [n. n.]. [dopora.
- cylindrica** Favosites, H. Michelin, Icon. Zoophyt. (24-27) 1847, 255. [1784.
- cylindrica** Feronia (Herbst), Dejean, Spec. gén. Coléopt. III. 1828, 335.—Carabus,
- cylindrica** Filaria, Mehlis in Creplin in Gurlt, Arch. f. Naturg. XII (1) 1846, 131.
- cylindrica** Funiculina, Lamarck, An. s. vert. II. 1816, 423.
- cylindrica** Fusulina, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 330.
- cylindrica** Galaxaura (S. & E.), J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 22.—
- cylindricus** Galerites, Lamarck, An. s. vert. III. 1816, 23. [Corallina, 1786.
- cylindricus** Geniates, H. Burmeister, Handb. Ent. IV (1) 1844, 514.
- cylindrica** Glandulina, J. L. Neugeboren, Verh. siebenb. Ver. Nat. (4) 1850, 53.
- cylindrica** Glandulina, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 271.
- cylindricus** Goniaspidium, H. Burmeister, Handb. Ent. IV (1) 1844, 128.
- cylindricus** Gryllus, Marschall, Ann. Wiener Mus. I [2] 1836, 209. [Hylaesus, 1793.
- cylindricus** Halictus (Fab.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 352.—
- cylindricus** Hamites (Defr.), H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 189.—
Baculites c—acea.
- cylindrica** Hamularia (Z.), C. A. Rudolphi, Entoz. II (1) 1809, 83.—Tentacularia.
- cylindricus** Helcon, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 183.
- cylindricus** Helicites, E. F. v. Schlotheim, Die Petref. 1820, 109.
- cylindrica** Helix (Cochlogena), Péron in A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 60 [n. n.].
- cylindricus** Helops, Dejean, Catal. Coléopt. 1821, 70 [n. n.].
- cylindricus** Hippalimus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.
- cylindricus** Hister, G. Paykull, Mon. Hister. 1811, 91. [—Scyphia.
- cylindricus** Hister, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 178.
- cylindrica** Holozoa, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 439.
- cylindrica** Hydrophoria (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 299.—Egina.
- cylindricus** Hylecaetus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 251 [n. n.].
- cylindricus** Hylurgus, Ziegl.; Dejean, Catal. Coléopt. 1821, 100 [n. n.].
- cylindrica** Iasis (Cuv.), J. C. Savigny, Mém. An. s. Vert. (2) 1816, 235.—Salpa.
- cylindrica** Isotoma, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 372.—
Desoria, 1841. [Leucosia [non comp.].
- cylindricus** Ixa (Latr.), W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 334.—
- cylindrica** Ixa (Herbst), A. White, List Crustacea Coll. B. M. 1847, 50.—Cancer, 1783.
- cylindrica** Lachnaea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 186.
- cylindricus** Lamia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 279.—Ceram-
byx, 1758.
- cylindrica** Lema, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 46.
- cylindrica** Lepralia, A. H. Hassall, Ann. Mag. N. H. VII. July 1841, 368.
- cylindricus** Leptogaster (De G.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 343.—Asilus, 1776. [1829, 33.—Elater, 1792.
- cylindricus** Limonius (Rossi), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan.
- cylindricus** Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 501.—Curculio, 1792.
- cylindricus** Lixus, Ziegl.; Dejean, Catal. Coléopt. 1821, 97 [n. n.].
- cylindrica** Lobophyllia (Ph.), H. Michelin, Icon. Zoophyt. (7) 1843, 90.—Caryophyllia.

- cylindrica* Loxocera, T. Say, J. Acad. Nat. Sci. Philad. III, July 1823, 98.
cylindrica Lydella (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II, 1835, 138.—Tachina, Fall.
cylindricum Lymexylon, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 41 [*n. n.*].
cylindrica Lyonsia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—Cypriocardia. [81.
cylindricus Madopterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 1844.
cylindrica Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 9, May 1846.
cylindrica Marginella, G. B. Sowerby, II., Thes. Conch. I (7) *ante* 27 Nov. 1846, 390.
cylindrica Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 258 [*n. n.*].
cylindrica Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) *c.* Jan. 1851, 475.
cylindrica Medina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, 1830, 139.
cylindrica Megacephala, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 1 [*n. n.*].
cylindrica Meigenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, 1830, 199. [269.
cylindrica Melania, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849], 1849.
cylindrica Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 174; & App. 1817, 83. [I. 1823, 323.
cylindrica Millepora, T. Say in Long, Exped. Rocky Mts. I. 1823, 147; & London ed., 1823, 21. [cida.
cylindrica Modiola, C. F. F. Krauss, Südafrik. Moll. 1848, 21.
cylindrica Molanna (Pict.), H. Burmeister, Handb. Ent. II (2) ii, 1839, 922.—Mysta-
cylindrica Monas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 59.—
 Bacterium, 1830.
cylindrica Monas (Eumonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 26.
cylindrica Montacuta, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247 [*n. n.*].
cylindrica Moscata (Ren.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847, 81.—
 Actinia.
cylindricus Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 132.
cylindrica Musca, C. F. Fallen, K. Vet. Ac. Handl. 1816 (2) 1817, 242.
cylindrica Mylabris, Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
cylindrica Mystacida, F. J. Pictet, Rech. Phrygan. 1834, 164.
cylindrica Myzine (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 269.—
cylindrica Myzine (Fab.), M. Spinola, Ins. Liguriae, I. 1806, 79.—Elis. [Sapyga.
cylindricum Nematidium (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 275.—Colydium.
cylindricus Nematius, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 24.
cylindrica Nemopoda (Fab.), F. Walker, Entom. Mag. I (3) Ap. 1833, 251.—Musca, 1794. [350.—Sepsis, Fall.
cylindrica Nemopoda (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 1838.
cylindrica Nemopoda (Fab.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 499.—
 Calobata. [Perla, 1778.
cylindrica Nemoura (De G.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 293.—
cylindrica Nerinea, Voltz, L'Institut, 30 Dec. 1835, 426 [*n. n.*]; N. Jahrb. f. Min. 1836, 542.
cylindrica Nerinea, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 187.
cylindrica Novia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, 1830, 211.
cylindrica Nucula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 69.
cylindrica Nyctipates (Herbst), A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 1848.
cylindrica Ocyptera, J. C. Fabricius, Syst. Antliat. 1805, 313. [290.—Tenebrio, 1784.
cylindrica Odontocera, J. G. Audinet-S., Ann. Soc. Ent. France, II (4) *c.* Mar. 1834, 1834.
cylindrica Odostomia, J. Alder, Ann. Mag. N. H. XIII. May 1844, 326. [548.
cylindrica Oliva, S. Borson, Cat. coll. min. Mus. [Turin] 1830, 608 [*n. n.*].
cylindrica Oliva, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 45.
cylindrica Omalomorpha, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 44.
cylindricum Opatrum, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 44 [*n. n.*].

- cylindrica** Ophiaster (Lam.), J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1840, 103.—Asterias.
- cylindricus** Orthacanthus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 143 (1843); III. 177 (1843) [*n. et f.*].
- cylindrica** Orthis, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 123.
- cylindricum** Orthosoma (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 156.—Prionus, 1781.
- cylindricus** Osorius, Klug in Latreille, N. Ann. Mus. H. N. (Paris) I [1] May 1832, 86.
- cylindricus** Ovis, E. Blyth, Proc. Zool. Soc. London, VIII (90) Mar. 1841, 68.
- cylindricus** Oxylaemus (Panz.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 283.—Lyctus, 1796.
- cylindricus** Oxyomus (Esch.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 262.—Psammodius.
- cylindricus** Oxystomus, Dejean, Spec. gén. Coléopt. I. 1825, 410.—Scarites, 1821.
- cylindricus** Pachnephorus, Hoffmannsegg in H. C. Kuester, Käfer Europas, IV. 1846, 92.
- cylindricum** Palaeosaurus, H. Riley & S. Stutchbury, Proc. Geol. Soc. London, II. 1836,
- cylindricus** Paramecus, Dejean, Spec. gén. Coléopt. IV. 1829, 44. [398.
- cylindrica** Parasmilia, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 50.
- cylindrica** Parthenia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 231.—Ocyptera.
- cylindricus** Pentacrinus, P. J. E. Desor, Bull. Soc. Sci. Nat. Neuchâtel, I (19) 1845, 220.
- cylindricus** Pentacrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 383.
- cylindrica** Percis (Bl.), H. Cloquet, Dict. Sci. Nat. XXXVIII. 1825, 424.—Sciaena, 1792. [Fische (10) 1828, 19.
- cylindrica** Percis, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.),
- cylindrica** Peritricha, Bory de St V., Ency. Méth. (Zooph.) 1827, 615.
- cylindricus** Phileurus, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 47.
- cylindrica** Pholadomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 335.
- cylindricus** Pholas, J. Sowerby, Min. Conch. II. 1818, 223.
- cylindrica** Phorocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 137. [1843, 77.
- cylindrica** Physa, Newcombe *in litt.* [*non* Lea]; J. E. De Kay, N. H. New York (Moll.),
- cylindricus** Physalus, B. G. E. de Lacepède, H. N. Cétac. 1804, p. xl.
- cylindricus** Physeter, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 525.
- cylindrica** Phytoecia (L.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 207.—Cerambyx, 1758.
- cylindrica** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 124.
- cylindrica** Pinnixa (Say), A. White, Ann. Mag. N. H. XVIII. Sept. 1846, 177.—Pinnotheres.
- cylindricum** Pinnotheres, T. Say, Journ. Acad. Nat. Sci. Philad. I. Dec. 1818, 452.
- cylindricus** Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [*n. n.*].
- cylindricus** Planorbis, J. Sowerby, Min. Conch. II. 1816, 90.
- cylindricus** Platypus, Dejean, Catal. Coléopt. 1821, 101 [*n. n.*].
- cylindricum** Platysoma (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 114.—Hister.
- cylindricus** Pleuracanthus, P. Egerton, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 196 [*n. n.*].
- cylindricus** Pleuracanthus, J. L. R. Agassiz, Poiss. Foss. I., Tableau (1844), p. xxxiv [*n. n.*].
- cylindricus** Podocerus, T. Say, J. Acad. Nat. Sci. Philad. I (14) Oct. 1818, 387.
- cylindricum** Polyclinum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III. (1835), 618.
- cylindrica** Porites, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 559.
- cylindrica** Prionophora, J. O. Westwood, Cab. Orient. Entom. 1848, 85.
- cylindricus** Psammodius, J. F. Eschscholtz, Entomographien, I (1) 1822, 11.
- cylindricus** Pterostichus (Herbst), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 33.—Carabus, 1784.
- cylindricus** Ptilinus, E. F. Germar, Reise Dalm. 1817, 202.
- cylindrica** Ptilocera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- cylindricus** Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 83. [170.—Novia.

- cylindrica* Pupa, Michaud, Bull. H. N. Soc. Linn. Bordeaux, III (18) 1829 [? 1830], 268.
- cylindrical (sic)* Pupa, T. Hutton, J. Asiat. Soc. Bengal, III. 1834, 93.
- cylindrica* Pupilla (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Pupa.
- cylindricus* Pygaulus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 159.
- cylindrica* Pyrina, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 329.
- cylindrica* Retepora, H. Michelin, Icon. Zoophyt. (13-19) 1845, 146.
- cylindrica* Rhina, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 66 [*n. n.*].
- cylindricus* Rhynchites, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 16 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 198.
- cylindricus* Rhyzophagus (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—
Lyctus, 1796. [1830, 146.]
- cylindrica* Roeselia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cylindricus* Rotidus, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 163.
- cylindricus* Salmo, J. G. Schneider, Bloch, Syst. Ichth. 1801, 417 & 421.
- cylindrica* Salpa, G. Cuvier, Ann. Mus. H. N. (Paris) IV (23) July 1804, 381.
- cylindrica* Salpa, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 274.
- cylindrica* Sapyga, G. W. F. Panzer, Ins. Germ., heft 87, 1801-2, tab. 19.
- cylindrica* Sargella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 675.
- cylindrica* Sargus (Fab.), G. F. Hentsch, Epit. Ent. Fab. 1804, 209.—Musca, 1794.
- cylindrica* Scaphophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
- cylindricus* Scarites, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]. [278.]
- cylindrica* Scirpearea, H. R. Schinz in Cuvier, Thierreich, IV. 1825, 198.
- cylindrica* Scleroderma, J. O. Westwood, Tr. Entom. Soc. Lond. II (3) July 1839, 168.
- cylindrica* Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 5.
- cylindrica* Scyphia, *var.* rugosa, G. A. Goldfuss, Petref. Germ. I (2) 1829, 86.
- cylindricus* Scyphius, C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 21.
- cylindrica* Sepsis (Fab.), C. F. Fallen, Ortalides Sveciae (2) 1820, 22.—Calobata.
- cylindrica* Siphonia, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 209.
- cylindrica* Siphonia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 5.
- cylindrica* Siphonophyllia, F. M'Coy in Griffith (*ex* Scouler MS), Not. foss. Mtn. Lst. Ireland, 1842, 9 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 187.
- cylindrica* Sphenia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 245 [*n. n.*].
- cylindricus* Spirocyclistus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 101.
- cylindrica* Spongia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 169.
- cylindricus* Staphylinus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 519.
- cylindrica* Stellispongia (Roem.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 287.—
Scyphia, Goldf.
- cylindricus* Strombus, W. Swainson, Zool. Illust. (1) I (9) June 1821, pl. 53.
- cylindricus* Syrphus, T. Say, Amer. Entom. I. 1824, pl. xi.
- cylindrica* Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 267.
- cylindrica* Tachina (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 258.—
Meigenia.
- cylindrica* Tagenia, Dejean, Catal. Coléopt. 1821, 64 [*n. n.*].
- cylindrica* Tentacularia, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 45.
- cylindrica* Tenthredo, G. W. F. Panzer, Ins. Germ., heft 71, 1799, tab. 7.
- cylindrica* Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 353.
- cylindrica* Tephrytis, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 767.
- cylindrica* Tetragnatha, C. A. Walckenaer, Tab. Aran. 1805, 69 [*n. n.*].
- cylindrica* Thecosmilia (Ph.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 271.—Caryophyllia.
- cylindrica* Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 224.
- cylindrica* Torinia, J. E. Gray, Figs. Moll. Anim. IV. 1850, 79.
- cylindricus* Toxoceras, Baugier & Sanzé, Mém. Soc. Stat. Deux-Sèvres, VII. 1843, 134.
- cylindrica* Trachelomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 315.
- cylindrica* Trilocolina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 300 [*n. n.*].

- cylindricus** Trioplus (Mannerh.), H. Burmeister, Handb. Ent. V. 1847, 148.—Phileurus.
cylindrica Trogossita, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 719.
cylindrica Trogossita, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
cylindrica Turbinolia, G. Michelotti, Spec. Zoophyt. diluv. 1838, 73.
cylindrica Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 121.
cilindrica Turritella, Münster. *var.* obliquo-costata, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 179.
cylindrica Uloma, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*].
cylindrica Uloma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 90 [*n. n.*].
cylindricus Unio, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.) 1819, sign. C 4.
cylindrica Upis, E. F. Germar, Linnaea Entom. III. Apr. 1848, 198.
cylindrica Vaginarina, F. v. P. Schrank, F. Boica, III (2) 1803, 142.
cylindrica Vertigo, J. B. Férussac, Essai Méth. Conch. 1807, 52.
cylindricus Xyletinus, Germ.; Dejean, Catal. Coléopt. 1821, 40 [*n. n.*].
cylindrides Callidium, E. Newman, Entom. Mag. V (4) Ap. [*i. e.* July] 1838, 394.
cylindriformis Amblycheila, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 409.—
Manticora, 1823. [—Elater.
cylindriformis Corymbites (Herbst), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 64.
cylindriformis Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
cylindriformis Elater, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 176.
cylindriformis Elater, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 93.
cylindriformis Manticora, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 139.
cylindriformis Omus (Say), Reiche, Ann. Soc. Ent. France, VII (2) *post* June 1838, 302.
—Amblycheila.
cylindriformis Peptoptera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 240.
Cylindrina F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—G.
Cylindrinotus F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 73.—Col.
cylindronotus Parallelomorphus (Fald.), V. v. Mochulski, Käfer Russl. *post* May 1850,
19.—Scarites.
cylindrinotus Scarites, F. Faldermann, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 363.
cylindripes Apiomerus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 231.—Reduvius.
cylindripes Hemerobius, C. Wesmael, Bull. Ac. Roy. Brux. VIII (1) 1841, 218.
cylindripes Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 275.
Cylindripora E. Eichwald, Zool. Spec. I. 1829, 190.
cylindrirostris Cossonus, A. G. Olivier, Entom. V. 1807, 427.
cylindrirostris Crocodilus, Krüger, Arch. Neueste Entdeck. Urwelt, VI (2) 1824, 249.
cylindrirostris Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
766. [meth. 1826, 224.—Rhynchaenus.
cylindrirostris Orthorhinus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 582; Curc. disp.
cylindrirostris Rhinobatus, Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
cylindrirostris Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 463.—Curculio,
cylindrirostris Rhyncolus, Ol.; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*]. [1775.
cylindrirostris Rhyncolus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
1071.
Cylindrites J. De C. Sowerby, Min. Conch. V (78) 1824, 77.—G.
Cylindrites J. Lycett, Ann. Mag. Nat. Hist. (2) VI. Dec. 1850, 418.—G. [Col. [*n. n.*].
Cylindrocercus C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 310.—
Cylindrocorynus C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 231.—Col.
Cylindrodera E. Newman, Ent. Mag. I. 1833, 509; *err.* Scudder *pro* Cylindera, *q. v.*
Cylindroderus Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 94 [*sine typo*];
Latreille, Ann. Soc. Ent. France, III (1) Mar. 1834, 163.—Col.
Cylindroides J. Huebner, Epist. 1810; Férussac, Tabl. Syst. Moll. 1821–22, Prodr., 87.—G.
Cylindroides G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 785.—Orth.
cylindrodon Palaeosaurus, H. Riley & S. Stutchbury, Tr. Geol. Soc. London [2] V. 1840,
Cylindroides G. R. Gray, Mag. Nat. Hist., n. s., I. Mar. 1837, 141.—Orth. [352.
cylindroides Bulla, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 40.
cylindroides Conger, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. IV. 1840, 81. [136.
cylindroides Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],

- cylindroides** Lixus (Sparrm.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 44.—Curculio, 1785.
- cylindroides** Modiolus, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 252 [*n. n.*].
- cylindroides** Polymorphina, F. A. Roemer, N. Jahrb. f. Min. 1838, 385.
- cylindroideus** Conger, C. Ranzani, Mem. Stor. Nat. III. 1844, De Nov. Pisc. (1) 1840, 19.
- cylindroidea** Metopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 130.—Medina cylindrica.
- Cylindromya** L. Oken, Lehrb. Naturg. III. 1815, 498.—Dipt.
- Cylindromyia** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 279.—Dipt.
- Cylindronotum** J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 374.—Col.
- Cylindronotus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cylindrinotus, **cylindronotus** *v.* **cylindrinotus**. [Fald.]
- cylindro-pastica** Blaps, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, V. 1832, 133.
- Cylindrophis** J. Wagler, Descr. Icon. Amph. (1) 1828, tab. 5; Nat. Syst. Amph. 1830, 195.—R.
- Cylindrophora** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 502.—Col.
- “**Cylindrorhinus** Guérin,” Voy. “Coquille,” 1830; *teste* Agass., Nom. Zool. (Col.), 50 [*non comp.*, *v.* Cyldrorhinus].
- “**Cylindrorrhinus** = Cylindrorhinus, Guérin”; *teste* Scudder, Nom. Zool. (1) 1882, 96 [*non comp.*, *v.* Cyldrorhinus].
- Cylindrosoma** J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 58 & 93.—R.
- Cylindrosoma** J. E. Gray in Todd, Cyclop. Anat. III (1843), 546.—Myr.
- Cylindrosteus** C. S. Rafinesque, Ichth. Ohiensis, 1820, 72.—P.
- Cylindrostoma** A. Orsted, Naturhist. Tidsskrift [2] I (4) 1845, 416.—Verm.
- Cylindrothorus** A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 216 & 262.—Col.
- Cylindrotoma** J. Mocquart (Roret's Suite à Buffon), Diptères, I. 1834, 107.—Dipt.
- Cylindrurus** L. Fitzinger, Syst. Rept. 1843, 19.—R., *typus* Odatria punctata, Gray.
- Cylindrus** *emend. pro* Cylinder, Montf., Deshayes, Dict. Class. H. N. V. 1824, 236.—G.
- Cylindrus** L. J. Fitzinger, Beitr. Landeskr. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 107.—G.
- cylindrus** Aphanisticus, Villa & Villa, Coleopt. Europ. 1833, Suppl. 1835, 48.
- cylindrus** Bagous, Gyll.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
- cylindrus** Brentus, N. T. Lund, Skr. nat. Selsk. [Copen.] V (2) 1802, 77.
- cylindrus** Bulla, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX. (3) Dec. 1846, 250.
- cylindrus** Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 15.
- cylindrus** Chelonus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 291.—Sigalphus.
- cylindrus** Cylindrella (*ex* Chem.), L. Pfeiffer, Symb. Helic. II. 1842, 136.—Turbo.
- cylindrus** Cyprus (Gyll.), C. J. Schoenherr, Isis (Oken), 1825, 585.—Rhynchaenus.
- cylindrus** [Helix] (Cochlodina), A. E. Férussac (*ex* Chemn.), H. N. g. et p. Moll., Tabl. Limaçons, 1821, 65.
- cylindrus** Holotrochus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 758.
- cylindrus** Lyprus, Schoenh., Curc. disp. meth. 1825, 288; *v.* cylindrus Cyprus.
- cylindrus** Meandrina, Ehrh.; J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 265.—M. (Dendrogyra).
- cylindrus** Meandrina (Dendrogyra), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 324.
- cylindrus** Passalus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 163.
- cylindra** Pupa (Fér.), J. E. Gray, Ann. Phil. XXV. 1825, 413.—Helix.
- cylindrus** Pupa, C. T. Menke, Syn. meth. Moll. 1828, 18 [*n. n.*].
- cylindrus** Pupa (Dillw.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 194.—Turbo.
- cylindrus** Rhynchaenus (Payk.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 78.—Curculio, 1800.
- cylindrus** Rhyncolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1060.
- cylindrus** Sigalphus, Klug in Nees v. E., Ges. Nat. Freunde Berlin, Mag. VII (4) 1813 [1815], 268.
- cylindrus** Turbo, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 862.

- cylindrus** Urocoptis (Dillw.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Turbo.
- Cylindulus** C. S. Rafinesque, Analyse, 1815, 145.—G. [*n. n.*]
- Cylindusia** C. S. Rafinesque, Analyse, 1815, 97.—Cr. [*n. n.*]
- Cylistus** Godet in Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 129.—Col.
- Cylistus** F. Klug, Ber. Verh. k. pr. Ak. Wiss., 1837, 123; Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 354.—Col.
- cyllaris** Melipotis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 261.—Phalaena, 1779.
- cyllaria** Noctua (Cram.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 258.—Phalaena, 1779.
- cyllarus** Asaphus, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 3. [1793.]
- cyllarus** Lycaena (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 25.—Hesperia,
- cyllarus** Polyommatus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 120.—Hesperia, 1793.
- cyllarus** Thecla (Cr.), E. Doubleday, List Lepid. Coll. B. M. (2) 1847, 35.—Papilio, 1773.
- cyllarus** Zephyrus (Fab.), J. W. Dalman, K. Vet. Ac. Handl. 1816, I. 1816, 95.—?Hesperia, 1793.
- Cyllecoris** C. W. Hahn, Wanzenart. Ins. II (4) July 1834, 97.—Hem.
- Cyllene** J. E. Gray in Griffith's Cuvier, Anim. Kingdom, Moll. etc. 1834, 597; & in G. B. Sowerby, II., Conch. Man. 1839, 34.—G.
- Cyllene** E. Newman, Entomologist (1) Nov. 1840, 7.—Col. [245 [*n. et f.*].]
- cyllene** Catagramma, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1850),
- Cyllenia** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 429.—Dipt.
- cyllenia** Ploas, Lamarck, An. s. vert. III. 1816, 408. [151.]
- cylleniformis** Voluta, G. B. Sowerby, I., Proc. Zool. Soc. London, XII (139) Dec. 1844,
- Cyloidium** W. F. Erichson, Käfer Mark Brand. I (1) 1837, 211.—Col.
- Cylo** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 140.—Lep.
- Cyloceria** G. Schiodte, Rev. Zool. (Soc. Cuv.) July 1838, 140.—Hym.
- Cylocoris** Hahn, Wanzenart. Ins. III (1) Aug. 1835, 10 [*v.* Cyllecoris, 1834].
- cylocoroides** Capsus, Scholz, Uebers. Arb. schles. Ges. 1846 (1847), 133.
- Cylloides** W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 342.—Col.
- Cyloepus** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 521.—Col.
- Cyloetus** Erichson, 1847; *teste* Marschall, *sed err. pro* Cyloepus, *q. v.*
- Cyllumus** Haliday in J. Curtis, Guide Brit. Ins. (4) 1829-30, 113.—Hym. [*n. n.*].
- Cylopopoda** Dalman, Anal. Entom. 1823, 102.—Lep.
- Cylopopodia** N. M. Hentz, Boston Journ. N. H. V. (4) 1847, 466.—M.
- Cylorhamphus** W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 208.—Col.
- Cyloscelis** J. Curtis, Ann. Nat. Hist. I (4) June 1838, 329.—Col.
- Cylogramma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cylogramma, Boisid.
- "**Cyhydrochinus** (=Cylindrochinus.) Col. Agassiz." *Teste* Scudder, Nom. Zool. (1) 1882, 96 [*non comp.*].
- Cylydrorhinus** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 119.—Col.
- Cyma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyma, Humph., 1797; Edw. 1828.
- cyma** Dioptis, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 9.
- Cymadura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*err. pro* Cymadusa, Sav.
- cymaeiformis** Spongia, E. J. C. Esper, Pflanzenth. Forts. II (10) 1806, 43.
- Cymathophora** *emend. pro* Cymatophora, Tr.; Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 71, 1829.
- Cymathophora** J. W. Zetterstedt, Ins. Lapp. descr. 1840, 933.—Lep.
- Cymathotes** E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 33.—Col.
- Cymatida** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 91.—Lep. [*sine typo*].
- cymatilis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, *errata* Sp. 421, ?Feb. 1850.
- Cymatium** [?Bolten], H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 119.—G.
- Cymatodera** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 375.—Col.
- Cymatodes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymatothes, Dej.
- Cymatogramma** E. Doubleday in J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 315.—Lep.
- Cymatoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymatida, Sodov.

- Cymatophora** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Cymatophora** F. Treitschke, Schmett. Europa, V (1) 1825, 77.—Lep.
- Cymatophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kymatophora, Treitsch.
- Cymatophorus** *emend. pro* Cymophorus, Kirby; Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. II (2) 1840, 361.
- Cymatopterus** J. F. v. Eschscholtz in Dejean, Cat. Coléopt., ed. 2 (1) Jan. 1833, 54.—
- Cymatotherium** J. J. Kaup, Akten der Urwelt, 1841, 11.—M. [Col.]
- Cymatotheres** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 208.—Col. [*sine typo*].
- cymatum** Monoceros, G. B. Sowerby, I. (*ex* Sol.), Cat. Shells Tankerville, 1825, 72.
- Cymazonita** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 91.—Lep. [*sine*]
- Cymba** G. B. Sowerby, I., Gen. Shells (28) 1826.—G. [*typo*].
- Cymba** Quoy & Gaimard, Ann. Sci. Nat. X (37) Jan. 1827, 15.—Coel.
- cymba** Cryptostoma, J. E. Gray, Figs. Moll. Anim. IV. 1850, 82.
- cymba** Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 95.
- cymba** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 232.
- cymba** Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 29.
- cymba** Planularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 260.
- cymba** Sigaretus, C. T. Menke, Syn. meth. Moll. 1828, 88.
- cymbaeformis** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 31, Feb. 1844. [173.]
- cymbaeformis** Crepidula, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
- cymbaeformis** Cypricardia, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 602. [*n. et f.*].
- cymbaeformis** Modiola, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 420
- cymbaeformis** Terebratula, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845,
- cymbalariae** Cleophana, F. Treitschke, Schmett. Europa, X (2) 1835, 118. [278.]
- cymbalariae** Erastria (Huebner.), F. Ochseneheimer, Schmett. Europa, IV. 1816, 92.—Omia.
- cymbalariae** Heliolitha (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (5) 1832,
- cymbalariae** Omia, J. Huebner, Verz. bekannt. Schmett. [1825], 244. [229.—Erastria.
- cymbalaria** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 92 (Fernaldo judice 1808) [*n. et f.*]. [loidea, 1770.]
- cymbalaroides** Dianaea (Slabber.), Lamarck, An. s. vert. II. 1816, 508.—Medusa cymba
- cymballoidea** Carybdea (Slabber), L. Oken, Lehrb. Nat. III (1) 1815, 124.—Medusa cymballoidea, 1770. [1843, 155.]
- cymbaloidea** Medusa (Thaumantias), Modeer; F. S. Voigt in Cuvier, Thierreich, VI.
- cymballoidea** Oceania, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 346. [Medusa, 1791.]
- cymbaloidea** Thaumantias (Mod.), J. F. Eschscholtz, Syst. Acalephen, 1829, 102.—
- cymbalum** Bulla, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 362.
- cymbalum** Helix, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 7.
- Cymbelia** D. F. Eschricht, Overs. K. Danske Vid. Selsk. Forhandl. 1837, 14.—Pter. [*gen. caelebs*]. [186.]
- Cymbicides** *err. pro* Cymricides, 1839; Costa, Atti R. Acc. Sci. (Napoli) IV (Zool.) 1839,
- cimbiciformis** Eristalis (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 385.—Syrphus.
- cimbiciformis** Sesia, J. F. Stephens, Ill. Brit. Ent. (Haust. I.) June 1828, 135.
- cimbiciformis** Syrphus, C. F. Fallen, Syrphici Sveciae (3) 1817, 27.
- cymbiciformis** Zetterstedtia (Fall.), C. Rondani, N. Ann. Sci. Nat. [2] II. 1844 [Jan. 1845], 452.—Syrphus.
- cimbicis** Mesochorus, J. T. C. Ratzeburg, Die Ichneum. I (*c.* Mar.) 1844, 149.
- cymbidii** Aspidotes, P. F. Bouché, Entom. Zeitung, Stettin, V (8) Aug. 1844, 296.
- Cymbidius** M. Spinola, Ess. Ins. Hémipt. 1837, 98.—Hem. [—Nautilus.]
- cymbiformis** Ammonites (Wulf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 182.
- cymbiformis** Anomia, Maton & Rackett (*ex* Schroet.), Tr. Linn. Soc. London, VIII. 1807, 104.
- cymbiforme** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 96.
- cymbiformis** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 12.
- cymbiformis** Nautilus, Wulfen, Abh. kärnth. Helminth. 1793, 120 [*non binom.*].

- cymbiformis** Pamphagus (Stoll), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 38.—Gryllus.
- cymbiformis** Physalia, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830,
- cymbiformis** Physalia, S. d. Chiaje, Descr. An. invert. Sicilia, IV. 1841, 117. [pl. 76.]
- Cymbilaimus** G. R. Gray, List Gen. Birds, 1840, 36.—A.
- Cymbiola** W. Swainson, Zool. Ill., ser. 2, II. 1831, no. 18.—G.
- Cymbiola** W. Swainson, Exot. Conch. (second issue) Part 3, June 1834, pl. 20 [*n. et f.*]; Hanley in *ibid.*, ed. 2, 1841, 18.—G.
- Cymbiola** J. E. Gray, Proc. Zool. Soc. Lond. 1847, 141.—G.
- cymbiola** Chiton, G. B. Sowerby, II., Mag. Nat. Hist., n. s., IV. June 1840, 292.
- cymbiola** Gryphaea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1832, 329.
- cymbiola** Lottia, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 151.
- cymbiola** Ostrea (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 425.—Gryphaea.
- cymbiola** Voluta, G. B. Sowerby, I (*ex Chemn.*), Cat. Shells Tankerville, 1825, 81.
- Cymbirhynchus** Vigors and Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 654.—A.
- Cymbium** Denys de Montfort, Conch. II. 1810, 554.—G.
- Cymbium** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- Cymbium** C. F. Schumacher, Ess. Vers test. 1817, 71 & 236.—G.
- Cymbium** A. E. Féruccac (*ex Adanson*), H. N. g. et p. Moll., Tabl. gén. 1822, p. xxxvi.
- cymbium** Anomia, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 38. [—G.]
- cymbium** Argonauta (Lam.), de Blainville, Dict. Sci. Nat. XLIII. 1826, 213.—Carinaria.
- cymbium** Carinaria (L.), Lamarck, An. s. vert. VII. 1822, 674.—Argonauta, 1758.
- cymbium** Gryphaea, Lamarck, An. s. vert. VI (1) 1819, 198.
- cymbium** Gryphoea, J. G. Children, Q. Journ. Sci. (R. Inst.) XV. Ap. 1823, 43.
- cymbium** Gryphaea (Schl.), H. G. Bronn, Zschr. Min. 1827, II (1828), 543.—Gryphites.
- cimbium** Gryphites, E. F. Schlothheim, Tasch. Min. 1813, 74.
- cymbium** Monostomum, C. M. Diesing, Syst. Helminth. I. 1850, 320.
- cymbium** Ostrea (Lam.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 238.—Gryphaea.
- cymbium** Patella, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 60.
- cymbium** Spiroloculina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 140.
- cymbium** Voluta, D. Solander, Catal. Portland Mus. 1786, 28 [*n. n.*].
- cymboides** Cristellaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 85.
- Cymbolaemus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymbilaimus,
- Cymbops** J. Wagler, Syst. Avium, I. 1827, sign. 915.—A. [Gray.]
- Cymborhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymbirhynchus, Vig.
- Cymborhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymbirhynchus,
- cymbula** Anodonta, A. & J. B. Villa, Syst. Conch. 1841, 61. [chus, Eyt.]
- cymbulus** Atys, Denys de Montfort, Conch. II. 1810, 343.
- cymbula** Cardita, Defrance, Dict. Sci. Nat. VII. 1817, 90.
- cymbula** Gryphaea, Lamarck, Syst. Anim. 1801, 398. [165.]
- cymbula** Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806,
- cymbula** Placosmilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848,
- cymbula** Terebratula, G. G. Pusch, Polens Paleont. (1) 1836, 25. [234.—Turbinolia.]
- cymbula** Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 288.
- cymbulare** Cardium, Lamarck, An. s. vert. VI (1) 1819, 19.
- cymbularis** Hippopus (Lam.), G. B. Sowerby, II., Gen. Shells (13) 1823.—Cardium.
- cymbularis** Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 17.
- cymbularia** Patella, Lamarck, An. s. vert. VI (1) 1819, 335. [—Pter.]
- Cymbulia** Péron & Lesueur, Ann. Mus. H. N. (Paris) XV (85) *inter* Ap.-Sept. 1810, 66.
- cymbuliae** Distoma, della Chiaje, Descr. e notom. invert. Napoli, 1841, 109 [*teste* Stiles]
- cymbuloides** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 422. [& H.]
- cymbulus** *v.* **cymbula**.
- Cymbirhynchus** T. C. Eyton, Ann. Nat. Hist. V (28) Mar. 1840, 52 [=Cymbirh. 1830].
- cymelia** Megisto (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 54.—Papilio cymela,
- cymelus** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 790. [1777.]
- Cymididis** *err. pro* Cymindis, Latr.; L. Gyllenhal, Ins. Suecica, I (2) 1810, 172.

- Cymindis** P. A. Latreille, Gen. Crust. et Ins. I. 1806, 190.—Col.
Cymindis G. Cuvier, R. Anim. I. 1817, 319.—A.
Cymindoidea Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 390.—Col.
cymindoidea Anchomenus, Dejean, Spec. gén. Coléopt. V. 1831, 731.
Cymindus S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842, 191.—A.
Cymo W. de Haan in Siebold, F. Japon. (Crust. 1833), 22.—Cr.
cymo Ithomia, J. Huebner, Verz. bekannt. Schmett. 1816, 9.
cymo Ithomia (Huebner.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 15.—
cymo Nereis, J. Huebner, Exot. Schmett., Tab. Nereis, 1806 [*n. et f.*]. [Nereis.]
cymochles Papilio, E. Doubleday, Ann. Mag. N. H. XIV. Dec. 1844, 416.
Cymodema M. Spinola, Ess. Ins. Hémipt. 1837, 213.—Hem.
Cymodice W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 427.—Cr.
Cymodocaea A. d'Orbigny, Voy. Amér. mérid. (Moll.) 1835, 71 & 77.—Pter.
Cymodoce W. E. Leach, Brewster's Edinb. Ency. VII (2) 1814, 433.—Cr.
Cymodoce J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 75.—Coel. [*n. n.*].
cymodoce Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 534.
cymodoce Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 22.
cymodoce Delphinus, J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 38.
cymodoce Kallima (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 325.—Papilio, 1777.
cymodoce Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 369.—Papilio,
cymodoce Perla, E. Newman, Mag. Nat. Hist., n. s., III. Jan. 1839, 37. [Cr. 1777.
cymodoce Trapezia (Herbst), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 11.—Cancer.
cymodoce Trapezium (Herbst), J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 117.—Cancer.
Cymodocea C. S. Rafinesque, Précis Som. 1814, 26; Analyse, 1815, 101.—Cr. [*n. n.*].
Cymodocea J. V. F. Lamouroux, Hist. Polyp. 1816, 214.—Coel.
Cymodocea W. E. Leach, Dict. Sci. Nat. XII. 1818, 342.—Cr.
Cymodocea A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 133.—Pter.
Cymodocea A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 4.—Pter. [*gen. caelebs*].
Cymodura L. Agassiz, Nomen. Zool. Index Univ.—*err. pro* Cymadusa.
Cymadusa J. C. Savigny, Mém. Anim. s. vert. I. 1816, 109.—Cr.
cymoides Artheneis, M. Spinola, Ess. Ins. Hémipt. 1837, 252.
cymon Lycaena (Gm.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 130.—Papilio,
cymon Papilio, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 4 [*n. n.*]. [Haw. ?
cymophanus Otiiorhynchus, E. F. Germar, Fauna Ins. Europ. (21) 1839, 13.
Cymophorus W. Kirby, Zool. Journ. III (10) July [*i. e.* Sept.] 1827, 153.—Col.
Cymopolia J. V. F. Lamouroux, Hist. Polyp. 1816, 292.—Plantae.
Cymopolia P. Roux, Crust. Médit. (5) 1830, pl. xxi.—Cr.
Cymosaria Lamarck, Mém. Mus. H. N. (Paris) I [6] Mar. 1816, 467.—Coel.
Cymospira de Blainville, Dict. Sci. Nat. LVII. 1828, 431.—Verm. [Spongia.
cymosus Hippalimus (Lamx.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 325.—
cymosa Scyphia (Lamx.), H. Michelin, Icon. Zoophyt. (24-27) 1847, 249.—Spongia.
cymosa Spongia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 88.
Cymothoe J. Huebner, Verz. bekannt. Schmett. 1818, 39.—Lep.
Cymothoë L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymothoe, Huebner.
cymothoe Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847),
cymothoe Melitaea, G. Bertolini, Ann. Stor. Nat. II (5) 1829, 239. [126 [*n. n.*].
Cymotomus W. Macgillivray, Man. Brit. Birds, II. 1842, 13.—A.
Cymricides O. G. Costa, Corrip. Zool. I. 1839, 69 [*n. n.*].—?
Cymura A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 4.—Hym.
Cymus C. W. Hahn, Wanzenart. Ins. I (2) Aug. 1832, 76.—Hem.
Cynaeda J. Huebner, Verz. bekannt. Schmett. 1826, 346.—Lep.
cynaedi Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 58 [*n. n.*].
Cynaedus W. Swainson, N. H. Fishes etc. II. July 1839, 173 & 229.—P.
cynaedus Picus, P. S. Pallas, Zoographia, I. 1811, 413. [63.
Cynaelurus *id. ac* Cynailurus, Wagler; C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841,

- Cynaelurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cynofelis, Less.
- Cynailurus** J. Wagler, Nat. Syst. Amph. 1830, 30.—M.
- Cynalicus** J. E. Gray, Ann. Mag. N. H. XVII. Ap. 1846, 293.—M.
- Cynalius** *err. pro* Cynalicus, Gray; J. E. Gray, List osteol. spec. B. M. 1847, 18.
- Cynalopex** C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 222.—M.
- cynanchi** Cetonia, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 17. [Cetonia.]
- cynanchi** Euphoria (G. & P.), Klug in H. Burmeister, Handb. Ent. III. 1842, 384.—
- cynanchi** Stalagmosoma (Klug), H. Burmeister, Handb. Ent. III. 1842, 808.—Cetonia.
- Cynanthus** W. Swainson, Phil. Mag., n. s., I (6) June 1827, 441; Zool. Journ. III (11) Dec. 1827, 357.—A.
- Cynanthus** Boie, Isis (Oken), 1831, 547.—A.
- Cynanthus** W. Jardine, Humming Birds, I (Nat. Libr. III.) 1833, 169.—J. calls this a subfamily but he uses the word generically. [1777.]
- cynara** Argynnis, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 283.—Papilio,
- cynarae** Agapanthia (Germ.), H. C. Kuester, Käfer Europas, VII. 1846, 67.—Saperda.
- cynarae** Cryptocephalus, E. Suffrian, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 286.
- cynarae** Larinus (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 382.—Rhynchaenus.
- cynarae** Lixus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 123.—Rhynchaenus.
- cynarae** Lycastes (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 118.—Sphinx, 1789,
- cynarae** Rhinobatus, Fab.; Dejean, Catal. Coléopt. 1821, 97 [*n. n.*] [*infra.*]
- cynarae** Rhinobatus, Germ.; Dejean, Catal. Coléopt. 1821, 97 [*n. n.*].
- cynarae** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 441.—Curculio, 1787.
- cynarae** Saperda, E. F. Germar, Reise Dalm. 1817, 222.
- cynarae** Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. 1789, 2.
- cynarae** Syricthus, Boisduval, Gen. Index Europ. Lepid. 1840, 36. [Esp.]
- cynarae** Zygaena (Huebn.), F. Ochsenheimer, Schmett. Europa, II. 1808, 42.—Sphinx,
- cynaralis** Euclystis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 341.—Phalaena
- Cynchramus** F. Boie, Isis (Oken), 1826, 974.—A. [cynara, 1775.]
- Cynclorhamphus** C. L. Bonaparte, Consp. gen. Avium, 1850, 279 [=Cinclo→].
- Cynedus** C. S. Rafinesque, Analyse, 1815, 86.—P. [*n. n.*] [*typo.*]
- Cynegetis** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 437.—Col. [*in* *Sene*
- Cynegetis** Redtenbacher, Tent. disp. Col. Pseudotr. 1843, 13.—Col. [*teste* Scudder].
- Cynelos** Jourdan in Gervais, Zool. Pal. Franç. II. expl. pl. 28, p. 14.—M. [*? ante* 1851].
- cynera** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 202. [13.]
- cyneus** Echinus, G. D. Nardo (*ex* Chierieghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- cynea** Phleusa, G. D. Nardo (*ex* Chierieghini MS), Sin. mod. spec. Lag. Veneto, 1847, 6.
- Cynhyaena** F. Cuvier, Dict. Sci. Nat. LIX. 1829, 454.—M.
- Cynichthys** W. Swainson, N. H. Fishes etc. II. July 1839, 168 & 201.—P. [—P.]
- Cynicoglossus** C. L. Bonaparte, Icon. Fauna Ital., descript. of *Platessa passer* (19) 1837.
- Cynictis** W. Ogilby, Proc. Zool. Soc. London, I (4) May 1833, 48.—M.
- Cynictis** H. M. D. de Blainville, Ostéogr. (Viverras, 1842), 49.—M.
- Cynicus** J. Gistel, Nat. Thierr. 1848, p. viii.—Pol.
- cynicus** Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 128 [*n. n.*].
- cynicus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 79.
- cynica** Pentatoma, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- cynipiformis** Stibula (Rossi), M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 150.—Ichneumon, 1792.
- cynipidis** Callimone (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Ichn. 1761.
- cynipidis** Chalcis (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 316.—Diplolepis.
- cynipidis** Diplolepis (L.), J. C. Fabricius, Syst. Piezat. 1804, 152.—Ichneumon, 1761.
- cynipidis** Evania, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 154.
- Cyniphes** Costa, 1843; *teste* Marshall *sed err. pro* Ciniphes, *q. v.*
- cyniphidum** Elachestus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 174.
- cyniphidum** Genocerus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 175.
- cyniphidum** Torymus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 178.
- cyniphis** Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 93.
- Cyniphus** C. Rondani, 1843; *teste* Scudder *sed err. pro* Ciniphes, Costa, *q. v.*
- cynipiformis** Aegeria (Ochs.), G. Samouelle, Entom. Comp., June 1819, 453.—Sesia.

- cynipiformis** Sesia (Huebner), F. Ochsenheimer, Schmett. Europa, II. 1808, 151.—Sphinx.
cynipiformis Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 19 (Fernaldo judice 1802-08) [*n. et f.*]. [Sphinx, 1783.]
- cynipiformis** Synanthedon (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 129.—
cynipiforme Trochilium (Esp.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 38.—
cynips Euura, E. Newman, Entom. Mag. IV (3) Jan. 1837, 260. [Sphinx, 1783.]
cynipsea Decatoma (Boh.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 13.—Eurytoma.
- cynipsea** Eurytoma, Dalman in Boheman, K. Vet. Ac. Handl. 1835 (1836), 229.
cynipseus Litus, A. H. Haliday, Entom. Mag. I (4) July 1833, 345. [1758.]
cynipsea Micropeza (L.), Latreille, N. Dict. H. N., ed. 2, XX. 1818, 520.—Musca,
cynipsea Sepsis (De G.), C. F. Fallen, Ortalides Sveciae (2) 1820, 23.—Musca, L. 1758.
cynipsea Tephritis (L.), J. C. Fabricius, Syst. Antliat. 1805, 324.—Musca, 1758.
cynipsillum *emend. pro* Cynipsillum, Lam.; L. Agassiz, Nom. Zool. (Hym.) 1845, 10.
Cynira G. Silbermann, Revue Entom. V (2) c. Sept. 1838, 107.—Col.
cynira Eacles (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 154.—Phalaena, 1777.
cynira Euselasia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 24.—Papilio, 1777.
cynira Papilio, P. Cramer, Utitl. Kapellen, II (13) 1777, 89.
Cynisca J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 71.—R.
cynisca Heliconia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 205.
cynisca Hesperia, W. Swainson, Zool. Illust. (1) I (7) Ap. 1821, pl. 40.
cynniris *v.* cinnyris.
- Cynocephalus** Boddaert, Dierk. Mengelw. II. 1768, 1.—M. [*typus* Lemur volans, L.; *teste* Palmer, Ind. gen. Mamm., 210].
- Cynocephalus** Geoffroy & Cuvier, Mag. Ency. III (12) 1795, 462.—M.
cynocephalus Alligator, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July 1836, 86.
- cynocephala** Cheilosia, H. Loew, Posener Zweiflügler, 1840, 32; Isis (Oken), 1840, 569.
cynocephalus Damaeus, C. L. Koch, Deutsch. Crust., heft 30, 1839, tab. 8.
cynocephalus Dasyurus (Harris), E. Geoffroy, Ann. Mus. H. N. (Paris) XV (88) *inter* Ap.—Sept. 1810, 306.—Didelphis.
- cynocephala** Didelphis, G. P. Harris, Tr. Linn. Soc. London, IX. 1808, 174. [558.]
cynocephala Hyla, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,
cynocephalus Molossus (Le C.), W. Cooper, Ann. Lyceum N. H. New York, IV (1-4) Nov. 1837, 65.—Vespertilio. [102.—Simia, 1766.]
- cynocephalus** Papio (L.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1810,
cynocephalus Paracyon (Harris), J. E. Gray, List Mamm. Coll. B. M. 1843, 97.—Didelphis [Paracyon in Index].
- cynocephalus** Paracyon, J. E. Gray, List osteol. spec. B. M. 1847, 29.
cynocephalum Sicydium, Cuvier & Valenc., H. N. Poiss. XII. 1837, 177.
cynocephala Terebratula, de Verneuil, Bull. Soc. géol. France, XI. 1840, 263.
cynocephalus Thylacinus (Harris), J. B. Fischer, Syn. Mamm. 1829, 270.—Didelphis.
cynocephalum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 422, Liste p. 5 [*n. et f.*].
cynocephalus Vespertilio, Leconte, C. R. Acad. Sci. (Paris) V. 1837, 813.
- Cynodictis** Bravard & Pomel, Not. oss. foss. Débruge, 1850, 5.—M. [*teste* Palmer; *mihi*]
- Cynodon** J. B. v. Spix, Pisc. Brasil. 1829, 76.—P. [*n. n.*]. [*non visum*].
- Cynodon** A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrapper), 244.—M.
cynodon Cichla (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 338.—Sparus, 1791.
cynodon Dentex (Bl.), G. Cuvier, R. Anim. II. 1817, 274.—Sparus, 1791.
cynodon Dipsas, F. Boie, Isis (Oken), 1827, 549.
cynodon Eudipsas (Cuv.), L. Fitzinger, Syst. Rept. 1843, 27.—Dipsas, Boie.
cynodon Mesopriion, Cuvier & Valenc., H. N. Poiss. II. 1828, 465.
cynodon Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 234.
Cynodona C. F. Schumacher, Ess. Vers test. 1817, 241.—G.
Cynodontia C. F. Schumacher, Ess. Vers test. 1817, 73 & 241 (Cynodona).—G.
Cynodonta J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 146.—G. [*n. n.*].
Cynofelis R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 48.—M.
Cynogale J. E. Gray, Proc. Zool. Soc. London, IV (46) Feb. 1837, 88.—M.

- Cynogale** P. W. Lund, K. Dansk. Vet. Selsk. Afh. IX. 1842, 203.—M.
- Cynoglossa** C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 48.—P.
- cynoglossi** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 205.
- cynoglossi** Dibolia, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 325.
- cynoglossi** Haltica, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 20.
- cynoglossi** Haltica (Marsh.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 320.—Chrysomela.
- Cynoglossus** F. Hamilton, Fishes Ganges, 1822, 32 & 365.—P.
- cynoglossus** Achirus, F. Hamilton, Fish. Ganges, 1822, 132.
- cynoglossa** Plagusia, T. Cantor (*ex* Ham. MS), J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1211.
- cynoglossa** Solea, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 14 & 53.
- cynoglossus** Solea (L.), G. Cuvier, R. Anim. II. 1817, 223.—Pleuronectes, 1758.
- Cynohaena** H. M. de Blainville, Ann. Sci. Nat. (2) VIII. Nov. 1837, 279.—M.
- “Cynoicum** *male pro* Synoicum,” L. Agassiz, Nom. Zool. (Moll.) 1845, 27 [*non comp.*].
- cynomolgus** Cercoebus (L.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 99.—Simia, 1758. [—Simia, 1758.]
- cynomolgus** Cercopithecus (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 8.
- cynomolgus** Cynocephalus (L.), P. A. Latreille, H. N. Singes, II. An IX (1801); Sonnini's Buffon, XXXVI (1804), 292.—Simia, 1758.
- cynomolgus** Inuus (L.), C. Ranzani, Elem. Zool. II (1) 1820, 124.—Simia, 1758.
- cynomolgus** Macaca, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cynomorion** Veretillum, L. Oken, Lehrb. Nat. III (1) 1815, 107. [[1802], 148.]
- cynomorium** Pennatula, G. Cuvier, Bull. Sci. Soc. Philom. [Paris] no. 78, 1803, 133.
- cynomorium** Veretillum (Pall.), Lamarck, Syst. Anim. 1801, 381.—Pennatula, 1766.
- Cynomya** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 363. —Dipt. [Cynomya, Rob.]
- Cynomyia** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 233.—*emend. pro*
- Cynomys** C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 45.—M.
- cynophila** Thyreophora (Panz.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 276. —Musca, 1794.
- Cynophis** J. E. Gray, Ann. Mag. N. H. (2) IV. Oct. 1849, 246.—R.
- cynopis** Simia, G. A. Goldfuss, Vergl. Naturb. Säugeth. (1) 1809, 53.
- Cynopithecus** I. Geoffroy in Gervais, Résumé Leçons Mamm. 1835, 16.—M. [*vide* Palmer].
- Cynoponticus** O. G. Costa, Fauna Regno Napoli, Pesci, I. Cynop. I (Nov. 1845).—P.
- Cynopotamus** Cuvier & Valenc., H. N. Poiss. XXII. 1849, 316.—P.
- Cynops** J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 59 & 94.—R.
- Cynopterus** F. Cuvier, Dents des Mamm. (Table, 1824), 248.—M.
- Cynopus** I. Geoffroy in Gervais, Résumé des leçons de Mamm. 1835, 37.—M.
- Cynopus** I. Geoffroy, Magasin de Zool. (2) I. 1839, text to pl. 11, p. 4.—M.
- Cynorhaestes** J. F. Hermann, Mém. Aptér. 1804, 12.—Ar. [643.—Thrips.]
- cynorrhodi** Physapus (Hal.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- cynorrhodi** Thrips, A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 448.
- Cynorta** C. L. Koch, Uebers. Arachnidensyst. II. 1839, 20.—Ar.
- Cynorta** C. L. Koch, Die Arachniden, VII (5) *post* July 1839, 100.—Ar.
- cynosbana** Aspidia (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 178.—Pyralis, 1775.
- cynosbana** Pendina, Zincken in F. Treitschke, Schmett. Europa, VII. 1829, 228.
- cynosbana** Penthina, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849), 22.
- cynosbana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 359.
- cynosbana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 430.—Phal. Tin. cynosbatella, L. 1758.
- cynosbana** Tortrix (Fab.), F. Froelich, Enum. Tortric. Wuertt. 1828, 104.—Pyralis, 1775.
- cynosbatana** Hedyia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 380.—Phalaena cynosbatella, 1758. [1758.]
- cynosbatella** Spilonota (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena,
- cynosbati** Cixius (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66.—Flata cynosbatis.
- cynosbati** Lyda (L.), J. C. Fabricius, Syst. Piezat. 1804, 44.—Tenthredo, 1758.

- cynosbati** Pamphilus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 139.—Tenthredo, 1758.
- cynosbatis** Cixius (Fab.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 547.—Flata.
- cynosbatis** Delphax (Fab.), C. F. Fallen, K. Vet. Ac. Nya Handl. XXVII (2) 1806, 126.—Cicada, 1775.
- cynosbatis** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 54.—Cicada, 1775. [245 *[n. et f.]*.]
- cynosura** Catagramma, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1850).
- cynosurus** Cercopithecus (Scop.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 96.—Simia, 1786.
- cynosura** Libellula, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 30.
- cynotis** Sarcoptes, E. Hering, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, 600.
- Cynthia** J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 281.—Lep.
- Cynthia** J. C. Savigny, Mém. An. s. Vert. (2) 1816, 87.—Asc.
- Cynthia** P. A. Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 406.—Col.
- Cynthia** J. V. Thompson, Zool. Res. (III.) Ap. 1829, 37.—Cr.
- Cynthia** W. Macgillivray, Hist. Moll. Aberdeen, 1843, 310.—Asc.
- Cynthia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cinthia, Risso.
- Cynthia** J. Gistel, Naturg. Thierr. 1848, 174.—Tun.
- cynthia** Acraea (Dru.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 234.—Papilio, 1783.
- cynthia** Agra, L. Buquet, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 608.
- cynthia** Argynnis (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 286.—Papilio, D. & S. 1775.
- cynthia** Erateina, E. Doubleday, Tr. Entom. Soc. Lond. V (5) Aug. 1848, 117.
- cynthia** Melitaea (—), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 285.—Papilio.
- cynthia** Nerinea, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 5. [D. & S. 1775.]
- cynthia** Nymphalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 95.—Papilio.
- cynthia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 1 (Fernaldo judice 1799) [*n. et f.*]. [*n. et f.*].
- cynthia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 111 (Fernaldo judice 1804).
- cynthia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 119 (Fernaldo judice 1805) [*n. et f.*].
- cynthia** Samia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 156.—Phalaena, 1775.
- cynthia** Saturnia (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 12.—Phalaena,
- cynthia** Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 122. [1773.]
- cynthiformis** Hippurites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 258.
- Cynthilia** A. White, List Brit. Anim. B. M. (Crust.) 1850, 46.—Cr.
- Cynus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kynos, Ruepp.
- Cyon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyon, Hodgs.
- Cyornis** E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 940.—A.
- Cyotherium** Aymard, Ann. Soc. Agric. Puy, XIV. 1848, 113.—M.
- cyparissiae** Altica, Sturm; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- cyparissiae** Arctomyziscis, J. Huebner, Verz. bekannt. Schmett. [1822], 202.
- cyparissiae** Haltica, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 80.
- cyparissiae** Noctua, J. Huebner, Europ. Schmett. (Ziefer) (me judice 1805), 158.
- cyparissiae** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 134 (Fernaldo judice 1808–18) [*n. et f.*]. [18] [*n. et f.*].
- cyparissae** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 24 (Fernaldo judice 1808–18).
- cyparissias** Castnia (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Papilio, 1777.
- cyparissias** Helix, Parreyss, Zeitschr. f. Malakozool., Feb. 1847, 32.
- Cyparissocrinites** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cupressocrinites, Goldf. [Ag.]
- Cyparissocrinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cupressocrinus,
- cyparissa** Euphaedra (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 39.—Papilio.
- cyparissus** Lycaeides, J. Huebner, Verz. bekannt. Schmett. 1818, 69. [1775.]
- cyparissus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 129 (Fernaldo judice, 1808–16) [*n. et f.*].
- cyparissus** Papilio, J. Huebner, Nachtraege Europ. Schmett. 1824, 5.

- cyparissa** Romaleosoma (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 100.—Papilio, 1775.
- Cyparium** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 3.—Col.
- Cypcelus** *id. ac* Cypselus; J. K. Townsend, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 148.—A.
- Cypellocrinites** Schnur in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 22.—Crin.
- cyperi** Aphis, F. Walker, Ann. Mag. N. H. (2) II. July 1848, 45.
- cyperi** Leucania, Boisduval, Gen. Index Europ. Lepid. 1840, 133.
- Cypha** J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 22; Ill. Brit. Ent. (Mand. V.) May 1832, 188.—Col.
- Cyphagogus** J. F. S. Parry, Tr. Entom. Soc. Lond. V (7) Sept. 1849, 182.—Col.
- Cyphaleus** F. W. Hope, Coleopt. Manual, III. 1840, 126.—Col. [*n. n.*].
- Cyphaleus** J. O. Westwood (*ex* Hope MS), Arcana Entom. (3) Sept. 1841, 43.—Col.
- Cyphaspis** *err. pro* Cyphaspis, Burm.; J. Barrande, Not. préL. Silur. 1846, 59.
- Cyphaspis** H. Burmeister, Organ. Trilob. 1843, 104.—Cr.
- Cyphastrea** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 494.—Cor.
- Cyphelus** *err. pro* Cypselus, Ill.; H. R. Schinz, Europ. Fauna, I. 1840, 254.
- Cyphia** J. Gistel, Nat. Thierr. 1848, 123.—Col.
- cyphya** Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 305.
- cyphia** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 305.
- Cyphicerus** C. J. Schoenherr, Isis (Oken), 1823, 1144; Curc. disp. meth. 1826, 182.—Col.
- Cyphidium** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 172.—
- Cyphipterus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 271.—Col. [*n. n.*]. [Inf.]
- Cyphirhinus** C. J. Schoenherr, Isis (Oken), 1825, 585; Curc. disp. meth. 1826, 276.—
- Cyphiscus** J. Sturm, Catal. Käfer Samml. 1843, 155.—Col. [Col. [*n. n.*].]
- Cyphocera** C. Rondani, Esplor. Reg. Equat. 1850, 241.—Dipt. [*n. n.*]. [Schoenh.]
- Cyphocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphicerus,
- Cyphocrana** Le Pelletier & Audinet-S., Ency. Méth. (Ins.) X (2) 1828, 445.—Orth.
- Cyphocrania** *emend. pro* Cyphocrana, Serv.; H. Burmeister, Handb. Ent. II (2) i, 1838, 578. [durus, 1841.]
- Cyphodeirus** H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 63.—Thys. [Cypho-]
- Cyphoderia** P. Schlumberger, Ann. Sci. Nat. [3] (Zool.) III. Ap. 1845, 255.—Prot.
- Cyphoderus** H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 382.—Thys. [Cypho-
durus, 1841.]
- Cyphodurus** H. Nicolet, Bibl. univ. Genève, n. s., XXXII. Ap. 1841, 384.—Thys. [*n. n.*].
- Cyphogenia** A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 677.—Col.
- Cyphogenius** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 395.—Col.
- Cypholoba** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 43.—Col.
- Cyphoma** H. F. Link, Besch. Nat. Samml. Univ. Rostock, II. 1807, 85.—G.
- Cyphoma** J. Gistel, Nat. Thierr. 1848, 151.—Hem.
- Cyphoma** J. Gistel, Handb. Naturges. 1850 [1847], 495.—Hem.
- Cyphomanes** J. Gistel, Nat. Thierr. 1848, p. xi.—Col.
- Cyphomesus** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 166.—?
- Cyphomorpha** F. W. Hope, Coleopt. Manual, III. 1840, 160.—Col.
- Cyphomus** C. S. Rafinesque, Analyse, 1815, 159.—Coel. [*n. n.*].
- Cyphomya** C. Rondani, Ann. Acc. Aspir. Nat. 1843; *sic* Scudder *sed non comp.*
- Cyphomyia** Hoffmannsegg in C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819,
- Cyphon** J. Gistel, Nat. Thierr. 1848, p. viii.—Col. [54; Anal. Entom. 1824, 13.—Dipt.]
- Cyphon** J. Gistel, Nat. Thierr. 1848, p. xiv.—Col.
- Cyphona** A. G. Dahlbom, Consect. Tenthred. 1835, 3.—Hym.
- Cyphonautes** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 204.—Rot.; = Polyz. larva, *teste* S. F. H.].
- Cyphonia** Laporte, Ann. Soc. Ent. France, I (2) *c.* July 1832, 229.—Hem.
- Cyphonistes** H. Burmeister, Handb. Ent. V. 1847, 213.—Col.
- Cyphanoa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuphanoa, Huebn.
- Cyphonocephalus** J. O. Westwood, Arcana Entom. (8) July 1842, 115.—Col. [*cybus*
Narycius smarag.].

- Cyphononyx** A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 461.—Hym.
- Cyphonota** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 79.—Col.
- Cyphonotus** C. S. Rafinesque, Analyse, 1815, 61.—M. [*n. n.*] [anketeri, Hbst.].
- Cyphonotus** G. Fischer, Entom. Imp. Ross. II. 1823, 212.—Col. [*typus* Melolontha]
- Cyphonotus** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 102.—Col.
- Cyphonus** C. S. Rafinesque, Analyse, 1815, 110.—Col. [*n. n.*].
- Cyphophories** G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 253.—
- Cyphoptera** F. W. Hope, Coleopt. Manual, III. 1840, 160.—Col. [Orth.
- Cyphopterum** C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 176.—Hem. [*non binom.*].
- Cyphopterus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphipterus, Dej.
- Cyphorhina** R. P. Lesson, Echo Monde Sav. (2) VII. June 1843, col. 1068.—A. [*teste*
- Cyphorhinus** J. Cabanis, Arch. f. Naturg. X (1) 1844, 282.—A. [C. W. R.].
- Cyphorhynchus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 458.—Col.
- Cyphorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuphorhynchus, Meg.
- Cyphos** J. B. v. Spix, Avium Brasil. I. 1824, 51.—A. [Meg.
- cyphos** Capito, J. Wagler, Syst. Avium, I. 1827, sign. 1013.
- Cyphosoma** Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 91.—Col.
- Cyphosoma** L. Agassiz, Mon. Echin. I. 1838, 4; Cat. Ect. Echin. 1840, 19; Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 351.—Ech.
- Cyphosoma** F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 426.—Col.
- Cyphotes** H. Burmeister, Handb. Ent. II (1) 1835, 143.—Hem.
- Cyphoxis** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427.—L.
- Cyphoxys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphoxis, Raf.
- Cyphra** J. Gistel, Nat. Thierr. 1848, pp. xi & 123.—Col.
- Cyphus** Schoenherr in E. F. Germar, Ins. spec. novae, I. 1824, 427.—Col.
- Cyphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphos, Spix.
- Cyphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kyphosus, Lacep. 1800.
- cyphus** Epicaerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 272.
- Cypra** J. A. Boisduval in d'Urville, Voy. "Astrolabe" (Entom.) I. 1832, 201.—Lep.
- cypraea** Colotis (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 97.—Papilio, 1787.
- cypraea** Ostrea, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 23.
- cypraea** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- Cypraeacassis** *emend. pro* Cypraeacassis, Stutch.; G. B. Sowerby, II., Mag. Nat. Hist., n. s., I (8) Aug. 1837, 431.
- cypraeacea** Marginella, Bory de St V., Ency. Méth. (Vers) 1824, 167 [*n. et f.*].
- Cypraeacites** E. F. v. Schlotheim, Die Petref. 1820, 117.—G.
- Cypraeacassis** S. Stutchbury, Mag. Nat. Hist., n. s., I. Ap. 1837, 214.—G.
- Cypraedia** W. Swainson, Treat. Malacol., May 1840, 325.—G.
- cypraeiformis** Cassis, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 229.
- Cypraela** *err. pro* Cypraella, Sw.; G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 134.
- Cypraela** W. Swainson, Treat. Malacol., May 1840, 325.—G.
- Cypraeoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cypraedia, Swains.
- cypraeoides** Erato, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 7.
- cypraeoides** Marginella, H. E. Anton, Verz. Conch. 1839, 99.
- cypraeola** Coccus, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 367.
- cypraeola** Erato, A. Risso, H. N. Europe, IV. 1826, 240. [Voluta.
- cypraeola** Marginella (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 209.—
- cypraeola** Marginella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 57.
- cypraeola** Voluta, G. Brocchi, Conch. Subap. 1814, 321. [1832, 57.
- Cypraeova** *emend. pro* Cypraeovula, Gray; W. Swainson, Treat. Malacol., May 1840, 325.
- Cypraeovula** J. E. Gray, Zool. Journ. I (1) 1824, 75.—G.
- Cypraeovulum** Gray in G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 134.—G.
- Cyprea** Denys de Montfort, Conch. Syst. II. 1810, 630.—G.—G. = Cypraea, L.
- Cypreida** W. Swainson, Treat. Malac. 1840; *teste* Scudder *sed non comp.*
- Cyprella** L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 19.—Cr.
- Cypreovula** J. Fleming, Brit. Anim. 1828, 328.—G.
- cypressi** Buprestis, Dejean, Catal. Coléopt. 1821, 29 [*n. n.*].

- Cypressocrinites** *id. ac* Cypressocrinites, Goldf.; J. Steininger, Verst. Uebergangsggeb. Eifel, 1849, 20.
- Cypressocrinus** Steininger, Jahresb. Schulcursus Gymn. Trier, 1848-49 (1849), 23.—Crin.
- cyprica** Corixa, Kollar in Herrich-S., Wanzenart. Ins. IX (2) Sept. 1850, 63.
- cyprica** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 46 (Fernaldo iudice 1802) [*n. et f.*].
- cypricella** Adela (Hueb.), F. Treitschke, Schmett. Europa, IX (2) 1833, 145.—Tinea.
- cypricella** Nemotois, J. Huebner, Verz. bekannt. Schmett. 1826, 417.—Tinea.
- cypricella** Tinea, J. Huebner, Samml. europ. Schmett. (Tinea) pl. 67, f. 445 [Fernaldo]
- Cypriarius** A. M. C. Duméril, Zool. Anal. 1806, 166.—G. [iudice, 1818-22].
- cyprica** Sylvia, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 19 [*n. n.*].
- Cypricardia** Lamarck, An. s. vert. VI (1) 1819, 27.—L. [*non* 1801].
- Cypricardites** T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841, 51.
- Cypricia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149.—L. [*n. n.*] [—L.]
- Cypridella** L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 20.—Cr. [1838].
- Cypridina** H. M. Edwards (Roret's Suite à Buffon), Crust. III. 1840, 409.—Cr. [*vernac.*]
- cypridina** Mytilina, Bory de St V., Dict. Class. H. N. XI. Feb. 1827, 412.
- cypridina** Mytilina, Bory de St V., Ency. Méth. (Zooph.) 1827, 561.
- cypridium** Patella, G. Perry, Conchology, Ap. 1811, pl. 43.
- Cyprilurus** De Kay, Zool. N. York, 1842, 231.—P. [*err. pro* Cypsilurus].
- Cyprina** Lamarck, H. N. An. s. vert. V. 1818, 556.—L. [*non* 1812, *vernac.*].
- cyprinacea** Lerneocera (L.), H. D. de Blainville, Journ. de Physique, XCV. Nov. 1822, 377.—Lernaea, 1758.
- cyprinaceous** Monoculus, G. Shaw, Nat. Misc. XVIII. 1806, pl. 736.
- cyprinaceus** Schisturus (L.), L. Oken, Lehrb. Nat. III (1) 1815, 183.—Lernaea, 1758.
- Cyprinaria** C. F. A. Morren, Tent. Biozoogen. generalis, 1829, 15.—Inf.
- cyprinella** Chanos, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 198.
- cyprinella** Sclerognathus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 477.
- cyprini erythrophthalmi** Ascaris, C. A. Rudolphi, Entoz. II (2) 1810, 375.
- cyprini idbari** Echinorhynchus, C. A. Rudolphi, Entozoorum, II (2) 1810, 351.
- cyprini idi** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 213.
- cyprini phoxini** Bothriocephalus, F. S. Leuckart, Zool. Bruchst. I. 1819, 44.
- cyprini rutili** Echinorhynchus, C. A. Rudolphi, Entozoorum, II (2) 1810, 351.
- cyprini rutili** Filaria, Creplin, Obs. de Entozois, 1825, 5 [*teste* Stiles].
- cyprinides** Coralliophaga, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 250 [*n. n.*].
- Cyprinion** J. J. Heckel in Russegger, Reise, I (2) 1843, 1015.—P.
- Cyprinium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyprinion, Heck.
- Cyprinodon** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 486.—P.
- cyprinodon** Perca (Cuv.), de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 375.—?
- Cyprinoides** G. D. Nardo, Giorn. di Fisica (2) VII. 1824, 259.—P.
- cyprinoides** Anodus (L.), Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 83.—Salmo,
- cyprinoides** Astarte, Duval, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 278. [1766.]
- cyprinoides** Blennechis, Cuvier & Valenc., H. N. Poiss. XI. 1836, 286.
- cyprinoides** Characinus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 270.—Salmo, 1758.
- cyprinoides** Clupea, J. G. Schneider [*non* Brouss.], Bloch, Syst. Ichth. 1801, 427.
- cyprinoides** Clupea, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 424.
- cyprinoides** Clupea, J. R. Forster, Anim. mar. Aust. 1844, 296.
- cyprinoides** Curimatus (L.), Cuvier & Valenc., H. N. Poiss. XXII. 1849, 7.—Salmo, 1758.
- cyprinoides** Cyrena, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 136. [513.]
- cyprinoides** Cyrena, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
- cyprinoides** Eleotris (Pall.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 67.—Gobius, 1770.
- cyprinoides** Eleotris, Cuvier & Valenc., H. N. Poiss. XII. 1837, 248.
- cyprinoides** Megalopus, J. Minding, Lehrb. Naturg. Fische, 1832, 124.
- cyprinoides** Nestis, Cuvier & Valenc., H. N. Poiss. XI. 1836, 167.
- cyprinoides** Salmo, P. S. Pallas, Zoographia, III. 1814, 412.
- cyprinoides** Upeneus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 526.
- cyprinoides** Venus, W. Wood, Suppl. Index Test. 1828, 5 [*n. et f.*].

- cyprinoides** Villorita, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 601.
Cyprinopsis L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) I. 1832, 334.—P.
cyprinorum Caryophyllaeus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 252.
cyprina Astartila, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 155.
cyprina Cardinia, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 225.
cyprinus Catostomus, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 91.
cyprinus Labeo (Les.), J. E. De Kay, N. H. New York (Fish) 1842, 194.—Catostomus.
cyprinus Lutraria (Wood), J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 375.—Mactra,
cyprinus Mactra, W. Wood, Suppl. Index Test. 1828, 4 [*n. et f.*]. [1828.
cyprinus Sclerognathus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 474.
cypris Anthrax, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 158. [Colias.
cypris Callidryas (God.), Boisduval (Roret's Suite à Buffon, Lépid. I. Ap. 1836, 623.—
cipris Colias (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 91.—Papilio, Cr. 1777-
cypris Cypriion, J. J. Heckel in Russegger, Reise, I (2) 1843, 1015 & 1067.
cypris Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 419.
cypris Lebias, J. J. Heckel in Russegger, Reise, I (2) 1843, 1090.
cpriis Leda, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 49.
cypris Lithodomus (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 247.—Mytilus.
cypris Mytilus (Modiolus), E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 152.
cypris Orthoceratites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 54.
cipris Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 76.
cypris Phoebis, J. Huebner, Exot. Schmett. II. Tab. [131] [*n. et f.*].
cypris Phoebis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 98.—Papilio, 1777.
cypris Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
cypris Rhynchonella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 92.
cypris Thracia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 361.
cypris Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 249.
Cyprisia *err. pro* Cypris, Müll.; C. S. Rafinesque, Analyse, 1815, 99.
cyprius Aegoceros (Blas.), J. A. Wagner in Schreber, Säugth., Suppl. IV. 1844, 508.—
cyprium Cardium, J. v. Hauer, N. Jahrb. f. Min. 1839, 75 [*n. n.*]. [Ovis.
cypria Cythera (Br.), P. M. T. de Serres, Geogn. Terr. tert. 1829, 148.—Venus.
cyprius Gonyodactylus, L. Fitzinger, Syst. Rept. 1843, 93.
cypria Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Jan. 1847, 12.
cyprius Ovis, Blasius, Amtl. Ber. Deutsch. Naturf. u. Aerzte, 1841 [1842], 90 [*teste*
cypria Patella, A. Risso, H. N. Europe, IV. 1826, 265. [Trouessart].
cyprius Scincus, G. Cuvier, R. Anim., ed. 2, II. 1829, 62.
cyprius Stello, L. Fitzinger, Syst. Rept. 1843, 85 [*n. n.*].
cypria Theritas, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 36.
cypria Venus, G. Brocchi, Conch. Subap. 1814, 545.
cypria Venus, G. B. Sowerby, I., Proc. Zool. Soc. Lond. III (27) June 1835, 43.
Cyproea P. M. T. de Serres, Essai anim. midi France, 1822, 60 [*n. n.*; ? = Cypraea].
Cyprovula J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*].
Cyprus C. J. Schoenherr, Isis (Oken), 1825, 585; Curc. disp. meth. 1826, 288 [Lyprus].—
cypsele Helix, L. Pfeiffer, Zeitschr. f. Malakozool. (May) [Nov.] 1849, 78. [Col.
cypselina Psalidoproce, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 48.
Cypsellus [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 80.—A.
Cypseloides Streubel, Isis (Oken), 1848, 366.—A.
Cypselopteryx J. J. Kaup, Arch. f. Naturg. XVI (1) 1850, 31.—A.
Cypselurus R. T. Lowe, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 38.—P.
Cypselurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cypsilurus, De Kay.
Cypselurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cypsilurus, Swains.
Cypselus C. Illiger, Prod. 1811, 229.—A.
Cypsilurus W. Swainson, N. H. Fishes &c. II. July 1839, 187 & 296.—P.
Cypsiurus R. P. Lesson, Echo Monde Savant, X. 20 July 1843, 134.—A.
Cypsnagra R. P. Lesson, Traité Ornith. (6) Feb. 1831, 460.—A. [*typus* Tanagra hiru-
 dinacea, Less.].
Cyptocoris H. Burmeister, Handb. Ent. II (1) 1835, 387.—Hem.

- Cypturus** W. F. Erichson, Jahrb. Insectenk. I. 1834, 86 & 125.—Col.
- cyra** Leptalis, E. Doubleday, Ann. Mag. N. H. XIV. Dec. 1844, 418.
- Cyrachaea** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—L.
- cyrbia** Heliconia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 203.
- Cyrena** Lamarck, H. N. An. s. vert. V. 1818, 551 (sign. 361) [*non* 1806 *apud* Agass. *test*]
- cyrena** Leda, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 50. [Herrm.].—L.
- cyrenaica** Alactaga, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 130.
- Cyrene** J. J. Heckel in Russegger, Reise, I (2) 1843, 1024.—P.
- Cyrene** J. O. Westwood, Arcana Entom. II (15) Sept. 1843, 35.—Hem.
- cyrene** Chloroperla, E. Newman, The Zoologist, III (2) 1845, 853.
- cyrene** Deilephila, J. O. Westwood, Cab. Orient. Entom. 1847, 13.
- cyrene** Heliconia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 212.
- cyrene** Heliconius, P. A. Latreille in A. Humboldt, Voy. Intér. Amér. (Obs. Zool.) 1809,
- cyrene** Micromelus, F. Walker, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 154. [394-]
- cyrene** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 166 (Fernaldo *judice* 1823-33) [*n. et f.*].
- cyrene** Papilio (Argynnis), Bonelli, Mem. R. Acc. Sci. Torino, XXX. 1826, 175.
- Cyrenella** G. P. Deshayes, Magasin de Zool. V. 1835, pl. 70.—L.
- Cyreno-cyclas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyanocyclas, Bl.
- Cyrenoidea** de Joannis, Magasin de Zool. V. 1835, pl. 64.—L.
- Cyrenoidea** Hanley, Ill. Catal., Expl. Table, Suppl. 10, 1846 [=Cyrenòida, de J.].
- Cyrenoides** *err. pro* Cyrenoida, de Joann.; G. B. Sowerby, II., Conch. Man. 1839, 37.
- cyrenoides** Rangia, C. Des Moulins, Actes Soc. Linn. Bordeaux, V (25) 1832, 57.
- cyrenoides** Unio, R. A. Philippi, Zeitschr. f. Malakozool., June 1847, 93.
- cyrenoidea** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 64.
- Cyrenus** C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
- Cyrestis** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 117.—Lep.
- Cyria** Serville in Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 269.—Col.
- cyriades** Eulophus, F. Walker, Ann. Mag. N. H. XX. July 1847, 25. [[*n. et f.*].
- cyrianassa** Sais, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 133
- cirillella** Phycis, O. G. Costa, Fauna Regno Napoli, Lepidott., Phycis, 2 (1832-40).
- cyrilli** Coscinia, J. Huebner, Verz. bekannt. Schmett. [1822], 169.
- cyrilli** Crambus, O. G. Costa, Cat. Lep. Regno Napoli (*ex* Dizion. Univ. Agric. XI [?] 1840), 15 [*in* B. M.; *teste* L. B. Prout].
- cyrilli** Holotrichus, A. Costa, Ann. Soc. Ent. France, X (4) Jan. 1842, 283.
- cyrilli** Murex, A. Scacchi, Oss. Zool. II. May 1833, 24.
- cyrilli** Pleurotoma, A. Scacchi (*ex* Costa MS), Ann. Civ. Reg. Due Sicilie, VII. 1835, 8.
- cyrrilli** Venus, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. *pro* V. & VI. 1830, pl. 106.
- cyrrilli** Venus, A. Scacchi, Lettera Test. Nap., Dec. 1832 [6].
- Cyrrillium** S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 30.—G.
- Cyriodera** H. Burmeister, Handb. Ent. III. 1842, 579.—Col.
- cyrmatophora** (*sic*) Hyria, G. P. Deshayes in Cuvier, Règne Anim., disciples' ed., Moll., *descr.* to pl. 92 (1843).
- cyrnea** Dyciophora, M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839,
- cyrnaeus** Trochus, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 66. [294.]
- Cyrnus** J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 119 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Sept. 1836, 174.—Neur.
- Cyrnus** W. de Haan (*ex* Audouin *litt.*) in Siebold, F. Japon. (Crust. 1839), 86.—Cr.
- cyrna** Euryphene (God.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 286.—Nymphalis.
- cyrnus** Lampretatus, F. Walker, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 157.
- cyrna** Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 386.
- cyrnus** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 239.
- cyrnus** Parthenope, A. White, List Crustacea Coll. B. M. 1847, 125 [*n. n.*].
- cyrna** Romalaeosoma (God.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 284.—Nymphalis.
- cyrnusii** Ostrea, B. C. Payraudeau, Cat. Moll. Corse, 1826, 79.
- cyrrhus** Cirrospilus, F. Walker, Ann. Nat. Hist. II. Jan. 1839, 350.

- cyrrhus** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 146.—Cirrospilus,
cyrsilus Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 247. [1839.
cyrtaena Delthyris, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 121. [Delthyris.
cyrtaena Spirifer (Dalm.), J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 454.—
Cyrtes H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxviii (Mar. 1850).—A. [*n. et f.*].
Cyrthia *err. pro* Cyrtia, Dalm.; A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 41.
Cyrthoceras Kolenati, K.-B. zool.-min. ver. Regensburg, III. 1849, 122.—Ceph.
Cyrthoceratites d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 349.—Ceph.
Cyrthocerus W. King, Ann. Mag. N. H. XIV (91) Oct. 1844, 278 [=Cyrtoceus].
Cyrtia J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 93.—Br.
Cyrtocephalus Audouin; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 431.—Col. [*n. n.*].
Cyrtocephalus H. Lucas, Explor. Algér. (Artic. I.) 1846, 92.—Ar.
Cyrtocera Goldfuss in Dechen's De la Beche, Handb. Geogn. 1832, 536.—Ceph.
Cyrtocera L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtocera, Macq.
cyrtocera Capulus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 93.
Cyrtoceras A. d'Orbigny, Pal. Franç. (Crét.) Céph. I. 1840, 68.—Ceph.
Cyrtoceratites Goldfuss, Jahrb. f. Min. I. 1830, 228.—Ceph. [—Ceph.
Cyrtoceus T. A. Conrad, [2 Ann. Rep. N. Y. Geol. Surv.], Assembl. no. 200, 1838, 117.
Cyrtochloris C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 148.—Hem. [*non binom.*].
Cyrtocoris A. White, Tr. Ent. Soc. Lond. III (2) 1842, 89.—Hem.
Cyrtodactylus J. E. Gray, Phil. Mag., n. s., II (7) July 1827, 56.—R.
Cyrtodera de Blainville, Dict. Sci. Nat. XII. 1825, 415 [=Cyrtoalaria, 1800].
Cyrtoderes A. J. J. Solier in Dejean, Cat. Coléopt., ed. 2 (3) 1834, 181; Mem. R. Acc.
 Sci. Torino [2] VI. 1844, 215 & 244.—Col.
Cyrtoderus F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 427.—Col.
Cyrtodesmus F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,
 92.—Myr.
Cyrtogaster Walker in J. Curtis, Guide Brit. Ins. (4) 1829-30, 116.—Hym. [*n. n.*].
Cyrtogaster F. Walker, Entom. Mag. I (4) July 1833, 381.—Hym.
Cyrtognathus F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar.
 1835, 431.—Col.
Cyrtolites T. A. Conrad, 2 Ann. Rep. geol. Surv. N. York (Assem. 200) 1838, 118.—Ceph.
Cyrtolites J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 152.—Ceph. [*n. n.*].
Cyrtolites A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 9.—? G.
Cyrtolites d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 47 [*err. pro* Cyclolites, Lonsd.].
Cyrtolithus *emend. pro* Cyrtolites, Hermannsen, Ind. gen. Malac. I (1847), 365.
Cyrtoma J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 1.—Dipt.
Cyrtoma J. McClelland, Calcutta Journ. Nat. Hist. I (2) July 1840, 185.—Ech.
Cyrtoma J. Gistel, Nat. Thierr. 1848, 130.—Col.
Cyrtoma J. Gistel, Handb. Naturges. 1850 [1847], 428.—Col.
cyrtoma Ostrea, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 253.
Cyrtomenus Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 90.—Hem.
Cyrtomerus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtomerus, Steph.
Cyrtomon C. J. Schoenherr, Isis (Oken), 1823, 1140; Curc. disp. meth. 1826, 107.—Col.
Cyrtomorpha Graff, 1822; *teste* Waterhouse *sed err. pro* 1882.
Cyrtomorphus Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 429.—Col.
Cyrtoneura J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 309.—Dipt.
Cyrtoneura Macq. *teste* Scudder, Nom. Zool. 1882, 99 [*v.* Curtoneura].
cyrtoneurina Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1486. [328.
Cyrtoneura *id. ac* Curtoneura; J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846,
Cyrtonota Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 368.—Col. [*sine*
typo].
Cyrtonota E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 212.—Col.
Cyrtonotum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtonotum, Macq.
Cyrtonotus *emend. pro* Curtonotus, De Haan; H. Lucas, Dict. Univ. Hist. Nat. IV.
 1844, 561. [1828; Haan, 1835.
Cyrtonotus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtonotus, Steph.
Cyrtonus *emend. pro* Cyrtus, Latr.; C. S. Rafinesque, Analyse, 1815, 130.—Dipt. [*n. n.*].

- Cyrtonus** Dalman in Dejean, Cat. Coléopt., ed. 2 (5) 1835, 399.—Col.
Cyrtonus Laboulbène, Rev. Zool. (Soc. Cuv.) X. Dec. 1847, 412.—Col.
Cyrtonyx J. Gould, Mon. Odont. 1844, pl. 7.—A.
Cyrtophis Sundewall; A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 22, 1849.—R.
Cyrtophorus J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 29.—Col.
Cyrtophyllus H. Burmeister, Handb. Ent. II (2) i, 1838, 697.—Orth.
Cyrtopia J. D. Dana, Amer. J. Sci. (2) IX (25) Jan. 1850, 130.—Cr. [Ruepp].
Cyrtopodium L. Fitzinger, Syst. Rept. 1843, 18 & 93.—R. [*lypus* *Stenodactylus scaber*].
Cyrtopodium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cyrtopodion*, Fitz.
Cyrtopogon H. Loew, Linnaea Entom. II. July 1847, 517.—Dipt. [*lypus* *Dasyopogon ruficornis*].
Cyrtops C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 924.—Col.
cyrtops Thelia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 310.
Cyrtorhynchus O. G. Costa, Fauna Regno Napoli, Pesci, III. Suppl. Cyrt. I (Nov. 1855).
Cyrtoscelis F. W. Hope, Coleopt. Manual, III. 1840, 149.—Col. [—P].
Cyrtosia E. Perris, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 54.—Dipt.
Cyrtosoma J. Curtis, Guide Brit. Ins. (4) 1829–30, 119.—Hym. [*n. n.*].
Cyrtosoma M. Perty, Del. anim. artic. Brasil. (1) 1830, 59.—Col.
Cyrtosoma T. de Charpentier, Libell. Europ. 1840, 13.—Neur.
Cyrtosternus F. E. Guérin-M., Iconographie, 1844, Ins. 210.—Col.
Cyrtostomus J. Cabanis, Mús. Heineanum (1) 1850 [1851], 105.—A.
Cyrtotes H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxiii (June 1850).—A. [*n. et f.*].
Cyrtotrachelus C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 833.—Col.
Cyrtulus R. B. Hinds, Ann. Mag. N. H. XI. Ap. 1843, 256.—G.
Cyrtus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Curtos*, Motsch.
Cyrtus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Kurtus*, Bloch, 1787.
Cyrtus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Kyrtus*, Schn.
cyrta Hypera, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 345.
cyrtus Phytomomus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 398.—
Cyrtusa W. F. Erichson, Arch. f. Naturg. VIII. 1842 (2), 221.—Col. [Hypera].
cyrus Laertias (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio, 1793.
cyrus Laertias, J. Huebner, Exot. Schmett. II. Tab. [97] [*n. et f.*].
Cyryx J. Gistel, Nat. Thierr. 1848, p. x.—Verm.
cyssea Syntomis (Cr.), Boisduval, Essai Zygén. 1829 [1828], 113.—Sphinx, 1781.
Cysteocercus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cysticercus*, Rud.
Cysteognathus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cystignathus*,
Wagl.
Cysteonevra L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cystineura*, Bois.
Cysteophyllum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cystiphyllum*,
Murch. [Geoff].
Cysteosaurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cystosaurus*,
Cysteosoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cystisoma*, Guér.
Cystericus *err. pro* *Cysticercus*, Rud.; Lee, Amer. J. Sci. XXXIX. 1840, 286.
Cystia S. A. Renier, Tavole [1804] vii.—L. [*n. n.*].
Cystia Deshayes (*ex* Renier), Dict. Univ. Hist. Nat. IV. 1844, 562.—L.
Cysticercus C. A. Rudolphi in Arch. f. Zool. II (1) 1801, 52.—Verm.
cysticercus *v.* **cisticercus**.
Cysticola [= *Cisticola*, Kaup], R. P. Lesson, Traité Ornith. (6) Feb. 1831, 415.
cysticola *v.* **cisticola**.
cysticus *v.* **cisticus**.
Cystidia J. Huebner, Verz. bekannt. Schmett. [1822], 174.—Lep.
cystidicola *v.* **cistidicola**.
cystifera *v.* **cistifera**.
Cystignathus J. Wagler, Descr. Icon. Amph. (2) 1830, pl. 21.—R.
Cystignathus J. Wagler, Nat. Syst. Amph. 1830, 202.—R.
Cystineura Boisduval, s. à Buffon (Lep.) I. 1836, expl. pl. ix.—Lep.
Cystingia W. S. Macleay, Tr. Linn. Soc. London, XIV (3) 1825, 540.—Tun.
Cystiolus C. S. Rafinesque, Analyse, 1815, 151.—Verm. [*n. n.*].

- Cystiophyllum** J. D. Dana in Wilkes, U. S. Expl. Exped. (Zooiph.) 1848, 360 [=Cystiophyllum, *q. v.*].
- Cystiophyllum** W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 691.—Cor.
- Cystisoma** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. July 1842, 215.—Cr.
- Cystocoelia** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 713.—
- Cystomyia** Erichson (*ex Hoffm.* MS), Entomograph. I. 1840, 158.—Dipt. [Orth.
- Cystonereis** A. Kölliker, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 21.—Verm.
- Cystophora** S. Nilsson, Skand. Fauna, Dagg. Djur, 1820, 382.—M.
- Cystophthalmus** A. J. C. Corda, Beitr. Nat. Heilwiss. I. 1836, 178.—Rot.
- Cystosaurus** E. Geoffroy, Mém. Ac. Roy. Sci. Inst. France, XII. 1833, 53.—R.
- Cystosoma** J. O. Westwood, Arcana Entom. (6) Mar. 1842, 92.—Hem.
- Cyta** C. v. Heyden, Isis (Oken), 1826, 608.—Ar.
- cyta** Catochrysops, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 87.
- Cytaeis** J. F. Eschscholtz, Syst. Acalephen, 1829, 104.—Coel.
- cytaeum** Anomia, J. E. Gray, Proc. Zool. Soc. London, XVII (197) Jan.–June 1850, 115.
- Cythaerea** S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 267.—L. [=Cytherea].
- Cythara** C. F. Schumacher, Ess. Vers test. 1817, 74 & 245.—G.
- cythara** *v.* cithara.
- cytharella** *v.* citharellus.
- Cytharina** A. d'Orbigny, Mém. Soc. géol. France, V. 1842, 333.—Rh.
- cythera** Aegle, A. White, List Crustacea Coll. B. M. 1847, 125 [*n. n.*].
- cytherae** Bursarius, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 108.
- cytherae** Pileopsis, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 387.
- Cytheraea** Defrance, Dict. Sci. Nat. XII. 1818, 421 [=Cytherea].
- Cytherea** ["Fab.,"] J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 268.—Dipt.
- Cytherea** Lamarck, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 132.—L.
- Cythereis** T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 14.—Cr.
- Cythereites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 449.—L.
- Cytherella** T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 28.—Cr.
- cytherea** Adelpha (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 42.—Papilio, 1758.
- cytherea** Aglia (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 152.—Bombyx, 1775.
- cytherea** Angela, R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 496.
- cytherea** Astartila, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 155.
- cytherea** Cerigo (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 501.—Noctua, 1794.
- cytherea** Cyprina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 364.
- cytherea** Echidna, J. Huebner, Exot. Schmett., Tab. Echidna [*n. et f.*].
- cytherea** Heterochroa (L.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 278.—Papilio, 1758.
- cytherea** Loxonema, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 63.
- cytherea** Madrepora, J. D. Dana, Wilkes, U. S. Exped., *c. Mar.* 1848, 441.
- cytherea** Mussa, J. D. Dana, Wilkes, U. S. Exped., Zooph., *c. Mar.* 1848, 180.
- cytherea** Mytilina, Bory de St V., Dict. Class. H. N. XI. 1827, 412.
- cytherea** Mytilina, Bory de St V., Ency. Méth. (Zooiph.) 1827, 561.
- cytherea** Najas, J. Huebner, Exot. Schmett., Tab. Najas [*n. et f.*]. [1758.
- cytherea** Nymphalis (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 373.—Papilio,
- cytherea** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 195.
- cytherea** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 295.
- cytherea** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- cythereum** Polyclinum, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 191.
- cytherea** Spirifer, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 95.
- Cytheria** *id. ac* Cytherea, Lam.; T. Brown, Ill. Conch. G. B. I. 1827, pl. xix, f. 2.
- Cytherina** Lamarck, An. s. Vert. V. 1818, 125.—Cr.
- cytheris** Argynnis (Dru.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 176.—Papilio, 1773.
- cytheris** Melitaea (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 9.—Papilio,
- cytheris** Morpho, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 444. [1773.
- Cytheropsis** F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 414.—Cr.

- cythisaria** Hemitea (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 180.—Geometra, 1775. [Geometra, 1796.]
- cythisarius** Hipparchus (Huebner.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—
- cythisaria** Phalaena (Huebner.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 90.— [Geometra, 1775.]
- cytisaria** Pseudoterpna (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 285.—
- Cytilus** W. F. Erichson, Nat. Ins. Deutschl. I, 3 (3) 1846, 468.—Col.
- cytisana** Grapholitha, P. C. Zeller, Isis (Oken), 1847, 735.
- cytisella** Cleodora, J. Curtis, Brit. Entom. XIV (168) Dec. 1837, no. 671.
- cytisella** Lita, F. Treitschke, Schmett. Europa, IX (2) 1833, 99.
- cytisi** Sphinx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 81.
- cytisi** Thermophila, J. Huebner, Verz. bekannt. Schmett. [1820], 118.
- cytisorum** Aphis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 370.
- Cytonotus** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- Cytorea** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1849, 224.—Col.
- Cytorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kytorhinus, F. v. W.
- cytora** Cyclophorus (Gray), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 23.—Cyclostoma.
- cytora** Cyclostoma, J. E. Gray, Proc. Zool. Soc. London (200) 1849, 167.
- cytora** Junonia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 211
- cytorus** Stomoxys, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1160. [*n. et f.*].
- Cyzicus** J. V. Audouin, Ann. Soc. Ent. France, VI. 1837 (Bull.) p. x.—Cr.
- cyzicus** Miscogaster, F. Walker, Mon. Chalcid. I. 1839, 200.
- czizeki** Chilostomella, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 380.
- czjzekii** Murex, M. Hoernes, Verz. Fossil-Reste Wien, 1848, 18 [*n. n.*].
- czjzekii** Venus, M. Hoernes, Verz. Fossil-Reste Wien, 1848, 26 [*n. n.*].



SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00751 7501

70 291 SI BR
07/28/94 1981 15

4050









